1970

4-683.

MINERAL SURVEY No. 3 2 3 7

LOT No.		
 Arizona	Land	District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

	BIG JII	M GOLD MINING	CO.
		KNOWN AS THE	
	Mohawk,	Mohawk Extension	n.•
		San Francisco	Mining District
	Mohave	Countu	Arizona
	15	-	
ction	15 Tow	nship19 N.	, Range 20 W. Unappro G.& S.R.B
tion .	15	nship19 N.	, Range 20 W. Unappro G.& S.R.B
tion .	15 Tow	nship 19 N.	, Range 20 W. Unappro G.& S.R.B
tion .	15 Tow	nship 19 N.	Range 20 W.Unappro G.& S.R.B 2 , 19 15
tion .	eyed under instruction	nship 19 N.	Range 20 W.Unappro G.& S.R.B 2 , 19 15 rd L.Haff U. S. Mineral Surveyor
tion .	eyed under instruction Claim located	nship 19 N. ons dated Sept.	Range 20 W.Unappro G.& S.R.B 2 , 19 15 rd L.Haff U. S. Mineral Surveyor

Address of Claimant

S.M.Warmbath Secy.

Big Jim Gold Mining Co. Person Oatman, Arizona.

Feet

Mohawk

Beginning at Cor. No.1.

On east side line of French American lode, unsurveyed, claimants unknown, at S.20°52'E. 619.12 ft. from the N.E.Cor. and N.20°52'W.-131.38 ft. from the east angle Cor.

Identical with Cor.No.5 Mohawk Extemsion lode of this survey.

A pine post 4 ft. long, 4 ins. square, set 18 ins: in the ground, with mound of earth and stone, a nail at corner point, and M-M-Ext.1-5-3237 scribed on the east side, whence,

U.S.L.M. No.1602 bears S.24° 59'34"W.-5476.32 ft.

No bearing objects available.

· Thence N.73 06'E.

300.00 To South End Center.

Identical with North End Center Mohawk Extension lode of this survey.

A pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground; with mound of earth and stone, a nail at center point and scribed S.End C.M.-3237 on the North side and N.End C.M.Ext.-3237 on the South side.

600.00 To Cor.No.2.

Identical with Cor.No.4 Mohawk Extension lode of this survey.

A pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at corner point and M.M.Ext.2-4-3237 scribed on the west side.

No bearing objects available.

Thence N.27° 29' W.

1361.67 To Cor. No. 3.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at corner point, scribed M-3-3237 on the West side, whence,

N.1/4 Cor. Sec. 15 T. 19 N., R. 20 W., unapproved, G.&

Feet

S.R. B. and M. bears N.83°45'E.-906.53 ft.

No bearing objects available.

Thence S. 73° 06' W.

300.00 To North End Center.

A pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at center point, scribed N.End C.M.3237.

600.00 To Cor.No.4.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at corner point, scribed M-4-3237 on the south side, whence, East angle corner of the Pasadena lode, unsurveyed, claimants unknown, bears S.31 49 35 E.-390.75 ft.

No bearing objects available.

Thence S.27°29'E.

13.57 Intersect East side line of the Pasadena lode, unsurveyed, at S.31°59'E.-536.25 ft. from the N.E.Cor. and N.31°59'W.

377.22 ft. from East Angle Cor. which is N.34°10'20"W.

359.48 ft. from the S.E.Cor. thereof.

766.10 Intersect South End line of the Pasadena lode, unsurveyed, and North End line of the French American lode, unsurveyed, at S.47°17'W.-73.94 ft. from the S.E.Cor. of the Pasadena lode and the N.E.Cor. of the French American lode and N.47°17'E.-526.06 ft.from the S.W. and N.W.Cor. of the Pasadena and French American lodes respectively.

1361.67 To Cor.No.1, the place of beginning.

Mohawk Extension.

Beginning at Cor. No.1.

A pine post 4 ft. long, 4 ins. square, set 18 ins.in the ground, with mound of earth and stone, a nail at Corner point, scribed M.Ext.1-3237 on the East side, whence,

U.S.L.M.No.1602, bears S.37º14'38"W.-4940.34 ft.
No bearing objects available.

Thence N. 73° 06'E.

17.11 Intersect line 3-4 of Sur. No. 3188 Stray Dog lode, United Eastern Mining Company, claimant, at S.47.51'W.538.12 ft.

Feet

from Cor.No.3. and N.47°51'E.-61.88 ft. from Cor.No.4. 327.30 To South End Center.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at center point, scribed S.End C.M.Ext.-3237 on North side 612.08 Intersect line 2-3 Sur.No.3188 Stray Dog lode, at N.420 09'W.-1246.2 ft. from Cor.No.2 and S.42°09'E.-253.8 ft. from Cor.No.3.

654.60 To Cor.No.2.

A pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground with mound of earth and stone, a nail at corner point, scribed M.Ext.2-3237, whence,

Cor.No.3, Sur.No.3188, Stray Dog lode, bears N.50° 12'W.-274.64 ft.

No bearing objects available.

Thence N. 42° 40' W.

935.83 To Cor.No.3.

A pine post 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at corner point, scribed 3-3237.

No bearing objects available.

Thence N.16°05'10"W.

340.02 To Cor.No.4'.

Identical with Cor. No. 2 Mohawk lode of this survey, previously described, whence,

N.1/4 Cor. of Sec. 15. T. 19 N., R. 20 W. unapproved, G.& S.R. B. & M. bears N.11°47'23"E.-1334.84 ft.

Thence S.73°06'W.

Along line 2-1 Mohawk lode of this survey.

300.00 To North End Center.

Identical with South End Center Mohawk lode of this survey, previously described.

600.00 To Cor.No.5.

Identical with Cor. No.1, Mohawk lode of this survey previously described. On east side line French American lode, unsurveyed, at N. 20°52'w. 131.38 ft. from the east angle corner.

Thence S. 17°40'E. 4

Feet 337.67

To Cor. No. 6.

A pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of earth and stone, a nail at corner point, scribed M.Ext.6-3237.

No bearing objects available.

Thence S.38°59'E.

505.72 Intersect East side line of the French American lode, unsurveyed, at S.32°16' E.-700.24 ft. from East Angle Cor. and N.32°16'W.-48.54 ft. from the S.E.Cor.

912.03

To Cor. No.1, the place of beginning.

Magnetic variation at all corners 14°30'E.

Lode Lines.

As near as can be determined from present developments, the lode lines of the two claims in this survey extend from their respective discovery points as follows: Mohawk lode.

N.27°29'W.-550 ft. and S.27°29'E.-811.67 ft.

Mohawk Extension Lode.

N.18°01'40"W.337.72 ft. and S.40°26'E.-921.78 ft.

Areas.

Total area Mohawk lode

18.437 Acres.

Area in conflict with

Pasadena lode, unsurveyed, 0.557 acs.

French American lode, unsurveyed,

0.488" "

Total area Mohawk Extension

16.684 "

lode,

Area in conflict with Sur.No.3188 Stray Dog lode 1.568 "

French American lode, unsurveyed,

0.504 "

The survey of each lode of this location is identical with the respective location as staked upon the ground.

Location.

This survey is located in the N.1/2 of Sec.15 T.19 N., R.20 W., unapproved, G.& S.R. B. & M. San Francisco Mining District, Mohave County, Arizona.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim, by the claimant or its grantors, is not less than Five Hundred Dollars, and that said improvements consist of:

On the Mohawk lode:

- No.1 Discovery point, at location monument, on the lode line 550 ft. from the N.E.C.
- No.2 The discovery shaft which is on the lode line 540 ft. from the North End Center, 5x7 ft. 12 ft. deep in altered mineral bearing andesite and quartz.

Value \$75.00

No.3 A shaft which bears from the North End Center S.27°50'E.

290 ft. 4x10 ft. 7 ft. deep in altered mineral bearing

andesite and quartz.

Value \$60.00

No.4 A cut, the mouth of which, bears from the North End

Center S.39°25'E.-160 ft. 4 ft. wide, runs East 16 ft. to

an 8 ft. face; in altered mineral bearing andesite and

quartz.

Value : \$100.00

No.5 A cut, the mouth of which bears from the North End Center S.54°10'E.172.ft.4 ft.wide; runs West 26 ft. to a 5 ft. face, in altered mineral bearing andesite and quartz.

Value \$125.00

No.6 A shaft, which bears from the North End Center S.62°50'E.

110 ft.4x8 ft. 50 ft. deep in altered mineral bearing
andesite and quartz.

Value \$500.00

No.7 A trench, the East End of which is on the lode line
600 ft. from the South End Center, 5 ft. wide, runs S.75°
W.18 ft. 5 ft. deep, in altered mineral bearing andesite
and quartz.

Value \$60.00

No.8

A shaft, which bears from Cor.No.2 S.86.30'W.-374. ft. 5x7 ft. 10 ft. deep in rock.

Value \$50.00

Mohawk Extension lode;

No.1 Discovery point at the location monument, on the lode line 337.72 ft. from the N.E.C.

The discovery cut, the mouth of which is on the lode line 290 ft. from the North End Center, 5 ft. wide, runs N.56°04'W. 10 ft. to face, 8 ft. high. From face a tunnel 4x6 ft. runs N.56°04'W. 9 ft. in altered mineral bearing andesite and quartz vein.

Value of cut and tunnel \$150.00

No.3

No.2

An incline, which bears from the North End Center S.15° E.273 ft. 4x6 ft. 60 ft. deep, running S.70° on dip of 80°. At 12 ft. down from top of incline, a draft 4x6 ft. runs southerly 6 ft. to improvement No.2 tunnel, in altered mineral bearing andesite and quartz vein. \$1000.00

No.4

A cut, the mounth of which, bears from the North End Center S.13° 25'W.-90 ft. 4x32 ft. 4 ft. face, running S.60°W. in altered mineral bearing andesite and quartz.

Value \$150.00

No.5

A shaft, which is on the lode line 434.ft.from the South End Center 4x6 ft.10 ft. deep in altered mineral bearing andesite and quartz vein.

Value \$100.00

Adjoining Claims.

The lode claims of this survey are joined on the South by Sur.No.3188, Stray Dog lode, The United Eastern Mining Company, claimant.

On the West by the Pasadena and French American both unsurveyed, lodes, claimants unknown.

No others known.

Instrument.

This survey was made with a C.L.Berger & Sons No.2

Transit. The courses were deflected from the true meridian as determined by direct solar and polaris observations taken on the ground.

The distances were measured with 100 and 500 ft. steel tapes.

Report.

All lines and ties in this survey were run direct on the ground and the courses and distances found to be as herein stated.

U.S.L.M. No.1602 is a basalt stone 8x15x14 ins. above ground, properly set, chiseled with a cross (X) on top and U.S.L.M.No.1602 on the south face.

The North 1/4 Cor. of Sec.15 T.19 N., R 20 W. unapproved G. & S.R. B. & M. is a one inch pipe with brass cap, in a mound of rock, properly marked.

Sur. No. 3188, Stray Dog Lode.

Cors.2,3 and 4 pine posts, 4 ins. square, properly set and marked.

Pasadena lode, unsurveyed.

All corners pine posts 4 ins. square, properly set and marked.

Note.

The disagreement between these field notes and the amended certificates with regard to the courses and distances of lines 2-3 and 4-1 of the Mohawk lode and lines 2-3, 3-4, 5-6, -6.1 of the Mohawk Extension lode, the course and length of the lode lines from the discovery stake to each End line and the ties to U.S.L.M. No.1602 are due to errors in the latter.

The location post of the Mohawk lode is 4 ins. square, 3 ft. high in mound of rock to which is attached the location notice and is the discovery point of this lode though the discovery work is done on the lode 10 ft. northwesterly from the location post.

The location post of the Mohawk Extension lode is

4 ins. square, 3 ft. high, in mound of rock, to which is attached the location notice and is the discovery point of this lode, though the discovery work is done on the loca 47.61 ft. northwesterly from the location notice.

The lode line extends northerly to the North End Center and Southeasterly to the South End Center along the general course of the vein as shown by the outcrop on the surface and the improvements thereon.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names	s of the individuals em	ployed by Edward L.H.	iff
United States Mineral	Surveyor, to assist in	running, measuring, and mark	xing the lines, corners, and
boundaries described in	the foregoing field no	tes of the survey of the mining	g claim of
	Big Jim Go	old Mining Co	
known as the	Mohawk. Moha	wk-Extension	
and showing the respec	- '		
und sho wing one respec	or, o copercion on the		
		R.L.D'Arcy	, Chainman.
			, Chainman.
			, Axman.
			Flaaman
	_		, ±g
F	FINAL OATH	IS OF ASSISTAN	TS.
XX e, I	R.L.D'Arcy		
and		, do solemnly swear that 4 e ass	istad
Edward D.nall	United State	es Mineral Surveyor, in marking	the corners and surveying
		Big Jim Gold Mining	
known as the	Mohawk, Moha	wk Extension	
represented in the foreg	going field notes as ha	ving been surveyed by said min	eral surveyor and under his
direction; and that said	l survey has been in all	respects, to the best of our know	vledge and belief, faithfully
and correctly executed,	and the corner and boun	dary monuments established acco	ording to law and the instruc-
tions furnished by the U	nited States Surveyor-C	teneral for Arizona.	
· ·	into participation of the	RLDa	
		$0, \alpha, \omega$	Chainman.
			, Chainman.
			, Axman.
			Flaaman
Sub	scribed and sworn to b	y the above-named persons befo	re me this 9 th
	day of Lee	mler , 19/J	1.
		Sadol	3 Shylfuld
			The P.10!
(my	Commission &	Chia.	6-1043

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edward L.Haff	, U. S. Deputy Mineral
	rsuance of instructions received from the United
States Surveyor General forAr	izona, dated
	, I have, in strict conformity to the laws of the
	d instructions thereunder, and the instructions
	d correctly executed the survey of the Mining
Claim of Big Jim Gold	9
	, known as the
	wk Extension ,
	CO Mining District,
	County, Arizona, in Section
	Range No. 20 W.unapproved, G.& S.R.B,& M.
	3 2 3 7 , as represented
	rately show the boundaries of said mining claim
	the ground, and described in the attached copy
	eceived by me from the Surveyor General with
	es of said survey have been established and per-
	aw, official regulations and instructions there-
	r that the foregoing are the true and original
	ort therein, and that the labor expended and
	laim by claimant or <u>its</u> grantors
	e character, extent, location and itemized value
	cularity and full detail, and that no portion of
	o this claim has been included in the estimate
of expenditures upon any other claim.	
	/ Cloured Wary
(8)	l'. S. Beputy Mineral Surveyor.
	id Edward L. Haff
U. S. Deputy Mineral Surveyor,	before me Zadok Sheffield, A Notary.
Public in and for Mohave (County, Arizona this 6th.
day of December A. D.	1915,
	Back Shedl-led
	Badok Sheffeld
0 8-154	Molary Juliles.
(my Commission expires	919)



Elmended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That Big Jim Gold Mining Co. by S. M. Warmbath, Secy. the undersigned citizen...... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of San Francisco Mining District, hereby make and file this amended location of the MOHAWK Lode, claiming by right of discovery, location, primal appropriation and possession. 1362.23 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, silver and other valuable minerals, with all dips, variations and angles the same being 550. feet along the ledge in a N. 27°33' W. direction from the discovery stake and 812.23 feet along the ledge in a S. 27°33' E. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim. Situate in San Francisco Mining District, County of Mohave State of Arizona, is a same and more particularly described as follows, to-wit: Beginning at the S.W. Cor. No. 1. Whence U. S. L. M. No. 1602 bears S. 24°59' W. 5476.53 ft. Thence N. 73°06' E. 300. ft. to south end center post and 600 ft. to the S. E. Cor. No. 2 Thence N. 27°33' W. 1362.23 ft. to the N. E. Cor. No. 3 Thence S. 73°06' W. 300. ft. to north end center post and 600 ft. to the N. W. Cor. No. 4 Thence S. 27°33' E. 1362.23 ft. to the place of beginning. Variation 14° 30' E. All Corners and end centers are pine posts 4 ft. long 4 inches square, set in a mound of stone, and properly marked. THIS AMENDED LOCATION is made in conformity with the original location, made by Gardner, Jan. 1, 1907, recorded Feb. 21, 1907, in Book V Page 697 of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate. Date of Original Discovery January 1, 1907 xxxxxxxx Date of Amended Location August 24th. 1915 XXXXXXXX Big Jim Gold Mining Co. Attest: S. M. Warmbath Secy. by Recorded at the request of S. M. Warmbath at 30 minutes past 11

o'clock A.M., August 26th, 1915, in Book I.I. of Mining Claims, pages

No. 340-AMENDED LOCATION CERTIFICATE—The McNeil Company's Red-Line Blanks—Phoenix, Arizone. County Recorder.

J. W. Morgan

232--233, Records of Mohave County, Arizona.

1-13-1m



Elmended Location Certificate

	Secy.
	f the United States, over the age of twenty-one years, having complied
	the laws of the United States and the State of Arizona, relating to mining
	ws, customs, rules and regulations of San Francisco
	et, hereby make and file thisamended location of
	N Lode, claiming by right of discovery, location, primal appropriation
	feet, linear and horizontal measurement, on this vein or
	in place, bearing gold, silver and other valuable min-
	and angles the same being
	We direction from the discovery stake and 922.80
	40°31. E. direction therefrom, together with 300
	the middle of said ledge, and all veins, lodes, ledges, mineral deposits,
-	within the lines of said claim.
	Francisco Mining District, County of Mohave
	and more particularly described as
ollows, to-wit:	
Beginning at	the S. W. Cor. No. 1, Whence U.S.L.M. No. 1602
ears S,37°53' W. 4	983. ft.
Thence N. 73°06	' E. 327.30 ft. to the south end center post and
	654.60 ft. to the S. E. Cor. No. 2.
Thence N. 42°41	' W. 937.26 ft. to east angle Cor. No. 3
Thence N. 16°03	' W. 339.56 ft. to the N. E. Cor. No. 4
Thence S. 73°06	'W. 300. ft. to the north end center post and
Thence S. 73°06	W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5
Thence S. 73°06 Thence S. 17°42	W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6
Thence S. 73°06 Thence S. 17°42	W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning.
Thence S. 73°06 Thence S. 17°42	W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6
Thence S. 73°06 Thence S. 17°42 Thence S. 39°00	W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning.
Thence S. 73°06 Thence S. 17°42 Thence S. 39°00 All corner	'W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning. Variation 14° 30' E. s and end centers are pine posts 4 ft. long 4
Thence S. 73°06 Thence S. 17°42 Thence S. 39°00 All corner	'W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning. Variation 14° 30' E.
Thence S. 73°06 Thence S. 17°42 Thence S. 39°00 All corner	'W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning. Variation 14° 30' E. s and end centers are pine posts 4 ft. long 4
Thence S. 73°06 Thence S. 17°42 Thence S. 39°00 All corner	'W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning. Variation 14° 30' E. s and end centers are pine posts 4 ft. long 4
Thence S. 73°06 Thence S. 17°42 Thence S. 39°00 All corner	'W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning. Variation 14° 30' E. s and end centers are pine posts 4 ft. long 4
Thence S. 73°06 Thence S. 17°42 Thence S. 39°00 All corner	'W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning. Variation 14° 30' E. s and end centers are pine posts 4 ft. long 4
Thence S. 73°06 Thence S. 17°42 Thence S. 39°00 All corner inches squars,	'W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning. Variation 14° 30' E. s and end centers are pine posts 4 ft. long 4 set in a mound of stone and properly marked.
Thence S. 73°06 Thence S. 17°42 Thence S. 39°00 All corner inches squars,	'W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning. Variation 14° 30' E. s and end centers are pine posts 4 ft. long 4 set in a mound of stone and properly marked.
Thence S. 73°06 Thence S. 17°42 Thence S. 39°00 All corner inches squars, THIS AMENDED ardner, Jan. 1, 190	'W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 'E. 338.03 ft. to the West angle Cor. No. 6 'E. 912.55 ft. to the place of beginning. Variation 14° 30' E. s and end centers are pine posts 4 ft. long 4 set in a mound of stone and properly marked. LOCATION is made in conformity with the original location, made
Thence S. 73°06 Thence S. 17°42 Thence S. 39°00 All corner inches squars, THIS AMENDED rdner, Jan. 1, 190' age 696 , of Quartz L	'W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning. Variation 14° 30' E. s and end centers are pine posts 4 ft. long 4 set in a mound of stone and properly marked. LOCATION is made in conformity with the original location, made 7. , recorded Feb. 21, 1907, in Book V.,
Thence S. 73°06 Thence S. 17°42 Thence S. 39°00 All corner inches squars, THIS AMENDED rdner, Jan. 1, 190' age 696,, of Quartz Letter purpose of appropriating	'W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 'E. 338.03 ft. to the West angle Cor. No. 6 'E. 912.55 ft. to the place of beginning. Variation 14° 30' E. s and end centers are pine posts 4 ft. long 4 set in a mound of stone and properly marked. LOCATION is made in conformity with the original location, made 7. , recorded Feb. 21, 1907, in Book V., cocations, in the office of the Recorder of said County, and it is made for all ground within the boundaries hereinbefore described, and of more
Thence S. 73°06 Thence S. 17°42 Thence S. 39°00 All corner inches squars, THIS AMENDED ardner, Jan. 1, 190° age. 696, of Quartz Length the purpose of appropriating efinitely describing the situation.	W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning. Variation 14° 30' E. s and end centers are pine posts 4 ft. long 4 set in a mound of stone and properly marked. LOCATION is made in conformity with the original location, made 7. , recorded Feb. 21, 1907., in Book V., cocations, in the office of the Recorder of said County, and it is made for all ground within the boundaries hereinbefore described, and of more tion and boundaries of said lode, correcting any irregularities, informali-
Thence S. 73°06 Thence S. 17°42 Thence S. 39°00 All corner inches squars, THIS AMENDED rdner, Jan. 1, 190' age. 696, of Quartz I the purpose of appropriating efinitely describing the situaties or errors, supplying omissing	W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning. Variation 14° 30' E. s and end centers are pine posts 4 ft. long 4 set in a mound of stone and properly marked. LOCATION is made in conformity with the original location, made 7. , recorded Feb. 21, 1907, in Book V., cocations, in the office of the Recorder of said County, and it is made for all ground within the boundaries hereinbefore described, and of more tion and boundaries of said lode, correcting any irregularities, informalisions and correcting any defects which may have existed in the original
Thence S. 73°06 Thence S. 17°42 Thence S. 39°00 All corner inches squars, Inches squars, ardner, Jan. 1, 190' age. 696, of Quartz I he purpose of appropriating efinitely describing the situates or errors, supplying omission or the record thereof position, or the record thereof	W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning. Variation 14° 30' E. s and end centers are pine posts 4 ft. long 4 set in a mound of stone and properly marked. LOCATION is made in conformity with the original location, made 7, recorded Feb. 21, 1907., in Book V., cocations, in the office of the Recorder of said County, and it is made for all ground within the boundaries hereinbefore described, and of more tion and boundaries of said lode, correcting any irregularities, informalisions and correcting any defects which may have existed in the original f, hereby waiving no rights acquired under and by virtue of said original
Thence S. 73°06 Thence S. 17°42 Thence S. 39°00 All corner inches squars, THIS AMENDED rdner, Jan. 1, 190' Page. 696, of Quartz I the purpose of appropriating efinitely describing the situation of the record thereof the potential of the original	W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning. Variation 14° 30' E. s and end centers are pine posts 4 ft. long 4 set in a mound of stone and properly marked. LOCATION is made in conformity with the original location, made for the conformity with the original location, made for all ground within the boundaries hereinbefore described, and of more tion and boundaries of said lode, correcting any irregularities, informalisions and correcting any defects which may have existed in the original location or the certificate thereof is void, then this location shall be
Thence S. 17°42 Thence S. 39°00 All corner inches squars, THIS AMENDED rdner, Jan. 1, 190 age. 696, of Quartz I ne purpose of appropriating efinitely describing the situa- es or errors, supplying omiss ocation, or the record thereof ocation. And if the original n original location and this of	W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning. Variation 14° 30' E. s and end centers are pine posts 4 ft. long 4 set in a mound of stone and properly marked. LOCATION is made in conformity with the original location, made 7, recorded Feb. 21, 1907, in Book V., Locations, in the office of the Recorder of said County, and it is made for all ground within the boundaries hereinbefore described, and of more tion and boundaries of said lode, correcting any irregularities, informalisions and correcting any defects which may have existed in the original f, hereby waiving no rights acquired under and by virtue of said original location or the certificate thereof is void, then this location shall be certificate an original certificate.
Thence S. 17°42 Thence S. 39°00 All corner inches squars, THIS AMENDED ardner, Jan. 1, 190' Page 696, of Quartz I the purpose of appropriating the situaties or errors, supplying omiss becation, or the record thereof ocation. And if the original moriginal location and this of Date of Original Dis-	W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning. Variation 14° 30° E. s and end centers are pine posts 4 ft. long 4 set in a mound of stone and properly marked. LOCATION is made in conformity with the original location, made 7, recorded Feb. 21, 1907, in Book V., cocations, in the office of the Recorder of said County, and it is made for all ground within the boundaries hereinbefore described, and of more tion and boundaries of said lode, correcting any irregularities, informalisions and correcting any defects which may have existed in the original f, hereby waiving no rights acquired under and by virtue of said original location or the certificate thereof is void, then this location shall be certificate an original certificate.
Thence S. 17°42 Thence S. 39°00 All corner inches squars, THIS AMENDED ardner, Jan. 1, 190' Page 696, of Quartz I the purpose of appropriating the situaties or errors, supplying omiss becation, or the record thereof ocation. And if the original moriginal location and this of Date of Original Dis-	W. 300. ft. to the north end center post and 600. ft. to the N. W. Cor. No. 5 E. 338.03 ft. to the West angle Cor. No. 6 E. 912.55 ft. to the place of beginning. Variation 14° 30' E. s and end centers are pine posts 4 ft. long 4 set in a mound of stone and properly marked. LOCATION is made in conformity with the original location, made 7, recorded Feb. 21, 1907, in Book V., cocations, in the office of the Recorder of said County, and it is made for all ground within the boundaries hereinbefore described, and of more tion and boundaries of said lode, correcting any irregularities, informalisions and correcting any defects which may have existed in the original f, hereby waiving no rights acquired under and by virtue of said original location or the certificate thereof is void, then this location shall be certificate an original certificate.

No. 340-AMENDED LOCATION CERTIFICATE—The McNeil Company's Red-Line Blanks—Phoenix, Arizone, County Recorder.

233--234, Records of Mohave County, Arizona.


STATE OF ARIZONA,) :-ss.
County of Mohave.)

I, J. W. MORGAN, Recorder of Mohave County, State of Arizona, do hereby certify that I have compared the foregoing copies of Amended Location Certificates of the

MOHAWK and MOHAWK EXTENSION

lode mining claims, situated in the San Francisco Mining District, County of Mohave, State of Arizona, and of the endorsement thereon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this $\underline{27th}$ day of \underline{AUGUST} , A. D. 1915.







U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	P	noenix, Arizona,	
		, 	May 8 , 19 16
I, U. S. Surveyo	r-General for Distri	Let of Arizona	
do hereby certify tha	t the foregoing transcript of	the Field Notes, return a	and approval of the survey
of the mining claim	of		
T	BIG JIM GOLD M	MINING CO.	
known as the	MOHAWK, MOHAWK	EXTENSION.	
situate in	SAN FRANCI	SCO	
Mining District,	MOHAVE	County,	ARIZONA.
in Section15	Township No. 19	N. , Range No. 20	W.,unapp'd., and
designated as Survey	No. 3237 , h	as been correctly copied f	rom the originals on file in
this office; that said	Field Notes furnish such an	accurate description of sa	aid mining claim as will, if
incorporated into a pa	itent, serve fully to identify the	he premises, and that such	reference is made therein
to natural objects or p	permanent monuments as wil	ll perpetuate and fix the le	ocus thereof.
And I further ce	ertify that five hundred doll	ars' worth of labor has t	peen expended or improve-
ments made upon said	of d mining claimsby claimant	or ita grantors, an	d that said improvements
consist of 6 shef	ts, 4 cuts, 1 tren	ch, 1 tunnel and	l 1 drift, total
value \$3237.	••••	*****	
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

	***************************************		desire.
·			
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
and that no portion of	f said labor or improvements	has been included in the	e estimate of expenditures
upon any other claim.			
I further certify t	hat the plat thereof, filed in	the U.S. Land Office at-	Phoenix,
Ari zona	is correct and in ec	onformity with the foregoing	ing Field Notes.
		Frank P.	Trott,
19421b3m8-05	United States Su	rveyor-General for. Ari	zona.

#### 4-687.

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior.

Office of U. S. Surveyor-General,

		Phoen	1x, Arizona,
			May 8 , 19 16
I, U. S. Surv	veyor-General for Di	strict of Arizon	a
do hereby certify	that the foregoing and he	ereto attached Field Notes	and Return of the Survey of the
Mining Claim of			
<u> </u>	BIG JI	M GOLD MINING CO	
			, known as the
	MOHAWK,	MOHAWK EXTENSIO	N.
situate in	g	SAN FRANCISCO	mining district,
MOHAVE		County,	ARIZONA.
in Section	15 Township	No. 19 N.,	, Range No. 20 W., unapp'd
	, d <mark>e</mark> signated as Survey	No. 3237	
executed by	Edward	L. Haff	U. S. <del>Deputy</del> Mineral
Surveyor,	September 8-Nove	mber 25 , 19	15, under my instructions dated
Septe	mber 2. , 1	91.5., have been critically	examined and the necessary cor-
rections and expl	anations made, and the sa	nid Field Notes and Retur	rn, and the Survey they describe,
are hereby appro	ved. A true copy of the	copy of the location certi	ificate filed by the applicant. for
survey is include	d in the field notes.		
		Franck (	Dogwood
		U. S. Surveyor-Gene	eral for Arizona.

Amendment to Field Notes
Mineral Survey No. 3237.

Beginning at a point on line 3-4 Stray Dog lode,
Mineral Survey No. 3188, 505.53 ft. from Cor. No. 3,
thence S. 47° 51' W. along said line 3-4, 32.59 ft. to
an intersection with line 1-2 Mohawk Extension lode, Sur.
No. 3237, said point being N. 73° 6' E. 17.11 ft. from
Cor. No. 1 Mohawk Extension, thence N. 73° 6' E., along
line 1-2 said Mohawk Extension, 37.48 ft. to a point,
thence N. 46° 50' W. 16.05 ft. to the place of beginning,
containing .006 acres.

I certify that the above and foregoing correctly describes the tract embraced in the Mohawk Extension lode, Mineral Survey No. 3273, which was not included in the conflict between the Stray Dog lode, Mineral Survey No. 3188, and the Mohawk Extension lode, then unsurveyed, and that the plat of said Survey No. 3273 has been correctly amended, in distinctive colored ink, to show said tract, as required by G.L.O.letter "N" dated February 2,1918.

Phoenix, Arizona, February 23, 1918.