

Es 7-191.

4-683.

Mineral Survey No. 3241

Lot No. \_\_\_\_\_

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

O. Gibson and Mrs P. C. Lemons

KNOWN AS THE

June  
Turquoise Mining District,  
Cochise County, Arizona

Sections 32 & 33, Township 19 S, Range 20 E

Surveyed under instructions dated Sept 13, 1915

by John A. Rockwell  
U. S. ~~Deputy~~ Mineral Surveyor

Claim located <sup>location</sup> See Notes, 1

Survey commenced Dec 4<sup>th</sup>, 1915

Survey completed Dec 10<sup>th</sup>, 1915

o 6-160

Address of Attorney  
O. Gibson  
Tombstone  
Ariz.

## SURVEY No. 3241

JUNE

Feet	Beginning at Cor. No. 1, the N. E. corner of location, identical with Cor. No. 3 Sadie lode, Survey No. 2405, a pine post 4 X 6 ins., 4 ft. above ground, in a mound of stone, scribed (on board attached) N E C - J, also (on post) S E C - S 32405 I scribe post N E C - J 1-3241
	Whence
	The 1/4 cor. between Secs. 52-53, Tp. 19 S. R 25 E. bears S. 64° 47' E. 468.6 ft. The corner is regulation iron marker with cap.
	X B R 1-3241 chiseled on a face 14 X 5 ins. on a limestone reef bears S 0° 17' E. 18.3 ft.
	Thence S 29° 27' E. Va. 13° 15' E.
671.6	Center of track Gleeson branch Arizona Eastern R. R. on curve southwesterly
861.9	Intersect line between Secs. 32-33, Tp. 19 S. R. 25 E. at S. 0° 01' W. 550.9 ft. from 1/4 Cor. and N 0° 01' E. 2089.1 ft. from Cor. Secs. 32-33
1037.7	To Cor. No. 2, identical with location, a mound of stone (post gone), set a cedar post 6 ins. diam., 4 ft. long, 4 ins. in ground to hard pan, in mound of stone, scribed S E C - J 2-3241.
	Whence
	X B.R. 2-3241 chiseled on a limestone, exposing 10 X 10 X 4 ins., bears N. 6° 05' E. 46.2 ft. No other nearby bearings available.
	Thence S. 76° 40' W. Va. 13° 30' E.
88.9	Intersect line between Secs. 32-33 at S. 0° 01' W. 724.5 ft. from 1/4 Cor. and N. 0° 01' E. 1915.5 ft. from Cor. Secs. 32-33.
110.6	Intersect N. side Pearce lode, unsurveyed, at S. 50° 06' E. 396.0 ft. from N. W. Cor., which is a pine post 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone
140.0	To Cor. No. 3, identical with location, a pine post 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone,

	scribed S E C - J; add 3-3241
	Whence
	X B. R. 3-3241 chiseled on a limestone 20 X 14 ins., 3 ins. above ground, brs. N. 49° 05' W. 17.6 ft.
	X B. R. 3-3241 chiseled on a limestone 36 X 24 ins., 14 ins. above ground, bears N. 68° 25' E. 34.0 ft.
	A post in a mound of stone, scribed N. W. C. - E., bears N. 8° 10' W. <del>N. 8° 10' W.</del> 54.8 ft.
	Thence S 83° 06' W. Va. 13° 20' E.
255.8	Center of track Ariz. & Eastern R. R., on curve southwesterly
325.2	To Cor. No. 4, identical with location, and with Cor. No. 3 Grenadier lode, Survey No. 2405. A pine post 4 ins. sq., 3½ ft. above ground, in a mound of stone, scribed (on board attached) S W C - J; also scribed (on post) S E C - G 3-2405. I scribe post S W C - J 4-3241
	Whence
	X B. R. 4-3241 chiseled on limestone bedrock in a reef, bears N. 17° 35' W. 14.2 ft.
	X B. R. 4-3241 chiseled on a limestone 48 X 24 X 24 ins. bears N. 38° 30' E. 14.2 ft.
	Thence N. 29° 44' W. Va. 13° 20' E.
166.2	Intersect west end Pearce lode, unsurveyed, at S. 39° 54' W. 202.8 ft. from N. W. Cor.
1001.2	To Cor. No. 5, set a pine post 4 ins. sq., 4 ft. long, 6 ins. in ground, to hard pan, in a mound of stone, scribed N. W. C. - J 5-3241
	Whence
	Cor. of location, a post, in a mound of stone, scribed N. W. C. - J, bears S. 76° 40' W. 2.0 ft.
	U. S. Mineral Monument No. 1, Turquoise District, bears N 42° 36' W. 5647.0 ft. Cor. No. 2 Grenadier lode, Survey No. 2405, bears N. 29° 44' W. 502.2 ft.

Feet X B. R. 5-3241 chiseled on a face 30 X 10 ins., on limestone reef, bears N. 25° 50' W. 59.1 ft. No other nearby bearings available.

157.8 Thence N. 76° 40' E. Va. 13° 50' E. North center end, identical with location <sup>and</sup> S. C. E. Sadie lode, Sur. No. 2405, a pine post 4 ins. sq., 3 1/2 ft. above ground, in a mound of stone, scribed (on board attached) N. C. E. - J., also (on post) S. C. E. - S. 2405. Scribe post N. C. E. - J. 3241.

457.8 To Cor. No. 1, the place of beginning.

AREA.

Total area June lode	10.285 acres
Area in conflict with Pearce lode, unsurveyed,	1.560 "
<del>Net area June lode</del>	<del>8.725 "</del>

LOCATION

This claim is located in Turquoise Mining District, Cochise County, Arizona, in Secs. 32 and 33, Tp. 19 S. R. 25 E., G. & S. R. M.

VEIN.

The presumed course of the vein is N. 37° 32' W. 1093 ft. from S. C. E. (Cor. No. 3) to N. C. E.

ADJOINING CLAIMS:

On the North: Sadie lode, Sur. No. 2405 Thos. P. Cowan, Claimant.

On the East: New Years Gift lode, unsurveyed Thos. P. Cowan, claimant.

On the South: Unknown lode, unsurveyed. Claimant unknown, and Pearce lode, unsurveyed Costello Estate claimant.

On the West: Grenadier lode, Sur. No. 2405 Thos. P. Cowan claimant.

57

EXPENDITURE OF \$500.

I certify that the value of labor and improvements made upon said mining claim by the claimants, or their grantors, is not less than five hundred dollars, and that said improvements consist of:

No. 1 ~~No. 1~~ Discovery Shaft.

See accompanying affidavit of J. Lemons.

From a point on line 1-2 at S. 29° 27' E. 680.8 ft. <sup>from Cor. No. 1</sup>

No. 2 A shaft, the center of which bears N. 75° 10' W. 125 ft.

Shaft 6 X 4 ft. 10 ft. in rock

Value \$100.

No. 3 A cut and tunnel, the mouth of which bears N. 87° 45' W. 301 ft. Cut 3 1/2 ft. wide. Course northwesterly 16 ft. to face 8 ft; thence tunnel, same course, 6 X 4 ft. 18 ft. to face.

Value of cut \$60.00

Value of <sup>tunnel</sup> ~~tune~~ at \$10 per foot. \$180.00

No. 4 A cut and tunnel, the mouth of which bears N. 71° 44' W. 386 ft.; cut 3 1/2 ft. wide. Course northwesterly 16 ft. to 8 ft. face; thence tunnel, same course, 6 X 4 ft. 45 ft. to face.

Value of cut \$60.00

Value of tunnel at \$10 per foot 450.00

OTHER IMPROVEMENTS:

From a point on line 1-2 at S 29° 27' E. 680.8 ft. <sup>from Cor. No. 1</sup>

A. A shaft, the center of which bears S 12° 30' W. 165.5 ft. shaft 7 X 5 ft. 5 ft. deep; partly filled with debris.

B. A shaft, the center of which bears S. 10° 25' W. 191 ft.; shaft 6 X 5 ft., 7 ft. deep, partly filled with debris.

C. A cut, the mouth of which bears S. 0° 30' W. 220 ft.; cut 4 ft. wide N. Westerly 16 ft. to 7 ft. face.

Claimants of all of above improvements unknown.

D.

From Cor. No. 3  
An incline shaft, the center of foot wall of which  
bears N. 44° W. 115 ft.; course westerly.

This work lies within the boundaries of the Pearce lode,  
unsurveyed, and is claimed by the Pearce claimants.

---

INSTRUMENT.


This survey was made with a Young & Sons  
mountain transit (No. 6855), provided with Smith solar  
attachment.

The courses were deflected from true Meridian  
as obtained by direct solar observations.

The measurements were made with 500 ft. and 50  
ft. steel tapes.

Tombstone, Arizona,

January 5, 1916.

  
U. S. Mineral Surveyor.

STATE OF ARIZONA, )  
County of Cochise. ) ss.

James Lemons, being first duly sworn, deposes and says: That he is a citizen of the United States over the age of twenty-one years: That he is personally, well acquainted with the June Mining Claim, situated in Turquoise Mining District, Cochise County, Arizona, the amended notice of location of which is of record in Book 42 of Record of Mines, at page 284 of the records of said County: That he was upon the said claim after same was located, and helped to survey the route of the Arizona and Colorado Railroad across said claim: That he saw, at a point N. 37° 30' W. <sup>about</sup> 215 feet from the south center end of said claim, a shaft which he knows was the discovery shaft of said claim; that said shaft was four feet by six feet at the top, by ten feet deep from the lowest part of the rim of said shaft, and affiant saw mineral in place in the bottom of said shaft, to-wit, iron and silver: That affiant knows said shaft was wholly filled up and covered over by the Railroad grade and work of construction of said Railroad.

*James W. Lemons.*

Subscribed and sworn to before me this 26<sup>th</sup> day of

January, 1916.

My commission expires February 26, 1916.

*Wm. Munnier*

Notary Public.



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockefeller  
 United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of.....  
O. Gibson and Mrs P. C. Lemons  
 known as the June  
 and showing the respective capacities in which they acted.

Philip Rockefeller, Chainman.  
 \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

~~We~~ I Philip Rockefeller  
 and \_\_\_\_\_, do solemnly swear that we assisted John A  
Rockefeller, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of O. Gibson and Mrs P. C. Lemons  
 known as the June  
 represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and  
 correctly executed, and the corner and boundary monuments established according to law and the instructions  
 furnished by the United States Surveyor-General for Arizona

Philip Rockefeller, Chainman.  
 \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 10th

day of January, 1916.  
 My commission expires Feb. 19, 1916.

Frances J. Abell,  
 Notary Public.



FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, John A. Rockefeller, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Sept 13 1915, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of O. Gibson and Mrs P. C. Lyons, known as the June situate in Turquoise Mining District, Cochise County, Arizona in Section 5 32-33, Township No. 19S, Range No. 25E G.S.R.M. and designated as Survey No. 3241, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockefeller  
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller,  
U. S. ~~Deputy~~ Mineral Surveyor, before me, the undersigned, Notary Public,  
this 10th day of January, 1916,

My commission expires Feb. 19, 1916.  
Frances J. Abell  
Notary Public

AMENDED  
NOTICE OF MINING LOCATION

10

Lode Claim.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the June Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by G. M. Land, a citizen of the United States, on the 27 day of June, 1908.

The length of this claim is eleven hundred (1100) feet, and we claim two hundred and fifteen (215) feet in a S. 37° 30' E. direction and eight hundred and eighty five (885) feet in a N. 37° 30' W. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North West to the South East.

The claim is situated and located in the Turquoise Mining District, in Cochise County, in the State of Arizona, the North West corner being S. 37° 01' E. 5378.8 ft. from U. S. M. M. No. 1, and from the south west corner of the claim, the north center end of the Pearce lode bears N. 64° 05' W. 160.2 ft., and we hereby exclude from the June claim all areas in conflict with the Pearce Lode, a prior location.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post in mound of stone at a point in a S. 37° 30' E. direction 215 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence N. 76° 40' E. 140 feet to a post in mound of stone, identical with the south west corner of the New Year's Gift claim, being the south east corner of said claim; thence N. 29° 25' W. 1037.6 feet to a post in mound of stone, being at the north east corner of said claim, identical with the south east corner of the Sadie claim; thence S. 76° 40' W. 300 feet to a post in mound of stone, identical with the south center end of the Sadie claim, at the center of the north end of said claim; thence S. 76° 40' W. 158.2 feet to a post in mound of stone, being at the north west corner of said claim; thence S. 29° 44' E. 1001.2 feet to a post in mound of stone at the south west corner of said claim, identical with the south east corner of the Grenadier Lode; thence N. 83° 06' E. 325.1 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of Chapter One, Title XXXIV, of the Revised Statutes of Arizona of 1913.

This is an Amended Location Notice of the June Mining Claim, located by George M. Land on the 27th day of June, 1908, and recorded in Book 42 of Records of Mines, at page 215, and Amended Location Notice of which was recorded on the 24th day of September, 1908, in Book 42 of Records of Mines, at page 284, in the office of the County Recorder of the aforesaid County of Cochise, to both of which notices reference is hereby made, and this Amended Location Notice is made without waiver of any rights secured under either or both of the aforesaid notices, for the confirmation of all rights claimed under said notices, and is made to correct errors in the description in the said original and Amended Location Notices.

Dated this 8th day of September, 1915.


*O. Gibson*  
*Wm. B. C. Lemons*

OFFICE OF THE COUNTY RECORDER.

STATE OF ARIZONA, )  
County of Cochise. ) SS

I, Owen E. Murphy, County Recorder in and for the County and State aforesaid, DO HEREBY CERTIFY that I have compared the annexed and foregoing copy with the original AMENDED LOCATION NOTICE of the **June Lode Mining Claim**, situate in the TURQUOISE MINING DISTRICT, in the County of Cochise, in the State of Arizona, filed for record in this office on the 8th day of September A.D. 1915 at 2-30 P.M., and recorded in Book 54 Record of Mines at Page 56, and that the same is a full, true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office, this the 9th day of September, A.D. 1915.

  
County Recorder.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

April 29, 1916.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

C. GIBSON AND MRS. P. C. LEMONS

known as the JUNE

situate in TURQUOISE

Mining District, COCHISE County, ARIZONA

in Sections 32 and 33 Township No. 19 S., Range No. 25 E., and

designated as Survey No. 3241, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimants or their grantors, and that said improvements consist of 1 shaft, 2 cuts and 2 tunnels, total value \$850.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona.

April 29, 1916.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

O. GIBSON AND MRS. P. C. LEMONS

known as the

JUNE

situate in TURQUOISE mining district,

COCHISE County, ARIZONA.

in Sections 32 and 33, Township No. 19 S., Range No. 25 E.

designated as Survey No. 3241

executed by John A. Rockfellow, U. S. Deputy Mineral

Surveyor, December 4-10, 1915, under my instructions dated

September 13, 1915, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank D. Pratt

U. S. Surveyor-General for Arizona.