

1  
OCT 15 1915  
AN 4-1916

4-683.

Mineral Survey No. 3243

Lot No.

Arizona. Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

I A. Van Dyke

KNOWN AS THE

Onward, Onward No. 2, Onward No. 3.

Globe Mining District,

Gila County, Arizona

Section 36, Township 1.N., Range 14 E. Uns.

Surveyed under instructions dated September 30, 1915,

by *R. G. Thomas*  
U. S. Deputy Mineral Surveyor

Claim located Jan. 31, 1906, 1906

Survey commenced Oct. 2, 1915

Survey completed Oct. 10, 1915.

o 6-169

Address of claimant;

L. L. Hayden, Atty.,

Miami, Arizona.

Feet

SURVEY NO. 3243

Onward.

Beginning at Cor.No.1.

Identical with Cor.No.4 Onward No.2 lode of this survey.

On line 1-2 Sur.No.3232 Sulphide No.1 lode at S 85° 36'E 686.73 ft.from Cor.No.2.

A pine post in place 4x6 ins.,4.5 ft. long set 18 ins. in the ground with mound of stone scribed ONo.2-4-, 401-3243 whence,

The 1/4 Cor. between Secs.31 and 36 T.1.N.R's 14 and 15 E.,G & S.R.B & M.,bears S 36° 29' 30"E 1169.16 ft.

Thence S 47° 27'W

1500

To Cor.No.2.

Identical with Cor.No.3 Onward No.2 lode of this survey.

On East side line Sur.No.299 New York lode at S 20° 26'E 110.49 ft.from the Northeast corner.

A pine post in place 4x6 ins.,4.5 ft. long set 18 ins. in the ground with mound of stone scribed ONo.2-3-, 02-3243.

No bearings available.

Thence N 20° 26'W

110.49

Northeast corner Sur.No.299 New York lode.

255.36

West end center of the location and lode.

510.72

To Cor.No.3.

A pine post in place 4x6 ins.,4.5 ft. long set 18 ins. in the ground with mound of stone scribed 03-3243.

No bearings available.

Thence N 47° 27'E

834.65

Intersect line 2-3 Sur.No.3120 Will'O The Wisp lode at N 76° 18'W 17.27 ft.from Cor.No.2.

865.73

Intersect line 1-2 Sur.No.3120 Will'O The Wisp lode at N 13° 42'E 25.84 ft. from Cor.No.2;also intersect line 1-2 Sur.No.3232 Sulphide No.1 lode at S 85° 36'E 39.26 ft.from Cor.No.2.

3

Feet  
1500

The intersection of West side line Supreme lode unsurveyed with <sup>line 1-2</sup> Sur.No.3232 Sulphide No.1 <sup>lode</sup> bears S 85° 36' E 570.18ft. To Cor.No.4.

A pine post in place 4x6 ins. 4.5 ft. long set 18 ins. in the ground with mound of stone scribed 04-3243.

Thence S 20° 26' E

255.36 Northeast end center of the location and lode.

419.19 Intersect West side line Supreme lode unsurveyed at N 29° 28' E 91.70' from <sup>its intersection with line 1-2 Sur. No. 3232 Sulphide No. 1 lode.</sup> ~~the Southwest corner.~~

510.72 To Cor.No.1, the place of beginning.

Onward No.2.

Beginning at Cor.No.1.

Identical with Cor.No.4 Onward No.3 lode of this survey.

A pine post in place 4x6 ins. 4.5 ft. long set 18 ins. in the ground with mound of stone scribed ONo.3-4-, ONo.2-1-3243 whence,

The 1/4 corner between Secs. 31 and 36 T.1.N.R's 14 and 15 E,G & S.R.B & M. bears S 54° 37' E. 575.57 ft.

Thence S 47° 27' W

1500

To Cor.No.2.

Identical with Cor.No.3 Onward No.3 lode of this survey.

On line 1-2 Sur. No.2403 Solice No.2 lode at S 20° 26' E 157.74 ft. from Cor.No.1.

A pine post in place 4x6 ins., 4.5 ft. long set 18 ins. in the ground with mound of stone scribed ONo.3-3-, ONo.2-2-3243.

No bearings available.

Thence N 20° 26' W

157.74 Cor.No.1 Sur.No.2403 Solice No.2 lode and the Southeast corner Sur.No.299 New York lode.

323.7 Southwest end center of the location and lode.

647.4 To Cor.No.3.

On East side line Sur.No.299 New York lode at S 20° 26' E 110.49 ft. from the Northeast corner.

Feet	<p>Identical with Cor.No.2 Onward lode of this survey heretofore described.</p>
	<p style="text-align: center;">Thence N 47° 27' E</p>
1500	<p>To Cor.No.4.</p>
	<p>On line 1-2 Sur.No.3232 Sulphide No.1 lode at S 85° 36' E 686.73 ft.from Cor.No.2.</p>
	<p>Identical with Cor.No.1 Onward lode of this survey heretofore described.</p>
	<p style="text-align: center;">Thence S 20° 26' E</p>
323.7	<p>Northeast end center of the location and lode.</p>
647.4	<p>To Cor.No.1 the place of beginning.</p>
	<p style="text-align: center;">Onward No.3.</p>
	<p>Beginning at Cor.No.1.</p>
	<p>A pine post in place 4x6 ins. 4.5 ft. long set 18 ins. in the ground with mound of stone scribed O No.3-1-3243 whence,</p>
	<p>The 1/4 corner between Secs.31 and 36 T.1.N.R's 14 and 15 E.,G &amp; S.R.B.&amp; M. bears N 41° 39' 30" E 365.94 ft.</p>
	<p style="text-align: center;">Thence S 47° 27' W</p>
1200	<p>Intersect gulch course Northwest and Southeast.</p>
1500	<p>To Cor.No.2.</p>
	<p>A pine post in place 4x6 ins.,4.5 ft. long set 18 ins. in the ground with mound of stone scribed O No.3-2-3243</p>
	<p>No bearings available.</p>
	<p style="text-align: center;">Thence N 20° 26' W</p>
205.82	<p>Cor.No.2 Sur.No.2403 Solice No.2 lode.</p>
323.70	<p>Southwest end center of the location and lode.</p>
375	<p>Intersect gulch course Northwest and Southeast.</p>
675.4	<p>Cor.</p>

Feet  
647.4  
674.4

To Cor.No.3.  
On line 1-2 Sur.No.2403 Solice No.2 lode at S 20° 26' E  
157.74 ft.from Cor.No.1.  
Identical with Cor.No.2 Onward No.2 lode.of this survey  
heretofore described.

Thence N 47° 27' E

1500

To Cor.No.4.  
Identical with Cor.No.1 Onward No.2 lode of this survey  
heretofore described.

Thence S 20° 26' E

323.7

Northeast end center of the location and lode.

647.4

To Cor.No.1,the place of beginning.

Variation at all corners 13° 40' E

LODE LINES.

As near as can be determined from present develop-  
ments the veins of the several locations embraced in  
this survey extend as follows from their respective  
discovery points:

Onward lode:10 ft.S 47° 27' W and 1490 ft. N 47° 27' E.

Onward No.2 lode:10 ft.S 47° 27' W and 1490 ft.N 47° 27' E .

Onward No.3 lode:10 ft.S 47° 27' W and 1490 ft.N 47° 27' E.

AREAS.

Total area Onward lode-----Acres  
-----16.293

Area in conflict with-

Acres.

Sur.No.3120 Will'O The Wisp lode--- 0.005

Sur.No.3232 Sulphide No.1 lode----- 3.445

Sur.No.3232 Sulphide No.1 lode  
exclusive of its conflict(.074 acres)

with Supreme lode unsurveyed----- 3.371

Total area Onward No.2 lode-----20.653

Total area Onward No.3 lode-----20.653

LOCATION.

This survey is located in the Globe Mining District Gila County, Arizona, in Sec. 36 T.1.N.R.14E. unsurveyed G & S.R.B&M, within the Crook National Forest.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of each of the lodes embraced in this survey by the claimant or its grantors is not less than five hundred dollars and that said improvements consist of:

Onward lode.

No.1.The discovery shaft showing mineral in place is on the lode line 10 ft.from the Southwest end center, 4x6 ft.12 ft.deep.

Value-----\$100.00

No.2.A shaft the center of which bears from the South-west end center N 36° 59'E 108.9 ft.4x6 ft.15 ft.deep, timbered.

Value-----\$150.00

No.3.An opencut the mouth of which bears from the South-west end center N 41° 50'E 109 ft.running S 48° 10'E 25 ft., 5 ft.wide, 12 ft. face.

Value-----\$100.00

No.4.A shaft the center of which bears from Cor.No.2 N 6° 19'E 12 ft.4x6 ft.16 ft.deep,timbered.

Value-----\$150.00

Onward No.2 lode.

No.1.The discovery shaft showing mineral in place is on the lode line 10 ft.from the Southwest end center, 4x6 ft.16 ft.deep.

Value-----\$150.00

No.2.A tunnel the mouth of which bears from Cor.No.2

N 23° 30' W 168.2 ft., 3x5 ft., running N 69° 34' E 50 ft.,  
40 ft. of which being on this lode is accredited thereto.

Value ----- \$350.00

Onward No.3 lode.

No.1. The discovery cut showing mineral in place is on  
the lode line 10 ft. from the Southwest end center,  
running N 47° 27' E 10 ft., 15 ft. wide, 10 ft. face.

Value ----- \$ 50.00

No.2. A shaft the center of which bears from Cor. No.3  
S 32° 37' E 148.7 ft., 4x6 ft. 24 ft. deep timbered.

Value ----- \$225.00

No.3. A Tunnel with an open cut approach to the mouth  
of which bears (from) S 56° 17' E 455.1 ft. from Cor. No.3  
running N 35° E, 20 ft. of 4x10 ft. open cut and 40 ft. of  
3x5 ft. tunnel.

Value ----- \$450.00

INSTRUMENT.

This survey was made with a Berger engineers  
transit. The courses were deflected from the true  
meridian as determined by Polaris observations. The  
distances were measured with 5, 50 and 500 ft. steel  
tapes.

ADJOINING LODES.

This survey is bounded on the North by the Sulphide  
lode unsurveyed, claimant herein, by Sur. No. 3120  
Will 'O' The Wisp lode, Josephus H. Barnette, claimant, and  
by Sur. No. 3232, Sulphide No. 1 lode, claimant herein;  
on the East by the Supreme lode, unsurveyed, J. Hoopes  
claimant, and the Onward No. 4 lode, unsurveyed, claimant  
herein; on the South by unknown lodes unsurveyed; on  
the West by Sur. No. 2403, Solice No. 2 lode, Solice Copper  
Co., claimant, by the New York lode, Sur. No. 299,

Old Dominion Copper Mining and Smelting Co., claimant;  
and by the Blue Bell No.2 lode, unsurveyed, claimant  
herein.

REPORT.

The corner common to Secs.30 and 31 on the West  
boundary of T.1.N.R.15E.G & S.R.B.& M. is a schist  
stone set in concrete .4x.7x.4 ft.with one groove on  
the South face, five grooves on the North face and  
15 E on the East face.

The 1/4 corner between Secs 31 and 36 on the West  
boundary of T.1.N.R.15 E.G & S.R.B & M. is a granite  
stone 12x14x12 ins.set in concrete marked 1/4 and 15 on  
top.

Sur.No.3120 Will'O The Wisp lode:

All corners are pine posts properly set and scribed.

Sur.No.3232 Sulphide No.1 lode:

All corners are pine posts properly set and scribed.

Sur.No.2403 Solice No.2 lode:

Cors.Nos.1 and 2 are pine posts properly set and  
scribed.

New York lode Sur.No.299:

The N.E. and S.E. Cors.are pine posts properly set  
marked Northeast and Southeast corners respectively.

The Northeast corner is scribed U.S.M.M.No.6.

All end centers are monuments of stone.

The survey of each lode of this location is identi-  
cal with the respective amended locations as staked upon  
the ground.

The differences between these field notes and the  
returns on previous surveys are due to errors in the  
latter.

The differences between theses field notes and the  
amended location certificates are due to errors in the  
latter.

  
U.S. MINERAL SURVEYOR.



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by R.G.Thomas

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

I. A. Van Dyke

known as the Onward, Onward No.2, Onward No.3

and showing the respective capacities in which they acted.

- L.M.Greenstein ..... , *Chainman.*
- J.H.Walker ..... , *Chainman.*
- ..... , *Arman.*
- ..... , *Flagman.*

## FINAL OATHS OF ASSISTANTS.

We, L.M.Greenstein

and J.H.Walker, do solemnly swear that we assisted

R.G.Thomas, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of I. A. Van Dyke

known as the Onward, Onward No.2, Onward No.3

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

- L. M. Greenstein ..... , *Chainman.*
- J. H. Walker ..... , *Chainman.*
- ..... , *Arman.*
- ..... , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 12<sup>th</sup>

day of October, 1915.

Joseph Francis Chisholm  
Notary Public

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, R.G. Thomas, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated September 30 1915., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of A. Van Dyke, known as the Onward, Onward No. 2, Onward No. 3, situate in Globe Mining District, Gila County, Arizona, in Section 36, Township No. 1.N., Range No. 14 E Unsurveyed. and designated as Survey No. 3243, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or her grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

R.G. Thomas  
 U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said R. G. Thomas  
 U. S. ~~Deputy~~ Mineral Surveyor, before me Joseph Francis Chisholm  
 Notary Public in and for Gila County, Arizona this 12th  
 day of October, 1915.

Joseph Francis Chisholm  
 Notary Public

SEK 30 1915

AMENDED

# Notice of Mining Location

## LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the ONWARD Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by I. A. Van Dyke, a citizen of the United States (Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.") the undersigned, on the 26th day of July 1915.

The length of this claim is 1500 feet, and 1 claim 10 feet, in a S. 47° 37' W. direction and 1490 feet in a N. 47° 37' E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest.

The claim is situated and located in the Globe Mining District, in Gila County in the State of Arizona, ~~about~~ in a direction from From the southwest corner of this claim the northeast corner of the New York patented claim bears N. 20° 26' W. 185 feet (approximately).

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stones at a point in a S. 47° 37' W. direction 10 feet from the discovery shaft (at which this notice is posted), being in the center of the Southwest end line of said claim; thence N. 20° 26' E. 325.82 feet to a pine post being the Northwest corner of said claim; thence N. 47° 37' W. 1500 feet to a pine post, being at the Northeast corner of said claim; thence S. 30° 26' E. 325.82 feet to a monument of stones at the center of the east end of said claim; thence S. 20° 26' W. 325.82 feet to a pine post, being at the southeast corner of said claim; thence S. 47° 37' W. 1500 feet to a pine post at the southwest corner of said claim; thence N. 30° 26' W. 325.82 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Onward Mining Claim, located by Wm. Stephens and J. P. Kienale on the 31st day of Jan., 1906 and recorded in Book 11 of Records of Mines, at page 486, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice

Dated and posted on the ground this 26th day of July, 1915.  
I. A. Van Dyke

Filed and recorded at the request of L.L.Hayden  
on the 26 day of July, A.D. 1915, at 40 minutes past 1 o'clock  
P.M.

E.T.STEWART, County Recorder.


STATE OF ARIZONA, )  
                          ) SS  
County of Gila      )

I, E.T.STEWART, Recorder in and for the County  
of Gila, State of Arizona, do hereby certify that the  
above and foregoing is a full, true and correct copy  
of the Amended Location Notice of the ONWARD Lode Mining  
Claim, as the same appears of record in my office in  
Book 24, Records of Mines, at page 21; that I have  
compared the same with the original record, and that  
the same is a true transcript, and of the whole thereof.

GIVEN under my hand and seal of office, this  
26th day of July, A.D.1915.

E.T.STEWART, Recorder,

by L. D. Island  
Deputy.



AMENDED

# Notice of Mining Location

scr. 50 1915

## LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Onward No. 2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by I. A. Van Dyke

a citizen of the United States  
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")  
the undersigned, on the 26th day of July 1915.

The length of this claim is 1500 feet, and 1 claim 10 feet, in a S. 47° 27' W. direction and 1400 feet in a N. 47° 27' E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the southwest.

The claim is situated and located in the Globe Mining District, in Gila County in the State of Arizona, about about in a direction from

~~From the northwest corner of this claim the northeast corner of the New York patented claim bears N. 20° 26' W. 185 feet (approximately).~~

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in a S. 47° 27' W. direction 10 feet from the discovery shaft (at which this notice is posted), being in the center of the southwest end line of said claim; thence N. 20° 26' E. 323.82 feet to a pine post being the northwest corner of said claim; thence N. 47° 27' W. 1500 feet to a pine post, being at the northeast corner of said claim; thence S. 20° 26' E. 323.82 feet to a pine post at the center of the east end of said claim; thence S. 20° 26' E. 323.82 feet to a pine post, being at the southeast corner of said claim; thence S. 47° 27' W. 1500 feet to a pine post at the southwest corner of said claim; thence N. 20° 26' E. 323.82 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Onward No. 2 Mining Claim, located by J. F. Kienzle and Wm Stephens on the 17th day of May, 1907 and recorded in Book 14 of Records of Mines, at page 413, in the office of the County Recorder of the aforesaid County of Gila to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice

Dated and posted on the ground this 26th day of July, 1915.

I. A. Van Dyke

Filed and recorded at the request of L.L.Hayden  
on the 26th day of July, A.D.1915, at 40 minutes past 1  
o'clock P.M.

E.T.STEWART, County Recorder.

STATE OF ARIZONA, )  
                          ) SS  
County of GILA.      )

I, E.T.STEWART, Recorder in and for the  
County of Gila, State of Arizona, do hereby certify  
that the above and foregoing is a full, true and correct  
copy of the Amended Location Notice of the ONWARD NO.2  
lode Mining Claim, as the same appears of record in my  
office in Book 24, Records of Mines, at page 22; that  
I have compared the same with the original record, and  
that the same is a true transcript, and of the whole  
thereof.

GIVEN under my hand and seal of office, this  
26th day of July, A.D.1915.



E.T.STEWART, Recorder,

By L. B. Filand  
Deputy.

SEP 24 1915

AMENDED  
Notice of Mining Location  
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Onward No. 3  
Mining Claim, situate on lands belonging to the United States of America, and in which there are  
valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase  
by I. A. Van Dyke

a citizen of the United States  
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 26th day of July, 1915

The length of this claim is 1500 feet,

and 1 claim 10 feet,

in a northeast direction and 1400

feet in a southwest direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with

300 feet in width of the surface grounds, on each side

of the center of said claim. The general course of the lode deposit and premises is from the

Northeast to the southwest

The claim is situated and located in the Globe Mining District, in

Gila County in the State of Arizona, ~~and~~

~~xxx~~ ~~direction from~~

~~From the northwest corner of this claim the~~

~~northeast corner of the New York patented claim~~

~~bears N. 30° 20' E. direction 335 ft. (approximately)~~

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

~~a monument of stones~~

at a point in a S. 47° 27' E. direction 10 feet from

the discovery shaft (at which this notice is posted), being in the center of the southwest

end line of said claim; thence N. 20° 26' E. 323.82 feet to a pine post

, being the northwest corner of said claim; thence

N. 47° 27' E. 1500 feet to a pine post, being at the

northeast corner of said claim; thence S. 20° 26' E. 323.82 feet

to a monument of stones at the center of the east end of said claim;

thence S. 20° 26' E. 323.82 feet to a pine post, being at the

southeast corner of said claim; thence S. 47° 27' E. 1500 feet

to a pine post at the southwest corner of said claim;

thence N. 20° 26' E. 323.82 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the  
United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and  
Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Onward No. 3

Mining Claim, located by Wm Stephens and J. E. Kienale

on the 18th day of

May, 1907, and recorded in Book 14 of Records of Mines, at

page 414, in the office of the County Recorder of the aforesaid County of Gila

to which reference is hereby made, and this amended Location Notice is made and posted to correct

errors in the description in the said original Location Notice

Dated and posted on the ground this 26th day of July, 1915.

I. A. Van Dyke

Filed and recorded at the request of L.L.Hayden  
on the 26 day of July, A.D. 1915, at 40 minutes past  
1 o'clock P.M.

E.T.STEWART, County Recorder.

STATE OF ARIZONA, )  
                          ) SS  
County of GILA.     )

I, E.T.STEWART, Recorder in and for  
the County of Gila, State of Arizona, do hereby certify  
that the above and foregoing is a full, true and correct  
copy of the Amended Location Notice of the ONWARD NO.3  
Lode Mining Claim, as the same appears of record in  
my office in Book 24, Records of Mines, at page 23;  
that I have compared the same with the original record,  
and that the same is a true transcript, and of the  
whole thereof.

GIVEN under my hand and seal of office,  
this 26th day of July, A.D.1915.



E.T.STEWART, Recorder,

By L. B. Filwood  
Deputy.



4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

March 28, 1916

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

I. A. VAN DYKE

known as the Onward, Onward No. 2, Onward No. 3.

situate in Globe

Mining District, Gila County, Arizona.

in Section 36, Township No. 1 N., Range No. 14 E., unsur., and

designated as Survey No. 3243, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if

incorporated into a patent, serve fully to identify the premises, and that such reference is made therein

to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or her grantors, and that said improvements consist of 5 shafts, 3 cuts and 2 tunnels, total value \$1725.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona,

March 28, 1916.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

I. A. VAN DYKE

, known as the

Onward, Onward No. 2, Onward No. 3.

situate in Globe Mining District,

Gila County, Arizona

in Section 36, Township No. 1 N., Range No. 14 E., un sur.

, designated as Survey No. 3243

executed by R. G. Thomas, U. S. Deputy Mineral

Surveyor, October 2-10, 1915, under my instructions dated

September 30, 1915, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank D. Pratt

U. S. Surveyor-General for Arizona.