VOV 20. 1915

4-683.

MINERAL SURVEY No. 3247

LOT No.

*

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Thos H. Hicks,
KNOWN AS THE
Independent
San Francisco Mining District,
Mohave County, Arizona
Sections 19 and 20 , Township 20 N., Range 20 W. unapproved
Surveyed under instructions dated October 14 th, 19 15
by Peter Mc Cardell
U. S. Deputy Mineral Surveyor.
Claim located see location notice , 19
Survey commenced Nov. 12 th. , 19 15
Survey completed Nov. 13 th. , 19 15

Address of claimant, Thos. H. Hicks,
Kingman, Arizona.

SURVEY No. 3247.

. HELLENGE RESIDENT TO ESTADOR TO SEE SEE

Beginning at Cor. No.1.

Identical with the 5. W. Cor. of Record No.1 lode, unsurveyed.

- An andesite stone, 6 X 14 X 26 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-3247 I; cross (X) at corner point, whence

U. S. M. M. No.1, San Francisco Mining District, bears
S. 27° 34' W. 4094.2 ft. No other bearing objects available.

Thence N. 51° 05'-W.

Feet H . Paul 1.07 Indon.

-HERRIN

Va. 140 38' E.

260 Wash, drains S. 80° W.

1500 To Cor. No.2.

Identical with the S. E. Cor. of Gaston lode, unsurveyed.

An andesite stone, 8 X 14 X 30 ins., set 16 ins. in the ground, with mound of stone, chiseled 2-3247 I, cross (X) at corner point, whence

A cross and B. R. 2-3247 chiseled on an andesite rock 2 ft. above the ground, bears S. 81° 05' E. 4.3 ft., and a cross (X) and B. R. 2-3247, chiseled on an andesite rock 2 ft. above the ground, bears N. 78° 31' W. 80.7 ft.

Thence N. 38° 55' E.

Va. 14° 44' E.

Along the east end line of Gaston lode, unsurveyed.

100 Gulch, drains west.

300 To west end center.

An andesite stone, 6 X 10 X 20 ins., set 12 ins in the ground, chiseled W. E. C., I. cross (X) at line point.

600 To Cor. No.3.

Identical with the N. E. Cor. of Gaston lode, unsurveyed.

An andesite stone, 9 X 9 X 22 ins., set 12 ins. in the
ground, with mound of stone, chiseled 3-3247 I, cross (X)

SURVEY No.3847 - Continued.

at corner point. No bearing objects available.

Thence S. 51° 05' E. or

Reet.

Va. 14° 26' E.

1275.46. Intersect line between Sec's 19 and 20, T. 20 N., R. 20

W., unapproved survey, at S. 0° 03' E. 852.27 ft. from

Cor. to Sec's 17, 18, 19, 20, T. 20 N., R. 20 W., unapproved survey, and N. 0° 03' W. 1788.93 ft. from 1/4 Cor.

between Sec's 19 and 20, T. 20 N., R. 20 W., unapproved survey.

1500 To Cor. No.4.

Identical with the N. W. Cor. Record No.1 lode, unsurveyed.

An andesite stone, 7 X 12 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 4-3247 I, cross (X) at corner point, whence

Cor. to Sec's 17, 18, 19, 20, T. 20 N., R. 20 W., unapproved survey, bears N. 10° 01' W. 1008.7. No other bearing objects available.

Thence S. 38° 55' W.

Va. 14° 10' E.

Along the west end line of Record No.1 lode, unsurveyed.

277.61 Intersect line between Sec's 19 and 20, T. 20 N., R. 20

W., unapproved survey, at S. 0° 03' E. 1209.32 ft. from

Cor. to Sec's 17, 18, 19, 20, T. 20. N., R. 20 W., unapproved survey, and N. 0° 03' W. 1431.88 ft. from 1/4 Cor.

between Sec's 19 and 20, T. 20. N., R. 20 W., unapproved survey.

290 Wash, drains N. 80° W.

300 To east end center.

. dut

Identical with the west end center Record No.1 lode, unsurveyed.

An andesite stone, 10 X 16 X 30 ins., set 16 ins. in the ground., chiseled E. E. C. I. cross (X) at line point.

. nerimso has dade of

Feet.

SURVEY No.3247 - Continued.

yalue, en

Walten, Ca

TER CAULEY

600 To Cor. No.1, the place of beginning. . 40 05 .A 4 4 ..

primmer can be asset and with the street of the

. The wide, in it. Pass, remains

timetals affected to the contract

Jim . All tid lines ware nin

LODE LINE.

As near as can be determined from present developments the vein of this location extends as follows from the discovery point: 872.3 feet N. 51° 05' W., and 697.7 feet S. 51° 05' E.

AREA.

LOCATION.

This survey is located in Sec's 19 and 20, T. 20 N., R. 20 W., unapproved survey, in San Francisco Mining District, Mohave County, Arizona.

This survey is identical with the location monuments which are monuments of stone 3 ft. high.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon this claim, placed thereon by the claimant and his grantors, is not less than five hundred dollars, and that said improvements consist of:

No.1. The discovery shaft, on the lode line 627.7 ft. from the center of line 1-4, 4 X 6 ft., 30 ft. deep, from the bottom of this shaft is a cross cut 4x6 ft., running S. 45° W. 11 ft. Value of shaft and cross cut,

No.3. A shaft, which bears from Cor. No.2, S. 68° 45' E. 781 ft., 4x6 ft., 8 ft. deep. Value, \$80

No.3. A shaft, which bears from Cor. No.1, N. 340 321 W. 780 ft., 4 X 6 ft., 8 ft. deep. Value, \$80

No.4.A trench, the center of which bears from Cor. No.

SURVEY No.3847 - Continued.

No.1, N. 35° 40' W. 710 ft., 3 ft. wide, 3 ft. deep, running N. 50° W. and S. 50° E. 30 ft. Value. \$25

No.5. A cut, the face of which bears from Cor. No.1,
N. 34° 32' W. 610 ft., 4 ft. wide, 10 ft. face, running
south 16 ft.

Value, \$35

No.6. A cut, the face of which bears from Cor. No.2, S. 85° 05' E. 462 ft., 4 ft. wide, 10 ft. face, running S. 40° W. 12 ft. Value, \$35

No.7. A cut, the face of which bears from Cor. 3,
S. 17° 45' E. 479.5 ft., 4 ft. wide, 10 ft. face, running
N. 40° E. 14 ft.

Value, \$35

abadeic gains du la la la Adjoining Claims.

The adjoining claims are as follows: On the S. E. end the Record No.1, unsurveyed, W. H. Meals, claimant. On the N. W. end the Gaston lode, unsurveyed, Ray Barnes, R. V. Griffin, Cleve Kemple and Micky Force, claimants.

B. . R Du . T . we but I in be-

INSTRUMENT.

This survey was made with a William Ainsworth & Sons
Transit. The courses were deflected from the true
meridian as determined by direct solar observations.
The distances were measured with 100-ft. and 500-ft.
steel tapes.

deaph .ul Ch ... h A X h .!-! REPORT. "State ouls mora

The lode line of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode line. All tie lines were run directly upon the ground.

The Cor. to Sec's 17, 18, 19, 20, T. 20 N., R. 20 W.,

Unapproved survey, is a 2 inch iron pipe, with copper
cap on top, properly stamped with sections and Tps.

The 1/4 Cor. between Sec's 19 and 20, T. 20 N., R. 20 W.,

SURVEY No.3247 - Continued

unapproved survey, is a 1 1/2 inch iron pipe, with copper cap on top, properly stamped with the respective sections.

Note _ Owing to the great distance where we could get the services of a Notary Public, T myself took the affidavit of my assistant.

FINAL OATHS FOR SURVEYS.

VO1:20 197.

LIST OF NAMES.

A list of the names of the individuals employed by	Peter McCardell
United States Deputy Mineral Surveyor, to assist in rus	aning, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the su	urvey of the mining claim of
Those It Hicks	
known as the Inclependent	
and showing the respective capacities in which they acted	l
	W. H. Mealo, Chainman.
	, Chainman.
	, Axman.
	, Flagman.
FINAL OATHS O	F ASSISTANTS.
Q and an	
, do s	Det me
the boundaries of the mining claim of	lineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	
Y a laborationt	
/	
represented in the foregoing field notes as having been su	
direction; and that said survey has been in all respects,	
correctly executed, and the corner and boundary monun	·
furnished by the United States Surveyor-General for	ryona ba
	July Meals, Chainman.
	, Chainman.
	, Axman.
	Flagman.
Subscribed and sworn to by th	e above-named persons before me this 13th
day of Decemb	ee
	Peter MeGardell
	U.S. Mineral Susu

0.1801\5m8_03

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Peter Mc Cardell , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for, dated,
October 14 th. 1915 , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Thos _ H. Hicks
, known as the
Independent ,
situate in San Francisco Mining District,
Mohave County, Arizona , in Sections
19 & 20 , Township No. 20 N. , Range No. 20 W., unapproved survey ,
and designated as Survey No.3247 , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Selv McCordell
U.S. Deputy-Mineral Surveyor.
Cubacuibed and current to be the city of the Config.
Subscribed and sworn to by the said Peter Mc Cardell
U.S. Deputy Mineral Surveyor, before me Anson H. Smith,
U. S. Commissiner this 17 th.
day of December 1915.
ausonHomith
U.S. Commissione
0 3-154 U.S. Compussione

NOTICE OF MINING LOCATION

LODE CLAIM

OCT 14 1915

TO	ALL	WHOM	IT	MAV	CONCERN:
1		AA TIOTAT	4 1	TATAT	CONCERN:

This Mining Claim; the Mining Claim, situate on late	he name of which is the data belonging to the U	ne Independented States of Ar	nt nerica, and in whicl	n there are va	luable min-
eral deposits, was entered u					
(Locator must insert eith	er "a citizen of the United States'	or "who has declared his	intention to become a sition	of the United Course	
the undersigned, on the				of the Officed States,	,
	im is				
and I clain					
in a North Wes	terly	direc	ction and 70	0	
feet	in a S	outh Easter	ly		direction
from the center of the disco	very shaft, at which t	his notice is pos	ted, lengthwise of	the claim, tog	gether with
30			feet in widtl	h of the surfac	e grounds,
on each side of the center of					
	North West	to the	South East.		
The claim is situated	and located in the	San Fra	ancisco	Minir	ng District,
n Mohave	County, in	Territory the MAN of Arize	ona, about 1 1/4	4 mile	
in a North Easte					
	r .	and the second s			
The gunface houndari	og of the claim one me	ulvod upon the our	yand on fallers. De		
The surface boundari	es of the claim are ma	rked upon the gro	und as follows: Beg	ginning at	***********************
	Monument				
t a point in a South	Easterly	direction	700		feet from
he discovery shaft (at whic	h this notice is posted)	, being in the cen	ter of the East	t	end line
of said claim; thence	300	feet to a	Monument		
peing the South East					
o a Monument					
hence 300					
of the West	end of said claim;	thence	300		feet
o a Monument	being at t	he North	ı West	corner of	said claim;
hence 1500	feet to a	Monument	at the	South We	st
corner of said claim; thence-					
	ovisions of Chapter Six			utes of the Uni	ted States.
nd of an Act of the Genera	l Assembly of Arizona,				
ritory of Arizona," approved	d March 16, 1901. he ground, this	st day o	of April	190	9.
Daved and posted on t	de ground, unis				
		Locat	tor		
		N	Vm Tomkinson		
Title 1 and the second 1	Min Mam				
	request of Wm Tom				
f April,	19 09 at	o'clock	F. W. Rook	r EE, page	158.
THO MA		R. A.	Robertson		
				County Rec	order.

For certif see Aur. 3252

By Marie Carrow, Deputy.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

		oenix, Ariz		
		Fe	bruary 17, 19	<u> </u> b.
I, U. S. Surveyor-General for	Distric	t of Arizon	z.,	
do hereby certify that the foregoing transc	cript of the	Field Notes, retur	n and approval of the sur	vey
of the mining claim of				
Ţ	hos. H.	Hicks		
known as the	INDEPENI	DENT.		
situate in	SAN FRANC	CISCO.		
Mining District, MCHAVE		County,	ARI ZON	Α.
in Section 8 19 and 20 Township No.	20 N.,	, Range No	20 W.unapp'd.	and
designated as Survey No. 3247	, has be	een correctly copi	ed from the originals on fil	e in
this office; that said Field Notes furnish				
incorporated into a patent, serve fully to i				
to natural objects or permanent monumen				
And I further certify that five hund	-	*		ove-
ments made upon said mining claim by cl			-	
consist of 3 shafts, 1 crosscu			•	
\$715.00				
-B-+				558
	**************************************	******************	***************************************	
				g

11.1.1				
and that no portion of said labor or impro	ovements na	s been included in	the estimate of expenditu	.res
upon any other claim.			The entered or	
I further certify that the plat thereof, Arizona, is correct.				
is correct	and in confo	ormity with the for	regoing Field Notes.	
		Frank P	Trott	
United Star	tes Surnevor-C	General for	Arizona.	
	~ wi voyoi - C	, c. vc i wv j v i		

7361b5m3-03

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

U. S. Surveyor-General for Arizona.

		Phoenix, Arizona,	
		February 17, 191	
I, U. S. Surveyor-General for	District of	Arizona,	.
do hereby certify that the foregoing	and hereto attached Field	d Notes and Return of the Survey of t	he
Mining Claim of		·	
		k 8	-
		, known as t	
	INDEPENDENT.	•	
situate in	SAN FRANCISCO	O. Mining Distric	et,
MOHAVE	County,	ARI ZONA	A
in Section 8 19 and 20, Too	wnship No. 20 N.,	, Range No. 20 W., unapr	<u>p</u> !d.
executed by	Peter McCardell	, U. S. Deputy Miner	al
		, 1915., under my instructions date	
October 14,	, 19 15, have been cri-	itically examined and the necessary co	r-
rections and explanations made, and	the said Field Notes and	Return, and the Survey they describe	e,
are hereby approved. A true copy of	of the copy of the location	on certificate filed by the applicant for	or
survey is included in the field notes.	Frank	D. Short	

7360b5m3-03