DEL 14 1915

AN 10.1916 15

# 4-683. MINERAL SURVEY No. 3252 LOT No. ARIZONA Land District. FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF Thos: H. Hicks KNOWN AS THE LITTLE TOMMY San Francisco Mining District, Mohave County, Arizona. Sections 18 and 19 , Township 20 N. , Range 20 W. unaffroned Surveyed under instructions dated November 16 , 19 15 by Peter Mc Cardell U. S. Deputy Mineral Surveyor. Claim located See location notice ..., 19

Survey commenced November 22 , 19 15

Survey completed November 23 , 19 15

Address of claimant Thos. H. Hicks,
Kingman, Arizona.

#### . MINERAL SURVEY No.3252.

#### LITTLE TOMMY

Beginning at Cor. No.1.

Identical with the S. W. corner of Rhyolite lode, unsurveyed.

An andesite stone, 8 X 8 X 36 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-3252 L. T. cross (X) at corner point, whence

1/4 corner between Sec's 18 and 19, T. 20 N., R. 20 W., unapproved survey, bears N. 25° 43' E. 433.02 ft.

U. S. M. M. No.1, San Francisco Mining District, bears S. 90 07' E. 4763.8 ft. No other bearing objects available.

Thehce N. 61° 19' W.

Feet.

Va. 15° 06' E.

817.78 Intersect line between Sec's 18 and 19, T. 20 N., R. 20
W., unapproved survey, at S. 89° 13' E. 1653.76 ft. from
Cor. to Sec's 13, 24, 18, 19, T. 20 N., R. 29 W., unapproved survey, and N. 89° 13' W. 925.54 ft. from 1/4 Cor. be between Sec.s 18 and 19, T. 20. N., R. 20 W., unapproved survey.

1488.3 To witness Cor. to Cor. No.2.

An andesite stone, 6 X 14 X 26 ins., set 12 ins. in the ground, with mound of stone, chiseled W. C. 2-3252 L. T. cross (X) at line point.

. 1500 To Cor. No.2.

A cross (X), and 2-3252 L. T. chiseled on the west face of rock channel in the bed of a wash, owing to its soft and decomposed nature it will not last long, whence A cross (X) and E. R. 2-3252, chiseled on an andesite rock 4 ft. above the ground, bears N. 44° 51' W. 50.6 ft., and a cross (X) and B. R. 2-3252, chiseled on an andesite rock 3 ft. above the ground, bears N. 56° 19' W. 7.1 ft.

heretofore described,
Witness Cor. bears S. 61° 19' E. 11.7 ft.

Thence N. 28° 41' E.

Va. 140 45' E. vvv

#### SURVEY No.3252 - Continued.

Feet.

LITTLE TOMMY LODE - Continued.

300 To west end center.

An andesite stone, 8 X 8 \$ 24 ins., set 12 ins. in the ground, chiseled W. E. C., L. T., cross (X) at line point.

600 To Cor. No.3.

.An andesite stone, 4 X 18 X 20 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-3252 L. T., cross (X) at corner point. No bearing objects available.

Thence S. 61° 19' E.

Va. 45° 03' E.

To Cor. No.4. Identical with the N. W. Cor. Rhyolite lode, unsurveyed.

An andesite stone, 12 X 14 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 4-3252 L. T., cross

(X) at corner point, whence

A cross (X) and B. R. 4-3252, chiseled on an andesite rock 2 ft. above the ground, bears N. 68° 49' W. 87.2 ft.

1/4 Cor. between Sec's 18 and 19, T. 20 N., R. 20 W.,

unapproved survey, bears S. 28° 37' W. 167 ft.

Thence S. 28° .41! W.

Va. 150 11'E. odlacina

Along the west end line of Rhyolite 1 lode, unsurveyed.

167.05 Intersect line between Sec's 18, 19, T. 20 N., R. 20 W., unapproved survey, at S. 89° 13' E. 2579.09 ft. from Cor. to Sec's 13, 24, 13, 19, T. 20-N., R. 20 W., unapproved survey, and N. 89° 13' W., 0.21 ft. from 1/4 Cor. between Sec's 18 and 19, T. 20. N., R. 20 W., unapproved survey.

300 To east end center. - .

. Identical with the west end center of Rhyolite. 1 lode, unsurveyed.

An andesite stone, 8 X 8 X 36 ins., set 16 ins in the ground, chiseled E. E. C., L. T., cross (X) at line point.

600 To Cor. No.1, the place of beginning.

SURVEY No.3852 - Continued.

LITTLE TOMMY LODE - Continued.

#### LODE LINE.

As near as can be determined from present developments the vein of this location extends as follows from the discovery point: 900 ft. S. 61° 19' E. and 600 ft., N. 61° 19' W.

#### AREA. . .

Area = ..... 20.661 Acres.

This survey is identical with the location monuments, which are stone monuments three feet high.

#### LOCATION.

This survey is located in Sec's 18 and 19, T. 20 N., R. 20 W., unapproved survey, San Francisco Mining District, Mohave County, Arizona.

#### EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon this location, placed thereon by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:

No.1. The discovery tunnel, the face of which being the point of discovery is on the lode line 600 ft.

S. 61° 19' E. from the center of line 2-3, and the mouth of which bears from Cor. No.2, S. 82° 30' E. 684.14 ft.

4 ft. wide, 6 ft. high, running N. 7° W. 65 ft.

Value, \$500

No.2. A cut, the face of which bears from Cor. No.2, S. 6.0 27' E. 635 ft., 5 ft. wide, 10 ft. face, running N. 5° W. 16 ft. Value \$35

No.3. An open cut, the center of which bears from Cor. No.2, S. 67° 33' E. 640 ft., 3 ft. wide, 3 ft. deep,

SURVEY No.3852 - Continued.

LITTLE TOMMY LODE - Continued.

running N. 5° W. 18 ft. Value, \$40

No.4. A shaft, which bears from Cor. No.4, S. 41° 30' W. 261 ft., 4 X 6 ft., 8 ft. deep. Value, \$35

#### ADJOINING CLAIMS.

The adjoining claim on the southeast end is the Rhyolite, unsurveyed, W. H. Meals, claimant.

This survey was made with a William Ainsworth & Sons Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 100-ft. and 500-ft. steel tapes.

#### REPORT.

The lode line of this survey was run directly upon the ground, and the several corners established by means of offsets from the lode line. All tie lines were run directly upon the ground. The Cor. to Set's 13, 24, 18, 19, T. 20 N., Rs. 20 and 21 W. is an iron pipe, 2 ins. in diam., with copper cap on top, properly stamped with T. Rs. and Sections. The 1/4 corner between Sec's 18 and 19, T. 20 N., R. 20 W., unapproved survey, is a 1 1/2 inch pipe with copper cap, properly stamped with the respective sections.

Note - Owing to the great distance where we could get the services of a Notary Public, I myself took the affidavit of my assistant.

ydio d go hwydd i gwed 179 . Be a'

### FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the names of the individuals employe	ed by Peter McCarde	4
11 1100 of the names of the marritanis employ.		F
United States <del>Deputy</del> Mineral Surveyor, to assist	in running, measuring, and marking the liu	es, corners, and
boundaries described in the foregoing field notes of	the survey of the mining claim of	
Thos. A Hicks		
known as the Little Toming		
$\nu$		
and showing the respective capacities in which the		
	WH Meals	Chainman.
K	•	Chainman.
		Axman.
	· ····,	r tagman.
	Laboratory and so such	
FINAL OATHS	S OF ASSISTANTS.	
We 9. W. H. Meals		
	<b>(</b> )	
	., do solemnly swear that we assisted	
the boundaries of the mining claim of		ZX-207-01000-
known as the Little Jonney		
represented in the foregoing field notes as having		
direction; and that said survey has been in all re-	spects, to the best of our knowledge and belie	f, faithfully and
correctly executed, and the corner and boundary	monuments established according to law and	the instructions
furnished by the United States Surveyor-General f	or angena	
	Ir 16 Greals	, Chainman.
		, Chainman.
		-11
Subscribed and sworn to	by the above-named persons before me this	16"
day of DEC	Dember 1965	
	MeCardell	
	PM Cardell U.S. Min	eral Sury

9489b5m8-03

### FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Peter Mc Carde	ell	, U. S. <del>Deputy</del> Mine	ral
Surveyor, do solemnly swear that, in			
States Surveyor General for	Arizona	, da	ted
November 16 1915 ,			
United States, the official regulations	s and instruction	as thereunder, and the instruction	ns
of said Surveyor General, faithfully	and correctly ex	xecuted the survey of the Mini	ing
Claim of Thos II. Hicks	www.	January Control of the Control of th	
LITTLE TOMMY			·•
situate in San Fr	rancisco	Mining Distri	ict,
Mohaye	County,	Arizona , in Secti	ons
18 and 19, Township No. 20 1	N., Range No. 20	W., unapproved	
and designated as Survey No3252	3	as represent	ted
in the foregoing field notes, which ac	ccurately show th	ne boundaries of said mining cla	im
as distinctly marked by monuments	on the ground, a	and described in the attached co	ру
of the location certificate, which wa	is received by me	e from the Surveyor General wi	ith
said instructions, and that all the con	rners of said surv	vey have been established and po	er-
petuated in strict accordance with the	ne law, official re	egulations and instructions the	re-
under; and I do further solemnly $\boldsymbol{s}$	wear that the fo	oregoing are the true and origin	nal
field notes of said survey and my	report therein, a	and that the labor expended a	nd
improvements made upon said minin	ng claim by claim	nant or <b>his</b> granto	ors
are as therein fully stated, and that	the character, e	extent, location and itemized val	ue
thereof are specified therein with pa	articularity and f	full detail, and that no portion	of
said labor or improvements so credit			
of expenditures upon any other clain			
		Peter McCardell	
		l'. S. <del>Deputy</del> Mineral Survey	or.
Subscribed and sworn to by the	e said Peter	· Mc Cardell	
U.S. <del>Deputy</del> Mineral Survey	yor, before me	U. S. Commissioner	
		this 13 th.	
day of December	1915,	. 1	
	6	smot Smith	
	- we	and mill	
	TT.	3. Commissioner	

## NOTICE OF MINING LOCATION

70	LODE CLAIM	
TO ALL WHOM IT MAY CONCI		
	ch is the <b>Little Tommy</b> o the United States of America, and in which the	
	for the purpose of exploration and purchase by	
	to the purpose of exploration and purchase by	
		-
(Locator must insert either "a citizen of the Uni	ited States" or "who has declared his intention to become a citizen of the I	Jnited States,")
the undersigned, on the 19 day	y of February 19 09.	
	1500	
	600	
	direction and 900	
	<b>Easterly</b> which this notice is posted, lengthwise of the	
	feet in width of	The state of the s
	The general course of the lode deposit and premise	
East	terly to the Westerly.	
	he San Francisco	
Mohave	Territory Inty, in the State of Arizona, about 1 1/4 N	iila
in a North	direction from Old Moss Mine.	
The surface boundaries of the claim	are marked upon the ground as follows: Beginni	ng at
	are marked upon the ground as follows: Beginni	ng at
The surface boundaries of the claim Monum	are marked upon the ground as follows: Beginni	ng at
The surface boundaries of the claim  Monumentary  at a point in a Westerly	are marked upon the ground as follows: Beginni ment direction 600	ng atfeet from
The surface boundaries of the claim  Monument  at a point in a Westerly  the discovery shaft (at which this notice is	are marked upon the ground as follows: Beginniment  direction 600  posted), being in the center of the West	ng atfeet fromend line
The surface boundaries of the claim  Monument  at a point in a Westerly  the discovery shaft (at which this notice is of said claim; thence 300	are marked upon the ground as follows: Beginni ment  direction  posted), being in the center of the  feet to a  Monument	ng atfeet fromend line
The surface boundaries of the claim  Monument  at a point in a Westerly  the discovery shaft (at which this notice is of said claim; thence 300  being the S. West corner	are marked upon the ground as follows: Beginniment  direction 600  posted), being in the center of the West feet to a Monument of said claim: thence 1500	ng atfeet from end line
The surface boundaries of the claim  Monument  at a point in a Westerly  the discovery shaft (at which this notice is of said claim; thence 300  being the S. West corner to a Monument being	are marked upon the ground as follows: Beginniment  direction 600  posted), being in the center of the West feet to a Monument of said claim: thence 1500  at the S. East	feet from end line feet corner of said claim;
The surface boundaries of the claim  Monument at a point in a Westerly the discovery shaft (at which this notice is of said claim; thence 300 being the S. West corner to a Monument being thence 300 feet to a	are marked upon the ground as follows: Beginniment  direction 600  posted), being in the center of the West feet to a Monument of said claim: thence 1500 at the S. East Monument	feet from end line feet corner of said claim;
The surface boundaries of the claim  Monument  at a point in a Westerly  the discovery shaft (at which this notice is of said claim; thence 300  being the S. West corner to a Monument being thence 300 feet to a of the East end of said	are marked upon the ground as follows: Beginniment  direction 600  posted), being in the center of the West feet to a Monument of said claim: thence 1500 at the S. East Monument claim; thence 300	ng atfeet fromfeet linefeet corner of said claim; at the centerfeet
The surface boundaries of the claim  Monument  at a point in a Westerly  the discovery shaft (at which this notice is of said claim; thence 300  being the S. West corner to a Monument being thence 300 feet to a of the East end of said to a Monument be	are marked upon the ground as follows: Beginniment  direction 600  posted), being in the center of the West feet to a Monument of said claim: thence 1500 at the S. East Monument claim; thence 300 eing at the N. East	ng atfeet from end linefeet corner of said claim; at the centerfeet corner of said claim;
The surface boundaries of the claim  Monument  at a point in a Westerly  the discovery shaft (at which this notice is of said claim; thence 300  being the S. West corner to a Monument being thence 300 feet to a of the East end of said to a Monument be	are marked upon the ground as follows: Beginniment  direction 600  posted), being in the center of the West feet to a Monument of said claim: thence 1500 at the S. East Monument claim; thence 300	ng atfeet from end linefeet corner of said claim; at the centerfeet corner of said claim;
The surface boundaries of the claim  Monument  at a point in a Westerly  the discovery shaft (at which this notice is of said claim; thence 300  being the S. West corner to a Monument being thence 300 feet to a of the East end of said to a Monument be thence 1500 feet to a corner of said claim; thence 300	are marked upon the ground as follows: Beginniment  direction 600  posted), being in the center of the West feet to a Monument of said claim: thence 1500 at the S. East Monument claim; thence 300 eing at the N. East a Monument at the N. feet to the place of beginning.	feet from end line feet corner of said claim; at the center feet corner of said claim;
The surface boundaries of the claim  Monument  at a point in a Westerly  the discovery shaft (at which this notice is of said claim; thence 300  being the S. West corner to a Monument being thence 300 feet to a of the East end of said to a Monument be thence 1500 feet to a corner of said claim; thence 300  All done under the provisions of Chap	are marked upon the ground as follows: Beginniment  direction 600  posted), being in the center of the West feet to a Monument  of said claim: thence 1500  at the S. East  Monument  claim; thence 300  eing at the N. East  a Monument at the N.  feet to the place of beginning. pter Six, of Title XXXII, of the Revised Statutes	feet from end line feet corner of said claim; at the center feet corner of said claim; West
The surface boundaries of the claim  Monument  at a point in a Westerly  the discovery shaft (at which this notice is of said claim; thence 300  being the S. West corner to a Monument being thence 300 feet to a of the East end of said to a Monument be thence 1500 feet to a corner of said claim; thence 300  All done under the provisions of Chapand of an Act of the General Assembly of Aritory of Arizona," approved March 16, 190	are marked upon the ground as follows: Beginniment  direction 600  posted), being in the center of the West feet to a Monument  of said claim: thence 1500  at the S. East  Monument  claim; thence 300  eing at the N. East  a Monument at the N.  feet to the place of beginning. pter Six, of Title XXXII, of the Revised Statutes Arizona, entitled, "An Act to Revise and Codify of the Revise at Codify of the Revise and Codif	feet from end line feet corner of said claim; at the center feet corner of said claim; West of the United States, the Laws of the Ter-
The surface boundaries of the claim  Monument  at a point in a Westerly  the discovery shaft (at which this notice is of said claim; thence 300  being the S. West corner to a Monument being thence 300 feet to a of the East end of said to a Monument be thence 1500 feet to a corner of said claim; thence 300  All done under the provisions of Chapand of an Act of the General Assembly of Aritory of Arizona," approved March 16, 190	are marked upon the ground as follows: Beginniment  direction 600  posted), being in the center of the West feet to a Monument  of said claim: thence 1500  at the S. East  Monument  claim; thence 300  eing at the N. East  a Monument at the N.  feet to the place of beginning. pter Six, of Title XXXII, of the Revised Statutes Arizona, entitled, "An Act to Revise and Codify	feet from end line feet corner of said claim; at the center feet corner of said claim; West of the United States, the Laws of the Ter-
The surface boundaries of the claim  Monument  at a point in a Westerly  the discovery shaft (at which this notice is of said claim; thence 300  being the S. West corner to a Monument being thence 300 feet to a of the East end of said to a Monument be thence 1500 feet to a corner of said claim; thence 300  All done under the provisions of Chapand of an Act of the General Assembly of Aritory of Arizona," approved March 16, 190	are marked upon the ground as follows: Beginniment  direction 600  posted), being in the center of the West feet to a Monument  of said claim: thence 1500  at the S. East  Monument  claim; thence 300  eing at the N. East  a Monument at the N.  feet to the place of beginning. pter Six, of Title XXXII, of the Revised Statutes Arizona, entitled, "An Act to Revise and Codify of the Revise at Codify of the Revise and Codif	feet from end line feet corner of said claim; at the center feet corner of said claim; West of the United States, the Laws of the Ter-
The surface boundaries of the claim  Monument  at a point in a Westerly  the discovery shaft (at which this notice is of said claim; thence 300  being the S. West corner to a Monument being thence 300 feet to a of the East end of said to a Monument be thence 1500 feet to a corner of said claim; thence 300  All done under the provisions of Chapand of an Act of the General Assembly of Aritory of Arizona," approved March 16, 190	are marked upon the ground as follows: Beginniment  direction 600  posted), being in the center of the West feet to a Monument  of said claim: thence 1500  at the S. East  Monument  claim; thence 300  eing at the N. East  a Monument at the N. feet to the place of beginning. pter Six, of Title XXXII, of the Revised Statutes of Arizona, entitled, "An Act to Revise and Codify of the Revise and Co	feet from end line feet corner of said claim; at the center feet corner of said claim; West of the United States, the Laws of the Ter-
The surface boundaries of the claim  Monument  at a point in a Westerly  the discovery shaft (at which this notice is of said claim; thence 300  being the S. West corner to a Monument being thence 300 feet to a of the East end of said to a Monument be thence 1500 feet to a corner of said claim; thence 300  All done under the provisions of Chapand of an Act of the General Assembly of Aritory of Arizona," approved March 16, 190	are marked upon the ground as follows: Beginniment  direction 600  posted), being in the center of the West feet to a Monument of said claim: thence 1500 at the S. East Monument claim; thence 300 eing at the N. East a Monument at the N. feet to the place of beginning. pter Six, of Title XXXII, of the Revised Statutes Arizona, entitled, "An Act to Revise and Codify II. 19 day of February Locator Wm Tomkinson.	feet from end line feet corner of said claim; at the center feet corner of said claim; West of the United States, the Laws of the Ter-
The surface boundaries of the claim  Monument  the discovery shaft (at which this notice is of said claim; thence  being the  S. West  corner  to a Monument  being thence 300  feet to a of the East  to a Monument  be thence 1500  All done under the provisions of Chap and of an Act of the General Assembly of Aritory of Arizona," approved March 16, 190  Dated and posted on the ground, this	are marked upon the ground as follows: Beginniment  direction 600  posted), being in the center of the West  feet to a Monument  of said claim: thence 1500  at the S. East  Monument  claim; thence 300  eing at the N. East  a Monument at the N.  feet to the place of beginning. pter Six, of Title XXXII, of the Revised Statutes of Arizona, entitled, "An Act to Revise and Codify of the Codify of	feet from end line feet corner of said claim; at the center feet corner of said claim; West of the United States, the Laws of the Ter-

R. A. Robertson

By Marie Carrow, Deputy.

County Recorder.



STATE OF ARIZONA, County of Mohave

I, J. W. MORGAN,

Recorder of Mohave County, State of Arizona,

do hereby certify that I have compared the foregoing coptes of Notices of Location of the INDEPENDENT and LITTLE TOMMY lode mining claims, situated in the San Francisco mining district, County of Mohave, State of Arizona,

and of the endorsement thereupon with the original records of the same on file in this office, and

that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 9th

day of

OCTOBER,

1915.

1342

Recorder of Mohave County.

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoe	nix, Arizor	ıa,	
		Ms	arch 4	, 1916.
I, U. S. Surveyor-Gener	ral forDistrict	of Arizona	<b>1</b>	
do hereby certify that the fo	regoing transcript of the Fi	eld Notes, return	and approval	of the survey
of the mining claim of				
	Thos, H.	Hicks		***************************************
known as the				
situate in	SAN FRANC	ISCO.		
Mining District,				
in Section s 18 & 19 , 7				
designated as Survey No				
this office; that said Field I				
incorporated into a patent, se				
to natural objects or perman				
	nat five hundred dollars' w			d or improve
	cuts and 1 shaft	, total va	luc \$610.	
and that no portion of said laupon any other claim.  I further certify that the	abor or improvements has be plat thereof, filed in the U.	een included in t	he estimate of e	expenditures
		Frank P. T	ro. 6 6 ,	
	United States Summanon Com	Ar	i zona	

7361b5m3-03

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

### Department of the Interior,

Office of U.S. Surveyor-General,

	Phoen	ix, Arizona,
		March 4 , 1916.
I, U. S. Surveyor-Genera	l for District of Arizona	
do hereby certify that the fore	egoing and hereto attached Field Notes a	nd Return of the Survey of the
Mining Claim of		
	Thos. H. Hicks	4
		, known as the
	LITTLE TOMMY	
situate in	SAN FRANCISCO	Mining District,
MOHAVE	County,	ARIZONA.
	, Township No. 20 N., ,	
	ed as Survey No. 3252	
	Peter McCardell,	
Surveyor, Nov	ember 22-23, , 1915	Ž., under my instructions dated
November 16,	, 1915, have been critically ex	xamined and the necessary cor-
rections and explanations mad	e, and the said Field Notes and Return,	and the Survey they describe,
are hereby approved. A true	copy of the copy of the location certifie	eate filed by the applicant. for
survey is included in the field	notes.	
	March (8)	Short
	U. S. Surveyor-General	for Arizona.

7360b5m3-03