4-683.

MINERAL SURVEY No. 3 2 5 3

LOT No.

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

	or the s	URVEY OF THE MINING	CLAIM OF
	Joe Perriz	o and E.A.Carter	
1 5 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4			
		KNOWN AS THE	The second second
		BELL	
	***************************************	THULL	
	San Fran	cisco	
	Mohave	County. Ariz	ona
unappr Sections	oved		B.& M. , Range 20 W.G.& S.R.
Surv	eyed under instruct	tions dated November	16 , 1915
		by Edwa	rd L.Haff
			U. S. Deputy Mineral Surveyor.
			8
	Claim located	February 15	, 19 08
	Survey commence	ed November 25	, <i>19</i> 15
6—822	Survey completed	December 15	, 19 15

Address of Attorney for Claimant

C.W.Herndon, Atty.,

Kingman, Arizona,

Feet

Bell.

Beginning at Cor. No. 1

Identical with the northwest corner of the location.

A pine post, 4 ft.long, 4 ins.square, set 18 ins.in
the ground, with mound of earth and stone, a nail at
corner point, scribed B-1-3253, whence,

U.S.L.M. No.1602 bears N.58°09'18"W.-6862.99 ft.

Cor.No.2 Sur.No.3196 Starlight lode, Tom Reed Gold

Mines Company, claimant, bears N.80°09'20"W.-709.44 ft.

No bearing objects available.

Thence S.27°27'W.

18.34 N.E.Cor.West Extension lode, unsurveyed, claimants un-known.

115.94 Intersect line 2-3 Sur.No.3196 Starlight lode, at S.70° 51'E.-683.38 ft.from Cor.No.2, and N 70° 51'W. 795.40ff.from Cor.No.3.

298.90 West End Center.

A pine post 4 ft.long, 4 ins.square, set 18 ins.in the ground, with mound of earth and stone, a nail at center point, scribed W.E.C.B-3253.

318.34 East End Center West Extension lode, unsurveyed.

471.17 Intersect line 4-5 Sur.No.3190 York Annex lode, Lexington Arizona Mining Company, claimant, at N.42°54'W.-51.85 ft. from Cor.No.4.

598.90 To Cor.No.2.

Identical with the S.E.Cor.of the West Extension lode, unsurveyed, Cor.No.1, Sur.No.3190 Bunker Hill lode and the southwest corner of the location.

A pine post 4 ft.long 4 ins.square, set 18 ins.in the ground, with mound of earth and stone, a nail at corner point, scribed S.E.Cor.W.Ext.B.H.1-3190 B-2-3253, whence,

Cor.No.4 Sur.No.3190 York Annex lode, bears N.51° 20'E.-120.62 ft.

The Cor. to unapproved Secs 22-23-26-27 T. 19 N.,R

20 W. G.& S.R. B.& M. bears N.88°36'18"E# 259.19 ft.

No bearing objects available.

Thence S.62°10'E.

23.00 1497.30 Along line 1-4 Sur. No. 3190 Burker Hill lode, Intersect line 3-4 Sur. No. 3190 york Annex lode 540° 37'W. 113.43ff. from Cor. No. 4. To Cor. No. 3.

Identical with Cor.No.4 Sur.No.3190 Bunker Hill lode and the southeast corner of the location.

A pine post 4 ft.long, 4 ins.square, set 18 ins.
in the ground, with mound of earth and stone, a nail at
corner point, scribed B.H.4-3190 B-3-3253.

No bearing objects available.

Thence N.27°27'E.

300.00 East End Center.

A pine post 4 ft.long, 4 ins.square, set 18 ins. in the ground, with mound of earth and stone, a nail at center point, scribed E-End-C-B-3253.

18.34 . . Try 'est Telersion loss, g

600.00 To Cor. No.4.

A pine post 4 ft.long, 4 ins.square, set 18 ins.in the ground, with mound of earth and stone, a nail at corner point, scribed B-4-3253, whence,

The N.E.Cor.of the location bears N.27°27'E.5.74 ft.

Thence N.62°12'30"W.

733.74 Intersect line 2-3 Sur.No.3196 Starlight lode at N.70° 51'W.-23.79 ft. from Cor.No.3.

1497.28 To Cor. No. 1, the place of beginning.

Variation at all corners 15°E.

Lode Line .

As near as can be determined from present developments the lode line of this claim extends N.62°10'W.-548 ft.and S.62°10'E.-949.30 ft.from the discovery cut.

Area.

Total area Bell lode, 20.604 Acres.
Area in conflict with Sur.No.3190 York Annex lode, 0.101 Acres.
Sur.No.3190 Starlight lode, 1.016

Adjoining claims.

This lode claim is bounded on the North by Sur. No. 3196 Starlight lode, Tom Reed Gold Mining Company, claimants.

On the south by Sur. No. 3190, Bunker Hill lode, Lexington Arizona Mining Company, claimant.

On the West by Sur.No.3190 York Annex lode, Lexington Arizona Mining Company, claimant, and the West Extension lode, unsurveyed, claimant unknown,

Location .

This survey is located in the S.E.1/4 of Sec.22, S.W.1/4 of Sec.23, N.W.1/4 of Sec.26 and N.E.1/4 of Sec.27, unapproved, T.19 N.,R.20 W. G & S.R. B.& M.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made upon or for the benefit of this claim by the claimants or their grantors is not less than Five Hundred Dollars, and that said improvements consist of.

No.1

The discovery cut, 5x10 ft.7 ft.face, the face of which is on the lode line S.62°10'E.548. ft.from the West End Center. At face of cut, a shaft 5x6 ft.8 ft. deep sunk at the face of the discovery cut, all in altered mineralized andesite and quartz.

Value of cut and shaft

125.00

No.2

A shaft 4x6 ft.25 ft.deep to water, timbered, total depth unknown, which bears from Cor.No.4 N.82°40'W-735 ft in altered mineralized andesite and quartz.

Value of 25 ft.

\$ 300.00

No.3

A shaft 4x8 ft.50 ft.deep to water, timbered, total depth unknown, which bears from Cor.No.4 N.85°30'W.-678 ft in altered mineralized andesite and quartz.

Value of 50 ft.

\$ 650.00

Other Improvements.

None.

Instrument.

This survey was made with a C.L.Berger & Sons No.2

Transit. The courses were deflected from the true

meridian as determined by direct solar observations. The

distances were measured with 100 ft and 500 ft. steel tapes.

Report.

The lode line of this location was run direct upon the ground, and the several corners established by means of offsets from the lode line; all tie lines were run direct upon the ground, calculated through direct ties to former official surveys made by me.

U.S.L.M.No.1602 is a basalt stone 8x15x14 ins. above the ground, properly set, chisleled with a cross (X) and U.S.L.M.No.1602 chiseled on south face.

The corner of Sections 22-23-26-27 unapproved, T.19 N., R.20 W. G & S.R. B& M is a 2 in.iron pipe with brass cap, properly set and marked.

Sur.No.3190 York Annex and Bunker Hill lodes.

All corners and End centers are pine posts 4 ft. long, 4 ins.square, properly set and marked.

Sur, No. 3196 Starlight lode.

All corners and end centers are porphyry stones, properly set and marked.

West Extension lode, unsurveyed.

The N.E. and S.E. Corners and East End Center are pine posts 4 ins. square properly set and marked.

Mote

The disagreements between these field notes and the amended location with regard to the courses and lengths of the boundary lines are due to errors in the latter.

. 15 00 to with

at o over I

. Kin mash

THE REAL PROPERTY AND ADVANCE OF

and religiously to no her deligious rail.

to ... 13 OCC STO PT OOT MITH DAMPER OF STORE ESTE

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

programme of the factor of the	oyed by Edward L. Haff	
United States Deputy Mineral Surveyor, to assis	ist in running, measuring, and marking the lines, cor	ners, and
boundaries described in the foregoing field notes of	of the survey of the mining claim of	
Joe Perrizo and E.A.Cart	ter	
known as the		
and showing the respective capacities in which the	ney acted.	
	R.L.D'Arcy , Chain	nman.
	, Chair	nman.
	, Axma	m.
	, Flagm	nan.
	ra on Aggram Anma	
	IS OF ASSISTANTS.	
x		
and	, do solemnly swear that we assisted	
	Perrizo and E.A. Carter	
known as the Bell		
represented in the foregoing field notes as having	g been surveyed by said deputy mineral surveyor and	under his
direction; and that said survey has been in all r	respects, to the best of our knowledge and belief, faith	fully and
correctly executed, and the corner and boundary	y monuments established according to law and the in	
furnished by the United States Surveyor-General	l for Arizona	
	R.L. Darcy, Chai	
	, Chair	structions
	, Chair	structions nman. nman.
· · · · · · · · · · · · · · · · · · ·		structions nman. nman. an.
Subscribed and sworn	Axmo	structions mman. nman. an. man.
1	, Axmo	structions mman. nman. an. man.
Subscribed and sworn day of	, Axmo	structions mman. nman. an. man.
1	, Axmo	structions mman. nman. an. man.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

	I, Edward L.	Haff	, U. S. Deputy Mineral
	Surveyor, do solemnly swear tha	at, in pursuance of i	nstructions received from the United
	States Surveyor General for	Arizona	, dated
	~ 15 - 15	, , I have, in	strict conformity to the laws of the
			ons thereunder, and the instructions
	of said Surveyor General, faith	fully and correctly	executed the survey of the Mining
	Claim of Joe Perr	izo and E.A.	Carter
			, known as the
			,
	situate in San Fran	ncisco	Mining District,
	Mohave	County,	Arizona, in Section s
22,	23, 26, 27 , Township No. 19	9 N., Range No. 2	20 W.G.& S.R.B.& M. unapprove
	and designated as Survey No	3 2 5 3	, as represented
	in the foregoing field notes, whi	ch accurately show	the boundaries of said mining claim
	as distinctly marked by monum	ents on the ground,	and described in the attached copy
	of the location certificate, which	h was received by	me from the Surveyor General with
	said instructions, and that all th	e corners of said su	rvey have been established and per-
	petuated in strict accordance wi	ith the law, official	regulations and instructions there-
		·	foregoing are the true and original
	•	•	and that the labor expended and
	·	,	imant or their grantors
	-	•	· · · · · · · · · · · · · · · · · · ·
	•		, extent, location and itemized value
	_		I full detail, and that no portion of
	said labor or improvements so c	redited to this clain	n has been included in the estimate
	of expenditures upon any other	claim.	
		_ &	Olver Loff U.S. Deputy Mineral Surveyor.
	Subscribed and sworn to k	y the saidEdwa	rd L.Haff ,
	U.S. Deputy Mineral S	urveyor, before me.	a Notary Public in and for
	Mohave County, A	rizona	this 31st
	day of January		
			Jadok Sheffield
	• •=164		Notary Julia
	Imy Commission est	inen)
	(my Commission exp	3	

Elmended Location Certificate

NOV 16.1915

KNOW AI	Manchara .
and E. A	
	zen 8 of the United States, over the age of twenty-one years, having complied
	ments of the laws of the United States and the State of Arizona, relating to mining
	e local laws, customs, rules and regulations of San Francisco
	ng District, hereby make and file this
	Lode, claiming by right of discovery, location, primal appropriation
	feet, linear and horizontal measurement, on this vein or
-	ther rock in place, bearing gold and silver and other valuable min-
1	variations and angles the same being
	10' W. direction from the discovery sheft dand 952.
	in a S.62°10°E. direction therefrom, together with 300
	h side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits,
	ground within the lines of said claim.
	San Francisco Mining District, County of Mohave
ollows, to-wit:	and more particularly described as
	cinning at the C. P. Con whomas Con No. 1 Sun No.
	ginning at the S. E. Cor. whence Cor. No. 1 Sur. No.
	ew Year lode, bears N. 89° 55' W. 173.60 ft.
Thence	N. 27° 27' E. 300. ft. to the west end center and 600.
ft. to the N	
200.9	S. 62° 10' E. 1500.ft. to the N. E. Cor.
Thence	G. GO TO H. IDOU-10. UO DIO H. H. OOT.
Thence	S. 27° 27' W. 300. ft. to the east end center and 600.
Thence S	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor.
Thence S	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning.
Thence S	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor.
Thence : ft. to the S Thence :	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning.
Thence : ft. to the S Thence : Al	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East.
Thence of the S Thence of the S	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East. 1 corners and end centers are pine posts 4 ft. long 4
Thence of the S Thence of the S	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East. 1 corners and end centers are pine posts 4 ft. long 4
Thence : ft. to the S Thence : Al	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East. 1 corners and end centers are pine posts 4 ft. long 4
Thence of the S Thence of the S	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East. 1 corners and end centers are pine posts 4 ft. long 4
Thence : ft. to the S Thence : Al	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East. 1 corners and end centers are pine posts 4 ft. long 4
Thence : ft. to the S Thence : Al	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East. 1 corners and end centers are pine posts 4 ft. long 4
Thence S Thence S All inches square	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East. 1 corners and end centers are pine posts 4 ft. long 4 e, properly set and marked.
Thence S Thence S All inches square THIS AMI	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East. 1 corners and end centers are pine posts 4 ft. long 4 e, properly set and marked. ENDED LOCATION is made in conformity with the original location, made
Thence S Thence S Al inches square THIS AND Byrnes, Feb.	S. 27° 27° W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East. 1 corners and end centers are pine posts 4 ft. long 4 e, properly set and marked. ENDED LOCATION is made in conformity with the original location, made 151, 1908, recorded May 14, 1908 1, in Book A.A.,
Thence S Thence S Thence S All inches square THIS AMI Byrnes, Feb. Page 293. , of	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East. 1 corners and end centers are pine posts 4 ft. long 4 e, properly set and marked. ENDED LOCATION is made in conformity with the original location, made 151, 1908, recorded May 14, 1908 1, in Book A.A., Quartz Locations, in the office of the Recorder of said County, and it is made for
Thence S Thence S Thence S All inches square THIS AMI Byrnes, Feb. Page 293. , of the purpose of apprent	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East. 1 corners and end centers are pine posts 4 ft. long 4 e, properly set and marked. ENDED LOCATION is made in conformity with the original location, made 151, 1908, recorded May 14, 1908 1, in Book A.A., Quartz Locations, in the office of the Recorder of said County, and it is made for opriating all ground within the boundaries hereinbefore described, and of more
Thence Thence Thence Al inches square THIS AMI Byrnes, Feb. Page 293. , of the purpose of appro- efinitely describing	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East. 1 corners and end centers are pine posts 4 ft. long 4 e, properly set and marked. ENDED LOCATION is made in conformity with the original location, made 151, 1908, recorded May 14, 1908 1, in Book A.A., Quartz Locations, in the office of the Recorder of said County, and it is made for opriating all ground within the boundaries hereinbefore described, and of more the situation and boundaries of said lode, correcting any irregularities, informali-
Thence Thence All inches square THIS AMI Byrnes, Feb. Page 293. , of the purpose of appre- definitely describing ies or errors, supply	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation:15° East. 1 corners and end centers are pine posts 4 ft. long 4 e, properly set and marked. ENDED LOCATION is made in conformity with the original location, made 151, 1908. recorded May 14, 1908. 1 in Book A.A. Quartz Locations, in the office of the Recorder of said County, and it is made for opriating all ground within the boundaries hereinbefore described, and of more the situation and boundaries of said lode, correcting any irregularities, informalizing omissions and correcting any defects which may have existed in the original
Thence Thence All inches square THIS AMI Byrnes, Feb. Page 293. , of the purpose of appre- definitely describing ies or errors, supply	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East. 1 corners and end centers are pine posts 4 ft. long 4 e, properly set and marked. ENDED LOCATION is made in conformity with the original location, made 151, 1908, recorded May 14, 1908 1, in Book A.A., Quartz Locations, in the office of the Recorder of said County, and it is made for opriating all ground within the boundaries hereinbefore described, and of more the situation and boundaries of said lode, correcting any irregularities, informali-
Thence Thence All inches square THIS AMI Byrnes, Feb. Page 293, of the purpose of appropriate of appro	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation:15° East. 1 corners and end centers are pine posts 4 ft. long 4 e, properly set and marked. ENDED LOCATION is made in conformity with the original location, made 151, 1908. recorded May 14, 1908. 1 in Book A.A. Quartz Locations, in the office of the Recorder of said County, and it is made for opriating all ground within the boundaries hereinbefore described, and of more the situation and boundaries of said lode, correcting any irregularities, informalizing omissions and correcting any defects which may have existed in the original
Thence Thence Thence All inches square THIS AMI Byrnes, Feb. Page 293. , of the purpose of appro- definitely describing ies or errors, supply pocation, or the reco- pocation. And if the m original location	S. 27° 27° W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East. L. corners and end centers are pine posts 4 ft. long 4. e., properly set and marked. ENDED LOCATION is made in conformity with the original location, made 151, 1908., recorded May 14, 1908. Quartz Locations, in the office of the Recorder of said County, and it is made for oppiating all ground within the boundaries hereinbefore described, and of more the situation and boundaries of said lode, correcting any irregularities, informalizing omissions and correcting any defects which may have existed in the original red thereof, hereby waiving no rights acquired under and by virtue of said original to original location or the certificate thereof is void, then this location shall be and this certificate an original certificate.
Thence Thence Thence All inches square THIS AMI Byrnes, Feb. Page 293. , of the purpose of apprelefinitely describing ies or errors, supply ocation, or the reco ocation. And if the m original location Date of Or	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East. corners and end centers are pine posts 4 ft. long 4. properly set and marked. ENDED LOCATION is made in conformity with the original location, made 151, 1908, recorded May 14, 1908, 1, in Book A.A., Quartz Locations, in the office of the Recorder of said County, and it is made for opriating all ground within the boundaries hereinbefore described, and of more the situation and boundaries of said lode, correcting any irregularities, informalizing omissions and correcting any defects which may have existed in the original ord thereof, hereby waiving no rights acquired under and by virtue of said original the original location or the certificate thereof is void, then this location shall be and this certificate an original certificate. iginal Discovery. February 15, 1908
Thence Thence Thence All inches square THIS AMI Byrnes, Feb. Page 293. , of the purpose of apprelefinitely describing ies or errors, supply ocation, or the reco ocation. And if the un original location Date of Or	S. 27° 27° W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East. L. corners and end centers are pine posts 4 ft. long 4. e., properly set and marked. ENDED LOCATION is made in conformity with the original location, made 151, 1908., recorded May 14, 1908. Quartz Locations, in the office of the Recorder of said County, and it is made for oppiating all ground within the boundaries hereinbefore described, and of more the situation and boundaries of said lode, correcting any irregularities, informalizing omissions and correcting any defects which may have existed in the original red thereof, hereby waiving no rights acquired under and by virtue of said original to original location or the certificate thereof is void, then this location shall be and this certificate an original certificate.
Thence Thence Thence All inches square THIS AMI Byrnes, Feb. Page 293. , of the purpose of apprelefinitely describing ies or errors, supply ocation, or the reco ocation. And if the un original location Date of Or	S. 27° 27' W. 300. ft. to the east end center and 600. E. Cor. N. 62° 10' W. 1500 ft. to the place of beginning. Variation 15° East. corners and end centers are pine posts 4 ft. long 4. properly set and marked. ENDED LOCATION is made in conformity with the original location, made 151, 1908, recorded May 14, 1908, 1, in Book A.A., Quartz Locations, in the office of the Recorder of said County, and it is made for opriating all ground within the boundaries hereinbefore described, and of more the situation and boundaries of said lode, correcting any irregularities, informalizing omissions and correcting any defects which may have existed in the original ord thereof, hereby waiving no rights acquired under and by virtue of said original the original location or the certificate thereof is void, then this location shall be and this certificate an original certificate. iginal Discovery. February 15, 1908

Records of Mohave County, Arizona. . J. W. Morgan

1-13—1m No. 340—AMENDED LOCATION CERTIFICATE—The McNeil Company's Rad-Line Blanks—Phoenix, Arizona County Recorder.

STATE OF ARIZONA, County of Mohave ss.

I, J. W. Morgan,

Recorder of Mohave County, State of Arizona,

do hereby certify that I have compared the foregoing copy of Amended Location Certificate of the BELL lode mining claim, situate in the San Francisco mining district, Mohave County, State of Arizona,

and of the endorsement thereupon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office, this 12th

day of

November,

191 5.



Recorder of Mohave County.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	* = - =	FIIO ERIX, AFI	.zona,	
			April 2	7 , 1916
I, U. S. Surveyor-Ge	neral forD:	istrict of Aria	zona,	
do hereby certify that the	e foregoing transcr	ipt of the Field Notes,	return and appr	oval of the survey
of the mining claim of				~
	JOE PERRI	ZO AND E. A. CA	RTER	
known as the		BELL		
situate in	S,	AN FRANCISCO	***************************************	
Mining District,	MOHAVE	County	,	ARI ZONA,
in Sections 22,23,2	27 6,,Township No	19 N, Range	No. 20 W., u	napp'd., and
designated as Survey No	3253	, has been correctly	copied from the	originals on file in
this office; that said Fiel	d Notes furnish su	ich an accurate descrip	tion of said mini	ng claim as will, if
incorporated into a paten	t, serve fully to ide	entify the premises, and	that such referen	ce is made therein
to natural objects or perm	anent monuments	as will perpetuate and	fix the locus there	eof.
And I further certif	y that five hundre	ed dollars' worth of lab	oor has been exp	ended or improve-
ments made upon said mi	ning claim by clai	mants or their gra	ntors, and that s	said improvements
consist of 1 cut ar	id 3 shafts.	total value \$	1075.	
	4			
and that no portion of sai				
upon any other claim.	The state of the s			or on ponditures
	the plat thereof, f	iled in the U.S. Land	Office at Pho	enix,
		d in conformity with th		
		ran	k P. Trott,	:
	United St	lates Surveyor-General for	Arizo	ına.

19421b3m8-05

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

	Office of U. S. Surveyor-General,
	Phoenix, Arizoná,
	April 27 , 1916.
I, U. S. Surveyor-Ger	eral for District of Arizona,
do hereby certify that the	foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of	
	JOE PERRIZO AND E. A. CARTER
	, known as the
	BELL
situate in	SAN FRANCISCO mining district,
MOHAVE	County, ARIZONA.
in Section s 22,23,26	.27 , Township No. 19 N., Range No. 20 W., unapp'd
, desig	nated as Survey No. 3253
executed by	Edward L. Haff, U. S. Deputy Mineral
Surveyor, Nov	ember 25-December 15, , 1915, under my instructions dated
November	16, , 19(15, have been critically examined and the necessary cor-
rections and explanations	nade, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A	true copy of the copy of the location certificate filed by the applicant. for
survey is included in the fi	eld notes.
	Frank Wathor

U. S. Surveyor-General for Arizona.

411505m6-02