platted

## Copied April 10, 1916,

ALH

W 24 187E

4-683.

# MINERAL SURVEY No. 3260

LOT No.

ARIZONA Land District.

# FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

United	States Smelting, Refining & Mining Exploration Company
************	
	KNOWN AS THE
	Urica No 4
	Ajo Mining District,
	Pima County, Arizona
Section =	, Township 12 S. , Range 6 W. Unsurveyed
Surve	eyed under instructions dated December loth, 1915.
	by Ralph L. Motz.
	U. S. <del>Deputy</del> Mineral Surveyor.
	Claim located see location notice , 19
	Survey commenced January 9th, 1916. , 19
6—822	Survey completed January 9th, 1916. , 19

Postoffice address of claimants attorney,

Cleon T. Knapp, Attorney,

Bisbee, Arizona.

### URICA NO. 4.

Beginning at Cor No 1, the S W Cor, identical with location and with Cors No 2 and 3 of Sur No 2679 Lone Star and Hermosa lodes, respectively, and situated on line 1-4 Sur No 2679 Mayflower lode at N 26° 28' E 1028.5 ft from Cor. No 1, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3260 U 4, no bearings available,

U. S. M. M. No 1 Ajo Mining District brs 54°37'30" E 3493.Joft.

### thence N 26° 28' E

157.2 along line 1-4 Sur No 2679 Mayflower lode to Cor No 2, the N W Cor, identical with location and with the southwest corner of Dodge No 5 lode unsurveyed, and situated on line 1-4 Sur No 2679 Mayflower lode at S 26° 28' W 304.2 ft from Cor No 4, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3260 U 4, no bearings available.

### thence N 79° 12' E

- 232.0 to original location for north end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed N E Ct-U 4.
- 529.0 to Cor No 3, the N E Cor, identical with location, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3260 U 4, no bearings available.

### thence S 26° 28' W

to Cor No 4, the S E Cor, identical with location and situated at the intersection of line 2-3 Sur No 2679 Lone Star lode and the south side line of Dodge No 5 lode unsurveyed, at N 79° 12' E 529.0 ft from Cor No 2 and S 79° 12' W 35.9 ft from Cor No 3 Lone Star lode, and S 84° 43' E 451.5 ft from the southwest corner, and N 84° 43' W 1051.3 ft from the southeast corner of Dodge No 5 lode, a pine post 4 ft long 4 ins sq set 18 ins in the ground im a mound of stones and scribed 4-3260 U 4, no bearings available.

thence S 79° 12' W 230.8 to north end center location of Sur No. 2679 Lone Star lode, 239.5 to original location for south end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed S E Ct-U 4, 529.0 to Cor No 1, the place of the beginning. LODE LINE. The presumed course of the vein on this claim is from the south end center N 5° 58' E 130.7 ft. AREAS. Total area of Urica No 4 lode- - - -- - - - -1.519 A. Area in conflict with Dodge No 5 lode unsurveyed- - - - -IMPROVEMENTS. I hereby certify that the value of the labor and improvements made upon this claim by the claimant or its grantors. was at the time of survey as follows: -Discovery shaft 4 x 12 x 9.5 ft deep brs from south end center on lode line 8 ft. Value No.1. \$100.00 Shaft 4 x 6 x 42 ft deep brs from Cor No 1 N 52° 08' E 141.3 ft. Val No.2. Value \$250.00 Shaft 5 x 6 x 8 ft deep brs from Cor No 1 N 72° 56' E 141.3 ft. Va: No.3. Value \$ 50.00 Total improvements \$400.00 Note. Additional report of five hundred dollars worth of improvements will be filed prior to the expiration of the period of publication of the notice of application for patent. ADJOINING CLAIMS. Dodge No 5, unsurveyed, owned by the Ajo Consolidated Mining Company. North. South. Survey No 2679 Lone Star lode. West. Survey No 2679 Mayflower lode. LOCATION. This survey is located in the Ajo Mining District, Pima County, Arizona, in Section 10, Tp 12 S., R 6 W., G & S R B & M, unsurveyed.

INSTRUMENT.

This survey was amde with a C. L. Berger & Sons No 1 C transit. The courses were deflected from the true meritan as determined by a Solar observation. The distances were

measured with a 300 foot steel tape. Magnetic variation 15° east at all corners.

REPORT.

The corners of the adjoining approved surveys are pine posts properly set and scribed.

U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

January 14th, 1916.

00000000000

### FINAL OATHS FOR SURVEYS.

### LIST OF NAMES.

ed by Ralph L. Motz,
t in running, measuring, and marking the lines, corners, and
the survey of the mining claim of
fining & Mining Exploration Company
rica No 4
ey acted.
C. G. Puffer. , Chainman.
, Chainman.
, Axman.
,, Flagman.
S OF ASSISTANTS.
, do solemnly swear that assisted
Refining & Mining Exploration Company
rica No 4
been surveyed by said deputy mineral surveyor and under his my espects, to the best of reacknowledge and belief, faithfully and monuments established according to law and the instructions
or Arizona.
Cypuffu, Chainman.
, Chainman.
, Axman.
, Flagman.
by the above-named persons before me this 10 the
y. 1916, 190x.
Duilmstrong
Notary Public in and for the County of Pima, State of Arizona.

# FINAL OATH OF U. S. <del>DEPUTY</del> MINERAL SURVEYOR

I, Ralph	L. Motz		, U.	S. <del>Deputy</del> Mineral						
Surveyor, do solemnl										
States Surveyor Gene										
December 10t										
United States, the off	icial regulations ar	ad instructio	ns thereunder, a	and the instructions						
of said Surveyor Ge	neral, faithfully an	d correctly	executed the su	rvey of the Mining						
Claim of United	States Smelt	ing, Refir	ning & Minin	g Exploration						
Company				known as the						
*		Urica No	.4	·,						
situate in		Ajo		Mining District,						
Pi	m <u>a</u>	County,	Arizona	, in Section						
Towns	ship No.12 S.,	Range No	5 W. G & S R	B & M. Unsur.						
and designated as Su	ırvey No	3260		, as represented						
in the foregoing field	notes, which accur	rately show t	he boundaries o	f said mining claim						
as distinctly marked	by monuments on	the ground,	and described in	n the attached copy						
of the location certif										
	aid instructions, and that all the corners of said survey have been established and per-									
netuated in strict accordance with the law, official regulations and instructions there- under; and I do further solemnly swear that the foregoing are the true and original										
				Ť						
field notes of said si				_						
improvements made u										
are as therein fully s										
thereof are specified				_						
said labor or improve	ments so credited	to this claim	has been include	ded in the estimate						
of expenditures upon	any other claim.									
			0 -							
		Hal	Ibla L. M	ob						
			l'. S. <del>De</del>	puty Mineral Surveyor.						
Subscribed and	sworn to by the sa	id Ralph	L. Motz							
U. S. <del>Deputy</del>	Mineral Surveyor,	, before me	J. D. Taylo	or, Notary						
Public			this	14th						
day of	January, 1916.	<u>,                                     </u>								
			11.7.1	?						
		Notary	ublic in an	of for the County						
		of Cochi	se, State of	f Arizona.						
o 6—154		My commi	ssion expire	es fel 20-1916						

# Motice of Mining Location

	To all WHOM IT MAY CONCERN:  This Mining Claim, the name of which is the	
	R.J.Daniels citizen of the United States	
	Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States."  the undersigned, on the	
	The length of this claim is	
	claim ten feet in a southerly direction	
	and	
	with 300 feet in width of the surface grounds, on each side of	
	the center of said claim.  The general course of the lode deposit and premises is from the southerly to the	
	northerly.  The claim is situated and located in the Ajo Mining District, in County in the the County-of Ping State of Arizona, about 30.00 feet in a	
	northerly. direction from W.S.M.M.NO.l and joins the	
	Lone Star Pat. Mine on its north end and is located as abandoned	
	property.  The surface boundaries of the claim are marked upon the ground as follows: Beginning at	
	a post and monument of stone	
	at a point in a southerly direction ten	
	at a point in asoutherlydirectionten  feet from the discovery shaft (at which this notice is posted) being in the center of thesoutherly	
	feet from the discovery shaft (at which this notice is posted) being in the center of the southerly	
	feet from the discovery shaft (at which this notice is posted) being in the center of the southerly end line of said claim; thence easterly 300	
	feet from the discovery shaft (at which this notice is posted) being in the center of the southerly  end line of said claim; thence easterly 300  feet to a post and monument of stone being the south east	
	feet from the discovery shaft (at which this notice is posted) being in the center of the southerly  end line of said claim; thence easterly 300  feet to a post and monument of stone being the south east  corner of said claim; thence northerly 1500 feet	
	feet from the discovery shaft (at which this notice is posted) being in the center of the southerly  end line of said claim; thence easterly 300  feet to a post and monument of stone being the south east  corner of said claim; thence northerly 1500 feet  to a monument of stone being at the north east	
	feet from the discovery shaft (at which this notice is posted) being in the center of the southerly.  end line of said claim; thence easterly 300  feet to a post and monument of stone being the south east  corner of said claim; thence northerly 1500 feet  to a monument of stone being at the north east  corner of said claim; thence feet to a monument of stone  corner of said claim; thence feet to a monument of stone	
	feet from the discovery shaft (at which this notice is posted) being in the center of the southerly.  end line of said claim; thence easterly 300  feet to a post and monument of stone being the south east  corner of said claim; thence northerly 1500 feet  to a monument of stone being at the north east  corner of said claim; thence westerly 300 feet to a monument of stone  at the center of the northerly end	
	feet from the discovery shaft (at which this notice is posted) being in the center of the southerly.  end line of said claim; thence easterly 300  feet to a post and monument of stone being the south east  corner of said claim; thence northerly 1500 feet  to a monument of stone being at the north east  corner of said claim; thence westerly 300 feet to a monument of stone  at the center of the northerly end  of said claim; thence same course 300 feet to a monument of stone	
	feet from the discovery shaft (at which this notice is posted) being in the center of the southerly  end line of said claim; thence easterly 300.  feet to a post and monument of stone being the south east  corner of said claim; thence northerly 1500 feet to a monument of stone being at the north east  corner of said claim; thence westerly 300 feet to a monument of stone at the center of the northerly end end of said claim; thence same course 300 feet to a monument of stone being at the north west corner of said claim; thence southerly feet to a post and monument f stone	
	feet from the discovery shaft (at which this notice is posted) being in the center of the southerly  end line of said claim; thence easterly 300.  feet to a post and monument of stone being the south east  corner of said claim; thence northerly 1500 feet to a monument of stone being at the north east  corner of said claim; thence westerly 300 feet to a monument of stone  at the center of the northerly end  of said claim; thence same course 300 feet to a monument of stone  being at the north west  corner of said claim; thence same course  being at the north west  corner of said claim; thence  being at the  feet to a  post and monument of	
	feet from the discovery shaft (at which this notice is posted) being in the center of the . southerly	
L	feet from the discovery shaft (at which this notice is posted) being in the center of the southerly  end line of said claim; thence easterly 300  feet to a post and monument of stone being the south east  corner of said claim; thence northerly 1500  feet to a monument of stone being at the north east  corner of said claim; thence westerly 300 feet to a monument of stone  at the center of the northerly end of said claim; thence same course 300 feet to a monument of stone  being at the north west corner of said claim; thence southerly 1500 feet to a post and monument of  stone at the southwest corner of said claim; thence easterly 300 feet to a post and monument of  stone at the southwest corner of said claim; thence easterly 300 feet to a post and monument of  stone at the southwest corner of said claim; thence easterly 300 feet to the place of beginning.  All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona." approved March 16, 1901.	
L	feet from the discovery shaft (at which this notice is posted) being in the center of the . southerly	

......P.E.Howell, County. Recorder.....

### ACT TO CODIFY AND REVISE THE LAWS OF THE TERRITORY OF ARIZONA

### SECTIONS I-II-INC. LOCATION OF CLAIMS

Be it enacted by	the Legislative	Assembly of the	e Territory	of Arizona:
------------------	-----------------	-----------------	-------------	-------------

SECTION. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discoverer for himself, for himself and others, or for others.

Section 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous mounment of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the gorund, in which mounment of stones or on which not there shall be posted a location notice, which shall be sigued by the name or names of the locator or locators. The location notice must contain first, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim in feet and the distance in feet from the point of discovery to each end of the claim; fifth, the general course of the claim; sixth, the locality of the claim with reference to some natural object or permanent monument whereby leclaim can be identified.

Section 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.

Section 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a copy of the location notice: second, to sink a discovery shalt in the claim to the depth of at least ten 0, feet from the lowest part of the rim of the shaft at the surface, and deeper if necessary, until there is discovered in said shaft mineral in place, third, t monument the claim on the ground so that its boundaries can be readily traced.

Sicrion 5. The failure to do all the things enumerated in this section in the time and space specified shall be construed into an abandoning of the claim, and all right thereto of the discoverer and locator shall be forf


being duly sworn deposes and says that he is a citizen of the United States and more than twenty-one years of age, resides at in County, Arizona, and is personally acquainted with the mining claim known as Mining District, Arizona, the location notice of which is recorded in the office of the County Recorder of said County, in book of Records of Mines, at page.

A. D., and the day of dollars worth of work and improvements were done and performed upon said claim, not including the location work of said claim. Such work and improvements were made by and at the expense of complying with the laws of the United States, pertaining to assessments of annual work, and(here name the owners or men who worked upon the claim in doing the work) were the men employed by said owner, and who labored upon said claim, did said work and improvements, the same being as follows, to-wit: (Here describe the work done).

Subscribed and sworn to before me, this day of A. D.

(Notarial Seal)

Such affidavit, when so recorded, shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit, when so recorded, or a certified copy of record of same, or the record of same, shall be received as evidence accordingly by the courts of the State. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing the boundary in the same manner and to the same extent as is required in making an original location; or the relocator may sink the original discovery shaft ten (10) feet deeper than it was at the commencement of such location, and shall errect new, or make the old monuments the same as originally shaft ten (10) feet deeper than it was at the commencement of such location, and shall errect new, or make the old monuments the same as a originally shaft ten (10) feet deeper than it was at the commencement of such location notice, shall state if the whole or any part of the new location is lecated as abandoned property, else it shall



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may, be n the any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

STATE OF ARIZONA	
	SS.
County of	
I	
aforesaid, do hereby certify that the within	instrument was filed for record ato'clock M., on thi
age, course, are necessarily man are	day of 191, and duly
recorded in Book No of	Records of
County, Arizona., at pages	
WITNESS my hand and official se	val the day and year first above written.

			County Recorder.
Potice of Location Lode claim Urica No.4	Dated.	Filed and recorded at request of James P.Gaskill  Dec. 31  at  9-15 A  Book IT. Record of Mines	Pages 42.  P.E.Howell,  County Recorder.  By L.M.Shibell  Deputy Recorder.

STATE OF ARIZONA,

COUNTY OF PIMA.

19		
$I, \ldots R ullet B ullet Vi$	nson, County Recorder	r in and for the
	na, do hereby certify that the above and foregoing is a full, true o	
	ng Location, of the Urica No. 4. Date	
10th, 1912	***************************************	
	***************************************	
as appears of record now in my	office in Book T.T. Records of Mines, Pages	42.
Res 1	IN WITNESS WHEREOF, I have hereun	
	and affixed my official seal, at my off	
	this6th.	
Knaalterry	December,	
	Kloviuson	~
	County Recorder of Pima County	Arizona

# U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

I, U. S. Surveyor-General for District of Arizona,  do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of  UNITED STATES SMELTING, REFINING & MINING EXPLORATION COMPANY known as the URICA NO. 4  situate in AJO
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of  UNITED STATES SMELTING, REFINING & MINING EXPLORATION COMPANY known as the URICA NO. 4
of the mining claim of UNITED STATES SMELTING, REFINING & MINING EXPLORATION COMPANY known as the URICA NO. 4
UNITED STATES SMELTING, REFINING & MINING EXPLORATION COMPANY  known as the URICA NO. 4
known as the URICA NO. 4
situate inAJQ
Mining District, PIMA County, ARIZONA,
in Section, Township No. 12 S., Range No. 6 W., unsur., and
designated as Survey No. 3260 , has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.  less than  And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claim by claimant or its grantors, and that said improvements consist of , at time of survey, 3 shafts, total value \$400.
and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.  I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix.  Arizona, is correct and in conformity with the foregoing Field Notes.  Frank P. Trott,
United States Surveyor-General for Arizona.

19421b3m8-05

# SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

# Department of the Interior.

Office of U. S. Surveyor-General,

		Phoenix, Arizona,
		April 14 , 1916.
I, U. S. Surveyor-General for	District o	f Arizona,
do hereby certify that the foregoing	and hereto attached Fi	eld Notes and Return of the Survey of the
UNITED STATES SMELTING	REFINING & MI	NING EXPLORATION COMPANY
		, known as the
	URICA NO. 4	
situate in	AJU	mining district,
PIMA	County,	ARIZONA,
in Section To	wynchin No. 12 S.	, Range No. 6 W., unsur
designated as S	Survey No. 3260	
executed by Ral	ph L. Motz	, U. S. <del>Depaty</del> Mineral
Tanna	av Q	1016
		, 1916, under my instructions dated
December 10,	, 19 15, have been	critically examined and the necessary cor-
		and Return, and the Survey they describe,
rections and explanations made, and	the said Fleid Notes a	the Survey they describe,
are hereby approved. A true copy	of the copy of the loca	tion certificate filed by the applicant. for
survey is included in the field notes.		
	Ho	1 De the 1
	Strans	K D DIJOH
	TI & C	rever-General for Arizona.

4115b5m6-02

# Certificate of U. S. Surveyor General

AS TO

EXPENDITURES R	REPORTED	AFTER	RETURN	OF	SURVEY	OF	MINING	CLAIM.
----------------	----------	-------	--------	----	--------	----	--------	--------

I, U.S. Surveyor General	for Dis	triet of Aria	zo na
do hereby certify that Five Hu			
improvements made by claiman	nt or its g	grantors, upon t	he mining claim of
United States Smelting,			
known as the	URICA NC.	4	,
situate in			
Pima			
in Section, Townsh	nip No. 12 S	, Range No. 6	W., Unsur.,
that said improvements consist	of. in additi	on to those r	eported at
time of survey, an 8.5-	foot extensio	n in sheft No	o.2, value
\$100.	**********		
<b>NATION</b>			
		•	
***************************************			
			-
	***************************************		
, and t	hat no portion of	said labor or impr	covements has been
included in the estimate of expen	iditures upon any	other claim. A c	opy of the report of
Ralph L. Motz			*
May 15 ,1			of or, dated
	7		
		ank D.	Shot
	U. S. Surveyor Gene	eral forA	izona.
Office of U.S. Surveyor General,			
Phoenix, Arizona,			
May 17	1 916		

### SUPPLEMENTAL REPORT OF IMPROVEMENTS.

I hereby certify that the value of labor performed and improvements made upon or for the benefit of the claim embraced in Mineral Survey No 3260 by the claimants or their grantors is not less than 3500. and that said improvements, in addition to those which were reported at the time of making survey, consist of: -

No.2. Shaft 4 x 6 x 50.5 ft deep bra from Cor No 1 N 52° 08' E 141.3 ft (Originally reported 42 ft deep valued at \$250.00.) Value of additional 8.5 ft.

\$100.00

Dated at Bisbee, Arizona.

May 15th, 1916.

Ralph K. Mots

I, Ralph L. Motz, U. S. Mineral Surveyor for the District of Arizona, first being duly sworn, depose and say that the above supplemental report is true and correct and that the improvements mentioned therein were made and completed prior to the date of the expiration of the publication of the notice of application for patent to the lands embraced within Mineral Survey No3260.

Rayh L. Moh

County of Cochise ) ss.

Subscribed and sworn to by said Ralph L. Motz, before me, a notary public in and for the County of Cochise, State of Arizona, this 15th, day of May, 1916 A.D. Motery Public.

My commission expires February 21st, 1920.

### URICA NO. 4 Lode

On February 25th, 1919, Mr. Paul E. Fernald and I made a joint survey of the boundaries of the Urica No. 4 in accordance with the Surveyor General Letter of February 18th.

We found the following to be the courses of the lines of the Urica No. 4

Line 1-2 N 26° 30' E

2-3 N 79° 16' 40" E

3-4 S 26° 34' 25" W

4-1 S 79° 15' W

Ralph L. Mon U. S. Mineral Surveyor.

County of Cochise )
State of Arizona )

Subscribed and sworn to by the said Ralph L. Motz, U. S. Mineral Surveyor, before me J. W. Ross, Notary Public, this 13th day of March, 1919.

**特 於 於 發** 

Notary Public, in and for the County of Cochise, State of Arizona. My commission expires Feb. 21, 1920.

Paul E. Funald
U.S. Mineral Surveyor

County of Pima )
) ss.
State of Arizona)

# # #

31-

Subscribed and sworn to by the said Paul E.Fernald, before me this I5th.day of March, 1919.

Notary Public in and for the County of Pima, State of Arizona.

My Commission expires fue 6-1920.

on 1.504 by grate in Letter 1-3-19 8

-EB 14 1919

### Urica No 4 lode

In reply to your letter of the 3rd of December 1918 concerning discrepancies as reported by P. E. Fernald I check his distances as reported but check the courses as originally reported by me. The correct bearings of the lines in question being

Line 1-2 N 26° 28' E 156.0

2-3 N 79° 12' E 528.3

3-4 S 26° 28' W 155.78

4-1 S 79° 12' W 528.23

Cor No 1 to U S M M No 1 S 4° 34' E 3488.0 Area (as per enclosed traverse sheet) - - - 1.505 A.

Ralph L. Mon U. S. Mineral Surveyor

Subscribed and sworn to by the said Ralph L. Motz, U. S. Mineral Surveyor, before me J. W. Ross, Notary Public, this 13th day of February, 1919.

> Notary Public. In and for the County of Cochise, State of Arizona.

My commission expires Feb. 21, 1920.

see report of joint survey filed herewith

Draggrouss.—1. Carryout the area in acres to three decimals, and all other calculations to two decimals only.

2. In balancing Lat. and Dep. do not obliterate or change the original figures:

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest hundredth. In calculations of N. and S. areas drop all after second decimal. Surveyors are advised to use the Standard Field Tables issued by G. L. O.

# TABLING AND CALCULATIONS OF Sun no 3260 - Mich no 4

6—95	INDE											
	, p	TOTAL	20	DISTANCE	LATITUDES.	DES.	DEPARTURES.	JRES.	a Martina		, i	7
	INO.	000	DE.	DISTANCE.	North.	South.	East.	West.	DOUBLE M. D.	N. AREAS.	S. AREAS.	HCRES
44568	X 61368	200	28'E	1560	13962		6953-		6951	970.568		
58274	18738 h	064	12 8	5283	98989	1	5/8		65790	6506631		
89.000	8 21.528	260	28' W	15578		139 48		69 4 mg	110733		15443932	
98220	18738 5	290	12' W	51813		8668		51884	51894		5140620	
		ï			23 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2384	58 8 8 4 W	5 8 8 3 ×		7477199	20584557	
					)	9		- "			2477199	10
											13107353	
							-				6553676	1.505
				1.0826	23554	× ;	- 1					
						2.1.2	-					7
-	- 184 V	parties for	Pra		77	N. P.						
	07	9 35 676	0	36	20 00		6961		9 6 9	978		
-	P. 79	N 29° 16 40° 6		50 54 10)	\$ 50 64 00		51906		64 64 99	20 10 10 10 10 10 10 10 10 10 10 10 10 10		
	18 8	S 24° 24° 25° W	3	84921	4	13932		5 9 6 9	10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		15431760	
	5 79	W 51 0		80 61 53 61 14		0. P		2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00 00 100		51 4698	
					2,3790	23785	2 8 6	19 20 30 30 21		H 3 0 0 6 H L	2000 4000	
á											1 8 0 0 8 4	= 1.504 acs.
	-											
								-				16
			_								-	
											1.:	
							4					