

APR 4 - 1916

1

4-683.

MINERAL SURVEY No. 3270.

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Thomas Bouse and R. McMahan.

KNOWN AS THE

Leopard, Ligament, Blue Slate, Homestake, Commodity, Sent After, Blue Bell,

Piomosa Mining District,

Yuma County, Arizona.

Section 7, Township 7 N., Range 17 W., G.S.R.M.

Surveyed under instructions dated February 5, 1916,

by C. C. Thompson,

U. S. Deputy Mineral Surveyor.

Claim located (See location Notices) 19

Survey commenced February 25, 19 16.

Survey completed March 5, 19 16.

6-822

Address of Atty. in fact:-

Fen S. Hildreth,

Phoenix,

Arizona.

SURVEY NO. 3270.

LEOPARD LODGE.

Beginning at Cor. No. 1.

On line 4-1 Paradise No. 2 lode Sur. No. 3157.

A stone 6 x 8 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 1L-3270 and a cross at corner point, whence;

The $\frac{1}{4}$ Cor. to Secs. 6 and 7, T. 7 N., R. 17 W., G. & S. R. M. bears N. 79° 24' W. 290.58 ft.

No other bearings available.

Thence S. 36° 31' W.

300 To west end center.

600 To Cor. No. 2.

Identical with Cor. No. 1 Ligament lode of this survey and on line 4-1 Paradise No. 2 lode Sur. No. 3157.

A post 4 ins. square 3 ft. long set 16 ins. in the ground, in mound of earth and stone, scribed 2L-1L-3270. No bearings available.

Thence S. 63° 29' E.

1500 To Cor. No. 3.

Identical with Cor. No. 4 Ligament lode of this survey.

A stone 10 x 13 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 3L-4L-3270 and a cross at corner point.

No bearings available.

Thence N. 26° 31' E.

300 To east end center.

600 To Cor. No. 4.

A stone 7 x 8 x 26 ins. set 14 ins. in the ground, with mound of stone, chiseled 4L-3270 and a cross at corner point.

No bearings available.

1500 Thence N. 63° 29' W.
 to Cor. No. 1 the place of beginning.

LIGAMENT LODE.

Beginning at Cor. No. 1.

Identical with Cor. No. 2 Leopard lode of this survey and on line 4-1 Paradise No. 2 lode Sur. No. 3157, previously described,

whence,

The $\frac{1}{4}$ Cor. to Secs. 6 and 7, T. 7 N., R. 17 W., G&S. R. M. bears N. 1° 43' 20" W. 590.60 ft.

Thence S. 26° 31' W.

300 To west end center.

600 To Cor. No. 2.

On line 4-1 Blue slate lode of this survey and identical with Cor. No. 4 Paradise No. 2 lode Sur. No. 3157.

A post 4 ins. square showing 20 ins. above ground, scribed 2L-3270 and 4P2-3157.

No bearings available.

Thence S. 63° 29' E.

1300.6 Cor. No. 1-4 Blue Bell and Blue Slate lodes respectively, both of this survey, on line.

1500 To Cor. No. 3.

On line 4-1 Blue Bell lode of this survey.

A stone 6 x 7 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 3L-3270 and a cross at corner point.

No bearings available.

Thence N. 26° 31' E.

300 To east end center.

600 To Cor. No. 4.

Identical with Cor. No. 3 Leopard lode, previously described.

1500 Thence N. 63° 29' W.
To Cor. No. 1 the place of beginning.

BLUE SLATE LODE.

Beginning at Cor. No: 1.

Identical with Cor. No. 4 Jaguar lode and on line
3-4 Paradise No. 2 lode, both of Sur. No. 3157.

A stone 7 x 12 ins. showing 8 ins. above ground,
with mound of stone, chiseled 1BS-3270, 4J-3157 and a
cross at corner point,
whence,

The † Cor. to Secs. 6 and 7, T. 7 N., R. 17 W., G. &
S. R. M. bears N. 22° 25' 50" E. 1123.18 ft.

No other bearings available.

Thence S. 26° 31' W.

300 To west end center.

600 To Cor. No. 2.

On line 2-3 Homestake lode of this survey and iden-
tical with Cor. No. 3 Jaguar lode Sur. No. 3157.

A stone 10 x 10 ins. showing 8 ins. above ground,
with mound of stone, chiseled 2BS-3270, 3J-3157 and a
cross at corner point.

No bearings available.

Thence S. 63° 29' E.

1297.0 Cor. No. 3-3 Homestake and sent After lodes, both of
this survey, on line.

1500 To Cor. No. 3.

Identical with Cor. No. 2 Blue Bell lode and on line
3-4 sent After lode, both of this survey.

A stone 7 x 12 x 26 ins. set 14 ins. in the ground,
with mound of stone, chiseled 3BS-2BB-3270 and a cross
at corner point.

No bearings available.

Thence N. 26° 31' E.

5

SURVEY NO. 3270

Feet.

300 To east end center.

600 To Cor. No. 4.

Identical with Cor. No. 1 Blue Bell lode and on line 2-3 Ligament lode, both of this survey.

A stone 7 x 11 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 4BS-1BB-3270 and a cross at corner point.

No bearings available.

Thence N. 63° 29' W.

1300.6 Cor. No. 3 Ligament lode of this survey, identical with Cor. No. 4 Paradise No. 3 lode Sur. No. 3157, on line.

1500 to Cor. No. 1 the place of beginning.

HOMESTAKE LODE.

Beginning at Cor. No. 1.

Identical with Cor. No. 3 Commodity lode of this survey.

A stone 10 x 12 x 26 ins. set 14 ins. in the ground, with mound of stone, chiseled 1H-2C-3270 and a cross at corner point,

whence,

The $\frac{1}{2}$ Cor. to Secs. 7 and 13, T. 7 N., Rs. 17 and 18 W., G&S. R. M. bears S. 66° 05' 40" W. 1539.55 ft.

No other bearings available.

Thence N. 26° 31' E.

300 To west end center.

600 To Cor. No. 2.

On line 2-3 Jaguar lode Sur. No. 3157.

A stone 9 x 12 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 2H-3270 and a cross at corner point.

No bearings available.

Thence S. 63° 29' E.

203.0 Cor. No. 2 Blue Slate lode of this survey, identical

Feet. with Cor. No. 3, Jaguar lode Sur. No. 3157 on line.
 1500 to Cor. No. 3.

Identical with Cor. No. 3 Sent After lode and on line 2-3 Blue Slate lode, both of this survey.

A stone 7 x 10 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 3H-3S-3270 and a cross at corner point.

No bearings available.

 Thence S. 26° 31' W.

300 To east end center.

600 To Cor. No. 4.

Identical with Cor. No. 3 Commodity lode and on line 2-3 Sent After lode, both of this survey.

A stone 8 x 10 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 4H-3C-3270 and a cross at corner point.

No bearings available.

 Thence N. 63° 39' W.

1500 To Cor. No. 1 the place of beginning.

 COMMODITY LODE.

Beginning at Cor. No. 1.

A stone 7 x 12 ins. x 24 ins. long set 14 ins. in the ground, with mound of stone, chiseled 1C-3270 and a cross at corner point,

whence,

the $\frac{1}{2}$ Cor., to secs. 7 and 12, T. 7 N., Rs. 17 and 18 W., G. & S. R. M. bears S. 85° 48' 10" W. 1133.51 ft.

No other bearings available.

 Thence N. 26° 31' E.

300 To west end center.

600 To Cor. No. 2.

Identical with Cor. No. 1 Homestake lode of this survey, previously described.

SURVEY NO. 3270.

Feet. Thence S. 63° 29' E.
 1500 To Cor. No. 3.
 Identical with Cor. No. 4 Homestake lode and on line 2-3 Sent After lode, both of this survey, previously described.

Thence S. 26° 31' W.
 300 To east end center.

600 To Cor. No. 4.
 On line 2-3 Sent After lode of this survey.
 A stone 7 x 10 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 4C-3270 and a cross at corner point.

No bearings available.

Thence N. 63° 29' W.
 1500 to Cor. No. 1 the place of beginning.

SENT AFTER LODE.

Beginning at Cor. No. 1.
 A stone 6 x 9 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 1S-3270 and a cross at corner point,

whence,

The $\frac{1}{4}$ Cor. to Secs. 7 and 18, T. 7 N., R. 17 W., G. & S. R. M. bears S. 11° 48' 30" W. 1559.35 ft.

No other bearings available.

Thence N. 63° 29' W.
 300 To south end center.

600 To Cor. No. 2.
 A stone 7 x 10 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 2S-3270 and a cross at corner point.

No bearings available.

Cor. No. 2 Jack Rabbit lode ^{Sur. No. 3269} a stone 10x12 ins. showing 8 ins. above ground, chiseled 2J-3269 and a cross at corner point, brs. S 37° 58' W. 446.3 ft.

Thence N. 26° 31' E.

Feet.	
300	Cor. No. 4 Commodity lode of this survey on line.
900	Cor. No. 3-4 Commodity and Homestake lodes respectively, both of this survey on line.
1500	to Cor. No. 3. Identical with Cor. No. 3 Homestake lode and on line 2-3 Blue Slate lode, both of this survey, previously described.
	----- Thence S. 63° 29' E.
205.0	Cor. No. 2-3 Blue Bell and Blue Slate lodes respectively, both of this survey, on line.
300	To north end center.
600	To Cor. No. 4. On line 2-3 Blue Bell lode of this survey. A stone 6 x 10 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 48-3270 and a cross at corner point. no bearings available.
	----- Thence S. 26° 31' W.
1500	to Cor. No. 1 the place of beginning.
	----- BLUE BELL LODGE.
	Beginning at Cor. No. 1. Identical with Cor. No. 4 Blue Slate lode and on line 2-3 Ligament lode, both of this survey, previously described, whence, the $\frac{1}{4}$ Cor. to Secs. 6 and 7, T. 7 N., R. 17 W., G&S. R. M. bears N. 28° 08' 40" W. 1936.91 ft.
	----- Thence S. 26° 31' W.
300	to west end center.
600	To Cor. No. 2. Identical with Cor. No. 3 Blue Slate lode and on line 3-4 Sent After lode, both of this survey, previ-

SURVEY NO. 3270.

Feet. ously described.

Thence S. $63^{\circ} 29'$ E.

397.0 Cor. No. 4 Bent After lode of this survey on line.

1500 To Cor. No. 3.

A stone 6 x 8 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 3BB-3270 and a cross at corner point.

No bearings available.

Thence N. $26^{\circ} 31'$ E.

300 To east end center.

600 To Cor. No. 4.

A stone 6 x 8 x 24 ins. set 14 ins. in the ground, with mound of stone, chiseled 4BB-3270 and a cross at corner point.

No bearings available.

Thence N. $63^{\circ} 29'$ W.

1300.6 Cor. No. 3 Ligament lode of this survey on line.
1500 To Cor. No. 1 the place of beginning.

All corners of this survey are identical with the corners of the locations. The end centers consist of stone monuments.

Variation at all corners of this survey $14^{\circ} 30'$ E.

LODE LINES.

As near as can be determined from present developments the veins of the locations embraced in this survey extend as follows from their respective discovery points:

Leopard lode, 645 ft. S. $63^{\circ} 29'$ E. and 855 ft.

N. $63^{\circ} 29'$ W. ✓

Ligament lode, 635 ft. S. $63^{\circ} 29'$ E. and 865 ft.

N. $63^{\circ} 29'$ W. ✓

Blue Slate lode, 640 ft. N. $63^{\circ} 29'$ W. and 860 ft.

S. $63^{\circ} 29'$ E. ✓

SURVEY NO. 3270.

Homestake lode, 750 ft. N. 63° 29' W and 750 ft.
S. 63° 29' E. ✓

Commodity lode, 30 ft. N. 63° 29' W. and 1480 ft.
S. 63° 29' E. ✓

Sent After lode, 640 ft. N. 36° 31' E. and 860 ft.
S. 26° 31' W. ✓

Blue Bell lode, 330 ft. N. 63° 29' W. and 1370 ft.
S. 63° 29' E. ✓

AREAS.

Total area Leopard lode 20.661 Acres. ✓

Total area Ligament lode 20.661 " ✓

Total area Blue Slate lode 20.661 " ✓

Total area Homestake lode 20.661 " ✓

Total area Commodity lode 20.661 " ✓

Total area Sent After lode 20.661 " ✓

Total area Blue Bell lode 20.661 " ✓

Total area lode claim 144.627 Acres. ✓

LOCATION.

This claim is located in Sec. 7, T. 7 N.; R. 17 W.,
G&S. R. M., Plomosa Mining District, Yuma County,
Arizona.

ADJOINING CLAIMS.

This survey is joined on the west side by Jaguar
and Paradise No. 3 lodes, both of Sur. No. 3157. Other
boundaries unknown.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improve-
ments made upon, or for the benefit of, each of the
locations embraced in this claim, by the claimants or
their grantors, is not less than five hundred dollars,
and that said improvements consist of:-

Leopard Lode.

No. 1 The discovery out Leopard lode the face of which being

the discovery point is on the center line 645 ft. from the center of line 3-4, 8 ft. face, 4 ft. wide running S. 75° W. 14 ft.

Value \$70.00

No. 2 A shaft which from Cor. No. 4 bears N. 88° W. 688 ft., 4 x 17 x 4 ft. deep. In the middle this shaft is 4 x 6 x 9 ft. deep.

Value \$130.00

No. 3 A cut the face of which from Cor. No. 4 bears N. 82° W. 503 ft., 10 ft. face, 4 ft. wide running N. 34° E. 15 ft.

Value \$100.00

No. 4 A cut the face of which from Cor. No. 3 bears N. 46° 20' W. 570 ft., 5 ft. face 4 ft. wide running N. 60° E. 13 ft.

Value \$40.00

No. 5 A cut the face of which from Cor. No. 3 bears N. 44° 15' W. 725 ft., 7 ft. face, 4 ft. wide running north 10 ft. and N. 65° W. 20 ft.

Value \$120.00

Note: An undivided one-seventh interest in each of the following improvements is also credited to this claim: Nos. 2 and 3 Blue Slate lode, value \$153.00 and \$100.00 respectively, and Nos. 3 and 9 Sent After lode, value \$71.00 each.

Ligament Lode.

No. 1 The discovery cut Ligament lode the face of which being the discovery point is on the center line 635 ft. from the center of line 3-4, 8 ft. face 4 ft. wide running N. 60° W. 13 ft.

Value \$50.00

No. 2 A shaft which from Cor. No. 4 Blue Slate lode, a point on line 2-3, 1300.6 ft. from Cor. No. 3, bears N. 14° 45' W. 400 ft., 4 x 6 ft. x 8 ft. deep.

Value \$70.00

No. 3 A shaft which from Cor. No. 3 bears N. 13° W. 98 ft., 4 x 6 ft. x 10 ft. deep.

Value \$90.00

SURVEY NO. 3270.

No. 4 A cut the face of which from Cor. No. 4 Blue Slate lode, a point on line 2-3 1300.6 ft. from Cor. No. 2, bears N. 55° W. 530 ft., 8 ft. face, 5½ ft. wide running East 15 ft.

Value \$100.00

No. 5 A cut the face of which from a point on line 2-3, 1300.6 ft. from Cor. No. 2, bears N. 54° 15' W. 535 ft., 7 ft. face, 5 ft. wide running N. 73° E. 14 ft.

Value \$60.00

Note:- An undivided one-seventh interest in each of the following improvements is also credited to this claim: Nos. 2 and 3 Blue Slate lode, value \$153.00 and \$100.00 respectively, and Nos. 3 and 9 Bent After lode, value \$71.00 each.

Blue-Slate Lode.

No. 1 The discovery shaft Blue Slate lode is on the center line 640 ft. from the center of line 1-2, 4 x 6 ft. x 13 ft. deep.

Value \$120.00

No. 2 A shaft which from Cor. No. 3 bears N. 8° E. 341 ft., 3½ x 7 ft. x 86 ft. deep.

Value \$1071.00

Value of one-seventh interest credited to this claim \$153.00

No. 3 A shaft which from a point on line 2-3 303 ft. from Cor. No. 3, bears N. 46° 30' W. 550 ft., 4 x 7 ft. x 50 ft. deep. From the bottom of this shaft a drift 4 x 6 ft. runs. N. 54° W. 13 ft.

Value \$700.00

Value of one-seventh interest credited to this claim \$100.00

No. 4 A shaft which from a point on line 2-3, 303 ft. from Cor. No. 3, bears N. 47° W. 471 ft., 4 x 6 ft. x 6 ft. deep.

Value \$40.00

No. 5 A shaft which from Cor. No. 2 bears S. 76° 10' E. 724 ft., 4 x 6 ft. x 6 ft. deep.

Value \$40.00

SURVEY NO. 3270.

- No. 6 A shaft which from Cor. No. 2 bears S. 76° 10' E. 638 ft., 5 x 7 ft. x 7 ft. deep.
Value \$60.00
- No. 7 A shaft which from Cor. No. 2 bears S. 68° E. 362 ft., 4 x 6 ft. x 6 ft. deep.
Value \$40.00
- No. 8 A shaft which from Cor. No. 1 bears S. 43° E. 700 ft., 4 x 6 ft. x 6 ft. deep.
Value \$40.00
- Note: An undivided one-seventh interest in each of the following improvements is also credited to this claim:
Nos. 3 and 9 Sent After lode, value \$71.00 each.
Homestake Lode.
- No. 1 The discovery shaft Homestake lode is on the center line 750 ft. from the center of line 1-2, 4 x 6 ft. x 9½ ft. deep.
Value \$80.00
- No. 2 A cut the face of which from Cor. No. 1 bears S. 67° E. 490 ft., 6 ft. face, 4½ ft. wide running N. 50° E. 12 ft.
Value \$40.00
- No. 3 A shaft which from Cor. No. 2 Blue Slate lode, a point on line 2-3 203 ft. from Cor. No. 2, bears S. 36° 30' E. 625 ft., 4 x 6 ft. x 6 ft. deep.
Value \$40.00
- No. 4 A cut the face of which from a point on line 2-3, 303 ft. from Cor. No. 2, bears S. 34° E. 380 ft., 6 ft. face, 6 ft. wide running East 14 ft.
Value \$80.00
- No. 5 A cut the face of which from a point on line 2-3, 203 ft. from Cor. No. 2, bears S. 39° E. 257 ft., 9 ft. face, 6 ft. wide running N. 30° E. 14 ft.
Value \$80.00
- No. 6 A cut the mouth of which from Cor. No. 3 bears S. 42° W. 208 ft., 4 ft. wide running S. 25° E. 12 ft. to 10 ft. face and mouth of tunnel 4 x 6 ft. running S. 25° E. 7 ft.
Value \$150.00

Note: An undivided one-seventh interest in each of the following improvements is also credited to this claim:

Nos. 3 and 3 Blue Slate lode, value \$153.00 and \$100.00 respectively, and Nos. 3 and 9 Sent After lode, value \$71.00 each.

No. 7 A shaft which from Cor. No. 1 bears N. 34° 30' E. 230 ft., 5 x 7 ft. x 20 ft. deep. Value \$300.00

Commodity Lode.

No. 1 The discovery shaft Commodity lode is on the center line 20 ft. from the center of line 1-3, 4 x 6 ft. x 8 ft. deep. Value \$60.00

No. 2 A cut the face of which from Cor. No. 2 bears S. 61° 40' E. 339 ft., 8 ft. face, 5 ft. wide running N. 25° W. 16 ft. Value \$80.00

No. 3 An open excavation the center of which from Cor. No. 2 bears S. 60° E. 370 ft., 20 x 30 ft. average depth 6 ft. Value \$500.00

No. 4 A shaft which from Cor. No. 2 bears S. 51° 15' E. 368 ft., 4 x 6 ft. x 9 ft. deep. Value \$70.00

No. 5 A shaft which from Cor. No. 2 bears S. 39° 10' E. 398 ft., 4 x 6 ft. x 6 ft. deep. Value \$40.00

No. 6 A shaft which from Cor. No. 2 bears S. 56° 20' E. 447 ft., 4 x 6 ft. x 8 ft. deep. Value \$60.00

Note:- An undivided one-seventh interest in each of the following improvements is also credited to this claim: Nos. 3 and 3 Blue Slate lode, value \$153.00 and \$100.00 respectively, and Nos. 3 and 9 Sent After lode, value \$71.00 each.

Sent After Lode.

No. 1 The discovery trench Sent After lode is on the center line 640 ft. from the center of line 3-4, 14 ft. wide, 6 ft. deep, running from discovery point N. 63° E. 45 ft. to mouth of tunnel 4 x 6 ft. running N. 63° E. 35

- ft. to mouth and 10 ft. face of cut 4 ft. wide running
N. 70° E. 14 ft.

Value \$1000.00
- No. 2 A shaft which from a point on line 2-3, 900 ft. from
Cor. No. 3, bears S. 15° 20' E. 367 ft., 4 x 6 ft. x
20 ft. deep. At 10 ft. from surface a tunnel 4 x 6 ft.
runs. N. 70° E. 13 ft.

Value \$250.00
- No. 3 A shaft which from Cor. No. 4 bears S. 48° 30' W. 675
ft., 3½ x 7 ft. x 50 ft. deep.

Value \$497.00
- Value of one-seventh interest credited to this claim
\$71.00
- No. 4 A tunnel the mouth of which from Cor. No. 4 bears S. 46°
W. 610 ft., 4 x 6 ft. running N. 60° E. 60 ft.

Value \$600.00
- No. 5 A cut the face of which from Cor. No. 4 bears S. 67° 45'
W. 310 ft., 5 ft. face, 20 ft. wide running N. 60° W.
10 ft.

Value \$100.00
- No. 6 A shaft which from Cor. No. 3 bears S. 15° 30' E. 105
ft., 10 x 18 ft. x 6 ft. deep,

Value \$250.00
- No. 7 A shaft which from Cor. No. 3 bears S. 15° 30' E. 309
ft., 7 x 7 ft. x 8 ft. deep.

Value \$80.00
- No. 8 A shaft which from Cor. No. 3 bears S. 8° E. 313 ft.,
4 x 6 ft. x 15 ft. deep.

Value \$130.00
- No. 9 A shaft which from Cor. No. 3 bears S. 1° W. 323 ft.,
4 x 6 ft. x 50 ft. deep.

Value \$497.00
- Value of one-seventh interest credited to this claim
\$71.00
- No. 10 A shaft which from ~~a point on line 3-4, 303 ft. from~~
Cor. No. 3, bears S. 56° 10' E. 233 ft., 7 x 8 ft. x 8 ft.
deep.

Value \$80.00

SURVEY NO. 3270.

Note: An undivided one-seventh interest in each of the following improvements is also credited to this claim: Nos. 2 and 3 Blue Slate lode, value \$153.00 and \$100.00 respectively.

Blue Bell Lode.

no. 1 The discovery shaft Blue Bell lode is on the center line 230 ft. from the center of line 1-2, 5 x 10 ft. x 7 ft. deep.

Value \$70.00

No. 2 A shaft which from Cor. No. 1 bears S. 41° 30' E. 483 ft., 4 x 6 ft. x 8 ft. deep.

Value \$60.00

No. 3 A trench one end of which from Cor. No. 2 bears N. 64° E. 260 ft., 3½ ft. wide, 4 ft. deep running N. 75° E. 35 ft.

Value \$150.00

No. 4 A cut the face of which from Cor. No. 2 bears N. 48° E. 193 ft., 7 ft. face, 5 ft. wide running S. 74° W. 25 ft., thence S. 50° W. 30 ft.

Value \$270.00

Note: An undivided one-seventh interest in each of the following improvements is also credited to this claim: Nos. 2 and 3 Blue Slate lode, value \$153.00 and \$100.00 respectively, and Nos. 3 and 9 Sent After lode, value \$71.00 each.

The surface ground of this survey is gently rolling ground and the claim can for this reason be developed to advantage only by sinking shafts and by driving drifts and crosscuts. It is the aim of the claimants to sink improvements Nos. 2 and 3 on the Blue Slate lode and Nos. 3 and 9 on the Sent After lode to greater depths and from appropriate points to drive drifts and crosscuts through and into each lode location of this claim and to connect the said improvements by such drifts or crosscuts. The location of the said improvements Nos. 2 and 3 on the Blue Slate lode and Nos. 3 and 9 on the Sent After lode is such as to be economical, convenient and miner-like. as regards the proposed mode of development.

SURVEY NO. 3270.

It is for this reason that an undivided one-seventh interest in the said improvements has been credited to each claim. *in this survey*

OTHER IMPROVEMENTS.

None.

INSTRUMENT.

This survey was made with a C. L. Berger & Sons No. 4 transit. The courses were deflected from a meridian established in connection with my Sur. No. 3157. The distances were measured with a Lufkin 660 ft. steel tape.

REPORT.

The $\frac{1}{4}$ Cor. to Secs. 7 and 8, T. 7 N., R. 17 W., could not be found in spite of the fact that a diligent search was made for it.

The $\frac{1}{4}$ Cor. to Secs. 6 and 7, T. 7 N., R. 17 W., G. & S. R. M. is a stone 7 x 10 ins. showing 5 ins. above ground, chiseled $\frac{1}{4}$ on its north face.

The $\frac{1}{4}$ Cor. to Secs. 7 and 12, T. 7 N., Rs. 17 and 18 W. is a stone 6 x 6 ins. showing 6 ins. above ground, chiseled $\frac{1}{4}$ on its west face.

The $\frac{1}{4}$ Cor. to Secs. 7 and 18, T. 7 N., R. 17 W., is a stone 7 x 8 ins. showing 3 ins. above ground, chiseled $\frac{1}{4}$ on its north face.

Note:- The disagreement between these field notes and the location notices, particularly with respect to the position of the discovery point on the Leopard lode, is due to errors in the latter.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by C. C. Thompson,

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Thomas Bouse and R. McMahan,

known as the Leopard, Ligament, Blue Slate, Homestake, Commodity, Sent After, Blue Bell,

and showing the respective capacities in which they acted.

Harry Fuller, Chainman.

Chainman.

Arman.

Flagman.

FINAL OATHS OF ASSISTANTS.

- We, I, Harry Fuller

and _____, do solemnly swear that ^I~~we~~ assisted C. C. Thompson,

_____, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Thomas Bouse and R. McMahan,

known as the Leopard, Ligament, Blue Slate, Homestake, Commodity, Sent After, Blue Bell,

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

Harry Fuller Chainman.

Chainman.

Arman.

Flagman.

Subscribed and sworn to by the above-named persons before me this 3

day of April, 1916., 190....

My Commission Expires December 18, 1917.

A. C. Hamlin

Notary Public.

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, C. C. Thompson, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated February 5, 1916, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Thomas Bouse and R. McMahan, known as the Leopard, Ligament, Blue Slate, Homestake, Commodity, Sent After, Blue Bell, situate in Plemons Mining District, Yuma County, Arizona, in Section 7, Township No. 7 N., Range No. 17 W., G. S. R. M., and designated as Survey No. 3270, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.



U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said C. C. Thompson,
 U. S. ~~Deputy~~ Mineral Surveyor, before me H. C. Hamlin,
 a Notary Public, this 3
 day of April, 1916.



My Commission Expires December 19, 1917

Notary Public.

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That Thomas Bouse and R. McMahan,

the undersigned citizens of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Plomosa Mining District, hereby make and file this amended location of the Leopard Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, copper and other valuable minerals, with all dips, variations and angles the same being 610 feet along the ledge in a S. 63° 29' E. direction from the discovery stake and 890 feet along the ledge in a N. 63° 29' W. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Plomosa Mining District, County of Yuma, State of Arizona, in Sec. 7, T 7 N., R. 17 W. and more particularly described as follows, to-wit:

Beginning at Cor. No. 1, being the S. E. Cor., identical with the N. E. Cor. Ligament lode, thence N. 26° 31' E. 600 ft. to the N. E. Cor., thence N. 63° 29' W. 1500 ft. to the N. W. Cor., thence S. 26° 31' W. 600 ft. to the S. W. Cor., thence N. 63° 29' E. 1500 ft. to Cor. No. 1 the place of beginning.

THIS AMENDED LOCATION is made in conformity with the original location, made February 5, 1900, recorded in Book "J", Page 580, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery February 5, 1900. A. D. 1900.
Date of Amended Location January 12, 1916. A. D. 1916.

Attest: Thomas Bouse,
R. McMahan.

INDEXED

COMPARED ENTERED

No. 153

Amended Location Certificate

Leopard

LODE.

Recorded at the request of

Chas. H. Moors

at 36 minutes past 2 o'clock

P. M., JAN 17 1916

in Book 11 of Mining Claims

pages 155

Records of Yuma County, Arizona.

James T. Hodges

County Recorder

By Jennie F. Hodges

Deputy.

Transferred 19

Book Mining Claims, page

County Recorder.

By Deputy.

STATE OF ARIZONA,

ss.

Yuma

James T. Hodges

County Recorder in and for the

County and State aforesaid, do hereby certify that the within instrument was filed for record at 2:36 P.M., on this 17th day of January 1916, and duly re-

corded in Book No. 11 of Records of Mines County, Arizona, at pages 155.

WITNESS my hand and official seal the day and year first above written.

James T. Hodges,

County Recorder.

By James T. Hodges Deputy Recorder.

NOTICE OF MINING LOCATION

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Ligament Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by R McMahan & Thos Bouse Citizens of the United States the undersigned, on the 2nd day of January 1904.

The length of this claim is 1500 feet, and we claim 600 feet, in a South Easterly direction, and 900 feet in a North Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South East to the North West.

The claim is situated and located in the Plomosa Mining District, in Yuma County, in the Territory of Arizona, about 20 miles in a South Easterly direction from Parker & 4 miles North Westerly from Bouse's Well This claim is a re-location of a part of the little Burt & Hattie B. Mining claims which clams were abandoned.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument of stone at a point in a North Westerly direction 900 feet from the discovery shaft (at which this notice is posted) being in the center of the West end line of said claim; thence 300 feet to a monument of stones, being the South West corner of said claim; thence 750 feet to a monument of stones, being at the center of the South side line of said claim; thence 750 feet to a monument of stones being at the South East corner of said claim; thence 300 feet to a monument of stones at the center of the East end of said claim; thence 300 feet to a monument of stones being at the North East corner of said claim; thence 750 feet to a monument of stone being at the center of the North side line of said claim thence 750 feet to a monument of stones at the North west corner of said claim thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" approved March 20th, 1895, and amended March 2nd, 1899 and March 16th, 1901.

Dated and posted on the ground this 2 day of January 1904.

R McMahan
Thos. Bouse
Locators.

Filed and recorded at request of McMahan & Bouse (Harrisburg) Feb. 29, 1904 at 9 A. M.

C. P. Cronin,
County Recorder.

STATE OF ARIZONA.)
) SS.
COUNTY OF YUMA)

I, JAMES T. HODGES, COUNTY RECORDER, in and for the County and State aforesaid, do hereby certify that the foregoing is a full, true and correct copy of the Ligament Mining Claim, located by R. McMahan et al., as filed in my office on the 29th day of February, 1904 and which appears of record in Book "Q" of Mines at page 179. Records of the County and State aforesaid.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal this 2nd, day of February, A. D. 1916.



James T. Hodges
.....
County Recorder.

By *Jennie Thomas*,
Deputy Recorder

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That Thomas Bouse and R. Momahan

the undersigned citizens of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Plomosa Mining District, hereby make and file this amended location of the Blue Slate Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, copper and other valuable minerals, with all dips, variations and angles the same being 640 feet along the ledge in a N. 63° 29' W. direction from the discovery stake and 860 feet along the ledge in a S. 63° 29' E. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Plomosa Mining District, County of Yuma, State of Arizona, in Sec. 7, T. 7 N., R. 17 W. and more particularly described as follows, to-wit:

Beginning at the N. W. Cor., identical with Cor. No. 4 Jaguar lode Sur. No. 3157, thence S. 26° 31' W. 500 ft. to the S. W. Cor., thence S. 63° 29' E. 1500 ft. to the S. E. Cor., thence N. 26° 31' E. 600 ft. to the N. E. Cor., thence N. 63° 29' W. 1500 ft. to the N. W. Cor. the place of beginning.

THIS AMENDED LOCATION is made in conformity with the original location, made February 5, 1900, recorded 1, in Book "J", Page 584, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery February 5, 1900 A. D. 1900.
Date of Amended Location January 13, 1916 A. D. 1916.

Attest: _____ Thomas Bouse,

R. Momahan.

INDEXED COMPARED ENTERED

No. 158

Amended Location Certificate

Blue State

LODE.

Recorded at the request of
Chas. H. Moore

at 41 minutes past 2 o'clock
P. M., JAN 17 1916

in Book 11 of Mining Claims
page 160

Records of Yuma County, Arizona.

James F. Hodges
County Recorder

By James F. Hodges
Deputy

Transferred _____, 19____

Book _____ Mining Claims, page _____

County Recorder.

By _____ Deputy.

By James F. Hodges
County Recorder.
Deputy Recorder.

STATE OF ARIZONA,
Yuma
County of _____
I, James F. Hodges, County Recorder in and for the
County and State aforesaid, do hereby certify that the within instrument was filed for record at
2:41 o'clock, P. M., on this 17th day of January 19 16, and duly re-
corded in Book No. 11 of Records of _____ Mines
160. _____
WITNESS my hand and official seal the day and year first above written.
James F. Hodges,
County Recorder.

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That Thomas Bouse and R. McMahan

the undersigned citizen^s of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Plomosa Mining District, hereby make and file this amended location of the Homestake Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, copper and other valuable minerals, with all dips, variations and angles the same being 750 feet along the ledge in a N. 63° 29' W. direction from the discovery stake and 750 feet along the ledge in a S. 63° 29' W. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Plomosa Mining District, County of Yuma, State of Arizona, in Sec. 7, T. 7 N., R. 17 W., and more particularly described as follows, to-wit:

Beginning at the N. W. Cor., thence, Cor. No. 3 Jaguar lode, Sur. No. 3157 bears S. 63° 29' E. 303 ft., thence S. 26° 31' W. 600 ft. to the S. W. Cor., thence S. 63° 29' E. 1500 ft. to the S. E. Cor., thence N. 26° 31' E. 600 ft. to the N. E. Cor., thence N. 63° 29' W. 1500 ft. to the N. W. Cor. the place of beginning.

THIS AMENDED LOCATION is made in conformity with the original location, made February 5, 1900, recorded 1, in Book "J", Page 503, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery February 5, A. D. 1900
Date of Amended Location January 13, A. D. 1916.

Attest: Thomas Bouse,
R. McMahan.



County of Yuma } ss.

I, James T. Hodges, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at 2:40 o'clock, P. M., on this 17th day of January 1916, and duly recorded in Book No. 11 of Records of Mines County, Arizona, at pages 159.

WITNESS my hand and official seal the day and year first above written.

James T. Hodges,
County Recorder.

By Jemie F. Thomas,
Deputy Recorder.

INDEXED
ENTERED
COMPARED

Amended Location
Certificate

No. 157

Amended

LODE.

Recorded at the request of

Charles H. Moore

at 40 minutes past 2 o'clock

P. M., JAN 17 1916

in Book 11 of Mining Claims
page 159.

Records of Yuma County, Arizona.

By James T. Hodges County Recorder

By Jemie F. Thomas Deputy

Transferred , 19

Book Mining Claims, page

County Recorder.

By Deputy.

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That Thomas Bouse and
R. McManan

the undersigned citizen... of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Plomosa Mining District, hereby make and file this amended location of the Commodity Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, copper and other valuable minerals, with all dips, variations and angles the same being 20 feet along the ledge in a N. 63° 29' W. direction from the discovery stake and 1480 feet along the ledge in a S. 63° 29' E. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Plomosa Mining District, County of Yuma State of Arizona, in Sec. 7, T. 7 N., R. 17 W. and more particularly described as follows, to-wit:

Beginning at the N. W. Cor., identical with the S. W. Cor. Homestake lode, thence S. 26° 31' W. 600 ft. to the S. W. Cor., thence S. 63° 29' E. 1500 ft. to the S. E. Cor., thence N. 26° 31' E. 600 ft. to the N. E. Cor., thence N. 63° 29' W. 1500 ft. to the N. W. Cor. the place of beginning.

THIS AMENDED LOCATION is made in conformity with the original location, made February 5, 1900, recorded 1, in Book "J", Page 578, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery February 5, A. D. 1900.
Date of Amended Location January 12, A. D. 1916.

Attest: Thomas Bouse,
R. McManan.

County of Yuma } ss.

I, James T. Hodges, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at 2:37 o'clock, P.M., on this 17th day of January 1916, and duly recorded in Book No. 11 of Records of Mines County, Arizona, at pages 156.

WITNESS my hand and official seal the day and year first above written.

James T. Hodges,
County Recorder.

By Jennie Thomas,
Deputy Recorder.

INDEXED
COMPARED ENTERED

No. 154

Amended Location
Certificate

Commodity
LODE.

Recorded at the request of
Chas. H. Moss
at 37 minutes past 2 o'clock
P.M., JAN 17 1916
in Book 11 of Mining Claims
page 156

Records of _____ County, Arizona.
By James T. Hodges County Recorder
Jennie Thomas, Deputy.

Transferred _____ 19____
Book _____ Mining Claims, page _____
County Recorder.
By _____ Deputy.

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That Thomas Bouse, and

R. McManan,

the undersigned citizens of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Plomosa Mining District, hereby make and file this amended location of the Sent After Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, copper and other valuable minerals, with all dips, variations and angles the same being 640 feet along the ledge in a N. 26° 31' E. direction from the discovery stake and 860 feet along the ledge in a S. 26° 31' W. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Plomosa Mining District, County of Yuma State of Arizona, in Sec. 7, T. 7 N., R. 17 W. and more particularly described as follows, to-wit:

beginning at Cor. No. 1 being the N. W. Cor., identical with the N. E. Cor. Homestake lode, thence S. 26° 31' W. 1500 ft. to the S. W. Cor., thence S. 63° 29' E. 600 ft. to the S. E. Cor., thence N. 26° 31' E. 1500 ft. to the N. E. Cor., thence N. 63° 29' W. 600 ft. to Cor. No. 1 the place of beginning.

THIS AMENDED LOCATION is made in conformity with the original location, made February 25, 1900, recorded 1, in Book "J", Page 579, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery February 25, A. D. 1900.
Date of Amended Location January 12, A. D. 1910.

Attest: Thomas Bouse,

R. McManan.

STATE OF ARIZONA,

County of Yuma } ss.

I, James T. Hodges, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at 2:39 o'clock, P.M., on this 17th day of January 1916, and duly recorded in Book No. 11 of Records of Mines County, Arizona, at pages 158.

WITNESS my hand and official seal the day and year first above written.

James T. Hodges
County Recorder.

By Jennie Thomas,
Deputy Recorder.

INDEXED
COMPARED
ENTERED

Amended Location
Certificate

No. 156

And After

LODE.

Recorded at the request of
Chas. H. Moore
at 39 minutes past 2 o'clock
P.M., JAN 17 1916
in Book 11 of Mining Claims
page. 158

Records of Yuma County, Arizona.
By James T. Hodges County Recorder
Jennie Thomas Deputy.

Transferred 19

Book Mining Claims, page.....

County Recorder.

By Deputy.

Amended Location Certificate

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That Thomas Bouse and

R. McMahan

the undersigned citizen S of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Plomosa Mining District, hereby make and file this amended location of the Blue Bell Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold, copper and other valuable minerals, with all dips, variations and angles the same being 230 feet along the ledge in a N. 63° 29' W. direction from the discovery stake and 1270 feet along the ledge in a S. 63° 29' E. direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground within the lines of said claim.

Situate in Plomosa Mining District, County of Yuma State of Arizona, in Sec. 7, T. 7 N., R. 17 W. and more particularly described as follows, to-wit:

Beginning at the N. W. Cor., identical with the N. E. Cor. Blue Slate lode, thence S. 26° 31' W. 600 ft. to the S. W. Cor., thence S. 63° 29' E. 1500 ft. to the S. E. Cor., thence N. 26° 31' E. 600 ft. to the N. E. Cor., thence N. 63° 29' W. 1500 ft. to the N. W. Cor. the place of beginning.

THIS AMENDED LOCATION is made in conformity with the original location, made February 4, 1900, recorded 1, in Book "J", Page 582, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery February 4 A. D. 1 900.
Date of Amended Location January 12 A. D. 19 16.

Attest: Thomas Bouse.
R. McMahan.

STATE OF ARIZONA,

County of Yuma } ss.

I, James T. Hodges, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at 2:38 o'clock, P.M., on this 17th day of January 1916, and duly recorded in Book No. 11 of Records of Mines County, Arizona, at pages 157.

WITNESS my hand and official seal the day and year first above written.

James T. Hodges,
County Recorder.

By Jennie F. Thomas
Deputy Recorder.

COMPARED

No. 155

Amended Location Certificate

Blue Bell

LODE.

Recorded at the request of

Charles W. Mason

at 38 minutes past 2 o'clock

P.M., JAN 17 1916

in Book 11 of Mining Claims

page 157

Records of Yuma County, Arizona.

By James T. Hodges County Recorder

By Jennie F. Thomas Deputy.

Transferred _____, 19____

Book _____ Mining Claims, page_____

County Recorder.

By _____ Deputy.

RECORDED

ENTERED

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 7, 1916

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Thomas Bouse and R. McMahan

known as the Leopard, Ligament, Blue Slate, Homestake, Commodity,
Sent After, Blue Bell.

situate in Plomosa

Mining District, Yuma County, Arizona,

in Section 7, Township No. 7 N., Range No. 17 W., and

designated as Survey No. 3270, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improved or for each of
 improvements made upon said mining claims by claimants or their grantors, and that said improvements consist of 16 cuts, 27 shafts, 4 tunnels, 2 trenches and 1 drift,
 total value \$8445.

Improvements 2 and 3 on the Blue Slate lode, and 3 and 9 on
 on the Sent After lode being common improvements for the benefit
 and development of each of the lodes in this survey, an undivided
 one-seventh interest in each of said improvements, value \$153,
 \$100, \$71 and \$71, respectively, is credited to each claim in
 this group.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 7, 1916

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Thomas Bouse and R. McMahan

known as the Leopard, Ligament, Blue Slate, Homestake, Commodity, Sent After, Blue Bell.

situate in Plomosa mining district, Yuma County, Arizona.

in Section 7, Township No. 7 N., Range No. 17 W.

designated as Survey No. 3270

executed by C. C. Thompson, U. S. Deputy Mineral

Surveyor, February 25-March 5, 1916, under my instructions dated

February 5, 1916, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank O. Frost

U. S. Surveyor-General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 3270
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Leopard, Ligament, Blue Slate, Homestake, Commodity, Sent After and Blue Bell lodes, Mineral Survey No. 3270, located in section 7, Township 7 North, Range 17 West, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Leopard, Ligament, Blue Slate, Homestake, Commodity, Sent After and Blue Bell lodes, M.S. 3270, were canceled April 16, 2002, by memo 9605 (956) M.S. 3270, which is now a part of the original field notes."

April 16, 2002
Date



Chief Cadastral Surveyor of Arizona