

MAR 29 1916 1

AUG 19 1916

4-683.

Mineral Survey No. 3277

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Alfred Paul

KNOWN AS THE

DON MIGUEL, DON MIGUEL NO. 1, DON MIGUEL NO. 2, DON MIGUEL NO. 3,
DON MIGUEL NO. 4, DON MIGUEL NO. 5 LODES.

WARREN Mining District,

COCHISE County, ARIZONA

Sections 25 & 26 Unapp'd Township 23 S, Range 24 E G & S R B & M

Surveyed under instructions dated March 17, 1916,

by Ralph L. Motz
U. S. Deputy Mineral Surveyor

Claim located see location notices, 1

Survey commenced May 4, 1916

Survey completed May 11, 1916

o 6-100

Address of Claimant's Attorneys

Ellinwood & Ross,
P. O. Box 1069,
Bisbee, Arizona.

MINERAL SURVEY NO. 3277

Don Miguel lode.

Beginning at Cor No 1, the S E Cor, identical with location and situated at the intersection of line 3-4 Don Miguel No 2 lode this survey and lines 5-1, 4-5 and 5-1 Don Miguel No 1 lode this survey and Sur No 2244 Canyon and South Side lodes respectively at N 69° 39' W 6.4 ft from Cors No 1, 1 and 4 of Don Miguel No 1 lode this survey and Sur No 2244 South Side and Canyon lodes respectively a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3277 D M whence a limestone ledge with 19 x 18 ins exposure chiseled B R x 1-3277 brs N 52° 05' E 11.75 ft and a second limestone ledge with 42 x 21 ins exposure and like chiseling brs S 80° 09' E 21.85 ft and the W 1/4 Cor of Sec 30, T 23 S, R 25 E G & S R B & M brs S 85° 36' E 4941.1 ft

thence N 69° 39' W

31.6 along lines 1-5 and 4-5 Sur No 2244 South Side and Canyon lodes respectively to Cor No 2 and 5 of Sur No 2244 Gold Hill and Canyon lodes respectively

1500.0 along lines 1-5 and 2-3 Sur No 2244 South Side and Gold Hill lodes respectively to Cor No 2, the S W Cor, identical with location and with Cors No 3, 5 and 5 of Sur No 2244 Gold Hill and South Side lodes and Don Miguel No. 1 lode, this survey, respectively, and situated on line 1-2 Sur No 2173 Last Chance lode at N 32° 25' E 364.4 ft from Cor No 2, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and ^{scribed} 2-3277 D M whence a limestone ledge with 108 x 21 ins exposure chiseled B R x 2-3277 brs S 23° 01' E 16.3 ft and a second limestone ledge with 24 x 25 ins exposure and like chiseling brs N 85° 42' E 19.5 ft

thence N 32° 25' E

305.0 along lines 3-4 and 2+1 Sur No 2244 Gold Hill lode and Sur No 2173 Last Chance lode, respectively, to west end center, identical with location and with the west end cen-

- ter of Sur No 2244 Gold Hill lode being a monument of rocks 3 ft high with 3 ft base
- 467.5 to Cor No 3, identical with Cors 1 and 4 of Sur No 2173 Last Chance lode and Sur No 2244 Gold Hill lode respectively and situated on line 2-3 Sur No 1781 Cave lode at N 68° 46' W 664.3 ft from Cor No 2 a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3277 D M whence a limestone ledge with 187 x 84 ins exposure and chiseled B R x 3-3277 brs N 3° 53' W 24.65 ft and a second limestone ledge with 35 x 76 ins exposure and like chiseling brs S 4° 32' W 35.3 ft and the original location for the N W Cor being a monument of rock 3 ft high with 3 ft base brs N 32° 25' E 170.0 ft
thence S 68° 46' E
- 664.3 along lines 3-2 and 4-5 Sur No 1781 Cave lode and Sur No 2244 Gold Hill lode respectively to Cor No 4, identical with Cors No 2 and 5 of Sur No 1781 Cave lode and Sur No 2244 Gold Hill lode respectively
an iron post 4 ft long 3 ins in diameter set in the ground 1 ft, post is filled with cement and set in a cemented rock monument, on the side is a copper tag which has been chiseled 4-3277 D M whence a limestone ledge with 144 x 61 ins exposure chiseled B R x 4-3277 brs N 38° 42' W 13.2 ft and a second limestone ledge with 125 x 65 ins exposure with like chiseling brs S 81° 58' W 19.3 ft
thence N 43° 52' E
- 163.2 along lines 2-1 and 5-6 of Sur No 1781 Cave lode and Sur No 2244 Gold Hill lode respectively to Cor No 5, identical with Cors No 3 and 6 of Sur No 1953 Bryen lode and Sur No 2244 Gold Hill lode respectively a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 5-3277 D M whence a quartzite ledge with 59 x 22 ins exposure chiseled B R x 5-3277 brs S 51° 30' E 8.9 ft and a second quartzite ledge with 28 x 22 ins exposure and like chiseling brs S 70° 41' W 6.7 ft

Don Miguel (con't)

thence S 69° 38' 30" E

654.3 along lines 3-2 and 6-1 Sur No 1953 Bryen lode and Sur No 2244 Gold Hill lode, respectively, to Cor No 6, the N E Cor identical with Cor No 2 Sur No 1953 Bryen lode and situated at the intersection of line 2-3 Don Miguel No 3 lode this survey and lines 6-1 and 5-6 of Sur No 2244 Gold Hill and Canyon lodes respectively (Cor No 5 Sur No 2244 Canyon lode brs S 21° 35' W 596.7 ft from this point)

a pine post 4 ft. long 4 ins. sq set 18 ins in the ground in a mound of stones and scribed 6-3277 D M

whence a limestone ledge with 43 x 47 ins. exposure chiseled B R x 6-3277 brs S 35° 39' E 9.7 ft and a second limestone with 46 x 35 ins exposure and like chiseling brs S 79° 31' W 6.7 ft and the original location for the N E Cor being a monument of rocks 3 ft high with 3 ft base brs S 69° 38' 30" E 146.2 ft

thence S 4° 49' E

185.3 along line 3-2 of Don Miguel No 3 lode this survey intersect line 1-2 Sur No 2244 Gold Hill lode at S 32° 25' W 171.5 ft from Cor No 1

236.4 to Cor No 7, identical with Cors No 2 and 4 of Don Miguel No 3 lode and Don Miguel No 2 lode both of this survey a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 7-3277 D M

whence a limestone ledge with 20 x 11 x 8 ins exposure chiseled B R x 7-3277 brs N 11° 33' W 20.9 ft and a second limestone ledge with 44 x 22 ins exposure and like chiseling brs S 75° 15' W 24.7 ft

thence S 32° 25' W

86.2 along line 4-3 of Don Miguel No 2 lode this survey to original location for east end center being a monument of rocks 3 ft high with 3 ft base

391.2 to Cor No 1, the place of the beginning

Don Miguel No 1 lode.

Beginning at Cor No 1, the N E Cor, identical with loca-

- tion and with Cors No 1 and 4 of Sur No 2244 South Side and Canyon lodes respectively
- a pine post 4 ft. long 4 ins. sq set 18 ins. in the ground in a mound of stones and scribed 1-3277 D M 1
- whence a limestone ledge with 19 x 18 ins. exposure chiseled B R x 1-3277 brs N 19° 07' E 10.0 ft and a second limestone ledge with 42 x 21 ins exposure and like chiseling brs S 84° 27' E 15.6 ft and the W 1/4 Cor of Sec 30, T 23 S, R 25 E G & S R B & M brs S 85° 37' E 4935.1 ft
- thence S 32° 25' W
- 305.4 along lines 4-3 and 1-2 of Sur No 2244 Canyon and South Side lodes respectively to original location for east end center identical with east end center Sur No 2244 South Side lode being a monument of rocks 3 ft high with 3 ft base
- 584.0 to Cor No 2, the S. E. Cor., identical with location and with Cors No 2, 3, 5, 3 and 1 of Sur No 2244 South Side and Canyon lodes, Sur No 2187 Cora lode, Sur No 1917 Buffalo lode and Sur No 2189 Circus lode, respectively, and situated on line 2-3 Don Miguel No 2 lode this survey at S 59° 48' E 6.3 ft from Cor No 3
- an iron post, 4 ft long 3 ins in diameter filled with cement and set 12 ins in the ground in a cemented rock monument, on side of post is a copper tag chiseled 2-3277 D M 1
- whence a limestone ledge with 64 x 22 ins exposure chiseled B R x 2-3277 brs N 50° 16' E 16.7 ft and a second limestone ledge with 162 x 66 ins exposure with like chiseling brs S 43° 01' E 25.4 ft
- thence N 69° 52' W
- 833.3 along lines 2-3 and 1-4 of Sur No 2244 South Side lode and Sur No 2189 Circus lode, respectively, to Cor No 4 Sur No 2189 Circus lode, also intersect line 3-4 Sur No 1917 Bangor lode at S 59° 48' W 67.8 ft from Cor No 3
- 886.0 to Cor. No. 3, identical with Cor. No. 3 Sur. No. 2244 South Side lode

Don Miguel No 1 (con't)

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3277 D M 1 whence a limestone ledge with 16 x 11 ins exposure chiseled B R x 3-3277 brs N 26° 19' E 27.7 ft and a second limestone ledge with 23 x 14 ins exposure with like chiseling brs S 16° 16' E 22.1 ft Cor No 3 Sur No 1917 Bangor lode brs N 81° 36' E 109.3 ft
thence N 48° 52' W

96.1 along line 3-4 Sur No 2244 South Side lode to Cor No 1 Sur No 2188 Warren lode and also intersect line 2-3 Sur No 1917 Bangor lode at N 75° 19' W 186.4 ft from Cor No 3

614.6 along lines 3-4 and 1-5 Sur No 2244 South Side and Sur No 2188 Warren lodes, respectively, to Cor No. 4 the S W Cor identical with Cors No 5, 2 and 4 of Sur No 2188 Warren lode, Sur No 2173 Last Chance lode and Sur No 2244 South Side lode respectively

an iron post 4 ft long 3 ins in diameter filled with cement and set 18 ins in the ground in a monument of rocks cemented, a copper tag on side of post is chiseled 4-3277 D M 1

whence a limestone ledge with 32 x 18 ins exposure chiseled B R x 4-3277 brs S 29° 26' E 42.6 ft and the location for the S. W. Cor being a monument of rocks 3 ft high with 3 ft base brs S 32° 25' W 235.0 ft

thence N 32° 25' E

91.6 along lines 4-5 and 2-1 Sur No 2244 South Side lode and Sur No 2173 Last Chance lode respectively to original location for the west end center being a monument of rocks 3 ft high with 3 ft base identical with west end center of Sur No 2244 South Side lode

364.4 to Cor No 5, the N W Cor, identical with Cor No 2, Don Miguel lode this survey heretofore described to which I add 5-3277 D M 1 for this claim

thence S 69° 39' E

1468.4 along lines 3-2 and 5-1 of Sur. No. 2244 Gold Hill and South Side lodes, respectively, and line 2-1 Don Miguel lode of this survey, to Cors No 2 and 5 of Sur

- No 2244 Gold Hill and Canyon lodes respectively
- 1500.0 to Cor No 1 Don Miguel lode this survey also intersect
line 3-4 Don Miguel No 2 lode this survey at N 32° 25' E
582.9 ft from Cor No 3
- 1506.4 to Cor No 1, the place of the beginning
-
- Don Miguel No 2 lode.
- Beginning at Cor No 1, the N. E. Cor, identical with loca-
tion
- a pine post 4 ft long 4 ins. sq. set 18 ins. in the ground
in a mound of stones and scribed 1-3277 D M 2
whence a limestone ledge with 59 x 22 ins exposure
chiseled B R x 1-3277 brs S 7° 11' W 9.3 ft and a second
limestone ledge with 29 x 55 x 11 ins exposure with like
chiseling brs S 60° 19' E 14.3 ft and the W 1/4 Cor of
Sec 30, T 23 S, R 25 E G & S R B & M brs S 84° 21' 30" E
4235.0 ft. Cor No 3 Sur No 2019 Little Mary lode brs S 35°
55' W 507.8 ft and Cor No 1 Sur No 2244 Bisbee Queen No 2
brs S 37° 29' W 492.4 ft
thence S 32° 25' W
- 507.2 to Cors No 1, 5 and 5 of Sur No 2244 Canyon and Bisbee
Queen lodes and Don Miguel No 4 lode this survey respec-
tively also intersect line 2-3 Sur No 2019 Little Mary
lode at S 56° 55' E 31.0 ft from Cor No 3
- 974.1 to Cor No 2, the S E Cor, identical with location
a pine post 4 ft long 4 ins sq set 18 ins in the ground
in a mound of stones and scribed 2-3277 D M 2
whence a limestone ledge with 27 x 26 x 16 in exposure
chiseled B R x 2-3277 brs N 6° 14' W 37.8 ft and a second
limestone ledge with 42 x 19 x 35 ins exposure with like
chiseling brs N 63° 32' E 28.6 ft
thence N 59° 48' W
- 161.8 to Cors No 2, 4, 4 and 6 of Sur No 2244 Canyon and Bisbee
Queen lodes, Don Miguel No 4 lode this survey and Sur No
2187 Cora lode respectively. Cor No 1 Sur No 2244 Can-
yon lode brs N 51° 17' E 500.0 ft from this point
- 275.1 along line 2-3 Sur No 2244 Canyon lode to south end center
Sur No 2244 Canyon lode

Don Miguel No 2 (con't)

- 300.0 to original location for south end center being a monument of rocks 3 ft high with 3 ft base
- 575.1 to Cors No 2, 2, 3, 5, 3 and 1 of Sur No 2244 South Side lode, Don Miguel No 1 lode this survey, Sur No 2244 Canyon lode, Sur No 2187 Cora lode, Sur No 1917 Buffalo lode and Sur No 2189 Circus lode, respectively
- 581.4 to Cor No 3, the S.W. Cor, identical with location a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3277 D M 2
whence a limestone ledge with 81 x 25 x 14 ins exposure
chiseled B R x 3-3277 brs N 19° 37' W 10.0 ft and a second limestone ledge 27 x 15 x 11 ins high exposure with like chiseling brs S 61° 02' W 8.0 ft and the 1/4 Cor of Secs 25 and 26 T 23 S, R 24 E brs N 51° 33' W 66.2 ft
thence N 32° 25' E
- 582.9 to Cor No 1 Don Miguel lode this survey and intersect lines 5-1, 5-1 and 5-4 of Don Miguel No 1 lode this survey and Sur No 2244 South Side and Canyon lodes respectively at N 69° 39' W 6.4 ft from Cors No 1, 1 and 4 of Don Miguel No 1 lode this survey and Sur No 2244 South Side and Canyon lodes respectively
- 887.9 to east end center of Don Miguel lode this survey
- 974.1 to Cor No 4, the N W Cor, identical with Cor No 7 Don Miguel lode this survey, heretofore described, to which I add 4-3277 D M 2 for this claim
thence S 59° 48' E
- 126.6 intersect lines 2-3 and 7-8 Sur No 2244 Bisbee Queen No 2 and Canyon lodes respectively at N 4° 49' W 593.2 ft from Cors No 2 and 8 Sur No 2244 Bisbee Queen No 2 and Canyon lodes respectively
- 151.8 to south end center Don Miguel ^{No. 3} lode this survey
- 176.8 to Cor No 1 Don Miguel No 3 lode this survey also intersect lines 4-1 and 3-4 of Sur No 2244 Bisbee Queen No 2 lode and Sur No 2019 Little Mary lode respectively at N 4° 49' W 596.4 ft from Cor No 1 Sur No 2244 Bisbee Queen No 2 lode and N 4° 49' W 617.0 ft from Cor No 3 Sur No 2019 Little Mary lode. Cor No 2 Sur No 2244 Bisbee

281.4 Queen No 2 lode brs N 56° 55' W 52.1 from Cor No 1, Sur
No 2244 Bisbee Queen No 2 lode
to original location for the north end center being a
monument of rocks 3 ft. high with 3 ft. base

581.4 to Cor No 1, the place of the beginning

Don Miguel No 3 lode.

Beginning at Cor No 1, the S. E. Cor., identical with location
and situated at the intersection of lines 4-1 and 3-4

Don Miguel No. 2 lode this survey and Sur. No. 2019 Little
Mary lode respectively at N 4° 49' W 617.0 ft from Cor
No 3 Sur No 2019 Little Mary lode and ~~N 32° 25' E 466.9~~
^{S. 59° 48' E. 176.8}
ft from Cor No ⁴ 2 Don Miguel No 2 lode this survey res-
pectively

a pine post 4 ft long 4 ins sq set 18 ins in the ground
in a mound of stones and scribed 1-3277 D M 3
whence a limestone rock in place 12 x 15 x 11 ins high
chiseled B R x 1-3277 brs S 18° 28' E 24.6 ft and a second
limestone rock in place 28x 14 x 7 ins high with like
chiseling brs N 68° 01' E 22.9 ft and the W 1/4 Cor,
Sec 30, T 23 S, R 25 E G & S R B & M brs S 82° 16' E
4606.1 ft

thence N 59° 48' W

25.0 along line 1-4 Don Miguel ^{no. 2} lode this survey to original
location for south end center being a mound of rocks 3
ft high with 3 ft base

50.2 intersect lines 2-3 and 7-8 Sur No 2244 Bisbee Queen No
2 and Canyon lodes respectively at S 4° 49' E 906.8 ft
and S 4° 49' E 400.0 ft from Cors No 3 and 7 of Sur No
2244 Bisbee Queen No 2 and Canyon lodes respectively

176.8 to Cor No 2, the S W Cor., identical with Cor No 7 Don
Miguel lode this survey heretofore described to which I
add 2-3277 D M 3 for this claim

thence N 4° 49' W

51.1 intersect line 1-2 Sur No 2244 Gold Hill lode at S 32°
25' W 171.5 ft from Cor No 1

MINERAL SURVEY NO 3277

Don Miguel No 3 (con't)

- 236.4 to Cors No 6 and 2 Don Miguel lode this survey and Sur No 1953 Bryen lode respectively also intersect lines 6-1 and 5-6 of Sur No 2244 Gold Hill and Canyon lodes respectively at N 69° 38' 30" W 114.6 ft and S 21° 35' W 135.7 ft from Cors. No. 1 and 6 of Sur. No. 2244 Gold Hill and Canyon lodes respectively. Cor No 1 Sur No 1953 Bryen lode brs N 43° 52' E 138.1 ft from this point. Cor No 7 Sur No 2244 Canyon lode brs S 59° 48' E 53.0 ft from Cor. No. 6 Sur. No. 2244 Canyon lode.
- 906.8 to Cor No 3, the N W Cor, identical with location a pine post 4 ft. long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed 3-3277 D M 3 whence a limestone ledge with 41 x 19 x 7 ins exposure chiseled B R x 3-3277 brs N 67° 12' W 13.7 ft and a second limestone ledge with 48 x 20 x 18 ins exposure and like chiseling brs N 15° 21' E 31.7 ft
thence S 59° 48' E
- 126.6 to Cor No. 3 Sur. No. 2244 Bisbee Queen No 2 lode also intersect line 2-3 Sur No 1953 Belcher lode at S 56° 55' E 239.6 ft from Cor No 3
- 151.8 to original location for north end center being a mound of stones 3 ft. high with 3 ft. base
- 176.8 to Cor No 4, the N E Cor, identical with location a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3277 D M 3 whence a limestone ledge with 18 x 31 x 9 ins high exposure chiseled B R x 4-3277 brs S 54° 09' W 20.8 ft and a second limestone ledge with 47 x 15 x 8 ins high exposure and like chiseling brs N 6° 0' W 7.8 ft
thence S 4° 49' E
- 3.2 to Cors No 3 and 4 of Sur No 2019 Little Elsie lode and Sur No 2244 Bisbee Queen No 2 lode respectively also intersect line 2-3 Sur No 1953 Belcher lode at S 56° 55' E 291.7 ft from Cor No 3. Cor No 3 Sur No 2244 Bisbee Queen No 2 brs N 56° 55' W 52.1 ft from this point

- 301.8 intersect line 5-1 Sur. No. 1953, Bryen lode, at $N 8^{\circ} 32' E$
177.8 ft from Cor No 1
- 380.15 to west end center Sur. No. 2019, Little Elsie lode
- 760.3 to Cors. No. 2 and 4 of Sur No 2019, Little Elsie and Little
Mary lodes, respectively
- 906.8 to Cor. No. 1 the place of the beginning.

Don Miguel No 4 lode.

Beginning at Cor No 1, the N E Cor, identical with loca-
tion and with Cors. No 1 and 4 of Sur No 2244, Bisbee Queen
and Sur No 2019, Ocatea lodes, respectively and situated on
line 3-4 Sur No 2019 Mascot lode at $S 56^{\circ} 55' E$ 31.0 ft
from Cor No 4

a pine post 4 ft long 4 ins sq set 18 ins in the ground
in a mound of stones and scribed 1-3277 D M 4
whence a limestone ledge with 17 x 35 ins exposure and
chiseled B R x 1-3277 brs $S 20^{\circ} 49' E$ 7.8 ft and a second
limestone ledge with 39 x 54 ins exposure and like chis-
eling brs $N 42^{\circ} 59' W$ 18.6 ft and the W 1/4 Cor, Sec 30,
T 23 S, R 25 E G & S R B & M brs $N 75^{\circ} 35' E$ 3334.5 ft
thence $S 51^{\circ} 17' W$

- 315.8 along line 1-2 Sur No 2244 Bisbee Queen lode to original
location for east end center identical with east end
center Sur No 2244 Bisbee Queen lode being a monument of
rocks 3 ft high with 3 ft base
- 631.6 to Cor No 2, the S E Cor, identical with location and
with Cors. No 2, 3 6 and 6 of Sur No 2244 Bisbee Queen
lode, Sur No 2019 Ocatea lode, Sur No 2244 Bisbee Queen
No 3 lode and Don Miguel No 5 lode this survey respec-
tively
- a pine post 4 ft long 4 ins sq set 18 ins in the ground
in a mound of stones and scribed 2-3277 D M 4
whence a limestone ledge with 41 x 91 ins exposure and
chiseled B R x 2-3277 brs $N 2^{\circ} 16' W$ 20.8 ft and a second
limestone ledge with 33 x 27 ins exposure and like chis-
eling brs $S 76^{\circ} 45' W$ 12.9 ft

Don Miguel No 4 (con't)

thence N $53^{\circ} 22'$ W

1018.2 along line 2-3 Sur No 2244 Bisbee Queen lode to Cor No 3, identical with Cors No 5, 3, 4 and 4 of Sur No 2186 Marquette 1 lode, Sur No 2244 Bisbee Queen and Bisbee Queen No 3 lodes and Don Miguel No 5 lode this survey respectively and situated on line 4-1 Sur No 2172 Lena lode at S $7^{\circ} 29'$ W 50.7 ft from Cor No 4 Cor No 5 and 5 of Sur No 2244 Bisbee Queen No 3 lode and Don Miguel No 5 lode this survey respectively br S $87^{\circ} 11'$ E 127.1 ft from this point an iron post 4 ft long 3 ins in diameter set 12 ins in the ground in a concreted rock monument and filled with cement, on side of post is a copper tag chiseled 3-3277 D M 4

whence a sandstone rock in place 12 x 22 x 11 ins high chiseled B R x 3-3277 brs N $72^{\circ} 36'$ W 3.3 ft and a sandstone ledge with 32 x 12 ins exposure with like chiseling brs S $80^{\circ} 27'$ E 30.6 ft

thence N $48^{\circ} 56'$ W

89.1 along line 3-4 Sur No 2244 Bisbee Queen lode to Cor No 1 Sur No 2187 Cora lode also intersect line 3-4 Sur No 2172 Lena lode at N $83^{\circ} 35'$ W 74.2 ft from Cor No 4

447.0 to Cor No 4, the S W Cor, identical with Cors No 6, 2 and 4 of Sur No 2187 Cora lode and Sur No 2244 Canyon and Bisbee Queen lodes respectively and situated on line 2-3 Don Miguel No 2 lode this survey at N $59^{\circ} 48'$ W 161.8 ft from Cor No 2

an iron post 4 ft long 3 ins in diameter set 12 ins in the ground in a concreted rock monument and filled with cement, on side of post is a copper tag on which has been chiseled 4-3277 D M 4

whence the original location for the S W Cor being a monument of rocks 3 ft high with 3 ft base brs S $51^{\circ} 17'$ W 70.0 ft no other bearings available

thence N $51^{\circ} 17'$ E

- 184.2 along lines 4-5 and 2-1 of Sur No 2244 Bisbee Queen and Canyon lodes respectively to original location for the west end center identical with the west end center Sur No 2244 Bisbee Queen lode being a monument of rocks 3 ft high with 3 ft base
- 500.0 to Cor No 5, the N W Cor, identical with location and with Cors 1 and 5 of Sur No 2244 Canyon and Bisbee Queen lodes respectively and situated on lines 2-3 and 1-2 of Sur No 2019 Little Mary lode and Don Miguel No 2 lode this survey respectively at S 56° 55' E 31.0 ft from Cor No 3 Sur No 2019 Little Mary lode and N 32° 25' E 466.9 ft from Cor No 2 Don Miguel No 2 lode this survey
a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 5-3277 D M 4
whence a limestone ledge with 145 x 62 ins exposure and chiseled B R x 5-3277 brs N 17° 30' W 17.9 ft and a second limestone ledge with 35 x 85 ins exposure and like chiseling brs N 75° 21' E 7.0 ft
thence S 56° 55' E
- 1469.0 along line 5-1 Sur No 2244 Bisbee Queen lode to Cors No 2 and 4 of Sur No 2019 Little Mary and Mascot lodes respectively
- 1500.0 to Cor No 1, the place of the beginning
-
- Don Miguel No 5 lode.
- Beginning at Cor No 1, the S E Cor, identical with location and with Cor. No. 1 Sur No 2244 Bisbee Queen No 3 lode and situated at the intersection of lines 2-3 and 3-4 Sur No 2019 Ocatea lode and Sur No 2172 Edith lode respectively at S 56° 55' E 120.1 ft from Cor No 3, Sur No 2019 Ocatea lode ~~and S 87° 11' E 148.9 ft from Cor. No. 3 Sur No. 2172 Edith lode~~
- a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3277 D M 5
whence the W 1/4 Cor Sec 30, T 23S, R 25 E, G & S R B & M brs N 70° 23' E 3844.8 ft no other bearings available

MINERAL SURVEY NO 3277

Don Miguel No 5 (con't)

thence N 87° 11' W

90.0 along lines 1-2 and 4-3 Sur No 2244 Bisbee Queen No 3 lode and Sur No 2172 Edith lode respectively to original location for the south end center, identical with the south end center Sur No 2244 Bisbee Queen No 3 lode being a monument of stones 3 ft high with 3 ft base

148.9 to Cor No 2, the S W Cor, identical with Cors No 1, 2 and 3 Sur No 2186 Marquette 1 lode, ~~Sur No 2172 Edith lode~~ and on line 3-4 Sur No. 2172 Edith lode and Sur No 2244 Bisbee Queen No 3 lode, respectively an iron post 4 ft long 3 ins in diameter set 12 ins in the ground in a concreted rock monument and filled with cement, on side pf post is a copper tag with 2-3277 D M 5 chiseled on it

whence a sandstone ledge with 23 x 26 x 29 ins high exposure and chiseled B R x 2-3277 brs N 29° 16' W 44.5 ft and a limestone ledge with 24 x 7 x 6 ins. high exposure with like chiseling brs N 84° 14' E 29.1 ft and the original location for the S. W. Cor. being a monument of rocks 3 ft high with 3 ft base brs N 87° 11' W 10.0 ft

thence N 60° 13' W

16.5 along lines 1-6 and 2-3 Sur No 2186 Marquette 1 lode and Sur No 2244 Bisbee Queen No 3 lode respectively to Cor No 3, identical with Cors No 6 and 3 of Survey No 2186 Marquette 1 lode and Sur No 2244 Bisbee Queen No 3 lode respectively

an iron post 4 ft long 3 ins in diameter set 12 ins in the ground in a concreted rock monument and filled with cement, on side of post is a copper tag chiseled 3-3277 D M 5

whence a sandstone ledge with 45 x 33 ins exposure and chiseled B R x 3-3277 brs N 13° 13' W 32.5 ft and a second sandstone ledge with 23 x 26 x 29 ins high exposure and like chiseling brs N 37° 27' E 26.15 ft

thence N 48° 56' W

1001.0 along lines 6-5 and 3-4 Sur No 2186 Marquette 1 lode and

Sur No 2244 Bisbee Queen No 3 lode respectively to Cor No 4, the N W Cor, identical with location and with Cors No 5, 3, 4 and 3 of Sur No 2186 Marquette 1 lode, Sur No 2244 Bisbee Queen and Bisbee Queen No 3 lodes ~~respectively~~ and Don Miguel No 4 lode this survey respectively heretofore described to which I add 4-3277 D M 5 for this claim Cors No 2 and 2 of Sur No 2244 Bisbee Queen lode and Don Miguel No 4 lode this survey respectively br S $53^{\circ} 22' E$ 1018.2 ft from this point

thence S $87^{\circ} 11' E$

64.1 along line 4-5 Sur No 2244 Bisbee Queen No 3 lode to original location for the north end center identical with the north end center Sur No 2244 Bisbee Queen No 3 lode being a monument of rocks 3 ft high with 3 ft base

127.1 to Cor No 5, the N E Cor, identical with location and with Cor No 5 Sur No 2244 Bisbee Queen No 3 lode exact point is chiseled on a limestone ledge with 31 x 13 ins exposure and alongside is chiseled 5-3277 D M 5 over this point is a pine post 4 ft long 4 ins sq set in a monument of rocks and scribed 5-3277 D M 5 whence a limestone ledge with 32 x 20 ins exposure and chiseled B R x 5-3277 brs S $31^{\circ} 06' W$ 6.75 ft and a second limestone ledge with 32 x 28 ins exposure and like chiseling brs N $27^{\circ} 30' E$ 6.9 ft

thence S $48^{\circ} 56' E$

915.3 along line 5-6 Sur No 2244 Bisbee Queen No 3 lode to Cor No 6 identical with Cor No 2 Don Miguel No 4 lode this survey heretofore described to which I add 6-3277 D M 5 for this claim

thence S $56^{\circ} 55' E$

120.1 along line 6-1 Sur No 2244 Bisbee Queen No 3 lode to Cor No 1 the place of the beginning.

LEDGES

Don Miguel

The presumed course of the vein on this claim is from the

MINERAL SURVEY NO 3277

west end center S 69° 39' E 1500.0 ft

Don Miguel No 1

The presumed course of the vein on this claim is from the east end center N 68° ^{26'}~~39'~~ W 1499.9 ft

Don Miguel No 2

The presumed course of the vein on this claim is from the north end center S 32° 25' W 974.1 ft

Don Miguel No 3

The presumed course of the vein on this claim is from the north end center S 4° 49' E 906.8 ft

Don Miguel No 4

The presumed course of the vein on this claim is from the east end center N 56° 55' W 1500.0 ft

Don Miguel No 5

The presumed course of the vein on this claim is from the south end center N 48° 56' W 1013.1 ft

AREAS

	Acres
Don Miguel - total area - - - - -	17.917
Area in conflict with	
Sur No 2244 Canyon lode - - - - -	0.859
Sur No 2244 Canyon lode exclusive of its conflict with Sur No 2244 Gold Hill lode - - - - -	0.295
Sur No 2244 Gold Hill lode - - - - -	17.622
Don Miguel No 1 - total area - - - - -	18.277
Area in conflict with	
Sur No 2244 South Side lode - - - - -	18.277
Sur No 2244 South Side lode exclusive of its conflict with Don Miguel No 2 lode this survey - - - - -	18.193 +
Sur No 2244 South Side lode exclusive of its conflict with Sur No 1917 Bangor lode - - - - -	18.154 +
Sur No 2244 South Side lode exclusive of its conflict with Sur No 1917 Bangor lode and Don Miguel No 2 lode this survey - - - - -	18.070 +
Sur No 1917 Bangor lode - - - - -	0.023
Don Miguel No 2 lode this survey - - - - -	0.084

18.277

	Acres
Don Miguel No 2 - total area - - - - -	12.992
Area in Conflict with	
✓ Sur No 2244 Bisbee Queen lode - - - -	0.866
Sur No 2244 Bisbee Queen lode exclus- ive of its conflict with Don Miguel No 4 lode this survey - - - - -	0.000
✓ Sur No 2244 Canyon lode - - - - -	8.953
✓ Sur No 2019 Little Mary lode - - - -	2.527
Sur No 2244 Bisbee Queen No 2 lode -	0.561
Don Miguel No 4 lode this survey - -	0.866
Don Miguel No 3 - total area - - - - -	3.014
Area in conflict with	
Sur No Sur No 1953 Bryen lode - - - -	1.784
Sur No 1953 Bryen lode exclusive of its conflict with Sur No 2244 Can- yon lode - - - - -	1.702
Sur No 1953 Bryen lode exclusive of its conflict with Sur No 2244 Bis- bee Queen No 2 lode - - - - -	1.403
Sur No 1953 Bryen lode exclusive of its conflict with Sur No 1953 Bel- cher lode - - - - -	1.782
Sur No 1953 Bryen lode exclusive of its conflict with Sur No 1953 Bel- cher lode, Sur No 2244 Canyon lode and Sur No 2244 Bisbee Queen No 2 lode - - - - -	1.321 1.319
Sur No 2244 Bisbee Queen No 2 lode -	0.854
Sur No 2244 Canyon lode - - - - -	0.839
Sur No 2244 Canyon lode exclusive of its conflict with Sur No 2244 Gold Hill lode - - - - -	0.618
Sur No 2244 Gold Hill lode - - - - -	0.221
Sur No 1953 Belcher lode - - - - -	0.002
Don Miguel No 4 - total area - - - - -	18.91 ³ 1
Area in conflict with	
Sur No 2172 Lena lode - - - - -	0.043
Sur No 2244 Bisbee Queen lode - - -	18.91 ³ 1
Sur No 2244 Bisbee Queen lode ex- clusive of its conflict with Sur No 2172 Lena lode - - - - -	.870 18.868
Don Miguel No 5 - total area - - - - -	1.849
Area in conflict with	
Sur No 2244 Bisbee Queen No 3 lode - - -	1.849

Sur No 2244 Bisbee Queen No 3 lode
exclusive of its conflict with
Sur No 2244 Bisbee Queen lode - - - 1.022

Sur No 2244 Bisbee Queen No 3 lode
exclusive of its conflict with
Don Miguel No 4 lode this survey - 1.022

Sur No 2244 Bisbee Queen No 3 lode
exclusive of its conflict with
Sur No 2244 Bisbee Queen lode and
Don Miguel No 4 lode this survey - 1.022

Sur No 2244 Bisbee Queen lode - - - 0.827

Don Miguel No 4 lode this survey - - - 0.827

IMPROVEMENTS

I hereby certify that the value of the labor and improvements made upon each of the locations embraced in this survey by the claimant or his grantors, was at the time of survey as follows, and that said improvements consist of:-

Don Miguel

- | | | | |
|-------|--|-------|---------------|
| No. 1 | Discovery shaft 5 x 6 x 8 ft deep brs
from west end center location on lode
line 25.0 ft | Value | \$ 50.00 |
| No. 2 | Shaft 4 x 6 x 33 ft deep brs from Cor
No 2 N 34° 50' E 273.0 ft | Value | <u>330.00</u> |
| | | | \$ 380.00 |

Don Miguel No 1

- | | | | |
|-------|---|-------|---------------|
| No. 1 | Discovery shaft 4 x 6 x 8 ft deep brs
from west end center location on lode
line 25.0 ft | Value | \$ 50.00 |
| No. 2 | Shaft 6 x 9x 8 ft deep, 4 x 6 x 25 ft
deep total depth 33 ft brs from west
end center N 69° 11' E 23.7 ft | Value | <u>400.00</u> |
| | | | \$ 450.00 |

Don Miguel No 2

- | | | | |
|-------|--|-------|---------------|
| No. 1 | Discovery shaft 4 x 6 x 8 ft deep brs
from south end center on lode line
225.0 ft | Value | \$ 35.00 |
| No.2 | Shaft 4 x 6x 35 ft deep brs from point
on lode line 270.8 from south end center
S 87° 12' W 120.7 ft | Value | <u>350.00</u> |
| | | | \$ 385.00 |

Don Miguel No 3

- | | | | |
|-------|--|-------|-----------|
| No. 1 | Discovery shaft 4 x 6 x 35 ft deep brs
from north end center location on lode
line 10.0 ft | Value | \$ 350.00 |
|-------|--|-------|-----------|

Don Miguel No 4

- | | | | |
|-------|--|-------|----------|
| No. 1 | Discovery shaft 4 x 6 x 9 ft deep brs from east
end center location on lode line 400.0 ft | Value | \$ 50.00 |
|-------|--|-------|----------|

No.2 Open cut 5 x 8 x 20 ft long, tunnel 4 x 6 x 25 ft long both brg S 57° E mouth of open cut brs from point on line 2-3 N 53° 22' W 277.0 ft from Cor No 2 N 16° 35' E 275.4 ft Value 405.00
 \$ 455.00

Don Miguel No 5

No. 1 Discovery Shaft 4 x 6x 9 ft deep brs from south end center location on lode line 100.0 ft Value \$ 50.00

No.2 Shaft 4 x 6 x 36 ft deep brs from Cor. No. 6 N 61° 52' W 314.0 ft Value 360.00
 \$ 410.00

Note:- Additional report of five hundred dollars worth of improvements will be filed prior to the expiration of the period of publication of the notice of application for patent.

OTHER IMPROVEMENTS

Don Miguel

Shaft 5 x 7 x 10 ft deep brs from Cor No 2 N 60° 09' E 52.5 ft

Open cut 4 x 8x 14 ft long brg East mouth of which brs from Cor No 2 N 52° 04' E 68.2 ft.

Open cut 4 x 9 x 15 ft long brg East mouth of which brs from Cor No 2 N 44° 21' E 85.3 ft

Open cut 5 x 9 x 11 ft long brg S 70° E mouth of which brs from Cor No 3 S 58° 35' E 74.5 ft

Open cut 5 x 8 x 14 ft long brg N 12° E mouth of which brs from Cor No 1 N 35° 12' W 74.50 ft

Shaft 5 x 6 x 8 ft deep brs from Cor No 1 N 35° 12' W 226.9 ft

Don Miguel No 1

Open cut 4.5 x 9 x 11 ft long brg East brs from Cor No 5 S 8° 36' W 53.2 ft

Shaft 5 x 10 x 10 ft deep brs from Cor No 1 S 84° 24' W 100.0 ft

Shaft 5 x 8 x 9 ft deep brs from Cor No 1 S 84° 24' W 108.0 ft

Don Miguel No 2

Shaft 6 x 6 x 8 ft deep brs from Cor No 3 N 35° 20' E 174.3 ft

Shaft 5 x 6 x 8 ft deep brs from point on lode line 270.8 ft from south end center N 80° 10' W 111.7 ft

Shaft 4 x 6 x 10 ft deep brs from same point N 87° 20' W 112.6 ft

Open cut 5.5 x 10 x 24 ft long brg N 54° W mouth of which brs from same point N 24° 30' W 81.0 ft

Open cut 4.5 x 5 x 17 ft long brg S 60° E mouth of which

Shaft 4 x 6 x 10 ft deep brs from Cor No 2 N 55° 15' E
50.2 ft

shaft 4 x 6 x 10 ft deep brs from Cor No 6 N 61° 18' W
246.9 ft

Shaft 4 x 6 x 10 ft deep brs from Cor No 6 N 60° 33' W
263.3 ft

Shaft 4 x 6 x 10 ft deep brs from Cor No 6 N 61° 35' W 272.2
ft

ADJOINING CLAIMS

North	Sur No 1781 Cave lode Sur No 1953 Belcher and Bryen lodes Sur No 2019 Little Elsie, Little Mary and Mascot lodes
East	Sur No 2019 Little Elsie, Little Mary and Ocatea lodes
South	Sur No 2172 Edith and Lena lodes Sur No 2186 Marquette 1 lode Sur No 2187 Cora lode Sur No 1917 Bangor and Buffalo lodes Sur No 2189 Circus lode Sur No 2188 Warren lode
West	Sur No 2173 Last Chance lode

LOCATION

This group is situated in the Warren Mining District,
Cochise County, Arizona in Secs. 25 and 26, T 23 S R 24 E
G & S R B & M ~~unsurveyed~~. ^{unapproved}

INSTRUMENT

This survey was made with a C L Berger & Sons No 1 C
transit. The courses were deflected from the true mer-
idian as determined by a Solar observation. The distances
were measured with 100 ft and 300 ft steel tapes. Mag-
netic variation 12° 30' E at all corners.

REPORT

The W 1/4 Cor Sec 30, T 23 S, R 25 E is a limestone rock
9 x 7 x 6 ins high with 1/4 chiseled on the west face.

The Cors of Sur No 1781 Cave lode, Sur No 1917 Bangor and
Buffalo lodes, Sur No 2173 Last Chance lode, Sur No 2186
Marquette 1 lode, Sur No 2187 Cora lode and Sur No 2188
Warren lode are iron posts 4 ft long 3 ins in diameter
set in concreted rock monuments

The Cors of the other adjoining approved surveys are
pine posts properly set and scribed.

1/4 cor of Secs 25 and 26, T 23 S, R 24 E is an iron pipe
with a copper cap inscribed 1/4 cor S 25, S 26. This is
a corner of an unapproved survey.

Ralph L. Moz

U. S. Mineral Surveyor

Dated at Bisbee, Arizona.

May 26, 1916.

MINERAL SURVEY NO 3277

brs from same point N 20° 15' W 71.5 ft

Open cut 4 x 9 x 22.5 ft long brg N 52° W mouth of which
brs from same point N 13° 04' W 103.1 ft

Open cut 4 x 6 x 13 ft long brg S 76° E mouth of which
brs from same point N 2° 11' E 126.0 ft

Open cut 5 x (3 - 10) x 13 ft long brg S 76° W mouth
of which brs from same point N 7° W 184.1 ft

Open cut 5 x 9 x 17 ft long brg N 2° E mouth of which brs
from same point N 3° 35' W 182.3 ft

Open cut 5 x 14 x 20 ft long brg N 32° W mouth of which
brs from same point N 4° 16' E 184.2 ft

Open cut 5 x 10 x 13 ft long brg N 80° W mouth of which
brs from north end center N 71° 17' W 109.0 ft

Open cut 5 x 10 x 14 ft long brg N 80° W mouth of which
brs from north end center N 64° 16' W 114.8 ft

Open cut 5 x 9 x 11 ft long brg N 75° W mouth of which
brs from north end center N 78° 15' W 108.9 ft

Open cut 4.5 x 9 x 14 ft long brg N 70° W mouth of which
brs from north end center N 86° 14' W 111.3 ft

Don Miguel No 3

Shaft 4 x 6 x 10 ft deep brs from Cor No 4 S 0° 30' E
28.2 ft

Shaft 4 x 6 x 10 ft deep brs from Cor No 4 S 21° 55' W
25.0 ft

Don Miguel No 4

Shaft 4 x 6 x 10 ft deep brs from Cor No 1 S 84° 10' W
70.7 ft

Shaft 4 x 6 x 10 ft deep brs from Cor No 1 S 88° 23' W
80.6 ft

Shaft 5 x 7 x 8 ft deep brs from Cor No 1 N 83° 51' W
90.5 ft

Shaft 5 x 6 x 8 ft deep brs from point on line 2-3
N 53° 22' W 277.0 ft from Cor No 2 N 20° 43' W 78.8 ft

Shaft 5 x 6 x 8 ft deep brs from same point N 16° 07' W
89.0 ft

Shaft 6 x 6 x 6 ft deep brs from same point N 17° 0' W
106.8 ft

Open cut 4 x 10 x 10 ft long brg N 80° W mouth of which
brs from same point N 5° 41' W 101.3 ft

Open cut 4.5 x 8 x 12 ft long brg S 70° E mouth of which
brs from same point N 12° 47' E 216.8 ft

Open cut 4 x 6 x 16 ft long brg S 57° E mouth of which
brs from same point N 14° 34' E 378.8 ft

Don Miguel No 5

Shaft 4 x 6 x 9 ft deep brs from Cor No 2 N 87° 06' E
55.7 ft

FINAL OATHS FOR SURVEYS.

AUG 19 1916 ²²

LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and

boundaries described in the foregoing field notes of the survey of the mining claim of Alfred Paul

known as the Don Miguel, Don Miguel No. 1, Don Miguel No. 2, Don Miguel

known as the No. 3, Don Miguel No. 4, Don Miguel No. 5 lodes.

and showing the respective capacities in which they acted.

- John Maffeo , *Chainman.*
- , *Chainman.*
- , *Arman.*
- , *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, I John Maffeo

and, do solemnly swear that we assisted Ralph L.

Motz , United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Alfred Paul

known as the Don Miguel, Don Miguel No. 1, Don Miguel No. 2, Don Miguel

known as the No. 3, Don Miguel No. 4, Don Miguel No. 5 lodes.

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for Arizona

- John Maffeo , *Chainman.*
- , *Chainman.*
- , *Arman.*
- , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 25th

day of May , 1916.

J.W. Pood

Notary Public, in and for the County
of Cochise, State of Arizona.

My Commission expires Feb'y 21, 1920

AUG. 19. 1916

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Ralph L. Motz, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated March 17, 1916, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Alfred Paul known as the Don Miguel, Don Miguel No. 1, Don Miguel No. 2, Don Miguel No. 3, Don Miguel No. 4, Don Miguel No. 5 lodes. situate in Warren Mining District, Cochise County, Arizona, in Sections 25 & 26, ^{Unapproved} Township No. 23 S, Range No. 24 E G & S R B & M (uncur), and designated as Survey No. 3277, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Ralph L. Motz
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz,
U. S. ~~Deputy~~ Mineral Surveyor, before me J. W. Ross
Notary Public this 25 th
day of May, 1916.

JW Ross

Notary Public, in and for the County
of Cochise, State of Arizona.

My Commission expires Feb. 21, 1920.

AMENDED NOTICE OF MINING LOCATION
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "DON MIGUEL" Mining Claim, situate on lands belonging to the United States of America, and in which there is a vein or lode of mineral bearing rock in place carrying gold, silver, copper and other valuable deposits, was entered upon and located for the purpose of exploration and purchase by Alfred Paul, a citizen of the United States, the undersigned, on the 18th day of February, 1916.

The length of this claim is 1500 feet, and I claim 25 feet of the lode in a Westerly direction and 1475 feet of the lode in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the claim and the lode therein is from the west to the east.

The claim is situated and located in the Warren Mining District, in Cochise County, in the State of Arizona, about one-half of a mile in a Southerly direction from the Town of Warren, and is bounded on the North by the "Cave" Mining Claim, Survey No. 1781, and on the South by the "Don Miguel No. 1" an unpatented lode mining claim.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones and a post in a Westerly direction 25 feet from the discovery shaft (at which this notice is posted), being the center of the Westerly end line of said claim; thence Northerly 300 feet to monument of stones and a post, being the Northwesterly corner of said claim; thence Easterly 1500 feet to a monument of stones and a post being the Northeasterly corner of said claim; thence Southerly 300 feet to a monument of stones and a post, being the center of the Easterly end of said claim; thence Southerly 300 feet to a monument of stones and a post, being the Southeasterly corner of said claim; thence Westerly 1500 feet to a monument of stones and a post, being the Southwesterly corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and under the provisions of Chapter One, of Title XXXIV of the Revised Statutes of Arizona, 1913.

This is an amended location notice of the "DON MIGUEL" mining claim, located by Alfred Paul on the 1st day of March, 1912, and recorded in Book 29, Record of Mines, at page 340, in the office of the County Recorder, in the County of Cochise, to which reference is hereby made. And this amended location is made and posted by the present owner of said claim to correct errors in the description in the said original location notice, and without waiving any right, title or interest heretofore acquired by virtue of said original location.

Dated and posted on the ground this 18th day of February, 1916.

Alfred Paul

187
Recorder's Office,
TOMBSTONE, Cochise Co., Ariz.

Filed and recorded at request of

Edmund Ross

FEB 19 1916 A. D. 1916

at *1 P M.*

Book *54* Record of Mines

Pages *402*

Owen Murphy
County Recorder

INDEXED
COMPARED to
BLOTTED

1019

STATE OF ARIZONA,
County of Cochise,

I, Owen M. Murphy, County Recorder in
and for the County and State aforesaid,
do hereby certify that the within instru-
ment was filed for record at *1* o'clock,
P. M., on this _____ day of

FEB 19 1916 and duly recorded

in Book No. *54* of

Record of Mines records of Cochise
County, Arizona, at pages *402*

Witness my hand and official seal the day
and year first above written.

Owen Murphy
County Recorder
By *Geo M. Adams*
Deputy

Cert copies of all

AMENDED NOTICE OF MINING LOCATION

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "DON MIGUEL NO. 1" Mining Claim, situate on lands belonging to the United States of America, and in which there is a vein or lode of mineral bearing rock in place carrying gold, silver, copper and other valuable deposits was entered upon and located for the purpose of exploration and purchase by Alfred Paul, a citizen of the United States, the undersigned, on the 18th day of February, 1916.

The length of this claim is 1500 feet, and I claim 25 feet of the lode in a Westerly direction, and 1475 feet of the lode in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the claim and the lode therein is from the East to the West.

The claim is situated and located in the Warren Mining District, in Cochise County, in the State of Arizona, about one-half of a mile in a Southerly direction from the Town of Warren, and is bounded on the North by the "Don Miguel" an unpatented lode mining claim, and on the South by the "Circus" mining claim, Survey No. 2189, "Bangor" mining claim, Survey No. 1917, and the "Warren" mining claim, Survey No. 2188.

The surface boundaries of the claim are marked

upon the ground as follows:

Beginning at a monument of stones and a post in a Westerly direction 25 feet from the discovery shaft (at which this notice is posted), being the center of the Westerly end line of said claim; thence Northerly 300 feet to a monument of stones and a post, being the Northwesternly corner of said claim; thence Easterly 1500 feet to a monument of stones and a post, being the Northeastly corner of said claim; thence Southerly 300 feet to a monument of stones and a post, being the center of the Easterly end line of said claim; thence Southerly 300 feet to a monument of stones and a post, being the Southeastly corner of said claim; thence Westerly 1500 feet to a monument of stones and a post, being the Southwestly corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and under the provision of Chapter One, of Title XXXIV of the Revised Statutes of Arizona, 1913.

This is an amended location notice of the "DON MIGUEL NO. 1" mining claim, located by Alfred Paul on the 1st day of March, 1912, and recorded in Book 49, Record of Mines, at page 341, in the office of the County Recorder, in the County of Cochise, to which reference is hereby made. And this amended location notice is made and posted by the present owner of said claim, Alfred Paul, to correct errors in the description in the said original location notice, and without waiving any right, title or interest heretofore acquired by virtue of said original location.

Dated and posted on the ground this 18th day of February, 1916.

Alfred Paul

INDEXED
COMPARED to
BLOTTED

100

Recorder's Office,
TOMBSTONE, Cochise Co., Ariz.

Filed and recorded at request of

Ellenwood T Ross

FEB 19 1916 A. D. 191

at 1 P. M.

Book 54 Record of Mines

Pages 403

Owen E. Murphy
County Recorder

1020

STATE OF ARIZONA
County of Cochise,

I, Owen E. Murphy, County Recorder for
and for the County and State aforesaid,
do hereby certify that the within instru-
ment was filed for record at 1 o'clock
P. M., on this day of

FEB 19 1916 and duly recorded
in Book No. 54 of
Record of Mines records of Cochise
County, Ariz., in page 403

Witness my hand and seal the day
and year first above written.

Owen E. Murphy
County Recorder
By *Geo M. Hall*
Deputy

AMENDED NOTICE OF MINING LOCATION

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "DON MIGUEL NO. 2" Mining Claim, situate on lands belonging to the United States of America, and in which there is a vein or lode of mineral bearing rock in place carrying gold, silver, copper and other valuable deposits, was entered upon and located for the purpose of exploration and purchase by Alfred Paul, a citizen of the United States, the undersigned, on the 18th day of February, 1916.

The length of this claim is 1975 feet, and I claim 225 feet of the lode in a Southerly direction, and 1750 feet of the lode in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the claim and the lode therein is from the North to the South.

The claim is situated and located in the Warren Mining District, in Cochise County, in the State of Arizona, about three-quarters of a mile from the Town of Warren, in a Southeasterly direction, and is bounded on the East by the "Don Miguel No. 4" an unpatented lode mining claim and the "Little Mary" mining claim, Survey No. 2019, and on the West by the "Don Miguel"

and "Don Miguel No. 1" unpatented lode mining claims.

The surface boundaries of the claim are marked upon the ground as follows:

a Beginning at a monument of stones and a post in Northerly direction 750 feet from the discovery shaft (at which this notice is posted), being the center of the Northerly end line of said claim; thence Westerly 300 feet to a monument of stones and a post, being the Northwesterly corner of said claim; thence Southerly 975 feet to a monument of stones and a post, being the Southwesterly corner of said claim; thence Easterly 300 feet to a monument of stones and a post, being the center of the Southerly end line of said claim; thence Easterly 300 feet to a monument of stones and a post, being the Southeasterly corner of said claim; thence Northerly 975 feet to a monument of stones and a post, being the Northeasterly corner of said claim; thence Westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXIII of the Revised Statutes of the United States, and under the provisions of Chapter One, of Title XXXIV of the Revised Statutes of Arizona, 1913.

This is an amended location notice of the "DON MIGUEL NO. 2" mining claim, located by Alfred Paul on the 1st day of March, 1912, and recorded in Book 49, Record of Mines, at page 342, in the office of the County Recorder, in the County of Cochise, to which reference is hereby made. And this amended location notice is made and posted by the present owner of said claim, to correct errors in the description in the said original location notice, and without waiving any right, title or interest heretofore acquired by virtue of said original location.

Dated and posted on the ground this 18th day of February, 1916.

Alfred Paul

INDEXED
COMPILED to
BLOTTED

160

Recorder's Office,
TOMBSTONE, Cochise Co., Ariz.

Filed and recorded at request of
Edmund W Ross

FEB 19 1916 A. D. 191

at _____ *1 P.M.*

Book *54* Record of Mines

Pages *404*

Owen E. Murphy
County Recorder

1021

STATE OF ARIZONA
County of Cochise

I, Owen E. Murphy, County Recorder in
and for the County and State aforesaid,
do hereby certify that the within instru-
ment was filed for record at _____ o'clock,
9 M., on this _____ day of

FEB 19 1916 and duly recorded
in Book No. *54* of

Record of Mines records of Cochise
County, Arizona, in pages *404*

Witness my hand and official seal the day
and year first above written.

Owen E. Murphy
County Recorder

By *Geo M. Hall*
Deputy

AMENDED NOTICE OF MINING LOCATION
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "DON MIGUEL NO. 3" Mining Claim, situate on lands belonging to the United States of America, and in which there is a vein or lode of mineral bearing rock in place carrying gold, silver, copper and other valuable deposits, was entered upon and located for the purpose of exploration and purchase by Alfred Paul, a citizen of the United States, the undersigned, on the 18th day of February, 1916.

The length of this claim is 910 feet, and I claim 50 feet of the lode in a Northerly direction and 860 feet of the lode in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 130 feet in width of the surface grounds, on each side of the center of said claim. The general course of the claim and the lode therein is from the North to the South.

The claim is situated and located in the Warren Mining District, in Cochise County, in the State of Arizona, about one-half of a mile in a Southeasterly direction from the shaft of the Lone Star claim of the Warren Company, and is bounded on the east by the Little Elsie Mining Claim, Survey No. 2019, and on the West by the Bryen Mining Claim, Survey No. 1953 and the Don Miguel an unpatented mining claim.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones and a post in a Northerly direction 50 feet from the discovery shaft (at which this notice is posted), being the center of the North end line of said claim; thence Westerly 130 feet to a monument of stones and a post, being the Northwesternly corner of said claim; thence Southerly 910 feet to a monument of stones and a post, being the Southwesterly corner of said claim; thence Easterly 130 feet to a monument of stones and a post, being the center of the Southerly end line of said claim; thence Easterly 130 feet to a monument of stones and a post, being the Southeasterly corner of said claim; thence Northerly 910 feet to a monument of stones and a post, being the Northeastly corner of said claim; thence Westerly 130 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and under the provision of Chapter One, of Title XXXIV of the Revised Statutes of Arizona, 1913.

This is an amended location notice of the "DON MIGUEL NO. 3" mining claim, located by Alfred Paul on the 1st day of March, 1912, and recorded in Book 49, Record of Mines, at page 343, in the office of the County Recorder, in the County of Cochise, to which reference is hereby made. And this amended location notice is made and posted by the present owner of said claim, Alfred Paul, to correct errors in the description in the said original location notice, and without waiving any right, title or interest heretofore acquired by virtue of said original location.

Dated and posted on the ground this 18th day of February, 1916.

Alfred Paul

INDEXED
COMPARED to
NOTED

100

Recorder's Office,
TOMBSTONE, Cochise Co., Ariz.

Filed and recorded at request of
Edmund V Ross

FEB 19 1916 A. D. 191

at *1 P.M.*

Book *54* Record of Mines

Pages *405*

Owen E. Murphy
County Recorder

1022

STATE OF ARIZONA,
County of Cochise

I, Owen E. Murphy, County Recorder in
and for the County and State aforesaid,
do hereby certify that the within instru-
ment was filed for record at *1* o'clock
1 P.M., on this _____ day of

FEB 19 1916 and duly recorded

in Book No. *54* of
Record of Mines _____ records of Cochise

County, Arizona, pages *405*
Witness my hand and official seal the day
and year first above written.

Owen E. Murphy
County Recorder
By *Geo. W. Hale*
35 Deputy

AMENDED NOTICE OF MINING LOCATION
LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "DON MIGUEL NO. 4" Mining Claim, situate on lands belonging to the United States of America, and in which there is a vein or lode of mineral bearing rock in place carrying gold, silver, copper and other valuable deposits, was entered upon and located for the purpose of exploration and purchase by Alfred Paul, a citizen of the United States, the undersigned, on the 18th day of February, 1916.

The length of this claim is 1500 feet and I claim 400 feet of the lode in a Southeasterly direction, and 1100 feet of the lode in a Northwesterly direction (from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the claim and the lode therein is from the Southeast to the Northwest.

The claim is situated and located in the Warren Mining District, in Cochise County, in the State of Arizona, about one-half of a mile in a Northerly direction from the Portage Lake Company's shaft, and is bounded on the East by the Ocatea lode mining claim, Survey No. 2019, on the West by the Don Miguel No. 2, an unpatented lode mining claim, on the North by the Little Mary lode mining claim, Survey No. 2019.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones and a post in a Southeasterly direction 400 feet from the discovery shaft (at which this notice is posted), being the center of the Easterly end line of said claim; thence Northeasterly 300 feet to a monument of stones and a post, being the Northeasterly corner of said claim; thence Northwesterly 1500 feet to a monument of stones and a post, being the Northwesterly corner of said claim; thence Southwesterly 300 feet to a monument of stones and a post, being the center of the Westerly end line of said claim; thence Southwesterly 300 feet to a monument of stones and a post being the Southwesterly corner of said claim; thence Northeasterly 1500 feet to a monument of stones and a post, being the Southeasterly corner of said claim; thence Northeasterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and under the provisions of Chapter One of Title XXXIV of the Revised Statutes of Arizona, 1913.

This is an amended location notice of the "DON MIGUEL NO. 4" mining claim, located by Alfred Paul on the 1st day of March, 1912, and recorded in Book 49, Record of Mines, at page 344, in the office of the County Recorder, in the County of Cochise, to which reference is hereby made. And this amended location notice is made and posted by the present owner of said claim, Alfred Paul, to correct errors in the description in the said original location notice, and without waiving any right, title or interest heretofore acquired by virtue of said original location.

Dated and posted on the ground this 18th day of February, 1916.

Alfred Paul

COMPARED 1/10

Record Office,
TOMBSTONE, Cochise Co., Ariz.

Filed and recorded at request of
Ellinwood V Ross

FEB 19 1916 A. D. 191

at 1 P.M.

Book 54 Record of Mines

Pages 406

Owen E. Murphy
County Recorder

1023

STATE OF ARIZONA,
County of Cochise,
I, Owen E. Murphy, County Recorder in
and for the County and State aforesaid,
do hereby certify that the within instru-
ment was filed for record at 1 o'clock,
P.M., on this _____ day of
FEB 19 1916 and duly recorded
in Book No. 54 of
_____ records of Cochise
County, Arizona, pages 406
Witness my hand and official seal the day
and year first above written.

Owen E. Murphy
County Recorder
By Geo W. Hales
Deputy

AMENDED NOTICE OF MINING LOCATION
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "DON MIGUEL NO. 5" Mining Claim, situate on lands belonging to the United States of America, and in which there is a vein or lode of mineral bearing rock in place carrying gold, silver, copper and other valuable deposits, was entered upon and located for the purpose of exploration and purchase by Alfred Paul, a citizen of the United States, the undersigned, on the 18th day of February, 1916.

The length of this claim is 1005 feet, and I claim 100 feet of the lode in a Southeasterly direction, and 905 feet of the lode in a Northwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 80 feet in width of the surface grounds, on each side of the center of said claim. The general course of the claim and the lode therein is from the Southeast to the Northwest.

The claim is situated and located in the Warren Mining District, in Cochise County, in the State of Arizona, about one-half of a mile from the Portage Lake Company's shaft, and is bounded on the North by the Don Miguel No. 4, an unpatented lode mining claim, and on the South by the Marquette No. 1, lode mining claim, Survey No. 2186.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stones and a post in a Southeasterly direction 100 feet from the discovery shaft (at which this notice is posted), being the center of the Southerly end line of said claim; thence Easterly 80 feet to a monument of stones and a post, being the Southeasterly corner of said claim; thence Northwesterly 1005 feet to a monument of stones and a post, being the Northeasterly corner of said claim; thence Westerly 80 feet to a monument of stones and a post, being the center of the Northerly end line of said claim; thence Westerly 80 feet to a monument of stones and a post, being the Northwesterly corner of said claim; thence Southeasterly 1005 feet to a monument of stones and a post, being the Southwesterly corner of said claim; thence Easterly 80 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and under the provision of Chapter One, of Title XXXIV of the Revised Statutes of Arizona.

This is an amended location notice of the "DON MIGUEL NO. 5" mining claim, located by Alfred Paul on the 1st day of March, 1912, and recorded in Book 49, Record of Mines, at page 345, in the office of the County Recorder, in the County of Cochise, to which reference is hereby made. And this amended location notice is made and posted by the present owner of said claim, Alfred Paul, to correct errors in the description in the said original location notice, and without waiving any right, title or interest heretofore acquired by virtue of said original location.

Dated and posted on the ground this 18th day of February, 1916.

Alfred Paul

Recorder's Office, 180

TOMBSTONE, Cochise Co., Ariz.

Filed and recorded at request of

Edmund Moss

FEB 19 1916 A. D. 191

at *1 P.* M.

Book *54* Record of Mines

Pages *407*

Owen E. Murphy
County Recorder

1024 INDEXED
COMPARED

STATE OF ARIZONA,
County of Cochise,

I, Owen E. Murphy, County Recorder in
and for the County and State aforesaid,
do hereby certify that the within instru-
ment was filed for record at *1* o'clock,

P. M., on this *FEB 19 1916* day of

and duly recorded
in Book No. *54* of

Record of Mines records of Cochise
County, Arizona, at pages *407*

Witness my hand and official seal the day
and year first above written.

Owen E. Murphy
County Recorder
By *Geo M. Hales*
Deputy

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

October 4, 1916.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Alfred Paul

known as the Don Miguel, Don Miguel No. 1, Don Miguel No. 2, Don Miguel No. 3, Don Miguel No. 4, Don Miguel No. 5. situate in Warren

Mining District, Cochise County, Arizona.

in Sections 25 & 26, unapp'd., Township No. 23 S., Range No. 24 E., and

designated as Survey No. 3277, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

less than And I further certify that, five hundred dollars' worth of labor has been expended or improvements made upon, said mining claim, by claimant or its grantors, and that said improvements consist of, at time of survey, 10 shafts and 1 cut and tunnel, total value \$2430.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

October 4, 1916.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Alfred Paul

known as the

Don Miguel, Don Miguel No. 1, Don Miguel No. 2, Don Miguel No. 3, Don Miguel No. 4, Don Miguel No. 5.

situate in Warren mining district,

Cochise County, Arizona.

in Sections 25 & 26, unapp'd. Township No. 23 S., Range No. 24 E.

designated as Survey No. 3277

executed by Ralph L. Motz, U. S. Deputy Mineral

Surveyor, May 4-11, 1916 under my instructions dated

March 17, 1916, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

[Handwritten signature]

U. S. Surveyor-General for Arizona.

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

I, U. S. Surveyor General for District of Arizona,
do hereby certify that Five Hundred Dollars' worth of labor has been expended on
improvements made by claimant or his grantors, upon ^{each of} the mining claims of
Alfred Paul

known as the DON MIGUEL, DON MIGUEL NO.1, DON MIGUEL NO.2, DON MIGUEL NO.3,
DON MIGUEL NO.4 and DON MIGUEL NO. 5 lodes

situate in Warren mining district,

Cochise County, Arizona

^{Unapp'd}
in Section 25 & 26, Township No. 23 S, Range No. 24 E.

that said improvements consist of, in addition to those reported at

time of survey, extensions of the following improvements:

No.2 Don Miguel lode,

No.2, Don Miguel No.1 lode,

No.1, Don Miguel No.2 lode,

No.1, Don Miguel No.3 lode,

No.2, Don Miguel No.4 lode,

No.1, Don Miguel No.5 lode,

Total value of such extensions, \$661.25.

, and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of

Ralph L. Motz, U. S. ~~Deputy~~ Mineral Surveyor, dated
June 12, 1917, is hereto attached.



U. S. Surveyor General for Arizona.

Office of U. S. Surveyor General,

Phoenix, Arizona,

June 27., 1917.

MINERAL SURVEY NO. 3277

SUPPLEMENTAL REPORT OF IMPROVEMENTS.

I hereby certify that the value of labor performed and improvements made upon the claims embraced in Mineral Survey No 3277 by the claimants or their grantors is not less than \$500.00 for each claim and that said improvements in addition to those which were reported at the time of making survey, consist of:-

DON MIGUEL

No. 2 An additional 4 x 6 x 10 feet (total depth now 43 ft) Value - - - - - \$ 125.00

DON MIGUEL NO. 1

No. 2 An additional 4 x 6 x 5 ft (total depth now 38 ft) Value - - - - - \$ 62.50

N DON MIGUEL NO. 2

No. 1 An additional 4 x 6 x 14 ft (total depth now 22 ft) Value - - - - - \$ 140.00

DON MIGUEL NO. 3

No. 1 An additional 4 x 6 x 14 ft (total depth now 49 ft) Value - - - - - \$ 175.00

DON MIGUEL NO. 4

No. 2 An additional 4 x 6 x 6 1/2 ft (total length of tunnel now 31.5 ft) Value - - - - - \$ 65.00

DON MIGUEL NO. 5

No. 1 An additional 4 x 6 x 7.5 ft (total depth now 16.5 ft) Value - - - - - \$ 93.75

Ralph L. Motz
U.S. Mineral Surveyor

Dated at Bisbee, Arizona
June 12, 1917.

I, Ralph L. Motz, U. S. Mineral Surveyor for the District of Arizona, first being duly sworn, depose and say that the above supplemental report is true and correct and that the improvements mentioned therein were made and completed prior to the date of the expiration of the publication of the notice of application for patent to the lands embraced in Mineral Survey No. 3277

Ralph L. Motz
U. S. Mineral Surveyor

State of Arizona)
County of Cochise) ss.

Subscribed and sworn to by said Ralph L. Motz, before me, a Notary Public, in and for the County of Cochise, State of Arizona, this 12 th day of June 1917.

Chas. T. Trapp
Notary Public

My Commission expires Oct 11-1917.

49 4 13 2 6 5 3