platted

4-683.

Mineral Survey No. 3 2 8 0

LOU NO,	
Arizona	Land District.
FIELD NOT	`ES
OF THE SURVEY OF THE MININ	G CLAIM OF
George Miller	
KNOWN AS THE	
Gold Hill No.1, Gold Hill No.2, Gold lodes.	Hill No.3, Gold Hill No.4
San Francisco	
MohaveCounty,	Arizona
Sections 19 and 20 , Township 20	Unapproved, Range 20 W.G. & S.R.B. & M.
Surveyed under instructions dated Ma	
	dward L.Haff U. S. Deputy Mineral Surveyor
Claim located (see location no	tices) , 1
Survey commenced April 1-1	916
Survey completedJune 1-19	16 , 1

Claimants Address
Oatman, Arizona

Teet

DESIT!

Gold Hill No.1 lode. 1.08.1.0 bedicon

Beginning at Cor. No. 1 - Matter and angineer of

Identical with Cor.No.4 Gold Hill No.2 lode of this survey

A red wood post 4 ft.long, 4 ins.square set 18 ins.in the

ground with mound of earth and rock, a nail at corner

point, scribed G.H.No.1, G.H.No.2, 1-4 3280 whence

U.S.L.M.No.1 bears S.73°56'50"W.-1835.96 ft.

The S.E.Cor.Sec.19 unapproved T.20 N.R.20 W.G.& S.R.B.& M. bears S.24°49'10"E.-786.74 ft.

No bearing objects available.

Thence N.8º17'E.

300.00 West End Center.

Identical with east end center Gold Hill No.2 lode of this survey.

of ects aveliling.

A red wood post 4 in.square, 4 ft.long, set 18 ins.in the ground with mound of earth and rock, a nail at center point scribed E.End C.G.H.No.2, W.End C.G.H.No.1-3280

600.00 to Cor. No.2 - Casa and data and Acade and Anna

A red wood post 4 ft.long, 4 ins.square set 18 ins.in the ground with mound of earth and rock, a nail at corner point scribed G.H.No.1, G.H.No.2, 2-3-3280 whence

Thence S.86°31'E.

1463.00 To Cor.No.3 President and Atoside antiged of

A red wood post 4 ins. square, 4 ft.long set 18 ins.in the ground with mound of earth and rock, nail at corner point, scribed G.H.No.1 3-3280

Thence S.8º17'W.- Thence S.8º17'W.-

300.00 East End Center . Eldelfors and acre do Thisand of

A redwood post 4 ins.square, 4 ft.long, set 18 ins.in the ground with mound of earth and rock, a nail at center point scribed E.End C.G.H.No.1-3280

600.00 To Cor.No.4

A redwood post 4 ins.square 4 ft.long, set 18 ins.in the ground with mound of earth and rock, a nail at corner point

affiver trees bugly described.

3

feet scribed G.H.No.1,4-3280 Whence No bearings are available. o and da antenien Thence N.86°31 W. Attack to the 1463.00 To Cor. No.1, the place of beginning. Gold Hill No.2 lode, Beginning at Cor.No.1 Identical with Cor. No.1 Gold Hill No.4 lode of this survey A redwood post 4ins.square, 4 ft.long set 18 ins, in the ground with mound of earth and rock, a nail at corner point scribed G.H.No.2, G.H.No.4, 1-1-3280 U.S.L.M.No.1 bears S.19°09'50"W-1070.58 ft. No bearing objects available. the la shall not in Thence N.8°17'E. a then in the land to be 300.00 West End Center Identical with the East end center Gold Hill No.4 lode of Long to this survey. Anon prairition to hadre the govern A redwood post 4 ins.square 4 ft.long, set 18 ins.in the ground with mound of earth and rock, a nail at center point scribed W.end C.G.H.No.2E.End C.G.H.No.4- 3280 600.00 To Cor. No. 2 dang a sai 2 mol. tl 2 dang how bes A Identical with Cor. No. 4 Gold Hill No. 4 hode of this survey. A redwood post 4ins.square ,4 ft.long set 18 ins.in the ground with mound of earth and rock, a nail at corner point scribed G.H.No.2, G.H.No.4, 2-4-3280 No bearing objects are available. of got ad out to Thence S. 70°23 E.-To Cor. No. 3 1500.00 Identical with Cor. No. 2 Gold Hill No. 1 lode of this survey. previously described. Whence No bearing objects are available. Thence S.8º17'W. 300.00 Identical with west end center Gold Hill No.1 lode of this survey previously described. 600.00 To Cor.No.4 Halling Suggestar. onl & Jeog Boowner A

Identical with Cor. Wo. 1 Gold Hill No. 1 lode of this survey

Whence

previously described,

feet

The S.E.Cor. Sec.19 unapproved T.20 N.R.20 W.G.& S.R.B.&M bears S.24°49'10"E.-786.74 ft.

No bearing objects available.

Thence N. 70°23'W. -

1500.00 To Cor. No.1, The place of beginning.

Gold Hill No. 3 lade!

Beginning at Cor. No.1

A redwood post 4 ins. square, 4 ft.long set 18 ins.in the ground with mound of earth and rock, nail at corner point scribed G.H.No.3, G.H.No.4, 1-2=3280 Whence U.S.L.M.No.1 bears S.9°54'E.-1143.44 ft.

The S.E.Cor.Sec.19 unapproved T.20 M.R.20 W.G & S.R.B.& M bears S.59°48'50"E.-2650.64 ft.

No bearing objects available.

5.6. 4.8 3.6.8 00 Thence N.78°15'W.

1492.86 To Cor.No.2

A redwood post 4 ins.square, 4 ft.long, set 18 ins.in the ground with mound of earth and rock, nail at corner point, scribed G.H.No.3,2-3280 Whence
No bearing objects available.

Thence N.8º17'E.

300.00 West End Center.

A redwood post 4ins.square, 4 ft.long set 18 ins.in the ground with mound of earth and rock, nail at center point scribed W.End C.G.H.No.3,3280

600.00 To Cor.No.3

A redwood post 4 ins.square, 4 ft.long set 18 ins.in the ground with mound of earth and rock, nail at corner point scribed G.H.No.3,3-3280 Whence

No bearing objects are available.

Thence S.78°15'E.-

1492.86 To Cor.No.4

Identical with Cor.No.3 Gold Hill No.4 lode of this survey

A redwood post 4ins.square, 4 ft.long set 18 ins.in the

ground with mound of earth and rock, nail at corner point

5,

Feet

Scribed G.H.No.3, G.H.No.4, 4-3-3280 Whence
No bearing objects are available.

Thence S.8°17'W.

300.00 East End Center

Identical with West end center Gold Hill No.4 lode of this survey

A redwood post 4 ins.square, 4 ft.long, set 18 ins.in the ground with mound of earth and rock, nail at corner point scribed E-End.C.G.H.No.3, W.End.C.G.H.No.4-3280

600.00 To Cor. No.1 the place of beginning.

Gold Hill No.4 Lode. ..

Beginning at Cor. No.1

previously described.

U.S.L.M.No.1 bears S.19°09'50"W- 1070.58 ft.

The S.E.Con.Sec.19 unapproved T.20 N.R.20 W.G.& S.R.B.& M bears S.55°03'50"E.-2126.37 ft.

No bearing objects available. - I brog rowled A

Thence N. 78°08' Women in the horse and the

560.00 To Cor.No.2

3000000

Identical with Cor.No.l.Gold Hill No.l.3 lode of this survey.

previously described Whence

No. bearing objects are available.

.

300.00 West End Center of them seems to prove the source

Identical with East end center Gold Hill No.3 lode of this survey, previously described.

Thence N.8°17'E.

600.00. TolCor.No.3 roll that garage a and is two galabet Ale

Identical with Cor.No.4 Gold Hill No.3 lode of this survey previously described

No bearing objects are available.

Thence. S. 78°08'E.

560.00 To Cor.No.4

Identical with Cor.No.2 Gold Hill No.2 lode of this survey previously described. Whence

1493.86 10 001.70.4

		Survey No.3280
	Feet	Thence S.8°17'W.
	300.00	East End Center Conf
	enst.J	Identical with West end center Gold Hill No.2 lode of this
	nter ser	survey, previously described.
	600.00	To Cor. No.1, The place of beginning.
1	hedra	Variation at all corners 15°E.
1	701	Transport Lode lines
	Max.	As near as can be determined from present developments
	to f	the veins of the several locations embraced in this claim
	18	extend as follows from their respective discovery points.
		Godd Hill No.1. 100 ft.N.86231'W,1363 ft. S.86931'E.
	ļū.	Gold Hill No.2 435 ft. N.70°23'W1065 ft. S.70°23'E.
	Ta . Luio	Gold Hill No.3 450 ft. S.78°15'E1042.86 ft. N.78°15'W
۱	100	Gold Hill No.4 210 ft. S.78°08'E,350 ft. N.78°08'W.
l	8001 .	Adjoining Claims.
Ì	•#718e.	mg i niav situa a None.
	0651	energy this 'if to suff-Areas.
l	1771.78	Total Area Gold Hill No.1 lode 20.081 Acres
		Total Area Gold Hill No.2 lode 20.258 "
		Total Area Gold Hill No.3 lode 20.525
	. R* 01°	Total Area Gold Hill No.4 lode 7.698
l	. Ama	The survey of the several lodes of this claim are
ĺ	4	identical with their respective locations as staked upon
		the ground. The ground of the
		- hadrosen an Location.
l	in Mark	This survey is situated in the S. 2 of Sec. 19 and the
	4	S.W. 4 of Sec. 20 unapproved T.20 N.R.20 W. G.& S.R.B.& M
ŀ		Expenditure of five hundred dollars.
	reas.	I certify that the value of the labor and improvements
	men åt	made upon or for the benefit of each of the locations
		embraced in said mining claim, by the claimant or his
į	do.	grantors is less than five hundred dolars and that said
	0.00	improvements consist of :
	med rons	On the Gold Hill No.1 lode.
	No.1	The discovery shaft which is on the lode line 100 ft.
-		S.86°31'E from the west end center, 4 x 6 ft.8 ft.deep

on a quartz vein in andesite.

1 (4 (4)	value \$30
No.2	A cut the mouth of which is on the lode line 150 ft.
till to	S.86°31'Efrom the west end center, 4 ft.wide llft.face
	running \$030°W18 ft.from face to mouth on a quartz vein.
	. gerale and the Value of the state \$80 00.000
No.3	A cut, the mouth of which bears from the west end center
40	S.76°55'E190 ft. 4 ft.wide 14 ft.face running from m
in educa	mouth to face S.68°R28 ft. At face, a tunnel 4 x 6 ft.
misio.z	runs S.68°E20 ft. to face. At 12 ft.in from mouth of
.Marcio T	tunnel a raise 4 x 6ft.18 ft.high to surface, all in
varia	quartz vein matter. Value of cut, Tunnel and Raise \$500
No.4	'A cut, the mouth of which bears from the west end center
	S.82°50'E558 ft. 5 ft.wide, 8 ft.face.running S.86°W.
	14 ft.from mouth to face. At face a tunnel 4 x 6ft. runs
	g.86°W14 ft. to face, all on a quartz vein in andesite.
	AND AValue of Cut and Tunnel. \$200
No.5	A shaft which bears from the west end center, S.82°50'E
n	488 ft. 4 x 6 ft.,7ft.feep in quartz vein matter.
n .	220.00 loof S.dv Hvalue of BorA fac\$25
No.6	A shaft which bears from the West end center, S.84°10'E.
	705 ft. 5 x 7ft. 7ft.deep in mineralized andesite and
nogar bi	quartz.
	An undivided 1/4 interest in Improvement No.1 on
L .0	Gold Hill No.2 lode, hereinafter described.
en	6ns 21.967 to 1.7.997 ni hetavalues vavous sin \$356.25
被表面。	Gold Hill No.2 lode.
No.1	
	S.70°23'Efrom the west end center, 4 x 7ft. 60 ft.deep
1. 0.5	timbered. From bottom of shaft a cross-cut 4 x 6ft. runs
5 pure	North 30 ft.Both in andesite and vein quartz.
	Value of Shaft and Cross-Cut \$1425
	This shaft being centrally located is a practicable and
140	feasible main working shaft for the group, as by drifting
	therefrom in both directions towards and under the three

other claims of this group, the entire group may be

advantageously developed and ore extracted therefrom.

8

The collar of the shaft is within a few feet of the lowest point of the surface along the lode line of the four claims. The general surface of the claim is rugged. This improvement therefore is a common improvement for the benefit of each claim of this group and a 1/4 undivided interest of the total value of this improvement (\$1425) is properly accredited to each.

An undivided 1/4 interest is assigned to this claim value \$356.25

A shaft which bears from the west end center S.76°50'E. No.2 200 ft. 4.5 ft.x 6ft.,6 ft.deep, on a quartz vein.

- Value A cut, the mouth of which bears from the West end center, No.3 S.77°40'E.-610 ft. 4 ft.wide, 9ft.face, running S.80°E.24ft. from mouth to face. At face of cut a tunnel 4 x 6ft. runs S.80°E.-55 ft.to face. In mineralized andesite and quartz.
- A shaft which bears from the East end center N.69°05'W. No.4 570 ft. 4 x 6ft.10 ft.deep.In mineralized andesite \$50 and quartz. Value .

On the Gold Hill No.3 lode.

- The discovery cut, the face of which is on the lode line No.1 450 ft. N.78°15'W.-from the East end center, 4 ft.wide 10ft.face running S.75°E.-24 ft.from face to mouth. At face of cut a tunnel 4 x 6ft. runs N.75°W.-14 ft. On a Value of cut and tunnel quartz vein in andesite.
- No.2 A cut, the mouth of which bears from the East end center N.80°40'W.-400 ft. 4ft.wide, 15 ft.face running N.75°W. 38 ft.from mouth to face, In quartz vein matter.

Value

ote- The differences better

- A cut. the mouth of which bears from the west end center No.3 S.74°45'E.560 ft.3ft.wide, 13ft.face running S.80°E. 24 ft. from mouth toface, in earth and rock. \$100
- A cut, the face of which bears from Cor. No. 3 S.74°45'E No.4 222 ft.4 ft.wide,8 ft.face, running East 10 ft.from face \$30 Value to mouth.

An undivided 1/4 interest in improvement No.1 Gold Hill

No.2 lode, previously described.

Value \$356.25

On the Gold Hill No.4 lode.

end center S. T. P. D. R.

18 to Lannut & Jus

No.1 The discovery shaft, which is on the lode line 210 ft.

N.78°08'W.-from the East end center, 4 x 6 ft.8 ft.deep

on a quartz vein.

Value \$30

Dinama will am Land

An undivided 1/4 interest in improvement No.1 Gold Hill
No.2 lode, previously described.

Value

\$356.25

Instrument

This survey was made with a C.L.Berger No.2 transit.

The courses were deflected from the true meridian as determined by direct solar observations, The distances were measured with steel tapes.

Report

The lines of this survey and the connections to U.S.L.M. and corner of the public survey were run direct upon the ground,

U.S.L.M.No.l is a 4 x 4in.post in mound of stone, scribed U.S.L.M.No.l

Note- The differences between these field notes and the location certificates with reference to the courses of the boundary, lode and tie lines and the length of the Gold Hill No.3 side and lode lines, are due to errors in

the latter.

..ofleabne hi misv edicte...

A cut, the month of thich bears from the rest end center

1.3004077.-450 ft. Mit. wide, 15 ft. face running N. V50W.

36 ft. rom nouth to lace. In quarts vern mortar.

A cut. the month of which bears from the fost and conter of the fort. The fort. The final running S. 80°10. 2 - 11

from mouth totane. I marth and dook.

: " A dut, the fede of which bears from Cor. 10.8 8.74 945 1

222 ft. 4 ft. wide, 6 ft. fewe, raining Less 10 ft. from fice

MOUTE 1995

FINAL OATHS FOR SURVEYS.

LIST	OF NAMES.	
A list of the names of the individuals employ	ed by Edward L.Haff	
United States Deputy Mineral Surveyor, to assist	t in running, measuring, and markin	g the lines, corners, and
boundaries described in the foregoing field notes of	f the survey of the mining claim of	
George M		
known as the Gold Hill No.1, Gold H:		Gold Hill No.4
and showing the respective capacities in which the	lodes	,
and showing the respective capacities in which the		
· ·	J.S.Osborn	
		, Chainman.
		Axman.
		Flagman.
FINAL OATH	S OF ASSISTANTS	5.
wx, I J.S	.0sborn	
and	, do solemnly swear that we assisted	Edward L.Haff
, United States De		
the boundaries of the mining claim of	George Miller	
known as the Gold HillNo.l,Gold Hi	ll No.2,Gold Hill No.3,0	Gold Hill No.4
represented in the foregoing field notes as having	been surveyed by said deputy minera	l surveyor and under his
direction; and that said survey has been in all re	espects, to the best of our knowledge	and belief, faithfully and
correctly executed, and the corner and boundary	monuments established according to	law and the instructions
furnished by the United States Surveyor-General to	for Arizona	
	J. S. Oshover	7, Chainman.
		, Chainman.
		, Axman.
		Flagman,
Subscribed and sworn to	to by the above-named persons before n	ne this

June 1916 , 1

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Edward L	.Haff	*****	, U. S. Deputy Mineral
Surveyor, do solemnly swear t			
States Surveyor General for	Ariz	ona	, dated
March 20-1916	, , I	have, in strict con	formity to the laws of the
United States, the official regu	lations and i	nstructions thereu	nder, and the instructions
of said Surveyor General, fair	thfully and c	orrectly executed	the survey of the Mining
Claim of	George M	iller	
			, known as the
Gold Hill No.1,	Gold Hill	No.2,Gold Hil	l No.3 Gold Hill No.
Gold Hill No.1, situate in San Fran	cisco	10068.	Mining District,
Mohave 19 and 20 , Township No2	(County, Arizo	ona , in Sections
and designated as Survey No			
in the foregoing field notes, w			
as distinctly marked by monu			
of the location certificate, wh	ich was rece	ived by me from t	he Surveyor General with
said instructions, and that all	the corners o	f said survey have	been established and per-
petuated in strict accordance	with the law	, official regulation	and instructions there-
under; and I do further sole	mnly swear t	hat the foregoing	are the true and original
field notes of said survey an	d my report	therein, and that	the labor expended and
improvements made upon said	mining clai	m by claimant or.	h is grantors
are as therein fully stated, an	d that the c	haracter, extent, lo	ocation and itemized value
thereof are specified therein	with particul	arity and full deta	il, and that no portion of
said labor or improvements so	credited to	this claim has been	n included in the estimate
of expenditures upon any other	er claim.		
		Eleve	U. S. Deputy Mideral Surveyor.
Subscribed and sworn to	by the said.	Edward L.H	laff ,
U. S. Deputy Mineral	Surveyor, be	efore me a Notar	ry Public in and for
Mohave County,	Arizona		this 17th.
day of June	1916		<i>(</i>
		1 mes	Gled DEn
	-		
		スてのナウ	mar Danklin

Elmended Location Certificate

the undersigned citizen	of the United States, over the age of twenty-one years, having complied
	of the laws of the United States and the State of Arizona, relating to mining
	l laws, customs, rules and regulations of San Francisco
	strict, hereby make and file this
	• 1 Lode, claiming by right of discovery, location, primal appropriation
	1463. feet, linear and horizontal measurement, on this vein or
	ck in place, bearing gold, silver and other valuable min-
	ons and angles the same being 100. feet along the
ledge in a N 86° 18'	w. direction from the discovery
	S 86° 18' E direction therefrom, together with 300.
	of the middle of said ledge, and all veins, lodes, ledges, mineral deposits,
	d within the lines of said claim.
	San Francisco Mining District, County of Mohave
	and more particularly described as
follows, to-wit:	described as
	S. W. Cor. Identical with the S. E. Cor. of the
	lode Whence U.S.L.M. No. 1 bears S. 74° 09' 50"
	E. 300. ft. to the West End Center.
Thence N. 8° 30'	E. 300. ft. to the North West Cor.
Thence S. 86° 18	E. 1500. ft. to the North East Cor.
	W. 300. ft. to the East End Center.
Thence S. 8° 30'	W. 300. ft. to the South East Cor.
Thence S. 8° 30' Thence N. 86° 18	W. 300. ft. to the South East Cor. W. 1500. ft. to the place of beginning.
Thence S. 8° 30' Thence N. 86° 18 Variation a	W. 300. ft. to the South East Cor. W. 1500. ft. to the place of beginning. t all corners 14° 40' E.
Thence S. 8° 30' Thence N. 86° 18 Variation a	W. 300. ft. to the South East Cor. W. 1500. ft. to the place of beginning.
Thence S. 8° 30' Thence N. 86° 18 Variation a All corners and	W. 300. ft. to the South East Cor. W. 1500. ft. to the place of beginning. t all corners 14° 40' E.
Thence S. 8° 30' Thence N. 86° 18 Variation a All corners and	W. 300. ft. to the South East Cor. 'W. 1500. ft. to the place of beginning. t all corners 14° 40' E. both end centers are 4" x 4" x 4' posts properly
Thence S. 8° 30' Thence N. 86° 18 Variation a All corners and set and marked.	W. 300. ft. to the South East Cor. 'W. 1500. ft. to the place of beginning. t all corners 14° 40' E. both end centers are 4" x 4" x 4' posts properly
Thence S. 8° 30' Thence N. 86° 18 Variation a All corners and set and marked.	W. 300. ft. to the South East Cor. 'W. 1500. ft. to the place of beginning. t all corners 14° 40' E. both end centers are 4" x 4" x 4' posts properly
Thence S. 8° 30' Thence N. 86° 18 Variation a All corners and set and marked.	W. 300. ft. to the South East Cor. 'W. 1500. ft. to the place of beginning. t all corners 14° 40' E. both end centers are 4" x 4" x 4' posts properly
Thence S. 8° 30' Thence N. 86° 18 Variation a All corners and set and marked.	W. 300. ft. to the South East Cor. 'W. 1500. ft. to the place of beginning. t all corners 14° 40' E. both end centers are 4" x 4" x 4' posts properly
Thence S. 8° 30' Thence N. 86° 18 Variation a All corners and set and marked.	W. 300. ft. to the South East Cor. 'W. 1500. ft. to the place of beginning. t all corners 14° 40' E. both end centers are 4" x 4" x 4' posts properly
Thence S. 8° 30' Thence N. 86° 18 Variation a All corners and set and marked. THIS AMENDE	W. 300. ft. to the South East Cor. W. 1500. ft. to the place of beginning. t all corners 14° 40' E. both end centers are 4" x 4" x 4' posts properly D LOCATION is made in conformity with the original location, made
Thence S. 8° 30' Thence N. 86° 18 Variation a All corners and set and marked. THIS AMENDE ge Miller Feb. 11	W. 300, ft. to the South East Cor. W. 1500, ft. to the place of beginning. t all corners 14° 40' E. both end centers are 4" x 4" x 4' posts properly D LOCATION is made in conformity with the original location, made 1911, recorded May 19th 1911, in Book G.G.,
Thence S. 8° 30' Thence N. 86° 18 Variation a All corners and set and marked. THIS AMENDE ge Miller Feb. 11 Page 426 , of Quart	W. 300. ft. to the South East Cor. 'W. 1500. ft. to the place of beginning. t all corners 14° 40' E. both end centers are 4" x 4" x 4' posts properly D LOCATION is made in conformity with the original location, made 1911., recorded May 19th 1911, in Book G.G., tz Locations, in the office of the Recorder of said County, and it is made for
Thence S. 8° 30' Thence N. 86° 18 Variation a All corners and set and marked. THIS AMENDE ge Miller Feb. 11 Page 426 , of Quart the purpose of appropriati	W. 300. ft. to the South East Cor. W. 1500. ft. to the place of beginning. t all corners 14° 40' E. both end centers are 4" x 4" x 4' posts properly D LOCATION is made in conformity with the original location, made 1911., recorded May 19th 1911, in Book G.G., tz Locations, in the office of the Recorder of said County, and it is made for ng all ground within the boundaries hereinbefore described, and of more
Thence S. 8° 30' Thence N. 86° 18 Variation a All corners and set and marked. THIS AMENDE ge Miller Feb. 11 Page 426 , of Quart the purpose of appropriati definitely describing the si	W. 300. ft. to the South East Cor. W. 1500. ft. to the place of beginning. t all corners 14° 40' E. both end centers are 4" x 4" x 4' posts properly D LOCATION is made in conformity with the original location, made 1911., recorded May 19th 1911., in Book G.G., tz Locations, in the office of the Recorder of said County, and it is made for ng all ground within the boundaries hereinbefore described, and of more ituation and boundaries of said lode, correcting any irregularities, informali-
Thence S. 8° 30' Thence N. 86° 18 Variation a All corners and set and marked. THIS AMENDE ge Miller Feb. 11 Page 426 , of Quart the purpose of appropriati definitely describing the si ties or errors, supplying or	W. 300, ft. to the South East Cor. 'W. 1500. ft. to the place of beginning. t all corners 14° 40' E. both end centers are 4" x 4" x 4' posts properly D LOCATION is made in conformity with the original location, made 1911., recorded May 19th 1911, in Book G.G., tz Locations, in the office of the Recorder of said County, and it is made for ng all ground within the boundaries hereinbefore described, and of more tuation and boundaries of said lode, correcting any irregularities, informalimissions and correcting any defects which may have existed in the original
Thence S. 8° 30' Thence N. 86° 18 Variation a All corners and set and marked. THIS AMENDE ge Miller Feb. 11 Page 426 , of Quart the purpose of appropriati definitely describing the sities or errors, supplying or location, or the record the	W. 300. ft. to the South East Cor. 'W. 1500. ft. to the place of beginning. t all corners 14° 40° E. both end centers are 4" x 4" x 4' posts properly D LOCATION is made in conformity with the original location, made 1911., recorded May 19th 1911, in Book G.G., tz Locations, in the office of the Recorder of said County, and it is made for ng all ground within the boundaries hereinbefore described, and of more stuation and boundaries of said lode, correcting any irregularities, informalimissions and correcting any defects which may have existed in the original reof, hereby waiving no rights acquired under and by virtue of said original
Thence S. 8° 30' Thence N. 86° 18 Variation a All corners and set and marked. THIS AMENDE Re Miller Feb. 11 Page 426 , of Quart the purpose of appropriati definitely describing the si ties or errors, supplying or location, or the record the location. And if the orig	W. 300. ft. to the South East Cor. 'W. 1500. ft. to the place of beginning. t all corners 14° 40' E. both end centers are 4" x 4" x 4' posts properly D LOCATION is made in conformity with the original location, made 1911., recorded May 19th 1911, in Book G.G., tz Locations, in the office of the Recorder of said County, and it is made for ng all ground within the boundaries hereinbefore described, and of more tuation and boundaries of said lode, correcting any irregularities, informalimissions and correcting any defects which may have existed in the original reof, hereby waiving no rights acquired under and by virtue of said original inal location or the certificate thereof is void, then this location shall be
Thence S. 8° 30' Thence N. 86° 18 Variation a All corners and set and marked. THIS AMENDE ge Miller Feb. 11 Page 426 , of Quart the purpose of appropriati definitely describing the si ties or errors, supplying or location, or the record the location. And if the orig an original location and the	W. 300, ft. to the South East Cor. W. 1500. ft. to the place of beginning. t all corners 14° 40° E. both end centers are 4" x 4" x 4° posts properly D LOCATION is made in conformity with the original location, made 1911., recorded May 19th 1911, in Book G.G., tz Locations, in the office of the Recorder of said County, and it is made for ng all ground within the boundaries hereinbefore described, and of more tuation and boundaries of said lode, correcting any irregularities, informalimissions and correcting any defects which may have existed in the original reof, hereby waiving no rights acquired under and by virtue of said original inal location or the certificate thereof is void, then this location shall be as certificate an original certificate.
Thence S. 8° 30' Thence N. 86° 18 Variation a All corners and set and marked. THIS AMENDE ge Miller Feb. 11 Page 426 , of Quart the purpose of appropriati definitely describing the si ties or errors, supplying or location, or the record the location. And if the orig an original location and the Date of Original	W. 300, ft. to the South East Cor. 'W. 1500. ft. to the place of beginning. t all corners 14° 40' E. both end centers are 4" x 4" x 4' posts properly D LOCATION is made in conformity with the original location, made 1911., recorded May 19th 1911, in Book G.G., tz Locations, in the office of the Recorder of said County, and it is made for ng all ground within the boundaries hereinbefore described, and of more ituation and boundaries of said lode, correcting any irregularities, informalimissions and correcting any defects which may have existed in the original reof, hereby waiving no rights acquired under and by virtue of said original inal location or the certificate thereof is void, then this location shall be its certificate an original certificate. Discovery February 11th A. D. 1.911
Thence S. 8° 30! Thence N. 86° 18 Variation a All corners and set and marked. THIS AMENDE ge Miller Feb. 11: Page. 426 , of Quart the purpose of appropriati definitely describing the si ties or errors, supplying or location, or the record the location. And if the orig an original location and the Date of Original Date of Amended	W. 300. ft. to the South East Cor. W. 1500. ft. to the place of beginning. t all corners 14° 40° E. both end centers are 4" x 4" x 4° posts properly D LOCATION is made in conformity with the original location, made 1911., recorded May 19th 1.911., in Book G.G., tz Locations, in the office of the Recorder of said County, and it is made for ng all ground within the boundaries hereinbefore described, and of more truation and boundaries of said lode, correcting any irregularities, informalimissions and correcting any defects which may have existed in the original reof, hereby waiving no rights acquired under and by virtue of said original inal location or the certificate thereof is void, then this location shall be his certificate an original certificate. Discovery February 11th A. D. 1.911. Location February 1st A. D. 19.16
Thence S. 8° 30! Thence N. 86° 18 Variation a All corners and set and marked. THIS AMENDE ge Miller Feb. 11 Page 426 , of Quart the purpose of appropriati definitely describing the si ties or errors, supplying or location, or the record the location. And if the orig an original location and the Date of Original	W. 300. ft. to the South East Cor. 'W. 1500. ft. to the place of beginning. t all corners 14° 40' E. both end centers are 4" x 4" x 4' posts properly D LOCATION is made in conformity with the original location, made 1911., recorded May 19th 1911, in Book G.G., tz Locations, in the office of the Recorder of said County, and it is made for ng all ground within the boundaries hereinbefore described, and of more tuation and boundaries of said lode, correcting any irregularities, informalimissions and correcting any defects which may have existed in the original reof, hereby waiving no rights acquired under and by virtue of said original inal location or the certificate thereof is void, then this location shall be nis certificate an original certificate. Discovery February 11th A. D. 1.911

Elmended Location Certificate

MAR 18 1576

-	tates, over the age of twenty-one years, having complied ne United States and the State of Arizona, relating to mining rules and regulations of San Francisco
the Gold Hill No. 2 Lode, claim and possession 1500 . lode of quartz, or other rock in place, bearingerals, with all dips, variations and angles t	te and file this amended location of ming by right of discovery, location, primal appropriation feet, linear and horizontal measurement, on this vein or ang gold , silver and other valuable minhe same being 435. feet along the from the discovery half and 1065.
	direction therefrom, together with 300.
feet in width on each side of the middle of mineral and surface ground within the lines	said ledge, and all veins, lodes, ledges, mineral deposits, of said claim.
***	Mining District, County of Mohave
State of Arizona,	and more particularly described as
	Identical with the South East Cor. of
	nence U.S.L.M. No. 1 bears S. 19° 22'
50" W. 1070.58 ft.	
Thence N. 8° 30' E 300.	ft. to the West End Center.
Thence N. 8° 30' E. 300. ft	to the North West Cor.
Thence S. 70° 10' E. 1500.	ft. to the North East Cor.
Thomas C OD TO! W TOO PL	to the Wood Find Conten
	to the East End Center.
	to the South East Cor.
Thence S. 8° 30' W. 300. ft.	
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con	. to the South East Cor.
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con Thence N. 70° 10' W. 1500.	to the South East Cor.
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con Thence N. 70° 10' W. 1500. ft. Variation at all corner	to the South East Cor. r. of the Gold Hill No. 1 lode. ft. to the place of beginning.
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con Thence N. 70° 10' W. 1500. ft Variation at all corner All corners and both end cen	to the South East Cor. r. of the Gold Hill No. 1 lode. ft. to the place of beginning. rs 14° 40' E.
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con Thence N. 70° 10' W. 1500. ft. Variation at all corner All corners and both end cen set and marked.	to the South East Cor. r. of the Gold Hill No. 1 lode. ft. to the place of beginning. rs 14° 40' E. hters are 4" x 4" x 4' posts property
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con Thence N. 70° 10' W. 1500. i Variation at all corner All corners and both end cen set and marked.	to the South East Cor. r. of the Gold Hill No. 1 lode. ft. to the place of beginning. rs 14° 40' E. nters are 4" x 4" x 4' posts property
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con Thence N. 70° 10' W. 1500. ft Variation at all corner All corners and both end cen set and marked.	to the South East Cor. r. of the Gold Hill No. 1 lode. ft. to the place of beginning. rs 14° 40' E. hters are 4" x 4" x 4' posts property
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con Thence N. 70° 10' W. 1500. ft Variation at all corner All corners and both end cen set and marked.	to the South East Cor. r. of the Gold Hill No. 1 lode. ft. to the place of beginning. rs 14° 40' E. hters are 4" x 4" x 4' posts property
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con Thence N. 70° 10' W. 1500. ft Variation at all corner All corners and both end cen set and marked. THIS AMENDED LOCATION	to the South East Cor. r. of the Gold Hill No. 1 lode. ft. to the place of beginning. rs 14° 40' E. nters are 4" x 4" x 4' posts property is made in conformity with the original location, made
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con Thence N. 70° 10' W. 1500. ft. Variation at all corner All corners and both end cen set and marked. THIS AMENDED LOCATION Forge Miller May 16-1911 record	to the South East Cor. r. of the Gold Hill No. 1 lode. ft. to the place of beginning. rs 14° 40' E. nters are 4" x 4" x 4' posts property is made in conformity with the original location, made ed May 19th 1911, in Book G.G.,
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con Thence N. 70° 10' W. 1500. f Variation at all corner All corners and both end cen set and marked. THIS AMENDED LOCATION Forge Miller May 16-1911 record Page 427., of Quartz Locations, in the	to the South East Cor. r. of the Gold Hill No. 1 lode. ft. to the place of beginning. rs 14° 40° E. nters are 4" x 4" x 4° posts property is made in conformity with the original location, made ed May 19th 1911, in Book G.G., he office of the Recorder of said County, and it is made for
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con Thence N. 70° 10' W. 1500. ft. Variation at all corner All corners and both end cen set and marked. THIS AMENDED LOCATION Forge Miller May 16-1911 record Page 427 , of Quartz Locations, in the purpose of appropriating all ground with	to the South East Cor. r. of the Gold Hill No. 1 lode. ft. to the place of beginning. rs 14° 40' E. nters are 4" x 4" x 4' posts property is made in conformity with the original location, made ed. May 19th
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con Thence N. 70° 10' W. 1500. ft. Variation at all corner All corners and both end cen set and marked. THIS AMENDED LOCATION Porge Miller May 16-1911 record Page 427, of Quartz Locations, in the purpose of appropriating all ground widefinitely describing the situation and bound	to the South East Cor. r. of the Gold Hill No. 1 lode. ft. to the place of beginning. rs 14° 40° E. nters are 4" x 4" x 4° posts property is made in conformity with the original location, made ed May 19th 1911, in Book G.G., he office of the Recorder of said County, and it is made for
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con Thence N. 70° 10' W. 1500. ft. Variation at all corner All corners and both end cen set and marked. THIS AMENDED LOCATION Forge Miller May 16-1911 record Page 427, of Quartz Locations, in the purpose of appropriating all ground with the purpose of appropriating all groun	to the South East Cor. r. of the Gold Hill No. 1 lode. It. to the place of beginning. rs 14° 40' E. Iters are 4" x 4" x 4' posts property is made in conformity with the original location, made ed. May 19th
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con Thence N. 70° 10' W. 1500. ft. Variation at all corner All corners and both end cen set and marked. THIS AMENDED LOCATION Porge Miller May 16-1911 record Page 427. for Quartz Locations, in the purpose of appropriating all ground widefinitely describing the situation and bounties or errors, supplying omissions and corr location, or the record thereof, hereby waits	to the South East Cor. r. of the Gold Hill No. 1 lode. ft. to the place of beginning. rs 14° 40' E. ters are 4" x 4" x 4' posts property is made in conformity with the original location, made ed. May 19th 1911, in Book G.G., the office of the Recorder of said County, and it is made for thin the boundaries hereinbefore described, and of more edaries of said lode, correcting any irregularities, informalisecting any defects which may have existed in the original
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con Thence N. 70° 10' W. 1500. ft. Variation at all corner All corners and both end cen set and marked. THIS AMENDED LOCATION Porge Miller May 16-1911 record Page 427, of Quartz Locations, in the purpose of appropriating all ground widefinitely describing the situation and bounties or errors, supplying omissions and corn location, or the record thereof, hereby wait location. And if the original location or the original location and this certificate and corn original location and this certificate and corners are original location and this certificate and corners are original location and this certificate and corners are original location and this certificate are considered.	is made in conformity with the original location, made ed May 19th 1911, in Book G.G., the office of the Recorder of said County, and it is made for thin the boundaries hereinbefore described, and of more daries of said lode, correcting any irregularities, informalizating no rights acquired under and by virtue of said original the certificate thereof is void, then this location shall be original certificate.
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con Thence N. 70° 10' W. 1500. Variation at all corner All corners and both end cen set and marked. THIS AMENDED LOCATION Porge Miller May 16-1911 record Page 427, of Quartz Locations, in the purpose of appropriating all ground with definitely describing the situation and bounties or errors, supplying omissions and correlocation, or the record thereof, hereby waits location. And if the original location or the an original location and this certificate and the purpose of Original Discovery	is made in conformity with the original location, made ed May 19th 1.911, in Book G.G., the office of the Recorder of said County, and it is made for thin the boundaries hereinbefore described, and of more idaries of said lode, correcting any irregularities, informalisecting any defects which may have existed in the original wing no rights acquired under and by virtue of said original the certificate thereof is void, then this location shall be original certificate. May 16- A. D. 1911
Thence S. 8° 30' W. 300. ft. Identical with the S. W. Con Thence N. 70° 10' W. 1500. Variation at all corner All corners and both end cen set and marked. THIS AMENDED LOCATION Porge Miller May 16-1911 record Page 427, of Quartz Locations, in the purpose of appropriating all ground with definitely describing the situation and bounties or errors, supplying omissions and correlocation, or the record thereof, hereby waits location. And if the original location or the an original location and this certificate and the purpose of Original Discovery	is made in conformity with the original location, made ed May 19th 1911, in Book G.G., the office of the Recorder of said County, and it is made for thin the boundaries hereinbefore described, and of more daries of said lode, correcting any irregularities, informalizating any defects which may have existed in the original the certificate thereof is void, then this location shall be original certificate.

March 7th, 1916, in Book I.I. of Mining Claims, page 719,
Records of Mohave County, Arizona.

J. W. Morgan, County Recorder.

1-13—1m

No. 340—AMENDED LOCATION CERTIFICATE—The McNeil Company's Red-Line Blanks—Phoenix, Arizona.

Amended Location Certificate

with all the requirements of the laws of	d States, over the age of twenty-one years, having complied f the United States and the State of Arizona, relating to mining as, rules and regulations of San Francisco
nd possession	nake and file this amended location of claiming by right of discovery, location, primal appropriation feet, linear and horizontal measurement, on this vein or earing gold, silver and other valuable mins the same being 450.
	on from the discovery state and 1050.
	W. direction therefrom, together with 300.
	of said ledge, and all veins, lodes, ledges, mineral deposits,
nineral and surface ground within the li	
	Mining District, County of Mohave and more particularly described as
oilows, to-wit:	and more particularly described as
	st Cor. Whence U.S.L.M. No. 1 bears S 90
	,,
	. ft. to the South West Cor.
	ft. to the West End Center.
	ft. to the North West Cor.
	. ft. to the North East Cor.
	West Cor. of the Gold Hill No. 4 lode.
Identical with the North	
Identical with the North Thence S. 8° 30' W. 300.	ft. to the East End Center.
Identical with the North Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300.	West Cor. of the Gold Hill No. 4 lode. ft. to the East End Center. ft. to the place of beginning.
Identical with the North Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor	ft. to the East End Center. ft. to the place of beginning. ners 14° 40° E.
Identical with the North Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor All corners and both end	ft. to the East End Center. ft. to the place of beginning. ners 14° 40' E. centers are 4" x 4" x 4' posts properly
Identical with the North Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor All corners and both end	ft. to the East End Center. ft. to the place of beginning.
Identical with the North Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor All corners and both end set and marked.	ft. to the East End Center. ft. to the place of beginning. ners 14° 40' E. centers are 4" x 4" x 4' posts properly
Identical with the North Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor All corners and both end set and marked.	ft. to the East End Center. ft. to the place of beginning. ners 14° 40' E. centers are 4" x 4" x 4' posts properly
Identical with the North Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor All corners and both end set and marked.	ft. to the East End Center. ft. to the place of beginning. ners 14° 40' E. centers are 4" x 4" x 4' posts properly
Identical with the North Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor All corners and both end set and marked.	ft. to the East End Center. ft. to the place of beginning. ners 14° 40' E. centers are 4" x 4" x 4' posts properly
Identical with the North Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor All corners and both end set and marked.	ft. to the East End Center. ft. to the place of beginning. ners 14° 40' E. centers are 4" x 4" x 4' posts properly
Identical with the North Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor All corners and both end set and marked. THIS AMENDED LOCATIO	ft. to the Place of beginning. ners 14° 40' E. centers are 4" x 4" x 4' posts properly N is made in conformity with the original location, made
Identical with the North Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor All corners and both end set and marked. THIS AMENDED LOCATION THE May 16th 1911, received age. 428 , of Quartz Locations, in	ft. to the place of beginning. ners 14° 40' E. centers are 4" x 4" x 4' posts properly N is made in conformity with the original location, made orded
Identical with the North Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor All corners and both end set and marked. THIS AMENDED LOCATIOns The May 16th 1911, received a purpose of appropriating all ground	ft. to the place of beginning. ners 14° 40' E. centers are 4" x 4" x 4' posts properly N is made in conformity with the original location, made orded
Identical with the North Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor All corners and both end set and marked. THIS AMENDED LOCATIOn rge Miller May 16th 1911, received age. 428, of Quartz Locations, in the purpose of appropriating all ground efinitely describing the situation and be	ft. to the place of beginning. ners 14° 40° E. centers are 4° × 4° × 4° posts properly N is made in conformity with the original location, made orded
Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor All corners and both end set and marked. THIS AMENDED LOCATIO rge Miller May 16th 1911, rece age. 428, of Quartz Locations, if the purpose of appropriating all ground efinitely describing the situation and both ites or errors, supplying omissions and constants.	ft. to the place of beginning. ners 14° 40' E. centers are 4" x 4" x 4' posts properly N is made in conformity with the original location, made orded
Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor. All corners and both end set and marked. THIS AMENDED LOCATIOns rge Miller May 16th 1911, recorded and the set of appropriating all ground definitely describing the situation and because of the record thereof, hereby we becation, or the record thereof, hereby we	ft. to the place of beginning. There is 14° 40° E. Centers are 4° x 4° x 4° posts properly ON is made in conformity with the original location, made orded May 19th 1 911, in Book G.G., in the office of the Recorder of said County, and it is made for within the boundaries hereinbefore described, and of more oundaries of said lode, correcting any irregularities, informality correcting any defects which may have existed in the original variving no rights acquired under and by virtue of said original variving no rights acquired under and by virtue of said original variance.
Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor All corners and both end set and marked. THIS AMENDED LOCATIO The purpose of appropriating all ground efinitely describing the situation and be described as or errors, supplying omissions and contains, or the record thereof, hereby we pocation. And if the original location of the cordinal locati	ft. to the place of beginning. ners 14° 40° E. centers are 4° × 4° × 4° posts properly N is made in conformity with the original location, made orded
Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor. All corners and both end set and marked. THIS AMENDED LOCATIOns and both end set and marked. The purpose of appropriating all ground efinitely describing the situation and both end set or errors, supplying omissions and endeation, or the record thereof, hereby we possion. And if the original location on original location and this certificate as	ft. to the place of beginning. ners 14° 40° E. centers are 4" x 4" x 4° posts properly N is made in conformity with the original location, made orded
Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor All corners and both end set and marked. THIS AMENDED LOCATIO rge Miller May 16th 1911, recorded and the purpose of appropriating all ground efinitely describing the situation and becation, or the record thereof, hereby we coation. And if the original location on original location and this certificate a Date of Original Discovery.	ft. to the place of beginning. ners 14° 40' E. centers are 4" x 4" x 4' posts properly N is made in conformity with the original location, made orded
Thence S. 8° 30' W. 300. Thence S. 8° 30' W. 300. Variation at all Cor All corners and both end set and marked. THIS AMENDED LOCATIO rge Miller May 16th 1911, recorded and the purpose of appropriating all ground efinitely describing the situation and becation, or the record thereof, hereby we coation. And if the original location on original location and this certificate a Date of Original Discovery.	ft. to the place of beginning. ners 14° 40° E. centers are 4" x 4" x 4' posts properly N is made in conformity with the original location, made orded

Ave County, Arizona.

J. W. Morgan, County Recorder.

No. 340—AMENDED LOCATION CERTIFICATE—The McNeil Company's Roc-Line Blanks—Phoenix, Arizone.

Motice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Gold Hill No. 4.
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase
by George Miller
a citizen of the United States.
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 8th day of February , 191.6
The length of this claim is 560.
and claim 210. feet,
in a S. 77° 55' E. direction and 350.
feet in a N. 77° 55! W. direction from
the face of the discovery share, at which this notice is posted, lengthwise of the claim, together with
feet in width of the surface grounds, on each side
of the center of said claim. The general course of the lode deposit and premises is from the
West to the East
The claim is situated and located in the San Francisco Mining District, in
Mohave County in the State of Arizona, about-
-direction-from - From the south East corner
The surface boundaries of the claim are marked upon the ground as follows: Beginning at the East End Center, a 4" x 4" post,
at a point in a S. 77° 55' E. direction 210. feet from
the discovery chart (at which this notice is posted), being in the center of the East.
end line of said claim; thence S 8° 30' W. 300. feet to a 4" x 4" x 41
post, being the South East corner of said claim; thence
N 77° 55' W. 560. feet to a 4" x 4" x 4' post, being at the
South West corner of said claim; thence N. 8° 30' E. 300 feet
to a 4 x 4 post at the center of the West end of said claim;
thence N 8° 30' E - 300 feet to a 4" x 4" x 4' post being at the
North West corner of said claim; thence S. 77° 50' E. 560. feet
to a 4" x 4" x 4' post at the North East corner of said claim;
thence S 8° 30' W - 300 feet to the place of beginning.
Dated and posted on the grounds this8thday ofFebruary
George Miller
Filed and Recorded at request of George Miller March 7th A. D.

RECORDER'S CERTIFICATE.

STATE OF ARIZONA,) :-ss.
County of Mohave.)

I, J. W. Morgan, Recorder of Mohave County, State of Arizona, do hereby certify that I have compared the foregoing copies of amended location certificates of the GOLD HILL NO. 1, GOLD HILL NO. 2 and GOLD HILL NO. 3 lode mining claims, and of original notice of location of the GOLD HILL NO. 4 lode mining claim, all of said lode mining claims situated in the San Francisco mining district, County of Mohave, State of Arizona, and of the endorsement thereon with the original records thereof on file in this office and that the same are correct transcripts therefrom and of the whole of said original records.

IN WITNESS WHEREOF, I have hereunto set my hand and official seal, this 8th day of March, A. D. 1916.

Recorder of Mohave County, Arizona.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,	
October 2 , 1916.	
I, U. S. Surveyor-General for	
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey	
of the mining claim of	
George Miller	
known as the Gold Hill No.1, Gold Hill No.2, Gold Hill No.3, Gold Hill I situate in San Francisco	1 0
Mining District, Mohave County, Arizona	
in Section 8 19 & 20, Township No. 20 N, Range No. 20 W., Unapp'd., and	
designated as Survey No, has been correctly copied from the originals on file in	
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if	
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein	
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.	
And I further certify that five hundred dollars' worth of labor has been expended or improve-	
ments made upon said mining claim by claimant. or his grantors, and that said improvements	
eonsist of or for each the Gold Hill No.1, Gold Hill No.2, Gold Hill	
10.3 lodes, and that less than five hundred dollars' worth of	
labor has been expended or improvements made upon or for the Gold	
Hill No.4 lode, at time of survey, by claimant or his grantors,	
and that said improvements consist of 7 shafts, 8 cuts, 4 tunnels,	
l raise and l crosscut, total value \$3825. Improvement No.1 on the Gold Hill No.2 lode being a common improvement for the benefit and development of all the claims in this group, an undivided one-fourth interest therein, value \$356, is properly credited to each of the four claims in this survey.	
and that no portion of said labor or improvements has been included in the estimate of expenditures	
upon any other claim.	
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix.	
Ari zona is correct and in conformity with the foregoing Field Notes.	
Frank P. Trett,	
United States Surveyor-General forArizona.	

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
October 2 , 19 16.
I, U. S. Surveyor-General for District of Arizona.
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of
George Miller
, known as the
Gold Hill No.1, Gold Hill No.2, Gold Hill No.3, Gold Hill No.4 lodes.
situate in mining district,
Mohave County, Arizone.
in Section s 19 and 20 , Township No. 20 N , Range No. 20 W., unapp'd.
, designated as Survey No. 3280
executed by Edward L. Haff,, U. S. Deputy Mineral
Surveyor, April 1-June 1, , 1916, under my instructions dated
March 20 , 19 16, have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.
Hand O Freth

U. S. Surveyor-General for Arizona.

Certificate of U. S. Surveyor General

AS TO

Expenditures Reported after Return of Survey of Mining Claim.

I, U.S. Surveyor Ge	neral for District of Arizona,
	e Hundred Dollars' worth of labor has been expended or
	or for each of aimant or his grantors, upon the mining claims of
	George Miller
	No.1, Gold Hill No.2, Gold Hill No.3, Gold Hill No
situate in	San Francisco mining district,
Moha ve	County, Arizona
in Sections 19 & 20, To	ownship No. 20 N , Range No. 20 W., Unapproved,
that said improvements ee	nsist-of in addition to those which were re-
ported at time of su	rvey, consist of 42 ft. in shaft No.1 on
the Gold Hill No.4	ode, additional value \$720.00
	and that no portion of said labor or improvements has been
	expenditures upon any other claim. A copy of the report of
	f, U. S. Deputy Mineral Surveyor, dated
February 16	, 1 916, is hereto attached.
	Home Dotroth
	U. S. Surveyor General for Arizona.
Office of U.S. Surveyor Gen	eral,
Phoenix, Ariz	ona,
February	19, 1917.

SURVEY NO. 3280

SUPPLEMENTAL AFFIDAVIT

OF

FIVE HUNDRED DOLLARS EXPENDITURE

Upon the Mining Claim of

GEORGE MILLER

Known as the

Gold Hill No. 1, Gold Hill No. 2, Gold Hill No. 3 and Gold Hill No. 4 lodes.

San Francisco Mining District,
Mohave County, Arizona.

BY Edward L. Haff
U. S. Mineral Surveyor.

21

SUPPLEMENTAL REPORT OF IMPROVEMENTS.

I certify that the value of the labor performed, and improvements made upon, or for the benefit of the claims embraced in Mineral Survey No. 3280 by the claimant or his grantors, is not less than Five Hundred Dollars for each lode claim, and that said improvements, in addition to those which were reported at the time of making the survey, consist of: On the Gold Hill No. 4

No. 1

The discovery shaft, which is on the lode line 210 ft. N. 78° 08' W. from the East End Center 4 x 6 ft. 50 ft. deep on a quartz vein.

Timbered 30 ft.

Value

\$ 750.000

Dated, February 15, 1917.

U. S. Mineral Surveyor.

I, Edward L. Haff, U. S. Mineral Surveyor for the District of Arizona, being first duly sworn, depose and say that the above supplemental report is true and correct and that the improvement mentioned therein was made and completed prior to the date of the expiration of the publication of the Notice of Application for Patent to the lands embraced within Mineral Survey No. 3280.

U. S. Mineral Surveyor.

State of Arizona) County of Mohave) SS

Subscribed and sworn to by said Edward L.

Haff, before me, a Notary Public in and for the County

of Mohave, State of Arizona, this 16th day of February,

A. D. 1917

MY COMMISSION EXPIRES DEC 3 0 1920