4---683.

Mineral Survey No. 3287

FIELD NOTES

Section 20 Township / 2/2/2. Range / W durning Surveyed under instructions dated April / 4 , 19/4

By William Holland Surveyor

Claim located April / 9 , 19/4

Survey commenced April / 9 , 19/4

Survey completed April / 9 , 19/4

Address of Claimast;

John J. Hawkins, Atty,

Oricott, Arigon.

Survey No. 3287 First North Extesion of the Capitol lode. Beginning at Cor. No. 1 the East cor. identical with the loc. A Granite stone 6X6X24 ins. set 12 ins. in the ground with mound of stones, chiseled I-1-F-N-E-C-3287 Whence: S.E. Cor. of sec. 32 T. 13 N.R. 1 W. brs. N 49252 E 3638.7 ft. An Oak tree 10 ins. diam, scribed X-B-T-1-F.N.E.C. 3287 brs. S 50:30'E 5 ft Cor. No.2 sur. No.2360 Mid Night Snap lode brs. S 60:10'W 681.29 ft. No other bearings available. Loc.cor.mound of stones 3X3 ft.

Feet

L. St.

499

Thence S 52230'W Va. 149E

- 666.03 Intersect line 2-3- Sur. No. 2360 Mid Night Snap lode at S 43:12'E 91.33 ft.from cor. No. 2
- 671.58 Intersect line 1-2 sur. No. 1175 Eureka lode at S 46006'E 115.52 ft.from cor.No.1
- 1487.73 To Cor. No.2.

Identical with the loc. and with cor. No. 1 Sur. No. 1359 Capitol lode.

A granite stone 4X16X16" above the ground with mound of stones chiseled 1-C-1359, I chiseled it 2-F.N.E.C. 3287 on the side facing this claim. Whence:

An Oak tree 20 ins. diam. scribed X-E-T.2-F.N.E.C. 3287 brs. N 65:30 W 32.6 ft.

An Oak tree 6 ins.diam scribed X-B-T-2-F.N.E.O.3287 brs. S 29905 W 6.ft.

Cor. No.1 Sur. 1173 Eureka lode brs. N44922'E 807 ft.

Thence N 50930 W Va. 149E

- Intersect line 1-4 sur. No. 1173 Eureka lode at S 49:31'20' W 73.64 816.55 ft.from cor.No.1
- W.C.E. Identical with the loc.a mound of stones 3X3 ft. 319
- To Cor. No. 3 Identical with the loc.and with cor.4 sur.No.1359 Capitol lode.

A granite stone 6 X481X 12 ins.above the ground chiseled 4.0.1359 I chiseled it on the side facing this lode 3XF.N.E.C 3287 No bearings available.Loc.cor.mound of stones 3X3 ft.

Thence N 48:50 E Va. 14:E

Feet. 230 To Cor. No.4.

Identical with the loc: and with cor. No. 1 Link and 2 Fortune lodes sur. No. 1354.

· A granite stone 4 X 14 X 18 ins. above the ground with mound of stones chiseled 1-L.2-F-1354 I chiseled it 4-F.N.E.C 3287 on the side facing this claim. No bearings available. Loc. cor. mound of stones 5X3 ft.

Thence N 55911'E Va. 149E

1000 cross wash 6 ft.wide course S 89:30'E

To Cor. No. 5. 1270

Identical with the loc.

A granite stone 3X6X24 ins. set 12 ins. in the ground with mound of stones chiseled X-5-F: N.E.C. 3287. Whence:-

Cor.No.1 Sur.No.1354 Fortune lode brs. 'N 55911'E 205'ft. No bearings available. Loc. cor. mound of stones 3X3 ft.

Thence S 50930'E Va.149E

Cross wash 6 ft.wide course S 89230 E 250

E.C.E. Identical with the loc.a mound of stones 3X3 ft. 280.

364.63 Intersect line 1-2 sur. No. 2360 Mid Night Snap lode at N 52,55'E 655.23 ft.from Cor.No.2

To Cor. No. 1 the place of beginning. 453.

> Area. Total area

Area in conflict with sur. 1173 Eureka lode 1.749

" 2360 Mid Night Snap lode 1.341

tel agail recentate Picky

ringila 28 8 de apoi sa lode bine.

As near as can betermined from present developments the vein of this location extends as follows: 1498.6 ft S 54013 W from the E.C.E. to W.C.E.

Location. This cliem is located in sec. 20T. 127N.R. 1 W. unsurveyed, Walker Mining District Yavapai County Arizona. Within the Prescott National Forest.

Adjoining Claims.

This claim is bounded on the North by Grubstake lode unsurveyed W.S.Comer, claimant, on the East by Sur. No. 2360 Mid Night Snap lode and sur. No. 1173 Eureka lode, on the South by Sur. No. 1359 Capitol lode, and on the West by sur. No. 1354 Link and Fortune lodes.

Survey No. 3287 continued.

EXPENDITURE OF FIVE HUNDRED DOLLARS, I certify that the value of the labor and improvements made upon this claim by the claimant and his grantors is not less than five hundred dollars, and said improvements consist No.1 dis.tunnel which is on the lode line 676 ft.fbom the E.C.End 5X6X20 ft.course S 54.W value No.2 shaft which brs.from cor.No.3 S 81910'E223 ft 400.00 4X6 X 50 ft. value 3 tunnel which brs.from cor.No.3 S 85940'E 214 ft. 4X6X 40 ft.course S80°E value 200.00 4 shaft which brs.from cor.No.4 N 74830'E 495 ft. 5 shaft which brs.from cor, No. 4 N 60:30'E 427 ft. \$250.00 4X6X50 ft. value 6 tunnel which brs.from cor.No.4 N 56945'E 489 ft. 150.00 4X6X 30 ft.course S 22°W value 7 tunnel which brs.from the E.C. End S 61:15 W 195 ft 150.00 Total value of the improvements..... \$1280.00

INSTRUMENT

This survey was made with a Gurley Solar Transit, The courses were deflected from the meridian as determined by direct Solar observations. The distances were measured with 100-ft. and five hundred ft. steel tapes.

REPORT.

The lode line of this claim was run direct upon the ground and the corners were established by means of offsets from the lode line. The tie was run direct upon the ground.

- Cor.No.1 sur.No.1354 Fortune lode is a granite stone 8X 10X 12 ins.above the ground chiseled 1-F-1354
- Sur. No.2360 Mid Night Snap lode Cor.No.1 is a porphyry stone 6XloX8 ins.chiseled M-S-1-2360, cor.No.2 porphyry stone 8XloX12 ins.above the ground chiseled M-S-2-2360 cor.No.3 is a porphyry stone 6XloX8 ins.chiseled M.S.3
- Sur.No.1173 Eureka lode cor.No.1 a granite stone lox 14X13 inschiseled E-1-1173.Cor.No.2 is a porphyry stone lo X 12 X 15 ins.chiseled E-2-1173 and cor.No.4 a granite stone in place 2X3 ft.chiseled 4-1173

Sur.No.1354 Link lode line 1-2 is in error and Fortune lode line 1-2 is in error.

Tie to Fortune lode Sur. No. . 1354 is in error.

S.E.Cor.to sec. 32 T.13 N.R.I.W. is a granite stone 12X16X18 ins.in mound not plainly marked.

Tracing a line west 1/2 mile from standard en did not first 1/4 cm - South hur of Sec 32

U.S.Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by William & Muril
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of
known as the First North Extension of the Capital lode
and showing the respective capacities in which they acted.
Richard Lo Mersell, Chainman.
Richard Lo Mersell, Chainman. J. Aniley Denny, Chainman.
\mathcal{Y}
Flagman.
T tuylitub.
FINAL OATHS OF ASSISTANTS.
We, Richard & Merritt
and g mley enry, do solemnly swear that we assisted William
and J. Miley Dennis, do solemnly swear that we assisted William Manth, United States Deputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of John Gardine
known as the First North Emberrannof the Capital lode
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments established according to law and the instructions
furnished by the United States Surveyor-General for Any
Gehard I Mesself; Chainman.
J. Chiley Vaning, Chainman.
, Axman.
, Flagman.
Subscribed and sworn to by the above-named persons before me this 22
day of April 1917.
/mmm o or
No la mar P. A.
010160000000000000000000000000000000000

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, William HMesnt, U. S. Deputy Mineral						
Surveyor, do solemnly swear that, in pursuance of instructions received from the United						
States Surveyor General for Anyma, dated						
Afril 14. 19/1, , I have, in strict conformity to the laws of the						
United States, the official regulations and instructions thereunder, and the instructions						
of said Surveyor General, faithfully and correctly executed the survey of the Mining						
Claim of Jardin						
Claim of J. Gardin, known as the Sunt North Extension of the Capital lode, situate in Warker Mining District,						
Sirest North Extension of the Capital lode,						
situate in Waskin Mining District,						
Janafrai County, Any , in Section 70 , Township No. / 2/2/1, Range No. J. W unsurveyed, Brucelt						
Township No. /22/ , Range No. J. W unsurreyed, Brucht						
and designated as Survey No. 3287. , as represented						
in the foregoing field notes, which accurately show the boundaries of said mining claim						
as distinctly marked by monuments on the ground, and described in the attached copy						
of the location certificate, which was received by me from the Surveyor General with						
said instructions, and that all the corners of said survey have been established and per-						
petuated in strict accordance with the law, official regulations and instructions there-						
under; and I do further solemnly swear that the foregoing are the true and original						
field notes of said survey and my report therein, and that the labor expended and						
improvements made upon said mining claim by claimant or dis grantors						
are as therein fully stated, and that the character, extent, location and itemized value						
thereof are specified therein with particularity and full detail, and that no portion of						
said labor or improvements so credited to this claim has been included in the estimate						
of expenditures upon any other claim.						
William & Menny						
U. S. Deputy Mineral Surveyor.						
Subscribed and sworn to by the said William & Merry,						
U. S. Deputy Mineral Surveyor, before me a Noting Subles						
this 22—						
day of April 1916.						
$\frac{1}{2}$						
4 commission expires Feb-20 1920 MM, Moore						
Molary Publica						
• • • • • • • • • • • • • • • • • • • •						

APR 14.1916

KNOW ALL MEN BY THESE PRESENTS :-

THAT I, the undersigned, have this day Located Fifteen Hundred (1,500)
linear feet of this vein or lode, bearing precious metals, with all dips,
spurs, angles and variations, with surface ground Three Hundred (300) feet
on each side of the center of vein, with all Mineral Deposits contained
therein, and all Timber growing within the limits of said claim, and all
Water and Water Privileges thereon or appurtenant thereto, under and
according to the provisions of the Mining Laws of the United States,
under which it is Located.

This Claim commences at this Monument and Notice, placed upon the ledge, and runs Fifteen Hundred (1,500) Feet in a Northerly direction along the ledge.

The exterior boundaries are as follows, viz:- Commencing at this

Monument and Notice, and running Three Hundred (300) Feet, in an easterly

direction to monument at S.E. corner of claim; thence in a northerly direction parallel with the ledge Fifteen Hundred (1,500) Feet to monument at

N.E. corner of claim; thence in a westerly direction at right angles across
the ledge Six Hundred (600) Feet to monument at N.W. corner of claim; thence
parallel with the lode in a southerly direction Fifteen Hundred (1,500)

Feet to monument at S.W. corner of claim; thence at right angles across
the ledge in an easterly direction Three Hundred (300) Feet to monument
upon the ledge and place of beginning.

This ledge may be more generally described as situated, and being the First North Extension of the Capitol, in ... Mining District, County, Arizona Territory, and shall be known as the First North Extension of the Capitol Mining Claim.

Dated on the ground, this 5th., day of April, - 1895.

S.B.Griffin.

Recorded at request of G.G.Henderson, April 22, A.D., 1895, at 12:55 O'clock P.M., in Book 37 of Mines, Page 387; Records of Yavapai County, Arizona.

(SEAL.) F.A.Tritle.

County Recorder.

BY, - H.R. Tritle,

#####	###	tettet	dettat	11 41 41 41	##4	1444
11 11 11 11 11	17 11 11	71"17 77	- 46-41 41-1	Thalk W. Al	44 11 41	11 41 41

#############

#########

#####

计################

STATE OF ARIZONA, COUNTY OF YAVAPAI. ss.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of NOTICE OF LOCATION; of LODE MINING CLAIM; - Known as THE NORTH EXTENSION OF THE CAPITOL; - and Located by S.B.Griffin, on the 5th., day of April, 1895, -and, - filed for record on April 22nd., A.D., 1895, at 12:55-0'clocand as the same appears of record in my office in Book 37; of MINES; - at page. 387; and of the whole thereof.





IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this __13th.day

of APRIL A.D. 1916.

County Recorder.

BY

Deputy Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,
	August 19, 19 16
I, U. S. Surveyo	r-General for District of Arizona
do hereby certify tha	at the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim	of
	J. I. GARDNER
known as the	FIRST NORTH EXTENSION OF THE CAPITOL LODE
situate in	WALKER
Mining District,	YAVAPAI County, ARI ZONA.
in Section 20	Township No. 12 N., Range No. 1 W., unsur., and
designated as Surve	y No, has been correctly copied from the originals on file in
this office; that said	Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a p	atent, serve fully to identify the premises, and that such reference is made therein
to natural objects or	permanent monuments as will perpetuate and fix the locus thereof.
And I further c	ertify that five hundred dollars' worth of labor has been expended or improve-
ments made upon sai	d mining claim by claimant or his grantors, and that said improvements
consist of 3 shad	fts and 4 tunnels, total value \$1280.
*	
and that no portion o	f said labor or improvements has been included in the estimate of expenditures
upon any other claim	
	that the plat thereof, filed in the U.S. Land Office atPho enix.
	is correct and in conformity with the foregoing Field Notes.
	• • • • • • • • • • • • • • • • • • • •
	Frank P. Trott,
	United States Surveyor-General for. Arizona.

19421b3m8-05

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Ariz	ona,
		August 19 , 1916
I, U. S. Surveyor	r-General for District of Ari	zona
do hereby certify tha	t the foregoing and hereto attached Field	Notes and Return of the Survey of the
Mining Claim of		
	J, I, GARDNER	
		, known as the
	FIRST NORTH EXTENSIO	N OF THE CAPITOL LODE
situate in	WALKER	mining district,
YAVAPAI	County,	ARIZONA.
in Section 20	Township No. 12½ N.,	Range No. 1 W., unsur.
	, designated as Survey No. 3287	
executed by	William H. Merritt	, U. S. Deputy Mineral
Surveyor,	April 19-20,	, 1916, under my instructions dated
Ap	ril 14 , 1916, have been critical	cally examined and the necessary cor-
rections and explanati	ions made, and the said Field Notes and	Return, and the Survey they describe,
are hereby approved.	A true copy of the copy of the location	certificate filed by the applicant for
survey is included in	the field notes.	
	Frank	O Front
	II S Surveyor	General for Arizona.