platted

4-683.

Mineral Survey No.3290 A & B

Lot No.	
Land District.	

FIELD NOTES

OF THE SURVEY OF THE MINING CLA	IM OF
LEVIATHAN MINES COMPANY	

KNOWN AS THE	DED BONDED NO 1 CODDED
LEVIATHAN, SUMMIT, WHALE, WHALE NO.3, COL	
WONDER NO.2, WATER CLAIM lodes, and LEVIATE	ian and sommit with sites.
Cedar	Mining District,
Mohave County,	Arizona , in Sections 19,
Section 36. Township 17 N.	, Range 15 W., unapproved survey
Surveyed under instructions dated May 31 st	
by Peter	Mc Cardell
	U. S. Deputy Mineral Surveyor
	*
Claim located see location notices	1
Survey commenced June 3 rd.	
Survey completed June 13 th.	, 1916
o 6—160	

Address R. C. Jacobson, General Manager, Box 692, Kingman, Arizona.

The letter from Sur, Oct. 16, reconnections the lives

SURVEY No.3290 A. & B.

LEVIATHAN LODE.

Beginning at Cor. No.1.

Identical with Cor. No.1-1-1, Whale, Copper Wonder No.1 and Copper Wonder No.2 lodes, all of this survey.

A granite stone, 4 X 12 X 24 ins., set 12 ins. in the

ground, with mound of stone, chiseled 1-1-1-1-3290 A. L. W. C. W. No.1-C. W. No.2 on the respective faces, cross (X) at corner point, Whence

A cross (X) and B. R. 1-1-1-1-3290 A. chiseled on a granite rock 1 ft. above the ground, bears N. 34° 14' W. 24.87 ft. Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, Bears N. 22° 39' E. 1013.6 ft. U. S. M. M. No.3290 A., Cedar Mining District, bears N. 49° 49' W. 274.5 ft.

Thence N. 48° 18' E.

Va. 15° 08' E.

Feet. Along line 1-4 Copper Wonder No.2 lode, of this survey.

523.37 Intersect line between Sec's 29 and 30, T. 17 N., R. 14 W., unapproved survey, at S. 0° 02' E. 587.52 ft. frem Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, and N. 0° 02' W. 2053.98 ft. from 1/4 Cor. between Sec's 29 and 30, T. 17 N., R. 14 W., unapproved survey.

1407.13 Intersect line between Sec's 20 and 29, T. 17 N., R. 14 W., unapproved survey, at N. 89° 58' E. 660.19 ft. from Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, and S. 89° 58' W. 1980.81 ft. from 1/4 Cor. between Sec's 20 and 29, T. 17 N., R. 14 W., unapproved survey.

1492 To Cor. No.2.

Identical with Cor. No.1-4-4, Whale, No.3, Copper Wonder No.8 and Summit lodes; all of this survey.

A granite stone, 11 X 11 X 30 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-2-4-4-3290 A. L.

SURVEY No.3890 A. - Continued.

LEVIATHAN LODE - Continued.

No.3 C.W. No.2.-S., cross (X) at corner point, whence
A cross (X) and B. R. 1-2-4-4-3290 A. chiseled on a granite rock, 3 ft. above the ground, bears S. 15° 35' W. 5
ft. and a cross (X) and B. R. 1-2-4-4-3290 A. chiseled
on a granite rock 3 ft. above the ground, bears N. 50°
19' W. 6.95 ft.

Thence S. 470 14' E.

Va. 150 09'E.

Along line 1-4 Whale No.3 lode, of this survey.

1 Thtersect line between Sec's 20 and 29, T. 17 N., R. 14 W., unapproved survey, at N. 89° 58' E. 734.51 ft. from Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, and S. 89° 58' W., 1856.49 ft. from 1/4 Cor. between Sec's 20 and 29, T. 17 N., K. 14 W., unapproved survey.

184.8 To N. end center.

Identical with S. end center Whale No.3 lode, of this survey.

A granite stone, 4 X 8 X 22 ins., set 12 ins. in the ground, with mound of stone, chiseled N. E. C. L. and S. E. C. W No.3 on the respective faces, cross (X) at line point.

484.8 To Cor. No.3.

Identical with Cor. No.4 Whale No.3 lode, of this survey.

A granite stone, 3 X 6 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseld 3-4-3290 A., L. W.

No.3, cross (X) at corner point. No bearing objects available.

Thence S. 48° 18' W.

Va. 15° 04' E.

osi Intersect the north end line of Whale No.2 lode, unsurveyed, at S. 48° 11' E. 230 ft. from N. W. Cor. and N. 48°

LEVIATHAN LODE - Continued.

Feet. 11' W. 70 ft. from the N. end center.

1389 Gulch, drains S. 50° E.

1444.8 Intersect line between Sec's 29 and 30, T. 17 N., R. 14 W., unapproved survey, at S. 0° 02' E. 1233.42 ft. from Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, and N. 0° 02' W. 1408.08 ft. from 1/4 Cor. between sec's 29 and 50, T. 17 N., R. 14 W., unapproved survey.

1460 Road, course S. 50° E. and N. 50° W.

1492 To Cor. No.4.

Identical with Cor. No.2 Whale lode, of this survey.

A granite stone, 8 X 8 X 26 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-4-3290 A.-L.-W. on the respective faces, cross (X) at corner point. No bearing objects available.

Thence N. 47° 14' W.

Va. 15° 06' E.

Along line 2-1 Whale lode, of this survey.

129.8 Road, course E. and W.

138.43 Intersect the west side line of Whale No.2 lode, unsurveyed, at S. 41° 49' W. 803.52 ft. from N. W. Cor., and N. 41° 49' E. 696.48 ft. from S. W. Cor.

205.8 Gulch, drains N. 80° E.

300 To S. end center.

Identical with the N. end center Whale lode, of this survey.

A granite stone, 6 X 10 X 36 ins., set 12 ins. in the ground, with mound of stone, chiseled S. E. C. L. and N. E. C. W. on the respective faces, cross (X) at line point.

484.8 To Cor. No.1, the place of beginning.

SUMMIT LODE.

Beginning at Cor. No.1.

Identical with Cor. No.3, Copper Wonder No.2 lode, of this

survey.

A cross (X) and,1-3-3290 A. C. W. No.2 and S. chiseled on a granite rock showing 20 X 30 ins.,X 2 ft. above the ground. With mound of stone, Whence

Cor. to.Sec's.19,.29, 29, 30, T. 17 N., R. 14 W., unapr-

Cor. to. Sec's. 19, 29, 29, 30, t. 17 No. R. 14 Wo, unaproved survey, bears S. 36° 28' W. 536.37 ft. U. S. M. M. No. 3290 A., Cedar Mining District, bears S. 37° 441' W. 1503.3 ft.

Thence N.42° 57' E.

Va. 15° 08' E.

1500 To Cor. No.2.

A granite stone, 4 X 6 \$ 28 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-3290 A. S., cross (X) at corner point. No bearing objects available.

Thence S. 47° 14' E.

Va. 15° 12' E.

290 Gulch. drains south.

300 To N. end center.

A granite stone, 12 X 12 X 60 ins., set 16 ins. in the ground, with mound of stone, chiseled N. E. C. S., cross at line point.

551.2 To Cor. No.3.

Identical with Cor. No.2, Whale No.3 lode, of this survey. A granite stone, 4 X 10 X 26 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-3-3290 A.W. No.3-S., cross (X) at corner point. No bearing objects available.

Thence S. 42° 57' W.

Va. 15º 09' E.

Along line 2-1 Whale No.3 lode, of this survey.

715 Gulch, drains south.

1500 To Cor. No.4.

Identical with Cor. No.1,2,4, Whale No.3, Leviathan and

SUMMIT LODE - Continued.

Copper Wonder No. 2 lodes, all of this survey, and heretofore described.

Thence N. 47° 14' W.

Va. 15° 09' E.

Along line 4-3 Copper Wonder No.2 lode, of this survey.

251.2 To S. end center.

Identical with N. end centerCopper Wonder No.2 lode, of this survey.

A granite stone, 6 X 14 X 30 ins., set 12 ins. in the ground, with mound of stone, chiseled S. E. C. S. and N. E. C. C. W. No.2 on the respective faces., cross (X) at line point.

551.2 To Cor. No.1, the place of beginning.

WHALE LODE.

Beginning at Cor. No.1.

Identical with Cor. No.1-1-1, Leviathan, Copper Wonder No. 1 and Copper Wonder No.2 lodes, all of this survey and heretofore described. Whence

Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, bears N. 22° 39' E. 1013.6 ft. U. S. M. M. No.3290 A., Cedar Mining District, bears N. 49° 49' W. 274.5 ft.

Thence S. 47° 14' E.

Va. 15° 08' E.

Along line 1-4 Leviathan lode, of this survey.

184.8 To N. end center.

Identical with the S. end center Leviathan lode, of this survey and heretofore described.

379 Gulch, drains N. 80° E.

346.37 Intersect west end line Whale No.2 lode, unsurveyed, at

WHALE LODE - Continued.

Feet. at S. 41° 49' W. 803.52 ft. from N. W. Cor. and N. 41° 49' E. 696.48 ft. from S. W. Cor.

355 Read, course E and W.

484.8 To Cor. No.2.

Identical with Cor. No.4 Leviathan lode, of this survey, and heretofore described.

Thence S. 39° 26' W.

Va. 15° 06' E.

at S. 48° 11' E. 167.3 ft. from S. W. Cor. and N. 48° 11'
W. 132.7 ft. from S. end center.

1500 To Cor. No.3.

A granite stone, 3 X 12 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-3290 A. W., cross (X) at corner point. No bearing objects available.

Thence N. 47° 14! W.

. Va. 15° 10' E.

300 To S. end center.

A granite stone 8 K 12 X 22 ins., set 12 ins. in the ground, with mound of stone, chiseled S. E. C. W., cross at line point.

484.8 To Cor. No.4.

Identical with Cor. No.2 Copper Wonder No.1 lode, of this survey.

A granite stone 7 X 7 X 36 ins., set 13 ins. in the ground, with mound of stone, chiseled 2-4-3290 A.C. W. No.1.-W., cross (X) at corner point. No bearing objects available.

Thence N. 39° 26' E.

Va. 15° 16' E.

Along line 2-1 Copper Wonder No.1 lode, of this survey.

1380 Gulch, drains S. 60° E.

1395 Road, course S. 50° E and N. 50° W.

Feet.

WHALE LODE - Continued.

1500

To Cor. No.1, the place of beginning.

WHALE No.3 LODE.

Beginning at Cor. No.1.

Identical with Gor. No.2-4-4, Leviathan, Summit and Copper Wonder No.2 lodes, all of this survey, and heretofore described, Whence

Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, bears S. 85° 27' W. 725.66 ft U. S. M. M. No. 3290 A., Cedar Mining District, bears S. 58° 22' W. 1554.7 ft.

· Thence N. 42° 57' E.

'Va. 15° 09' E. -

Along line 4-3 Summit lode, of this survey.

785

Gulch, drains south.

1500

To Cor. No.2.

Identical with Cor. No.3. Summit lode, of this survey; and heretofore described.

Thence S. 47° 14' E.

va. 15° 09' E.

184.8 To N. end center.

A granite stone, 6 X 12 X 26 ins., set 12 ins. in the ground, with mound of stone, chiseled N. E. C. W. No.3, cross (X) at cliner point.

484.8 To Cor. No.3.

A granite stone, 7 X 10 X 26 ins., set 18 ins. in the ground, with mound of stone, chiseled 3-3290 A. W. No.3, cross (X) at corner point. No bearing objects available.

Thence S. 42° 57' W.

Va. 15° 11' E.

1126.86 Intersect line between Sec's 20 and 29, T. 17 N., R. 14

Feet

WHALE No .. 3 LODE - Continued.

W., unapproved survey, at N. 89° 58' E. 1333.69 ft. from Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, and S. 89° 58' W. 1307.31 ft. from 1/4 Cor. between Sec's 20 and 29, T. 17 N., R. 14 W., unapproved survey.

1330 Gulch, drains S. 10° E.

1500 To CoR, No.4.

Identical with Cor. No.s Leviathan Lode, of this survey, and heretofore described.

Thence N. 47° 14' W.

Va. 15° 04' E.

Along line 3-2 Leviathan lode, of this survey.

300 To S. end center.

Identical with N. ena center Leviathan lode, of this survey, and heretofore described.

401.76 Intersect line between Sec's 20 and 29, T. 17:N., R. 14
W., unapproved survey, at N. 89° 58' E. 784.51 ft. from
Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, and S. 89° 58' W. 1856.49 ft. from 1/4 Cor.
between Sec's 20 and 29, T. 17 N., R. 14 W., unapproved survey.

484.8 To Cor. No.1, the place of beginning.

COPPER WONDER No.1 LODE.

Eeginning at Cor. No.1.

Identical with Cor. No.1-1-1 Leviathan, Whale and Copper Wonder No.2 lodes, all of this survey, and heretofere described, Whence

Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, bears N. 22° 39' E. 1013.6 ft. U. S. M. M. No.3290 A, Cedar Mining District, bears N. 49° 49' W. 274.5 ft.

Feet.

COPPER WONDER No.1 LODE - Continued.

Thence S. 39° 26' W.

· ' Va. 150 08' E.

Along line 1-4 Whale lode, of this survey.

105 Road, course S. 50° E. and N. 50° W.

· 120 Gulch, drains S. 60° E.

1500 To Cor. No.2.

Identical with Cor. No.4 Whale lode, of this survey, and heretofore described.

Thence N. 47° 14' W.

Va. 15° 16' E.

251.2 To S. end center.

A granite stone, 8 X 12 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled S. E. C. C. W. Nol, cross (X) at line point.

551.2 To Cor. No.3.

A granite stone, 3 X 10 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-3-90 A. C. W. No.1, cross (X) at corner point. No bearing objects available.

Thence N. 39° 26' E.

Va. 15° 09' E.

1336.64 Intersect line 1-2 Water Claim lode, of this survey, at

N. 83° 13' W. 305.93'ft. from Cor. No.1, and S. 83° 13' E.

294.07 ft. from Cor. No.2.

1500 To Cor. No.4.

Identical with Cor. No.2, Copper Wonder No.2 lode, of this Survey.

A granite stone, 5 X 10 X 28 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-4-3290 A. C. W. No.1 and C. W. No.2 on the respective faces, cross (X) at corner point. No bearing objects available.

Feet.

COPPER WONDER No.1 LODE - Continued.

Thence S. 47° 14' E.

1 Va. 150 08' E.

Along line 2-1 Copper Wonder No.2 lode, of this survey,
234.11 Intersect line 1-2 Water Claim lode, of this survey, at
N. 83° 13' W. 28.35 ft. from Cor. No.1, and S. 83° 13' E.
571.65 ft. from Cor. No.2.

300 To N. end center.

Identical with S. end center Copper Wonder No.2 lode, of this survey.

A granite stone, 6 X 16 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled N E. C. C. W. No.1 and S. E. C. C, W. No.2 on the respective faces., cross (X) at line point.

418.2 Gulch, drains S. 9° E.

4552Road, course S. 9° E. and N. 9° W.

551.2 To Cor. No.1, the place of beginning.

COPPER WONDER No.2 LODE.

Beginning at Cor. No.1.

Identical with Cor. No.1-1-1 Leviathan, Whale, Copper Wonder No.1 lodes, all of this survey, and heretofore described, Whence

Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, bears N. 22°, 39' E. 1013.6 ft. U.S. M. M. No.3290 A., Cedar Mining District, bears N. 49° 49' W. 274.5 ft.

Thence N. 47° 14' W.

Va. 15° 08' E.

Along line 1-4 Copper Wonder No.1 lode, of this survey.
Road, course S 9° E. and N. 9° W.

133 cGulch, drains S. 9° E

251.2 To S. end center.

96

Identical with N. end center of Copper Wonder No.1 lode,

(10)

Feet. . COPPER WONDER No.2 LODE & Continued.

and heretofore described.

317.09 Intersect line 1-2 Water Claim lode, of this survey, at N. 83° 13' W. 28.35 ft. from Cor. No.1 and S. 83° 13' E. 571.65 ft. from Cor. No.2.

551.2 To Cor. No.2.

Identical with Cor. No.4 Copper Wonder No.1 lode, of this survey and heretofore described.

Thence, N. 480 18' E.

' Va. 159 08' E.

205 Gulch, drains S. 20° E.

220. Road, course S. 20° E. and N. 20° W.

328.58 Intersect line 1-4 Water Claim lode, of this survey, at ...

N. 6° 47° E. 383.59 ft. from Cor. No.1 and S. 69 47° W.

1116.41 ft. from Cor. No.4.

843.59 Intersect line between Sec's 19 and 30, T. 17 N., R. 14

W., unapproved survey, at S. 89° 57' W. 165.22 ft. from

Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, and N. 89° 57' E. 2473.78 ft. from 1/4 Cor.

between Sec's 19 and 30, T. 17 N., R. 14 W., unapproved survey.

1064.7 Intersect line between Sec's 19 and 20, T. 17 N., R. 14
W., unapproved survey, at N. 0° 03' W. 146.95 ft. from
Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, and S. 0° 03' E. 2492.55 ft. from 1/4 Cor.
between Sec's 19 and 20, T. 17 N., R. 14 W., unapproved survey.

1492 .To .Cor. No.3.

Identical with Cor. No.1, Summit lode, of this survey, and heretofore described.

Thence S. 47° 14' E.

Va. 15° 08' E.

Feet.

COPPER WONDER No. 2 LODE - Continued.

Along line 1-4 Summit lode, of this survey.

300 To N. end center.

Identical with S. end center Summit lode, of this survey, and heretofere described.

551.2 To Cor. No.4.

Identical with Cor. No.1-2-4, Whale, No.3, Leviathan and Summit lodes, all of this survey and heretofore described.

. Thence S. 48° 18' W.

. Va. 159 09 E.

Along line 2-1 Leviathan lode, of this survey.

84.87 Intersect line between Sec's 20 and 29, T. 17 N., R. 14

.W., unapproved survey, at N. 89° 58' E. 660.19 ft. from

. Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, and S. 89° 58! W. 1980.81 ft. from 1/4 Cor.

.between Sec's 20 and 29, T. 17 N., R. 14 W.

968.63 Intersect line between Sec's 29 and 30, T. 17 N., R. 14

W., unapproved survey, at S. 00 02! E. 587.52 ft. from

Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, and N. 00 02! W. 2053.98 ft. from 1/4 Corbetween Sec's 29 and 30, T. 17 N., R. 14 W., unapproved survey.

1492 To Cor. No.1, the place of beginning.

WATER CLAIM LODE.

Beginning at Cor . No.1.

A granite stone, 5 X 10 X 28 ins., set 13 ins. in the ground, with mound of stone, chiseled 1-3890 A. W. C., cross (X) at corner point, whence Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, bears N. 39° 27' E. 936.62 ft. U. S. M. M. No.3290 A., Cedar Mining District, bears S. 8° 05' W. 35.31 ft.

Feet.

WATER CLAIM LODE - Continued.

Thence N. 83° 13' W.

Va. 15° 08' E.

28.35 Intersect line 1-2 Copper Wonder No.2 lode, of this survey, at N. 47° 14' W. 317.09 ft. from Cor. No.1, and S. 47° 14' E. 234.11 ft. from Cor. No.2.

300 To S. end center.

A granite stone, 6 X 8 X 23 ins., set 12 ins. in the ground, with mound of stone, chiseled S. E. C. WC., cross (X) at.line point.

305.93 Intersect line 3-4 Copper Wonder No.1 lode, of this survey, at N. 39° 26' E. 1336.64 ft. from Cor. No.3, and S. 39° 26' W. 163.36 ft. from Cor. No.4.

600 To Cor. No.2.

A granite stone, 5 X 8 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-3290 A. W. C., cross (X) at Cor· point. No bearing objects available.

Thence N. 6° 47' E.

Va. 15° 08' E.

656.34 Intersect line between Sec's 19 and 30, T. 17 N., R. 14 W., unapproved survey, at S. 89° 57' W. 1113.39 ft. from Cor. to Sec's 19, 80, 89, 30, T. 17 N., R. 14 W., unapproved survey, and N. 89° 57' E. 1525.61 ft. from 1/4 Cor. between Sec's 19 and 30, T. 17 N., R. 14 W., unapproved survey.

1500 To Cor. No.3.

A granite stone, 3 X 18 X 26 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-3290 A. W. C., cross (X) at Cor· point. No bearing objects available.

Thence S. 83° 13' E.

Va. 15° 12' E.

135 Gulch, drains south.

Feet.

WATER CLAIM LODE - Continued.

- 147 Road, course S and N.
- 300 To N. end center.

A granite stone, 3 X 12 X 22 ins., set 12 ins. in the ground, with mound of stone, chiseled N. E. C. W. C., cross (X) at line point.

600 To Cor. No.4.

A granite stone, 4 X 12 X 28 ins., set 12 ins. in the ground, with mound of stone, chiseled 4-3290 A. W. C., cross (X) at Cor. point. No bearing objects available.

Thence S. 6° 47 W.

Va. 15° 15' E.

- 771.78 Intersect line between Sec's 19 and 30, T. 17 N., R. 14
 W., unapproved survey, at S. 89° 57' W. 509.00 ft from
 Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, and N. 89° 57' E. 2129.97 ft. from 1/4 Cor.
 between Sec's 19 and 30, T. 17 N., R. 14 W., unapproved survey.
- 1116.41 Intersect line 2-3 Copper Wonder No.2 lode, of this survey, at N. 48° 18' E. 328.58 ft. from Cor. No.2, and S. 48° 18' W. 1163.42 ft. from Cor. No.3.
 - 1310 Road, course S. 25° B. and N. 25° W.
 - 1350 Guich, drains S. 25° E.
 - 1500 To Cor. No.1, the place of beginning.

LODE LINES.

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their discovery points:

LEVIATRAN lode, 40 ft. S. 48° 18' W., and 1452 ft.

N. 48° 18' E.

SUMNIT lode, 388 ft. S. 42° 57' W., and 1112 ft. N. 48° 57' E.

WHALE lode, 20 ft. N. 39° 26' E., and 1480 ft. S. 39°

86' W.

WHALE No.3 lode, 388 ft. S. 42° 57' W., and 1112 ft. N. 42° 57' E.

COPPER WONDER No.1 lode, 75 ft. N. 39° 26' E., and 1425 ft. S. 39° 26' W.

COPPER WONDER No.2 lode, 23 ft. S. 480 18' W., and 1469 ft. N. 480 18' E.

WATER CLAIM lode, 750 ft. S. 60 47' W., and 750 ft. N. 60 47' E.

SUMMIT MILL SITE.

SURVEY No.3290 B.

Beginning at Cor. No.1.

A granite stone, 5 X 9 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-3290 B. S. M. S. cross (X) at corner point, Whence

A cross (X) and B. R. 1-3290 B. chiseled on a granite rock 3 ft. above the ground, bears S. 5.0 10' W. 7.6 ft. 1/4 Cor. between Sec's 25 and 36, T. 17 N., R. 15 W., unapproved survey, bears N. 120 40' E. 1531.8 ft. U. S. M. M. No.3290 A., Cedar Mining District, bears N. 510 41' E. 9710.9 ft. Cor. No.1, Summit lode, of this survey, bears N. 490 49' E. 11175.1. ft.

Thence S. 14° 35' E.

Feet.

Va. 15° 10' E.

115 Deluge wash, drains N. 75° E.

320.6 To

To Cor. No.2.

A granite stone, 6 X 8 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-3-90 B. S. M. S. cross (X) at corner point. No bearing objects available.

Thence S. 76° 47' W.

Vá. 15° 10' E.

460 Deluge wash, drains N. 10° W.

649.6 To Cor. Mo.3.

Feet

SUMMIT MILL SITE - Continued.

A granite stone, 10 X 12 X 26 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-3290 B. S. M. S. cross (X) at corner point. No bearing objects available.

Thence N. 14° 35' W.

Va. 15° 11' E.

350.1 Te Cor. No.4.

A granite stone, 5 X 9 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 4-3290 B. S. M. S., cross (X) at Cor. point. No bearing objects available.

Thence N. 79° 23' E.

Va. 15° 14' E.

651 To Cor. No.1, the place of beginning.

LEVIATHAN MILL SITE.

Beginning at Cor. No.1.

A granite stone, 7 X 12 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-3290 B. L. M. S., cross (X) at Cor. point, whence 1/4 Cor. between Sec's 30 and 31, T. 17 N., R. 14 W., unapproved survey, bears N. 83° 22' E. 953.9 ft. U. S. M. M. No.3290 A., Cedar Mining District, bears N. 33° 51' E. 5515 ft. Cor. No.1, Leviathan lode, of this survey, bears N. 35° 42' E. 5486.7 ft.

Thence S. 9° 41' E.

Va. 15° 12' E.

230

Deluge wash, drains east.

382.4

To Cor. No.2.

A granite stone, 8 X 16 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-3290 B. L. M. S., cross (X) at Cor. point. No bearing objects available.

SURVEY No.3290 A & B - Continued. Feet LEVIATHAN MILL SITE - Continued. Thence S. 80° 19' W. Va. 15° 09' E. 675.5 To Cor. No.3. A granite stone, 4 X 8 X 24 ins., set 12 ins. in the groun ground, with mound of stone, chiseled 3-3290 B. L. M. S., cross (X) at Cor. point. No bearing objects available. Thence N. 9º 41' W. Va. 15° 10' E. 382.4 To Cor. No.4. A granite stone, 6 X 16 X 25 ins., set 12 ins. in the ground, with mound of stone, chiseled 4-3290 B. L. M. S., cross (X) at Cor. point. No bearing objects available. Thence N. 80° 19! E. Va. 15° 11' E. Deluge wash, drains South. 90 To Cor. No.1, the place of beginning. 675.5 AREAS. Area in conflict With-Whale No.2 lode, unsurveyed.....3.404 Area in conflict with-Whale No.2 lode, unsurveyed....2.439 Total area, Copper Wonder No.1 lode......18.949 " Area in conflict with-Water Claim lode 0.438

Total area, Copper Wonder No. 2 lode...... 18.790 Acres.

Area in conflict with-

This survey is identical with the respective locations,

LOCATION.

This survey is located in Sec's 19, 20, 29, 30, 31, T. 17 N., R. 14 W., and Sec. 36, T. 17 N., R. 15 W., unapproved survey. Cedar Mining District, Mohave County, Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimants or its grantors is not less than five hundred dollars, and that said improvements consist of:

LEVIATHAN LODE, The discovery tunnel, the mouth of which being the place of discovery, is on the lode line, 40 ft. from a point S. 47° 14' El 184.8 ft. from Cor. No.1,

4 X 6 ft. running N. 48° 18' E. 40 ft.

Value, \$400

Note-A 1/7 interest in shaft No.1, whale lode, of this survey, and 400 ft. of drifts at the bottom of said shaft to be credited to this location. Value, \$800 SUMMIT LODE. The discovery cut, on the lode line, 388 ft. from a point S. 47° 14' E. 300 ft. from Cor. No.1, 4 ft. wide, 9 ft. face, running N. 46° N. 16 ft. to face.

Value, \$40

Note- A 1/7 interest in shaft No.1, Whale lode, of this survey, and 400 ft. of drifts at the bottom of said

whale Lode. No.1, the discovery shaft, on the lode
line, 20 ft. from a point S. 47° 14' E. 184.8 ft. from
Cor. No.1, 4 X 9 ft. 100 ft. deep, timbered, at the bottom
of this shaft are two drifts, one running S. 39° 30' W.
300 ft. and the other running N. 48° 18' E. 100 ft. each
4 X 6 ft. Value of shaft and drifts, \$5,600
No.2. A tunnel, the mouth of which is on the lode line
130 ft. from a point on line 1-2, S. 47° 14' E. 184.8 ft.
from Cor. No.1, 4 X 7 ft. running S. 39° 30' W. 300 ft.

Note- A 1/7 interest in shaft No.1 and 400 ft. of d drifts at the bottom of said shaft to be credited to this location.

Value, \$800

Value, \$3,000

WHALE No.3 LODE, The discovery cut, on the lode line

388 ft. from a point on line 1-4, at S. 47° 14' E. 184.8

ft. from Cor. No.1, 4 ft. wide, 9 ft. face, running N.

48° E. 16 ft. to mouth.

Value, \$40

Note_A 1/7 th. interest in shaft No.1 and 400 ft. of drifts at the bottom of said shaft to be credited to this location.

Value, \$800

No. 1
COPPER WONDER No.1 LODE. The discovery tunnel, on the lode line 75 ft. from a point on line 1-4, at N. 47° 14' W. 251.2 ft. from Con. No1, 4 X 6 ft. running N. 40° E. 18 ft.

Note- A 1/7 th. interest in shaft No.1, Whale lode, and 400 ft. of drifts at the bottom of this shaft to be credited to this location. Value, \$800

COPPER WONDER No.2 LODE. No.1, the discovery cut, on the lode line 23 ft. from a point on line 1-2, N. 47° 14' W. 251.2 ft. from Cor. No.1, 4 ft. wide, 9 ft. face, running East 16 ft. to mouth. Value, \$40

No.2. A tunnel, the mouth of which bears from Core No.1, N. 27° 50' W. 277 ft., 4 X 6 ft. running N. 48° E. 30 ft. Value, \$240

Note-A 1/7 th. interest in shaft No.1, Whale lode, of this survey, and 400 ft. of drifts at the bottom of said shaft to be credited to this location.

Value, \$800

WATER CLAIM LODE. The discovery cut, on the center line, 750 ft. from the center of line 1-2, 4 ft. wide, 9 ft. face, running East 16 ft. to mouth revalue, \$35

Note- A 1/7 th. interest in shaft No.1, Whale lode, of this survey, and-400 ft. of drifts at the bottom of said shaft to be credited to this location. Value, \$800

OTHER IMPROVEMENTS.

A bunk house, the N. W. corner of which bears from Nordend center Copper Wonder No.1 lode, S. 80 47' W. 18.8 ft. 18 X 40 ft., course of long side S. 340 20' W.

INSTRUMENT.

This survey was made with an Ainsworth & Sons Transit.

The courses were deflected from the true meridian as determined by direct solar observations and observation on Polaris. The distances were measured with a 100-ft. and 500-ft. steel tapes

ADJOINING CLAIMS.

The adjoining claim on the S. E. side line of the Whale and Leviathan lodes is the Whale No.2 lode, unsurveyed, Anson H. Shith and M. A. Sawyer, claimants.


REPORT.

The lode lines of each location of this claim was run directly upon the ground, and the several corners established by means of offsets frm the lode lines. All tie lines were run directly upon the ground. The Cor· to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., unapproved survey, is a two inch iron pipe with copper cap, properly stamped

with the T., R. and Sec. numbers. All 1/4 corners as described in these notes are 1 1/2 inch pipe with copper caps, properly stamped with Sec. Nos.

Owing to the position of shaft No.1, Whale lode, and the 400 ft. of levels at the bottom of said shaft and owing to its depth below the surface of all the locations embraced in this claim, draining the water from the ground and for the purpose of extracting the ores thereof, same is termed a common improvement, and its value is equally proportioned with the several locations.

Owing to the great distance to where we could get the services of a Notary Public, I myself took the affidavits of my assistants.



DESCRIPTION OF U. S. M. M. No. 3890 A, Cedar Mining District, Mohave County, Arizona.

This monument is a granite stone, 12 X 20 \$ 30 ins., set 14 ins. in the ground, with mound of earth and stone, chiseled U. S. M. M. No. 3290 A., cross at initial point, monument of stone on north side, 6 ft. base, 5 ft. high, whence

Cor. to Sec's 19, 20, 29, 30, T. 17 N., R. 14 W., uapproved survey, bears N. 38° 21' E. 967 ft. No other bearing objects available.

The monument is established on the summit of a mountain overlooking the surrounding country.

Peter Mc Cardell

U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the indiv	viduals employed by Peter Mc Cardell
United States Deputy Mineral Surv	veyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoin	g field notes of the survey of the mining claim of LEVIATHAN MINES
COMPANY	
known as the LEVIATHAN, SI COPPER WONDER and showing the respective capacities	UMMIT, WHALE, WHALE No.3, COPPER WONDER No.1, R NO.2, WATER CLAIM Lodes, and LEVIATHAN and SUMMI s in which they acted. MILL SITES.
	, Chainman.
	JAMES G. MOON , Chainman.
	H. H. Tweed., Axman.
*	, Flagman.
FINAL	OATHS OF ASSISTANTS.
We, James G. Moon an	d. H. Tweed
	do solemnly swear that we assisted Peter No Cardell
LEVIATHAN, SUM known as the COPPER WONDER 1	MIT, WHALE, WHALE NO.3, COPPER WONDER NO.1, NO.2, WATER CLAIM lodes, and LEVIATHAN and SUMMIT MILL SITES. es as having been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has b	peen in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner an	d boundary monuments established according to law and the instructions
furnished by the United States Survey	yor-General for Arizona.
	·····, Chainman.
	James & Moon, Chainman. HH Jurel, Axman.
	At Tweel, Axman.
	, $Flagman.$
Subscribed	and sworn to by the above-named persons before me this 13 th.
	June , 19 16 .
	Feber Mobardell
9489b5m8-03	U. S. Mineral Surveyor.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Peter Mc Cardell	, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuan	ace of instructions received from the United
States Surveyor General forArizona_	, dated
May 31 st. 1916 , ,Ih	
United States, the official regulations and ins	structions thereunder, and the instructions
of said Surveyor General, faithfully and cor	rectly executed the survey of the Mining
Claim of LEVIATHAN MINES COMPANY	
Leviathan, Summit, Whale, Whale Copper Wonder No.2, Water Claim	No.3, Copper Wonder No.1, Copper lodes, and Leviathan and Summit Mill
situate inCedar	lodes, and Leviathan and Summit Mill Sites. Mining District,
29,30,31,T.17 N., R. 14 W. and Sec. 36 , Township No. 17 N., Rang	unty, Arizona , in Sections 19,20, e No. 15 W., unapproved survey.
and designated as Survey No. 3290 A & 1	B, as represented
in the foregoing field notes, which accurately	show the boundaries of said mining claim
as distinctly marked by monuments on the g	round, and described in the attached copy
of the location certificate, which was received	ed by me from the Surveyor General with
said instructions, and that all the corners of s	said survey have been established and per-
petuated in strict accordance with the law, o	official regulations and instructions there-
under; and I do further solemnly swear tha	at the foregoing are the true and original
field notes of said survey and my report th	nerein, and that the labor expended and
improvements made upon said mining claim	
are as therein fully stated, and that the cha	
thereof are specified therein with particulari	
said labor or improvements so credited to thi	-
of expenditures upon any other claim.	
	Feler MC andell
	l'. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said	Peter Mc Cardell
U. S. Deputy Mineral Surveyor, befor	re me
	this Loth
day of June A . D . 1916	,
	Muson H. Smith
	W. D. (co

o 8—154

Recorded at the request of R.C. Jacobson at 9 o'clock A.M., May 27th, 1916, in Book P.P. of Mining Claims, page----, Records of Mohave County, Arizona.

J.W. Morgan, County Recorder.

By Thos. McNeely, Deputy.

Hmended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, ThatLEVIATHANMINESCOMPANY.,
a corporation
the undersigned childen and the United States, to were the tage of twenty-care-years, having complied with
all the requirements of the laws of the United States and the State of Arizona, relating to mining
claims, and with the local laws, customs, rules and regulations of Cedar.
the Leviathan Lode, claiming by right of discovery, location, primal appropriation and
possession1492 feet, linear and horizontal measurement, on this vein or
lode of quartz, or other rock in place, bearingcopperandgoldand other valuable min-
erals, with all dips, variations and angles the same being40 feet along the
ledge in a \$ 489 14! W. direction from the discovery stake and
feet along the ledge in a 14. 48. 14. E. direction therefrom, together with
feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits,
mineral and surface ground within the lines of said claim.
Situate inCedarMining District, County ofMohave,
State of Arizona, in Sec.'s 29, 30, T. 17N., R. 14. W. and more particularly described as
follows, to-wit:
Reginning at the discovery of the claim, where a location monument
is established and this notice posted. Thence S. 48° 14' W. 40 ft. to
the S. end center monument. Thence N. 47° 18' W. 184.8 ft. to the
S. W. corner monument, whence N. E. corner to Sec. 30, T. 17 N., R. 14
W., bears N. 22° 35' E. 1013.6 ft. Thence N. 48° 14' E. 1492 ft. to
the N. W. corner monument. Thence S. 47° 18' E. 184.8 ft. to the
N. end center monument, 484.8 ft. to the N. E. corner monument.
Thence S. 48° 14' W. 1492 ft. to the S. E. corner monument. Thence
N. 47° 18' W. 300 ft. to the S. and center monument, the place of
N. 47° 18' W. 300 ft. to the S. and center monument, the place of heginning exterior boundary of the claim.
N. 47° 18' W. 300 ft. to the S. and center monument, the place of
N. 47° 18' W. 300 ft. to the S. and center monument, the place of heginning exterior boundary of the claim.
N. 47° 18' W. 300 ft. to the S. and center monument, the place of heginning exterior boundary of the claim. Magnetiz Va. N. 15° 10'E.
N. 47° 18' W. 300 ft. to the S. and center monument, the place of beginning exterior boundary of the claim. Nagnetiv Va. N. 15° 10'E.
N. 47° 18' W. 300 ft. to the S. and center monument, the place of beginning exterior boundary of the claim. Magnetiv Va. N. 15° 10'E.
N. 47° 18' W. 300 ft. to the S. cnd center monument, the place of heginning exterior boundary of the claim. Magnetiz Va. N. 15° 10'E.
N. 47° 18' W. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim. Nagnetiv Va. N. 15° 10'E.
N. 47º 18' W. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim. Magnetiz Va. N. 15º 10'E. THIS AMENDED LOCATION is made in conformity with the original location, made
N. 47° 18' W. 300 ft. to the S. end centro monument, the place of beginning exterior boundary of the claim. Nagnetiv Va. N. 15° 10'E. THIS AMENDED LOCATION is made in conformity with the original location, made Sep. 34 th. 1904 , recorded Nov. 4 th. 1904 , in Book V ,
N. 47° 18' W. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim. Nagnetiv Va. N. 15° 10'E. THIS AMENDED LOCATION is made in conformity with the original location, made Sep. 34 th. 1904 , recorded Nov. 4 th. 1904 , in Book V , Page 138 , of Quartz Locations, in the office of the Recorder of said County, and it is made for
N. 47° 18' W. 300 ft. to the S. and center monument, the place of heginning exterior boundary of the claim. Magnetiz Va. N. 15° 10'E. THIS AMENDED LOCATION is made in conformity with the original location, made Sep. 24 th. 1904 , recorded Nov. 4 th. 1904 , in Book V , Page 138 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more
N. 47º 18' W. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim. Magnetiz Va. N. 15º 10'E. THIS AMENDED LOCATION is made in conformity with the original location, made sep. 24 th. 1904 , recorded Nov. 4 th. 1904 , in Book V , Page 138 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informali-
N. 47° 18' W. 300 ft. to the S. and center monument, the place of beginning exterior boundary of the claim. Nagnetiv Va. N. 15° 10'E. THIS AMENDED LOCATION is made in conformity with the original location, made sep. 24 th. 1904 , recorded Nov. 4 th. 1904 , in Book V , Page 138 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original
N. 47° 18' W. 300 ft. to the S. cnd center monument, the place of beginning exterior boundary of the claim. Magnetiz Va. N. 15° 10'E. THIS AMENDED LOCATION is made in conformity with the original location, made sep. 24 th. 1904 , recorded Nov. 4 th. 1904 , in Book V. Page 138 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original
N. 47º 18' W. 300 ft. to the S. and center monument, the place of beginning exterior boundary of the claim. Magnetiv Va. N. 15º 10'E. THIS AMENDED LOCATION is made in conformity with the original location, made sep. 24 th. 1904, recorded Nov. 4 th. 1904, in Book V. Page 138, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an
N. 47° 18' w. 300 ft. to the S. cnd center monument, the place of beginning exterior boundary of the claim. Magnetiz Va. N. 15° 10'E. THIS AMENDED LOCATION is made in conformity with the original location, made sep. 24 th. 1.904 , recorded Nov. 4 th. 1.904 , in Book V , Page 138 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.
N. 47° 18' W. 300 ft. to the S. and center monument, the place of beginning exterior boundary of the claim. Magnetiv Va. N. 15° 10'E. Magnetiv Va. N. 15° 10'E. THIS AMENDED LOCATION is made in conformity with the original location, made sep. 24 th. 1904 , recorded Nov. 4 th. 1904 , in Book V , Page 138 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate. Date of Original Discovery Sep. 24 th. A. D. 1.904
N. 47° 18' w. 300 ft. to the S. cnd center monument, the place of beginning exterior boundary of the claim. Magnetiz Va. N. 15° 10'E. THIS AMENDED LOCATION is made in conformity with the original location, made sep. 24 th. 1.904 , recorded Nov. 4 th. 1.904 , in Book V , Page 138 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Recorded at the request of R.C. Jacobson at 9 o'clock A.M., May 27th, 1916, in Book P.P. of Mining Claims, page---, Records of Mohave County, Arizona.

J.W. Morgan, County Recorder.

By Thos. McNeely, Deputy.

Amended Location Certificate

KNOW ALL N	IEN BY THESE P	RESENTS, That LEVI	ATHAN MINES	COMPANY,
a corporat	ion			
the undersigned citiz	enii: of the United St	ätes, over the age of twenty.	one vears, having	complied with
all the requirements	of the laws of the	United States and the State	of Arizona, relat	ing to mining
		rules and regulations of		
Minin	g District, hereby ma	ake and file thisits	amend	ed location of
theSummit	Lode, claiming	g by right of discovery, loca	ition, primal appr	opriation and
		feet, linear and horizontal		=
		ng copper and gold		
		the same being388		
		from the discovery stake a		
		.E. direction therefrom, toge		
		of said ledge, and all veins,		
	ground within the li		,,	doposito,
		Mining District, Cou	inty of Moha	V.O.
		7. N., R. 14. W. and		
follows, to-wit:			more particularly	described as
	ng at the disc	overy of the claim	. where a lo	wation
		this notice posted		
		monument. Thence		
		. Thence N. 42° 5		
N. W. corner m	onument. Ther	ice S. 47° 18' E. 30	oo ft. to th	e N. end
center monumen	t, 551.3 ft. t	to the N. E. corner	monument.	Thence
5. 42° 53' W.	1500 ft. to th	ie S. E. corner moni	ument, whenc	e the N. E.
		e S. E. corner moni R. 14 W., bears S.	•	
orner of Sec.	30, T. 17 N.,		85° 26' E.	736 ft.
orner of Sec.	30, T. 17 N., 18' W. 251.2 f	R. 14 W., bears S. t. to the S. end ce	85° 26° E.	726 ft. nt, the
orner of Sec. Thence N. 47° place of begi	30, T. 17 N., 18' W. 251.2 f nning. exterio	R. 14 W., bears S. t. to the S. end coor boundary of the co	85° 26' E. enter monume claim.	726 ft. nt, the
orner of Sec. Thence N. 47° place of begi	30, T. 17 N., 18' W. 251.2 f nning. exterio	R. 14 W., bears S. t. to the S. end ce	85° 26' E. enter monume claim. Va. N. 15° 1	726 ft. nt, the
orner of Sec. Thence N. 47° place of begi	30, T. 17 N., 18' W. 251.2 f nning. exterio	R. 14 W., bears S. t. to the S. end coor boundary of the C. Magnetic V	85° 26' E. enter monume claim. Va. N. 15° 1	736 ft. nt, the
orner of Sec. Thence N. 47° place of begi	30, T. 17 N., 18' W. 251.2 f nning. exterio	R. 14 W., bears S. t. to the S. end coor boundary of the C. Magnetic N	85° 26' E. enter monume claim. Va. N. 15° 1	736 ft. nt, the
orner of Sec. Thence N. 47° place of begi	30, T. 17 N., 18' W. 251.2 f nning. exterio	R. 14 W., bears S. t. to the S. end coor boundary of the C. Magnetic V	85° 26' E. enter monume claim. Va. N. 15° 1	736 ft. nt, the
orner of Sec. Thence N. 47° place of begi	30, T. 17 N., 18' W. 251.2 f nning. exterio	R. 14 W., bears S. t. to the S. end control of the	85° 26' E. enter monume claim. Va. N. 15° 1	726 ft. nt, the
corner of Sec. Thence N. 47° place of begi	30, T. 17 N., 18' W. 251.2 f nning. exterio	R. 14 W., bears S. t. to the S. end ce r boundary of the c	85° 26' E. enter monume claim. Va. N. 15° 1	726 ft. nt, the
orner of Sec. Thence N. 47° place of begi	30, T. 17 N., 18' W. 251.2 f nning. exterio	R. 14 W., bears S. t. to the S. end control of the	85° 26' E. enter monume claim. Va. N. 15° 1	726 ft. nt, the
orner of Sec. Thence N. 47° place of begi	30, T. 17 N., 18' W. 251.2 f nning. exterio	R. 14 W., bears S. t. to the S. end control of the	85° 26' E. enter monume claim. Va. N. 15° 1	726 ft. nt, the
thence N. 47° place of begi	30, T. 17 N., 18' W. 251.2 f nning. exterio	R. 14 W., bears S. t. to the S. end control of the	nter monume claim. Va. N. 15° 1	736 ft. nt, the 0' E.
thence N. 47° place of beginner THIS AMEND June 9 th.	30, T. 17 N., 18' W. 251.2 f nning. exterio	R. 14 W., bears S. t. to the S. end control of the	nter monume laim. Na. N. 15° 1 th the original le	726 ft. nt, the 0' E. ccation, made
thence N. 47° place of beginner THIS AMEND June 9 th.	30, T. 17 N., 18' W. 251.2 f nning. exterio	R. 14 W., bears S. t. to the S. end control of the	nter monume laim. Na. N. 15° 1 th the original le	726 ft. nt, the 0' E. ccation, made
THIS AMEND June 9 th.	30, T. 17 N., 18' W. 251.2 f nning. exterio DED LOCATION i 1.914 , recorf Quartz Locations, ir	R. 14 W., bears S. t. to the S. end control of the	h the original lo	726 ft. nt, the 0' E. ccation, made k JJ it is made for
THIS AMEND June 9 th. Page 438 , o	30, T. 17 N., 18' W. 251.2 f nning. exterio DED LOCATION i 1.914 , recor f Quartz Locations, ir priating all ground w	R. 14 W., bears S. It. to the S. end coor boundary of the C. Magnetic V. s made in conformity with ded Sep. 19 the office of the Recorder of	h the original le said County, and pefore described,	726 ft. nt, the O'E. ocation, made k JJ it is made for and of more
THIS AMEND June 9 th. Page 438 , or the purpose of approdefinitely describing	30, T. 17 N., 18' W. 251.2 f nning. exterio ED LOCATION i 1.914 , recorf Quartz Locations, ir priating all ground w the situation and bou	R. 14 W., bears S. It. to the S. end corrections and the Sep. 19 The office of the Recorder of the orthograph of the series of said lode, corrections and the series of said lode, corrections are series of said lode, corrections and the series of said lode, corrections are series of said lode, corrections	h the original le 214, in Boo said County, and ng any irregularit	726 ft. nt, the 0' E. ccation, made k JJ , it is made for and of more ies, informali-
THIS AMEND June 9 th. Page 438 , o the purpose of approdefinitely describing ties or errors, supply	30, T. 17 N., 18' W. 251.2 f nning. exterio DED LOCATION i 1.914, recorf Quartz Locations, ir priating all ground w the situation and bou ing omissions and cor	R. 14 W., bears S. It. to the S. end control of the Recorder of Control of the C	h the original leading any irregularita ay have existed in the series of the control of the cont	nt, the O' E. Ocation, made k JJ , it is made for and of more ies, informalint the original
THIS AMEND The purpose of approdefinitely describing ties or errors, supply location, or the reconstruction.	30, T. 17 N., 18' W. 251.2 f nning. exterio DED LOCATION i 1.914 recor f Quartz Locations, ir priating all ground w the situation and bou ing omissions and cor rd thereof, hereby wa	R. 14 W., bears S. It. to the S. end correction of the Magnetic M	h the original le said County, and pefore described, ng any irregularit ay have existed i ler and by virtue o	nt, the o' E. ocation, made k JJ it is made for and of more ies, informali- n the original f said original
THIS AMEND June 9 th. Page 438 , or the purpose of approdefinitely describing ties or errors, supply location, or the recorded	30, T. 17 N., 18' W. 251.2 f nning. exterio DED LOCATION i 1.914, recor f Quartz Locations, ir priating all ground w the situation and bou ing omissions and cor rd thereof, hereby wa original location or t	R. 14 W., bears S. It. to the S. end come boundary of the Magnetic Magneti	h the original le said County, and pefore described, ng any irregularit ay have existed i ler and by virtue o	nt, the o' E. ocation, made k JJ , it is made for and of more ies, informali- n the original f said original
THIS AMEND The purpose of approdefinitely describing ties or errors, supply location, or the record location. And if the original location and	251.2 f nning. exterio DED LOCATION i 1.914 , recor f Quartz Locations, ir priating all ground w the situation and bou ing omissions and cor rd thereof, hereby wa original location or t this certificate an ori	R. 14 W., bears S. It. to the S. end control of the Control of the Magnetic Magneti	h the original le said County, and pefore described, ay have existed i ler and by virtue of then this location, then this location	nt, the nt, the o' E. ocation, made k JJ it is made for and of more ies, informali- n the original f said original n shall be an
THIS AMEND The purpose of approdefinitely describing ties or errors, supply location, or the recordination. And if the original location and Date of Original	30, T. 17 N., 18' W. 251.2 f nning. exterio DED LOCATION i 1.914 , recor f Quartz Locations, ir priating all ground w the situation and bou ing omissions and cor rd thereof, hereby wa original location or t this certificate an ori Discovery June	R. 14 W., bears S. It. to the S. end correction of the Magnetic M	h the original le 214, in Boo said County, and pefore described, and have existed it are and by virtue of then this location. A. D.	nt, the nt, the o' E. ccation, made k JJ , it is made for and of more ies, informali- n the original f said original n shall be an
THIS AMEND The purpose of approdefinitely describing ties or errors, supply location, or the recordinal location and Date of Original Date of Amended	30, T. 17 N., 18' W. 251.2 f nning. exterio DED LOCATION i 1.914, recor f Quartz Locations, ir priating all ground w the situation and bou ing omissions and cor rd thereof, hereby wa original location or t this certificate an ori Discovery	s made in conformity with ded Sep. 19 the formularies of said lode, correction recting any defects which maiving no rights acquired under the certificate thereof is void ignal certificate.	h the original le le le and by virtue of then this location. A. D. A. D.	nt, the nt, the o' E. ocation, made k JJ , it is made for and of more ies, informalin the original f said original m shall be an 1.914
THIS AMEND The purpose of approdefinitely describing ties or errors, supply location, or the recordinal location and Date of Original Date of Amended	30, T. 17 N., 18' W. 251.2 f nning. exterio DED LOCATION i 1.914, recor f Quartz Locations, ir priating all ground w the situation and bou ing omissions and cor rd thereof, hereby wa original location or t this certificate an ori Discovery	s made in conformity with ded Sep. 19 the formularies of said lode, correction recting any defects which maiving no rights acquired under the certificate thereof is void ignal certificate.	h the original le le le and by virtue of then this location. A. D. A. D.	nt, the nt, the o' E. ocation, made k JJ , it is made for and of more ies, informalint the original f said original m shall be an 1.914
THIS AMEND The purpose of appro- definitely describing ties or errors, supply- location, or the record cocation. And if the poriginal location and Date of Original Date of Amended	30, T. 17 N., 18' W. 251.2 f nning. exterio DED LOCATION i 1.914, recor f Quartz Locations, ir priating all ground w the situation and bou ing omissions and cor rd thereof, hereby wa original location or t this certificate an ori Discovery	R. 14 W., bears S. It. to the S. end correction of the Magnetic M	h the original le le le and by virtue of then this location. A. D. A. D.	nt, the nt, the o' E. ocation, made k JJ , it is made for and of more ies, informalin the original f said original m shall be an 1.914

Recorded at the request of R.C. Jacobson at 9 o'clock A.M., May 27th, 1916, in Book P.P. of Mining Claims, page----, Records of Mohave County, Arizona.

J. W. Morgan, County Recorder.
By Thos. McNeely, Deputy.

Hmended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That LEVIATHAN MINES COMPANY,
a corporation
the undersigned bilibenkil of the United States, over the age of twenty one years, having complied with
all the requirements of the laws of the United States and the State of Arizona, relating to mining
claims, and with the local laws, customs, rules and regulations of Cedar
theLode, claiming by right of discovery, location, primal appropriation and
possessionfeet, linear and horizontal measurement, on this vein or
lode of quartz, or other rock in place, bearingcopper and gold
erals, with all dips, variations and angles the same being
ledge in a N. 399 22 E direction from the discovery stake and 1478
feet along the ledge in a 3. 399 22! w. direction therefrom, together with300
feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits,
mineral and surface ground within the lines of said claim.
Situate in Sedaro
State of Arizona, in Sec. 30, T. 17 N., R. 14 W. and more particularly described as
follows, to-wit:
Beginning at the discover of the claim, where a location monument
is established and this notice posted. Thence N. 39° 22' E. 22 ft.
to the N. end center monument. Thence S. 47° 22' E. 300 ft. to the
N. E. corner monument. Thence S. 39° 22'W. 1500 ft. to the S. E. corne
monument. Thence N. 47º 18' W. 300 ft. to the S. end center monument,
484.8 ft. to the S. W. corner monument. Thence N. 39° 22' E. 1500
ft. to the N. W. corner monument, whence N. E. corner to Sec. 30 T.
17 N., R. 14 W., bears N. 22° 35' E. 1013.6 ft. Thence S. 47° 13' E.
184.8 ft. to the N. end center monument, the place of beginning
184.8 ft. to the N. end center monument, the place of beginning exterior boundary of the claim.
184.8 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 150 10' E.
184.8 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
184.8 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Nagnetic Va. N. 15° 10' E.
184.8 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 150 10' E.
184.8 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
184.8 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
184.8 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
184.8 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Nagnetic Va. N. 15º 10' E.
184.8 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15º 10' E.
184.8 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15º 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made
184.8 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' L. THIS AMENDED LOCATION is made in conformity with the original location, made September 24 1904 , recorded Nov. 4 th. 1904 , in Book V ,
184.8 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Nagnetic Va. N. 15º 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made september 24 1904, recorded Nov. 4 th. 1904, in Book V., Page 135., of Quartz Locations, in the office of the Recorder of said County, and it is made for
184.8 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Nagnetic Va. N. 15º 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made September 24 1904 , recorded Nov. 4 th. 1904 , in Book V , Page 135 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more
184.8 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Nagnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made September 24 1904 , recorded Nov. 4 th. 1904 , in Book V, Page 135, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informali-
THIS AMENDED LOCATION is made in conformity with the original location, made September 24 1904 , recorded Nov. 4 th. 1904 , in Book Y
THIS AMENDED LOCATION is made in conformity with the original location, made September 24 1904 , recorded Nov. 4 th. 1904 , in Book V. Page .135 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an
THIS AMENDED LOCATION is made in conformity with the original location, made September 24 1904 , recorded Nov. 4 th. 1904 , in Book Y. Page 135 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original
184.8 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Nagnetic Va. N. 159 10! E. THIS AMENDED LOCATION is made in conformity with the original location, made September 24 1904, recorded Nov. 4 th. 1904, in Book V., Page 135, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate,
184.8 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Nagnetic Va. N. 15° 10! E. THIS AMENDED LOCATION is made in conformity with the original location, made September 24 1904 , recorded Nov. 4 th. 1904 , in Book V. , Page 135 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate, Date of Original Discovery Sep. 24 th. A. D. 1904

Recorded at the request of R.C. Jacobson at 9 o'clock A.M., May 27th, 1916, in Book P.P. of Wining Claims, page----, Records of Mohave County, Arizona.

J. W. Morgan, County Recorder.

By Thos. McNeely, Deputy.

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That LEVIATHAN MINES COMPANY,
a corporation
the undersigned difficulties was the water states, over the age of tweaty consequence, having complied with
all the requirements of the laws of the United States and the State of Arizona, relating to mining
claims, and with the local laws, customs, rules and regulations ofCedar
Mining District, hereby make and file thisitsamended location of
the
possession1500 feet, linear and horizontal measurement, on this vein or
lode of quartz, or other rock in place, bearingcopper and goldand other valuable min-
erals, with all dips, variations and angles the same being388feet along the
ledge in a S. 429 53! W. direction from the discovery stake and 1112
feet along the ledge in a .N. 429.53 . E. direction therefrom, together with
feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits,
mineral and surface ground within the lines of said claim.
Situate inCedar
State of Arizona, in Sec.'s 20.29. T. 17 N., R. 14 N. and more particularly described as
follows, to-wit:
Beginning at the discovery of the claim, where a location
monument is established and this notice posted. Thence S. 42° 53' W.
388 ft. to the S. end center monument. Thence N. 47° 18' W. 184.8
ft. to the S. W. corner monument, whence N. E. corner of Sec. 30,
T. 17 N., R. 14 W., bears S. 85° 26' W. 726 ft. Thence N. 42° 53' E.
1500 ft. to the N. W. corner monument. Thence S. 47° 18' E. 184.8 ft
1500 ft. to the N. W. corner monument. Thence S. 47° 18' E. 184.8 ft to the N. End center monument, 484.8 ft. to the N. E. corner monument
The same of the sa
to the N. End center monument, 484.8 ft. to the N. E. corner monument
to the N. End center monument, 484.8 ft. to the N. E. corner monument Thence S. 42° 53° W. 1500 ft. to the S. E. corner monument. Thence
to the N. End center monument, 484.8 ft. to the N. E. corner monument Thence S. 42° 53' W. 1500 ft. to the S. E. corner monument. Thence N. 47° 18' W. 300 ft. to the S. end center monument, the place of
to the N. End center monument, 484.8 ft. to the N. E. corner monument Thence S. 42° 53' W. 1500 ft. to the S. E. corner monument. Thence N. 47° 18' W. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim.
to the N. End center monument, 484.8 ft. to the N. E. corner monument Thence S. 42° 53' W. 1500 ft. to the S. E. corner monument. Thence N. 47° 18' W. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
to the N. End center monument, 484.8 ft. to the N. E. corner monument Thence S. 42° 53' W. 1500 ft. to the S. E. corner monument. Thence N. 47° 18' W. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
to the N. End center monument, 484.8 ft. to the N. E. corner monument Thence S. 42° 53' W. 1500 ft. to the S. E. corner monument. Thence N. 47° 18' W. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
to the N. End center monument, 484.8 ft. to the N. E. corner monument Thence S. 42° 53' W. 1500 ft. to the S. E. corner monument. Thence N. 47° 18' W. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
to the N. End center monument, 484.8 ft. to the N. E. corner monument Thence S. 42° 53' W. 1500 ft. to the S. E. corner monument. Thence N. 47° 18' W. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
to the N. End center monument, 484.8 ft. to the N. E. corner monument Thence S. 42° 53' W. 1500 ft. to the S. E. corner monument. Thence N. 47° 18' W. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
to the N. End center monument, 484.8 ft. to the N. E. corner monument Thence S. 42° 53' W. 1500 ft. to the S. E. corner monument. Thence N. 47° 18' W. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made
to the N. End center monument, 484.8 ft. to the N. E. corner monument Thence S. 42° 53 W. 1500 ft. to the S. E. corner monument. Thence N. 47° 18' W. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914 , recorded Sep. z nd. 1914 , in Book JJ ,
to the N. End center monument, 484.8 ft. to the N. E. corner monument Thence S. 42° 53' W. 1500 ft. to the S. E. corner monument. Thence N. 47° 18' W. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914 , recorded Sep. 2 nd. 1914 , in Book JJ , Page 437 , of Quartz Locations, in the office of the Recorder of said County, and it is made for
to the N. End center monument, 484.8 ft. to the N. E. corner monument Thence S. 42° 53' W. 1500 ft. to the S. E. corner monument. Thence N. 47° 18' W. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914 , recorded Sep. 2 nd. 1914 , in Book JJ , Page .437, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more
to the N. End center monument, 484.8 ft. to the N. E. corner monument Thence S. 42° 53° W. 1500 ft. to the S. E. corner monument. Thence N. 47° 18° W. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10° E. THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914 , recorded Sep. 2 nd. 1914 , in Book JJ Page 437 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informali-
THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914 , recorded Sep. 2 nd. 1914 , in Book JJ , Page 437 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original
to the N. End center monument, 484.8 ft. to the N. E. corner monument Thence S. 42° 53 W. 1500 ft. to the S. E. corner monument. Thence N. 47° 18 W. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914 , recorded Sep. 2 nd. 1914 , in Book JJ , Page 437 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original
THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914 , recorded Sep. 2 nd. 1914 , in Book JJ , Page 1914 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an
to the N. End center monument, 484.8 ft. to the N. E. corner monument. Thence S. 42° 53¹ %. 1500 ft. to the S. E. corner monument. Thence N. 47° 18¹ %. 300 ft. to the S. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10¹ E. THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914 , recorded Sep. & nd. 1914 , in Book JJ , Page 43° , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.
THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914 , recorded Sep. 2 nd. 1914 , in Book JJ. , Page 197. , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate an original location and this certificate an original certificate. Date of Original Discovery June 9 th
THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914 , recorded Sep. and. 1914 , in Book JJ, Page 457, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate. Date of Original Discovery June 9 th. A. D. 1914 A. D. 1916
THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914 , recorded Sep. 2 nd. 1914 , in Book JJ. , Page 197. , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate an original location and this certificate an original certificate. Date of Original Discovery June 9 th

30 Recorded at the request of R. C. Jacobson at 9 o'clock A.M., May 27th, 1916, in Book P.P. of Mining Claims, page ----, Records of Mohave County, Arizona.

J. W. Morgan, County Recorder.

By Thos. McNeely, Deputy.

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That LEVIATHAN MINES COMPANY,
a corporation
the undersigned citizent % of the United States; ਹੇਂਦਵ ጊዜሮ ਕੁੰਦ of ኒ พืชแบบ ਅੱਖ ታሪሙና; having complied with
all the requirements of the laws of the United States and the State of Arizona, relating to mining
claims, and with the local laws, customs, rules and regulations of
the Copper Wonder Lode, claiming by right of discovery, location, primal appropriation and
possession1500 feet, linear and horizontal measurement, on this vein or
lode of quartz, or other rock in place, bearingcopperandgoldand other valuable min-
erals, with all dips, variations and angles the same being1425 feet along the
ledge in a S. 39922! W. direction from the discovery stake and
feet along the ledge in a .N. 390. 22! E. direction therefrom, together with300.
feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits,
mineral and surface ground within the lines of said claim.
Situate inCedarMining District, County ofMohave,
State of Arizona, in Sec. 30, T. 17. N., R. 14. W. and more particularly described as
follows, to-wit:
Beginning at the discovery of the claim, where a location monumen
is established and this notice posted. Thence N. 390 22' E. 75 ft. to
the N. end center monument. Thence S. 47° 18' E. 251.2 ft. to the
N. E. corner monument, whence the N. E. corner of Sec. 30, T. 17 N.,
R. 14 W., bears N. 22° 35' E. 1013.6 ft. Thence S. 39° 22' W. 1500
ft. to the S. E. Corner monument. Thence N. 47° 18' W. 251.2 ft.
to the S. end center monument, 551.2 ft. to the S. W. corner monument.
Thence N. 399 22' E. 1500 ft. to the N. W. corner monument. Thence
a 480 40 to to to 11 to 12 to
S. 47º 18' E. 300 ft. to the N. end center monument, the place of
beginning exterior boundary of the claim.
beginning exterior boundary of the claim.
beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914 , recorded September 2nd; 1914 , in Book
THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914 , recorded September 2nd; 1914 , in Book DD, Page 109-110, of Quartz Locations, in the office of the Recorder of said County, and it is made for
THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914 , recorded September 2nd; 1914 , in Book D. , Page 109-110 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more
THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914, recorded September 2nd 1 1914, in Book, Page 109-110, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informali-
THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914 , recorded September 2nd; 1914 , in Book DO , Page 109-110 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original
THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914 , recorded September 2nd; 1914 , in Book , Page 109-110, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original
THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914 , recorded September 2nd; 1914 , in Book DD , Page 109-110, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an
THIS AMENDED LOCATION is made in conformity with the original location, made June. 9. th. 1914, recorded .September 2nd 1 1914, in Book, Page 109-110, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.
THIS AMENDED LOCATION is made in conformity with the original location, made June 9 th. 1914, recorded September 2nd; 1914, in Book
THIS AMENDED LOCATION is made in conformity with the original location, made June. 9. th. 1914, recorded .September 2nd 1 1914, in Book, Page 109-110, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Recorded at the request of R.C. Jacobson at 9 o'clock A.M., May 27th, 1916, in Book P.P. of Mining Claims, page----, Records of Mohave County, Arizona.

By Thos. McNeely, Deputy.

Hmended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That LEVIATHAN MINES COMPANY,
a_corporation
the undersigned bilizeness of the Linited States; over the age of twenty-one; years, having complied with
all the requirements of the laws of the United States and the State of Arizona, relating to mining
claims, and with the local laws, customs, rules and regulations ofCedar
the Copper Monder Lode, claiming by right of discovery, location, primal appropriation and
possessionfeet, linear and horizontal measurement, on this vein or
lode of quartz, or other rock in place, bearinggold and copper
erals, with all dips, variations and angles the same being
ledge in a N. 489. 14! E. direction from the discovery stake and 23
feet along the ledge in a S. 489 14! W. direction therefrom, together with
feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits,
mineral and surface ground within the lines of said claim.
State of Arizona, in See s 19, 20, 29, 30, T. 17 No., R. 14 W. State of Arizona, in See s 19, 20, 29, 30, T. 17 and more particularly described as
follows, to-wit:
Beginning at the discovery of the claim, where a location monumen
is established and this notice posted. Thence N. 48° 14' E. 1469 ft.
to the N. end center monument. Thence S. 47° 18' E. 251.2 ft. to
the N. E. corner monument, whence the N. E. corner to section 30, T.
17 N., R. 14 W., bears S. 85° 26' W. 726 ft. Thence S. 48° 14' W.
1492 ft. to the S. E. corner monument. Thence N. 47° 18' W. 351.2
1492 ft. to the S. E. corner monument. Thence N. 47° 18' W. 351.2 ft. to the S. end center monument, 551.2 ft. to the S. W. corner
ft. to the S. end center monument, 551.2 ft. to the S. W. corner
ft. to the S. end center monument, 551.2 ft. to the S. W. corner monument. Thence N. 48° 14' E. 1498 ft. to the N. W. corner monument
ft. to the S. end center monument, 551.2 ft. to the S. W. corner monument. Thence N. 48° 14' E. 1492 ft. to the N. W. corner monument Thence S. 47° 18' E. 300 ft. to the N. end center monument, the place
ft. to the S. end center monument, 551.2 ft. to the S. W. corner monument. Thence N. 48° 14' E. 1492 ft. to the N. W. corner monument Thence S. 47° 18' E. 300 ft. to the N. end center monument, the place of beginning exterior boundary of the claim.
ft. to the S. end center monument, 551.2 ft. to the S. W. corner monument. Thence N. 48° 14' E. 1498 ft. to the N. W. corner monument Thence S. 47° 18' E. 300 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
ft. to the S. end center monument, 551.2 ft. to the S. W. corner monument. Thence N. 48° 14' E. 1492 ft. to the N. W. corner monument Thence S. 47° 18' E. 300 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
ft. to the S. end center monument, 551.2 ft. to the S. W. corner monument. Thence N. 48° 14' E. 1498 ft. to the N. W. corner monument Thence S. 47° 18' E. 300 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
ft. to the S. end center monument, 551.2 ft. to the S. W. corner monument. Thence N. 48° 14' E. 1493 ft. to the N. W. corner monument Thence S. 47° 18' E. 300 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
ft. to the S. end center monument, 551.2 ft. to the S. W. corner monument. Thence N. 48° 14' E. 1492 ft. to the N. W. corner monument Thence S. 47° 18' E. 300 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
ft. to the S. end center monument, 551.2 ft. to the S. W. corner monument. Thence N. 48° 14' E. 1493 ft. to the N. W. corner monument Thence S. 47° 18' E. 300 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
ft. to the S. end center monument, 551.2 ft. to the S. W. corner monument. Thence N. 43° 14' E. 1492 ft. to the N. W. corner monument Thence S. 47° 18' E. 300 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
ft. to the S. end center monument, 551.2 ft. to the S. W. corner monument. Thence N. 48° 14' E. 1492 ft. to the N. W. corner monument Thence S. 47° 18' E. 300 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made
This Amended Location is made in conformity with the original location, made January 1 st. 1910 , recorded February 23 1910 , in Book D. D.
THIS AMENDED LOCATION is made in conformity with the original location, made January 1 st. 1910 , recorded February 23 1.910 , in Book D. D, Pages 110,111, of Quartz Locations, in the office of the Recorder of said County, and it is made for
This Amended Location is made in conformity with the original location, made January 1 st. 1910 , recorded February 23 1910 , in Book D. D.
THIS AMENDED LOCATION is made in conformity with the original location, made January 1 st. 1910 , recorded February 23 1.910 , in Book D. D, Pages 110,111, of Quartz Locations, in the office of the Recorder of said County, and it is made for
THIS AMENDED LOCATION is made in conformity with the original location, made January 1 st 1910 , recorded February 23 1910 , in Book D. D. Pages 110,111 of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more
There s. end center monument, 551.2 ft. to the S. W. corner monument Thence S. 47° 18' E. 300 ft. to the N. end center monument, the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made January 1 st. 1910 , recorded February 23 1910 , in Book D. D. Pages 110,111 of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original
THIS AMENDED LOCATION is made in conformity with the original location, made January 1 st. 1910 , recorded February 23 1.910 , in Book D. D. , Pages. 110,111, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original
THIS AMENDED LOCATION is made in conformity with the original location, made January 1 st 1910 , recorded February 23 1910 , in Book D. D. , Pages 110,111, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location. And if the original location or the certificate thereof is void, then this location shall be an
THIS AMENDED LOCATION is made in conformity with the original location, made January 1 st. 1910 , recorded February 23 1910 , in Book D. D. Pages 110,111, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.
THIS AMENDED LOCATION is made in conformity with the original location, made January 1 st. 1910, recorded February 23. 1910., in Book D. D, Pages. 110,111, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate an original location and this certificate an original certificate. Date of Original Discovery January 1 st
THIS AMENDED LOCATION is made in conformity with the original location, made January 1 st. 1910 , recorded February 23 1910 , in Book D. D. Pages 110,111, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.
THIS AMENDED LOCATION is made in conformity with the original location, made January 1 st. 1910 recorded February 23. 1910 in Book D. D Pages. 110,111, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate. Date of Original Discovery January 1 st. A. D. 1916.
THIS AMENDED LOCATION is made in conformity with the original location, made January 1 st. 1910 , recorded February 23 1910 , in Book D. D. , Pages 110,111, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate. Date of Original Discovery January 1 st. A. D. 1916.

Recorded at the request of R.C. Jacobson at 9 o'clock A.M., May 27th, 1916, in Book P.P. of Mining Claims, page----, Records of Mohave County, Arizona.

J.W. Morgan, County Recorder.

By Thos. McNeely, Deputy.

Hended Location Certificate

KNOW ALL MEN BY THESE PRESENTS, That LEVIATHAN MINES COMPANY,
acorporation
the undersigned citizening of the United States, book the uge of twenty one years; having complied with
all the requirements of the laws of the United States and the State of Arizona, relating to mining
claims, and with the local laws, customs, rules and regulations ofCedar
the
possession1500 feet, linear and horizontal measurement, on this vein or
lode of quartz, or other rock in place, bearingcopper and gold
erals, with all dips, variations and angles the same being
ledge in a N. 5º 43! E. direction from the discovery stake and 750
feet along the ledge in a S. 69. 43! W. direction therefrom, together with 300
feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits,
mineral and surface ground within the lines of said claim.
Situate inCedar
State of Arizona, in Sec s 19,30, T.17 N., R.14 w. and more particularly described as
follows, to-wit:
Beginning at the discovery if the claim, where a location
monument is established and this notice posted, thence N. 6° 43' E.
750 ft. to the N. end center monument. Thence S. 83º 17! E. 300
ft to the N. E. corner monument, whence the N. E. corner to Sec. 30,
T. 17 N., R. 14 W. bears S. 28° 40' E. 872.58 ft. Thence S. 6° 43' W.
1500 ft. to the S. E. corner monument. Thence N. 83° 17' W. 300 ft.
to the S. end center monument, 500 ft. to the S. W. corner monument.
Thence N. 6º 43! E. 1500 ft. to the N. W. corner monument. Thence
Thence N. 6° 43' E. 1500 ft. to the N. W. corner monument. Thence S. 83° 17' E. 300 ft. to the N. end center monument the place of
S. 83° 17' E. 300 ft. to the N. end center monument the place of
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim.
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E.
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made October 25 1915 , recorded January 22 1916 , in Book N. N ,
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made October 25 1915 , recorded January 22 1916 , in Book N. N. N. Page 209 , of Quartz Locations, in the office of the Recorder of said County, and it is made for
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made October 25 1915 , recorded January 22 1916 , in Book N. N. N. , Page 209 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made October 25 1915 , recorded January 22 1916 , in Book N. N. N. Page 209 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informali-
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made October 25 1915 , recorded January 22 1916 , in Book N. N. , Page 209 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made October 25
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E. Magnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made October 25 1915 , recorded January 22 1916 , in Book N. N. N. , Page 209 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E. Magnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made October 25 1915 , recorded January 22 1916 , in Book N. N. N. Page 209 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate. Date of Original Discovery October 25 . A. D. 1915
S. 83° 17' E. 300 ft. to the N. end center monument the place of beginning exterior boundary of the claim. Magnetic Va. N. 15° 10' E. Magnetic Va. N. 15° 10' E. THIS AMENDED LOCATION is made in conformity with the original location, made October 25 1915 , recorded January 22 1916 , in Book N. N. N, Page 209 , of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

AMENDED LOCATION CERTIFICATE.

KNOW ALL MEN BY THESE PRESENTS; That LEVIATHAN MINES COMPANY, a corporation.

The undersigned corporation having complied with all the requirements of the laws of the United States, and the State of Arizona, relating to mill sites, and with the local laws, customs, rules and regulations of CEDAR Mining District, hereby make and file this its amended location of the LEVIATHAN MILL SITE, situate in Cedar Mining District, County of Mohave, State of Arizona, in Sec. 31, T. 17 N., R. 14 W., and more particularly described as follows, to wit:

Beginning at the N. E. corner monument of the claim, whence 1/4 corner between sec's 31 and 32, T. 17 N., R. 14 W., bears N. 83° 82' E. 953.9 ft. Thence S. 9° 46' E. 322.4 ft. to the S. E. corner monument. Thence S. 80° 14' W. 675.6 ft. to the S. W. corner monument. Thence N. 9° 46' W. 322.4 ft. to the N. W. corner monument. Thence N. 80° 14' E. 675.6 ft. to the N. E. corner monument, the place of beginning. Containing five acres.

Date of original location April 20 th. 1916.

Date of amended location May 36 th. 1916.

LEVIATHAN MINES COMPANY.

Filed and Recorded at Request of R. C. Jacobson May 27th A. D. 1916 at 40 minutes past One o'clock P.M. in Book 2 of Will Sites & Water Rights, Pages----, Records of Mohave County, Arizona.

J. W. Morgan, County Recorder.

By Thos. McNeely, Deputy.

AMENDED LOCATION CERTIFICATE.

KNOW ALL MEN BY THESE PRESENTS: That LEVIATHAN MINES COMPANY, a corporation.

The undersigned corporation having complied with all the requirements of the laws of the United States, and the State of Arizona, relating to mill sites, and with the local laws, customs, rules and regulations of CEDAR Mining District, hereby make and file this its amended location of the SUMMIT MILL SITE, situate in Cedar Mining District, County of Mohave, State of Arizona, in Sec. 36, T. 17 N., R. 15 W., and more particularly described as follows, to wit:

Beginning at the N. E. corner monument of the claim, whence 1/4 corner between Sec's 25 and 36, T. 17 N., R. 15 W., bears N. 13° 07' E. 1556.7 ft. Thence S. 14° 40' E. 320.6 ft. to the S. E. corner monument. Thence S. 76° 43' W. 649.6 ft. to the S. W. corner monument. Thence N. 14° 40' W. 350.3 ft. to the N. W. corner monument. Thence N. 79° 18' E. 651 ft. to the N. E. corner monument, the place of beginning. Containing five acres.

Date of Amended location May 9 th. 1916.

Date of Amended location May 26 th. 1916.

LEVIATHAN MINES COMPANY.

Filed and Recorded at Request of R. C. Jacobson May 27th A.D. 1916 at 40 minutes past One o'clock P.M. in Book 2 of Mill Sites and Water Rights, Pages----, Records of Mohave County, Arizona.

J. W. Morgan, County Recorder.

By Thos. McNeely, Deputy.

RECORDER'S CERTIFICATE.

I, J. W. Morgan, Recorder of Mohave County, State of Arizona, do hereby certify that I have compared the foregoing copies of amended location certificates of the COP-PER WONDER NO. 1, COPPER WONDER NO. 2, WHALE, LEVIATHAN, WHALE NO. 3, SUMMIT and WATER CLAIM lode mining claims and of the LEVIATHAN and SUMMIT mill-site claims, all situated in the CEDAR mining district, County of Mohave, State of Arizona, and of the endorsements thereon with the original records thereof on file in this office and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and official seal this 29th day of MAY, A. D. 1916.



J. W. MORGAN

Recorder of Mohave County,

State of Arizona.

By Thos. Menely



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
January 3 , 1917.
I, U. S. Surveyor-General for District of Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
LEVIATHAN MINES COMPANY
known as the LEVIATHAN SUMMIT WHALE WHALE NO.3, COPPER WONDER NO.1, COPPER WONDER No.2, WATER CLAIM LODES, AND LEVIATHAN AND SUMMIT SITUATED MILL SITES.
Mining District MOHAVE County ARTZONA
Secs. 19, 20, 29, 30, 31, T. 17, N., R. 14 W., and in Section 36, Township No. 17 N., Range No. 15 W., unapp'd., and
designated as Survey No. 3290 A&B , has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve- or for each of ments made upon said mining claims by claimant. oritsgrantors, and that said improvements
consist of 4 cuts, 4 tunnels, 1 shaft and 2 drifts, total value
\$9545 •
As improvement No.1 on the Whale lode is a common im-
provement for the benefit and development of all of the lodes
in this group, an undivided one-seventh interest therein, value
\$800, is properly credited to each lode claim in this survey.
and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office atPhoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.
Frank P. Troit,
United States Surveyor-General for Arizona.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,		
		January 3. , 1917.
I, U. S. Surveyor-General f	or District of Arizon	n a
do hereby certify that the foreg	oing and hereto attached Field Notes a	and Return of the Survey of the
Mining Claim of		
	LEVIATHAN MINES COMPAN	XX
		, known as the
	LE, WHALE NO.3, COPPER WON AIM LODES, AND LEVIATHAN	
situate in	CEDAR	mining district,
MOHAVE	County,	ARIZONA
Secs. 19, 20, 29, in Section 36	30, 31, T. 17 N., R. 14, Township No. 17 N.,,	W., and Range No. 15 W., unapp'd.
designate	ed as Survey No. 3290 A&	¢B
executed by	Peter McCardell	, U. S. Deputy Mineral
Surveyor, June	3-13, , 19 1	.6, under my instructions dated
May 31,	, 1916, have been critically ex	xamined and the necessary cor-
rections and explanations made	, and the said Field Notes and Return	, and the Survey they describe,
are hereby approved. A true co	opy of the copy of the location certific	eate filed by the applicant for
survey is included in the field no	otes.	
	Frank	Q. Anoth
	U. S. Surveyor-Genero	al for Arizona.