Clatted

39N 3- 1916 SEP.21.1916

4---683.

Mineral Survey No. 3291
Lot No.
Arizona Land District.
FIELD NOTES
OF THE SURVEY OF THE MINING CLAIM OF  C.E.Stevens
KNOWN AS THE
Greenlee Gold Mountain Mining District,

by E.T.Morton

U.S. Deputy Mineral Surveyor

Claim located see location notice , 1

Survey commenced May 20 , 1916..

Survey completed May 24 , 1916.

Address of Attorneys:

Surveyed under instructions dated May 15 , 1916,

Greenlee County, Arizona

Section 34 Township 3 South , Range 29 E., Uns. G.& S.R.P.M.

Ellinwood & Ross,

Globe Arizona.

	SURVEY NO.3291.	ere -
Feet.	94.4 Intersect line 4-3 short republic lode at 3.	
	Beginning at Cor. No. 1. B. ON. TOO mort. JE 34. VCI	
.TOO.n	A redwood post, in place, 4 x 6 ins., 3 ft. high, with moun	a
.011.	U.S.L.M.No.2 bears N.36°54'W.2988.43ft.scm.srod 81.80	a -
100	A cross (x) and B.R 1-3291 chiseled on granite bedrock	
The same of	2x3 ft.facing East, bears N.51°50'E.4.95 ft.	
	. taeThence N.79847 E. Toearetal 3.47	9
42	Intersect gulch course Southwest at 1.04.700 of 3.210	0.0
160.1	Northwest end center of the location and lode.	
248.1	To Cor. No. 2. (Has been obliterated by an ore dump and it	t
logment		
abnetz	On line3-4 Sur.No.1731 Virginia Queen and 4-1 Sur.No.	4
	1937 Buckeye lodes at N.17°15'E. 480.7 ft. and S.13°44'	E.
44.0.	250.7 ft.from Cors.Nos.4 and 1 respectively.	
N. ban	Cor.No.4 Sur.No.2357 Antietam lode bears N.19°32'E.663.	6ft.
796	Witness Cor.bears S.13'44'E.210 ft. or B LedoT	
	Thence S. 13°44 E, from true corner point.	
210	Witness Cor. for Cor. No. 2, a redwood post, in place, 4x6 in	ıs.,
	3 ft.high, with a mound of stone, scribed W.C P 2-3291.	
779.62	Intersect line 4-1 Sur. No. 1582 Republic lode, at S.58°20	'E.
	\$153.21 ft. from Cor.No.4.	
1019.5	To Cor.No.3.xe) shol oilduge 2361.oll.ru2	
Trans.	On line 4-1 Sur. No. 1937 Buckeye lode at N. 13°44'W. 130.7	7
	ft. from Cor.No.4. An incre	i ja
1-	A redwood post, in place, 4x 6 ins., 3 ft. high with a mound	d
rob mor	of stone scribed P 3-3291, whence and veel on TVE	
e.Themo	Cor.No.4 Sur.No.1582 Republic lode bears N.30°52'W.365.	2ft.
PISM	backros, erapps.sntaThence S.79°47'W.33.W'd1'01.W	
1188 qeA	Southeast end center of the location and lode.	
248.1	To Cor. No.4. of. ft 13. Ed. H'OS B3.8 eccent. abol	
de and	A redwood post, in place, 4x6 ins., 3 ft. high, with a mound	3
· E · E	of stone, scribed P 4-3291, whence 1-4 entil	
eton Sie.	Cor.No.2 Sur.No.1734 Jumbo lode bears N.2°42'E.286.8 ft.	
	Thence N.13°44'W.	9

		HE CONTRACTOR OF THE PROPERTY
	Feet.	SURVEY NO. SES1.
	194.4	Intersect line 4-3 Sur. No. 1582 Republic lode at S. 31°25'W.
į		197.56 ft.from Cor.No.4 and also intersect line 2-3
d	barron d	Sur.No.1734 Jumbo lode at S.31°25'W.114.46 ft.from Cor.
		No.2. scribed P 1-3291, whence .s.oN
	592.18	Cors. Nos. 4,2 and 1 Sur. No. 1731 Virginia Queen, Sur. No.
	doorbe	1740 Big Bend No. 2 and Sur. No. 1734 Jumbo lodes respectively.
		Cor.No.2 Sur.No.1734 Jumbo lode bears S.28°04'E.327.2 ft.
	974.5	Intersect gulch, course Southwest.
	1019.5	To Cor.No.1, the place of beginning. on tasarstal
		. Variation at all corners 13°40'E. Jawatrow   1.001
	fi bna	248.1 To Cor. No. C. (Has becauld adolated by an ore dump
		As near as can be determined from present developments
	.ou.rs	the vein of the location embraced in this claim extends
	The second second	as follows from the discovery point: Valoud VEEL
		Pelican lode, 391.5 ft.S.13°44'E. and 628 ft.N.13°44'W.
1	E.663.67	SE-61.M aread ebol medarea: 7353.0M. rus 4.0M. roo
		Total area Pelican lode - 2-224-15.796
		Area in conflict with-
	ALCOHOLD TO THE	. soalg alSur.No.1731 Virginia Queen lode - 2 1.214
		9 Sur.No.1734 Jumbo lode 11 1 - 0.370
		te. of Sur. No.1582 Republic lode = 111-12-11.582 30.600
		Tract A
		Sur.No.1582 Republic lode(exclusive of d.9101
	130.77	TANEL. Nof its conflict with Tract A)
		Tract "A" 4.04. Tob more . Ji
	baron s	Beginning at Cor.No.3 said Pelican lode, on line 4-1
		Sur.No.1937 Buckeye lode at N.13°44'W.130.77 ft.from Cor.
*	7.366.27	No.4, Thence N.72°00'W.176.1 ft. to a mound of stone. Thence
		N.10°15'W.228.6 ft.to a post 4ins.square, scribed P I S N
¥	A.S.	1582. Thence N.31°25'E.40 to Cor.No.4 Sur.No.1582 Republic
		lode. Thence S.58°20'E.153.21 ft. to a point on line 2-3
	branca	said Pelican lode, line 4-1 Sur. No. 1937 Buckeye lode and
		line 4-1 Sur. No. 1582 Republic lode. Thence S. 13.44 'E.
	.12 8.	239.88 ft.to the place of beginning.containing 0.852 acre.

Thence n. 13 44 tw.

#### LOCATION.

This survey is located in the Greenlee Gold Mountain Mining District, Greenlee County, Arizona, in Sec. 34 T.3 S., R.29 E., Uns. G.& S.R.P.M.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, the location embraced in this mining claim by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:

No.1. The discovery showing mineral, in place, is on the lode line 391.5 ft. from line 3-4.

No.2.A tunnel, the mouth of which bears from Cor.No.2 S.5°33'E.557 ft.,4.5 x 6 ft., running S.ll°E.87 ft.

Value - - - - - \$870.00

#### INSTRUMENT.

This survey was made with a Buff and Berger light mountain mining transit. The courses were deflected from the true meridian, as determined by polaris observations. The distances were measured with 5,50 and 500 ft. steel tapes.

#### ADJOINING LODES.

This survey is bounded on the North, by Sur. No. 1731
Virginia Queen lode, Shannon Copper Company claimant; on
the East, by Sur. No. 1937 Buckeye lode, The Detroit Copper
Mining Company of Arizona claimant; on the South by Sur.
No. 1582 Republic lode, The Detroit Copper Mining Company
of Arizona claimant, and on the West by Sur. No. 1734 Jumbo
lode and Sur. No. 1740 Big Bend No. 2 lode, Shannon Copper
Company claimant.

#### REPORT.

U.S.M.M.No.2 is a post 6 ins.square, properly set and scribed.

Sur.No.1731 Virginia Queen lode:

Cors.Nos.3 and 4 are posts properly set and scribed. Sur.No.1937 Buckeye lode:

Cors. Nos. 1,3 and 4 are posts properly set and

scribed.

Sur.No.1582 Republic lode:

Cors.Nos.1,3 and 4 are posts properly set and scribed. Sur.No.1734 Jumbo and Sur.No.1740 Big Bend No.2 lodes:

Cors.Nos.1 and 2 Jumbo and Cor.No.2 Big Bend No.2 are posts properly set and scribed.

The survey of the lode of this location is identical with the location as staked upon the ground.

The differences between these field notes and the returns on previous surveys are due to errors in the latter.

The end centers are mounds of stone.

U.S.Mineral Surveyor.

tefo. Let u ti

. no at a first rout.

on which ore but in a common

### FINAL OATHS FOR SURVEYS.

### LIST OF NAMES.

A list of the names of the individuals en	mployed by E.T.Morton
United States Deputy Mineral Surveyor, to	assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field no	otes of the survey of the mining claim of C.E.Stevens
and showing the respective capacities in which	h they acted.
	J.L.Awelt , Chainman.
	Pablo Gonzalez , Chainman.
•	, Axman.
	, Flagman.
FINAL OAT	THS OF ASSISTANTS.
We, J.L.Awalt	
and Pablo Gonzales	do solemnly swear that we assisted E.T. Morton
, United State	es Deputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	C.E.Stevens
known as the Pelican lode	
represented in the foregoing field notes as hav	ring been surveyed by said <del>deputy</del> mineral surveyor and under his
direction; and that said survey has been in a	all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and bound	lary monuments established according to law and the instructions
furnished by the United States Surveyor-Gene	eral for Arizona
	J. L. Awalt, Chainman.
	J. L. Hwalt , Chainman. Sablo Goszales , Chainman.
	, Flagman.
Subscribed and swo	orn to by the above-named persons before me this 16th
day of	Time. 10/6
day or	June. , 19/6.  A. R. Lynch -  Notang Public
my commission ax pe	ans Dia
9489b5m8-03 Left . 30-191	7. Molay Fubly

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, E.T.Morton	, U. S. <del>Deputy</del> Mineral
Surveyor, do solemnly swear that, in pursuance of instr	
States Surveyor General forArizona	
May 15,1916 , I have, in str	
United States, the official regulations and instructions	
of said Surveyor General, faithfully and correctly exe	
Claim of C.E.Stevens	said the said of the himing
Pelican lode	
situate in Greenlee Gold Mountain	Mining District
Greenlee County, A	rizona in Section
34 Township No. 3 S. , Range No. 29	
and designated as Survey No. 3291	
in the foregoing field notes, which accurately show the	
as distinctly marked by monuments on the ground, and	
of the location certificate, which was received by me f	
said instructions, and that all the corners of said survey	
petuated in strict accordance with the law, official regu	
under; and I do further solemnly swear that the fore	
field notes of said survey and my report therein, and	-
improvements made upon said mining claim by claimar	
are as therein fully stated, and that the character, ext	A. Committee of the com
thereof are specified therein with particularity and ful	=
said labor or improvements so credited to this claim ha	s been included in the estimate
of expenditures upon any other claim.	
6 . J.	Moster
	U.S. <del>Deputy</del> Mineral Surveyor.
60 0	
Subscribed and sworn to by the said	Georlog).
U. S. Deputy Mineral Surveyor, before me	touis / Jaym
a notary public	this 27th
day of May	
- X	7///
Louis	. Jayre
0 8—154	tary Willie
Ch.	
My commission e	Thires Feb. 20-1919.

# Amended Location Notice

Commence of the second	
* C.E. Stevens	
who on the lst. day of January	, 1908_, located thePelicen
mining claim situated in the Gree	enlee Gold Mountain Mining District Greenlee
merly Graham) County, Arizona, the location notice of which	h claim is of record in the office of the Recorder of said
	nes, page349, has on this _6thday of
	an amended location of said claim, by virtue of which
	mining claim the following described lead, lode or vein of
	emises situated in the Greenlee Gold Mountain
Mining District, in the County of Green	
The name of said claim is the Pelican	
	e is 1019.5 feet; the width of said claim is 160.1
	ode or vein The general course of said lode and claim
	The distance from the Point of Discovery to
	aid claim is 391.5 feet. The distance from said
Point of Discovery to the North end	
	onument of stones erected at said Point of Discovery upon
said claim, which monument is hereinafter re	
	follows, to-wit: Beginning at the monument of stones
	end of the claim, which monument is 391.5feet
S.13°44 'Efrom said Location Mo	
	restcorner of the claim, thenceN.13°44'W.
	the Northwestcorner of the claim; thence
160.1 feet, to a monumen	t of stones, being the center of the North end of the post for witness cor.brs.8.13° feet to a point, being
	thence S.13°44'E. 1019.5
feet to aPOSt, being theSouth	corner of the claim; thenceS.79°47'W.
feet to the place	
To more fully identify the claim its gener	
	Cor. of this claim U.S.M.M.No.2 bears
Amended and posted on the ground	68 Stevens
thisday of	

9	STATE OF ARIZONA,
	County of
	I,, County Recorder in and for the County and
	State aforesaid, do hereby certify that the within instrument was filed for record at
	o'clock,M, on thisday of19, and duly
	recorded in Book NoofRecords ofRecords
	County, Arizona, at pages
1	WITNESS my hand and official seal the day and year first above written.
	County Recorder
	The contract of the contract o

Deputy Recorder. Amended **Location** Dated By

### U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

### Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,	
	December 1	19 16
I, U. S. Surveyor-	General for District of Arizona	
do hereby certify that t	the foregoing transcript of the Field Notes, return and approx	val of the survey
		_
	C. E. STEVENS	
known as the	PELICAN LODE	
situate in	GREENLEE GOLD MOUNTAIN	
Mining District,	GREENLEE County,	ARIZONA.
	, Township No. 3 S., Range No. 29 E., u	
	To. 3291 , has been correctly copied from the o	•
	ield Notes furnish such an accurate description of said mining	
	ent, serve fully to identify the premises, and that such referenc	- ,
	rmanent monuments as will perpetuate and fix the locus thereo	
	sify that five hundred dollars' worth of labor has been expense	
	mining claim by claimant or his grantors, and that sa	~
	1. value \$870.	
	•	
		-2.04.0
and that no portion of s	said labor or improvements has been included in the estimate	of expanditures
upon any other claim.		or expenditures
- ,	at the plat thereof, filed in the U.S. Land Office atPho	oenix.
	is correct and in conformity with the foregoing Field	
	The control with the foregoing rield	ATOUCS.
	Frank P. Trott,	
	United States Surveyor-General for Arizona	6

7361b5m3-03

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
December 14 , 1916
I, U. S. Surveyor-General for District of Arizona
o hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
fining Claim of
C. E. STEVENS
, known as the
PELICAN LODE
ituate in mining district,
REENLEE County, ARI ZONA.
Section 34 , Township No. 3 S. , Range No. 29 E., unsur.
, designated as Survey No. 3291
E. T. Morton, U. S. Deputy Mineral
urveyor, May 20-24, , 19 16, under my instructions dated
May 15, 19 16, have been critically examined and the necessary cor-
ections and explanations made, and the said Field Notes and Return, and the Survey they describe,
re hereby approved. A true copy of the copy of the location certificate filed by the applicant for
arvey is included in the field notes.
Frank B. Front
II S Summeron Command for Arizona.