AUG. 8- 1916 CT. 30: 1916 MAIL 1- 791

4-683.

Mineral Survey No. 3308

Lot No.

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF BLACK RANGE MINING COMPANY KNOWN AS THE SAINT PATRICK and SAINT PATRICK No. 2 Lodes. San Francisco Mining District, Mohave County, Arizona unapproved Section 10 Township 18 N., Range 20 W. G. & S.R. Surveyed under instructions dated JUNE 6th . 1916. by EDWARD L. HAFF U. S. Deputy Mineral Surveyor Claims located See Location Notices 1 Survey completed JULY 15th , 1916 Black Range Mining Company, D. P. WRIGHT, Pres., Oatman, Arizona. ADDRESS OF CLAIMANT:

つりついかくてん

Saint Patrick.lode.

Beginning at Corner No. 1.

An andesite rock 7x9x26in.set 1 ft. in the ground, with mound of earth and stone along side. A cross (x) at the corner point, and S.P.-1-3308, chiseled on southwest side, - Whence: -

U.S.L.M. No. 2512 bears N. 17° 29' 50" W. 662.04 ft.

Corner No. 4, Survey No. 2512, L. & R. Lode, Black Range Mining Company claimant, bears N. 75° 26' W. 507. 32 ft.

No bearing objects available.

Thence S. 37° 27' W.

19.00 Corner No. 1, Saint Patrick No. 2 Lode of this Survey.

94.37 Intersect line 3-4 Survey No. 2512, L. & R. lode at S. 64° 58' E., 478.59 ft. from Corner No. 4.

300.00 East End Center.

An andesite rock 6x12x26in.set 1 ft. in the ground with mound of earth and stone along side. A cross (X) at the center point and/S. P.-3308 chiseled on west side. 330.00 West End Center Saint Patrick No. 2 Lode of this Survey.

600.00 To Corner No. 2.

> Identical with Corner No. 2, Saint Patrick No. 2, Lode of this Survey.

An andesite rock 4x26x28 / set 1 ft. in the ground with mound of earth and stone along side. A cross (X) at the corner point and S.P.-2- S.P.2-2-3308 chiseled on the north side

No bearing objects available.

Thence N. 56° 25! W.

1210.00 Gulch. 10 ft. wide, course easterly and westerly. 1380.67 To Corner No. 3.

> Identical with Corner No. 2, Survey No. 3282 Bill Rush Fraction lode, Nellie Mining Company claimant.

A redwood post 4 ft. long, 4 in square, set 18 in. in the ground, with mound of earth and rock, a mail at the core ner point, scribed B. R. Fr. . 2-3282 - S.P.-3-3308. Whence: -

West 1/4 Corner of Section 10, unapproved, T. 18 N., R. 20 W., bears N. 66° 44' 30" W. 747.55 ft.

No bearing objects available.

Thence N. 37° 27' E.

285.00 Wagon road, course easterly and westerly.

300.00 West End Center.

Identical with east end center Survey No. 3282, Bill Rush Fraction lode.

A redwood post, 4 ft. long, 4 in. square, set 18 in. in the ground, with mound of earth and rock, a nail at the center point, scribed E. End C. B.R. Fr. 3282-W. End C. S.P.-3308.

600.00 To Corner No. 4.

On line 2-3 Survey No. 3282, Nellie No. 3 lode, at N. 51° 16' W. 892.04 ft. from Corner No. 2,

Identical with Corner No. 1, Survey No. 3282, Bill Rush Fraction lode.

A redwood post 4 ft. long, 4 in square, set 18 in in the ground, with mound of earth and rock, a nail at the corner point, scribed B.R. Fr. 1-3282 - S.P. 4-3308.

No bearing objects available.

Thence S. 56°25' E.

515.00 Wagon road, course easterly and westerly.

Gulch, 10 ft. wide, course easterly and westerly. 690.00

Intersect line 4-1, Survey No. 2512, L. & R. lode, at N. 25°02' E., 167.16 ft. from Corner No. 4, and 8097 ff. from Gor. No. 2] 876.40 Intersect line 2-1 Survey No. 3282, Nellie No. 3 lode.
N. 37°27' E., 80.26 ft. from Corner No. 2.

To Corner No. 1, the place of beginning.

Sur. No. 3282, Nellie No. 3 lode, which is on said line 4-1. 893.85

1380.67

Saint Patrick No. 2, lode

Beginning at Corner No. 1.

On line 1-2, Saint Patrick lode of this Survey.

An andesite rock 6x14x24in.set 1 ft. in the ground, with mound of earth and rock along side. A cross (X) at the corner point and S.P. 2-1-3308, chiseled on south side. Whence:-

U.S.L.M. No. 2512 bears N. 16° 10' 20" W. 673.14 ft. Corner No. 3 Survey No. 2512, L. & R. lode bears S. 60° 46'50"E 1007.88 ft.

No bearing objects available.

Thence S. 37° 27' W.

75.37 Intersect line 3-4 Survey No. 2512, L. & R. lode, at N. 64° 58' W. 1021.41 ft. from Corner No. 3.

281.00 East End Center Saint Patrick lode of this Survey.

311.00 West End Center.

An andesite rock 8x10x28 in.set 1 ft. in the ground, with mound of earth and rock along side. A cross (X) at the center point, and W. End C., S.P. 2-3308 chiseled on east side.

581.00 To Corner No. 2.

Identical with Corner No. 2 Saint Patrick lode of this Survey, previously described.

W. Cor. of Sec.10, unapproved, T.18N., R.20 W., brs.N.60°

No bearing objects available.

Ol. W.2120.84 ft.

Thence S. 67° 54' E.

1239.85 Intersect line 1-2 Survey No. 3307, Pinto lode, D. P. Wright claimant, at S. 46° Ol' W., 587.48 ft. from Corner No. 1.

1330.60 To Corner No. 3.

A cross (X) and S. P. 2-3-3308 chiseled on top of an andesite outcrop, showing 20 x 50 x 4 ft. above the ground surface. A mound of stone alongside.

No bearing objects available.

Thence N. 37°27' E.

Feet

314.15 East End Center.

An andesite rock 9x18x30 in set 1 ft. in the ground, with mound of stone along side, chiseled Cross (X) at center point, and E.E.C., S.P. 2-3308 on west side.

415.00 Wagon road, course northwesterly and southeasterly.

479.92 Intersect line 43 Survey No. 2512, Golden Era lode, at S. 44° 13' E., 322.61 ft. from Corner No. 4, and S. 44° 13' E. 11.47 ft. from its intersection with line 1-2 Survey No. 3307, Pinto lode.

Corner No. 1, Survey No. 3307, Pinto lode. Intersection of line 1-2 556.91 said Pinto lode with line 3-4 Sur. No. 2512, Golden Eralode, brs. 5.46°01 W. 76.17 ft. To Corner No. 4. 625.15

> An andesite rock 6x12x26 / set 1 ft. in the ground, with mound of stone alongside, chiseled Cross (X) at corner point, and S.P. 2-4-3308 on southwest side. Whence:-

Corner No. 4 Survey No. 2512, Golden Era lode bears N. 69° 41' 40" W., 334.05 ft.

No bearing objects available.

Thence N. 69°43! W.

333.78 Intersect line 4-3 Survey No. 2512, Golden Era lode at S. 44° 13' E., 0.30 ft. from Corner No. 4.

334.50 Intersect line 3-2 Survey No. 2512, L. & R. lode at N. 25° 02' E., 157.08 ft. from Corner No. 3.

1342.95 To Corner No. 1, the place of beginning. Variation at all corners 14°45' E.

LODE LINES.

As near as can be determined from present development, the veins of the locations embraced in this claim extend as follows, from their respective discovery points: Saint Patrick lode, 310 ft. S. 56° 25' E.and 1070.67 ft. N. 56° 25' W. Saint Patrick No. 2 lode, 100 ft. N. 69° 43' W.and 1242.95 ft. S. 69° 43' E.

AREA.

Total Area Saint Patrick lode,

18.974 acres

Area in conflict with Survey No.

2512, L.& R. lode

1.463 acres.

Survey No. 3282, Nellie No. 3

lode,

0.822 acres.

Survey No. 3282, Nellie No. 3

lode, exclusive of its conflict

with Survey No. 2512, L.&

R. lode

0.806 acres.

Total area Saint Patrick No. 2 lode,

UP.

17.765 acres.

Area in conflict with

Sur. No. 2512, L.& R. lode 2.675 acres √

Sur. No. 2512, Golden Era

lode,

0.532 acres

Sur. No. 3307, Pinto lode

0.559 acres.

Sur. No. 3307, Pinto lode,

exclusive of its conflict with

Sur. No. 2512, Golden Era

lode,

0.549 acres.

The survey of each lode of this location is identical with the respective locations as staked upon the ground.

LOCATION.

This survey is located in the W. 1/2 and S. E. 1/4 of Sec. 10, unapproved, T. 18 N., R. 20 W., G. & S. R. B. & M, unapproved.

ADJOINING CLAIMS.

On the north survey No. 2512, L. & R. and Golden Era lodes, Sur. No. 3282, Nellie No. 3 Lode.

On the east, Survey No. 2512, Golden Era lode and Survey No. 3307, Pinto lode.

On the South, Survey No. 3307, Pinto Lode.

On the West Survey No. 3282, Bill Rush Fraction Lode.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant, or its grantors, is not less than Five Hundred(\$500) Dollars, and that said improvements consist of --

On the Saint Patrick lode.

The discovery shaft 5x7 ft. 8 ft. deep, which is on the lode line, 310 ft. N. 56° 25' W. from the east end center, in quartz vein and andesite.

Value

\$65.00

An undivided one-eighth interest in improvement
No. 3 Saint Patrick No. 2 lode, is assigned to this
claim.

Value

\$2300.00

On the Saint Patrick No. 2 lode.

The discovery cut, the mouth of which is on the lode line 100 ft. S. 69° 43' E. from the west end center, 4 ft. wide, 8 ft. face, running S. 69° 43' E., 12 ft. from mouth to face. In quartz vein and andesite.

Value

\$60.00

A shaft 4 x 6 ft. 8 ft. deep, on the lode line 40 ft. S. 69° 43° E. from the west end center. In quartz vein and andesite.

Value

\$64.00

A shaft which bears from Corner No. 4, Saint Patrick No. 2 lode, N. 18°58' W., 413.27 ft. 4 x 6 ft. 310 ft. deep, timbered. At the 115 ft. level, a crosscut 4 x 6 ft. runs south 25° W. 80 ft. to face, in rock. At the 290 ft. level, a crosscut 4 x 6 ft. runs S. 24° W. 30ftte face, in rock, and a crosscut 4 x 6 ft. runs N. 24° E., 173 ft. to a point, whence a drift 4 x 6 ft.

No. 1

No. 1.

No. 2

No. 3

runs S. 44° E. 110 ft. to face, thence north 24° E. 69 ft. to face of crosscut.

Value of shaft, drifts and crosscuts, \$18,400.00

An undivided 1/8 interest is assigned to this claim.

Value

\$ 2,300.00

This shaft is located near the bottom of the gulch, and near the center of the group of eight lode claims, lodes, Sur. No. 2512, namely: The L & R., Golden Era, Mettie, Nettie No. 2, lodes, Sur. No. 3309, Lady Smith, Lady Smith No. 2, Saint Patrick and Saint Sur. No. 3308, Patrick No. 2 lodes, Mowned by the claimant herein, and is being operated for the joint development of the entire group.

The ground rises very rapidly both north and south from this shaft, and the drifts and crosscuts and of the other claims above named, extended from this shaft will cut the veins of this survey, at great depth. This, therefore, is a joint improvement and a one-eighth interest in this last mentioned work should properly be accredited to each claim in this survey.

INSTRUMENT.

This survey was made with a C. I. Berger mining transit. The courses were deflected from the true meridian, as determined by direct solar observation.

The distances were measured with 100 ft. and 500 ft. steel tapes.

REPORT.

The lode lines of this claim were run upon the ground and the corners established by means of offsets from the lode lines.

All ties were run upon the ground, and the courses and distances found to be as herein stated.

U. S. I. M. 2512 is an andesite rock 16 x 17 ins. set in a conical mound of stone 6 ft. at base and 5 ft. high, with a cross on top, and U. S.I.M. 2512 chiseled on the north face.

The W. 1/4 corner Sec. 10, T. 18 N., R. 20 W., unapproved, G. & S. R. B. & M., is a 1 in. iron pipe with brass cap, properly set and marked.

Survey No. 2512 L. & R. and Golden Era lodes.

All corners are andesite rocks, properly set and marked.

I find the courses and distances of the boundary lines to be correct as approved.

I disagree very slightly with the connections to U. S. L. M. No. 2512, but the amount is too small to make note of, and I have checked over my work very completely.

Survey No. 3282, Nellie No. 3, and Bill Rush Fraction lodes.

All corners are pine posts, properly set and marked.

I find the courses and distances of the boundary lines to be correct as approved.

Survey No. 3307, Pinto lode.

All corners are andesite rocks properly set and marked.

I find the courses and distances of the boundary lines to be correct as reported.

the same engineer of Budge, and the law of the law of

NOTE:

The disagreement between these field notes and the Amended Location Certificates, are due to errors in the latter.

so cecki cool odiit

from the Last three.

ond of the Visit property and Baston

ri 3 mgo ta basen table o a 12-100

rage to the state of the

region a transfer on to the terms of the terms

Labor ever sal equ

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employ	ved by	7,
United States Deputy Mineral Surveyor, to assist	t in running, measuring, and marking	the lines, corners, and
boundaries described in the foregoing field notes o	f the survey of the mining claim of	BLACK RANGE
MINING COMPANY		
known as the SAINT PATRICK and SAI	INT PATRICK No. 2 LODES	
and showing the respective capacities in which the		
and showing the respective capacities in which the		
	R. L. D'ARCY	, Chainman.
•		, Chainman.
		, Axman.
		, Flagman.
FINAL OATH	S OF ASSISTANTS	
XXX I, R. L. D'ARCY	т	F 12
and	, do solemnly swear that xx assisted.	EDWARD L.
HAFF., United States De	pputy Mineral Surveyor, in marking the	corners and surveying
the boundaries of the mining claim ofBLAC	CK RANGE MINING COMPANY	
the boundaries of the mining claim of 2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-		
<u> </u>		
known as the SAINT PATRICK and SAIN	TT PATRICK No. 2 LODES	
represented in the foregoing field notes as having		surveyor and under his
direction; and that said survey has been in all re	my espects, to the best of xxx knowledge a	nd belief, faithfully and
correctly executed, and the corner and boundary	monuments established according to la	aw and the instructions
furnished by the United States Surveyor-General	(
furnished by the Officed States Surveyor-General	RL D'arc	***************************************
	y a source	7, Chainman.
		, Chainman.
		, Axman.
		, Flagman.
	a but he chare named namons before my	this 4th
	to by the above-named persons before me	7 (1118
day of Clicy	ust , 19 16.	
	me	NEQ.
040045-0-00	PM/Cee	Kublei
My commission Expires Ma	reh 13th 1920	

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, EDWARD	L. HAFF,	, U. S. De	puty Mineral
Surveyor, do solemr	nly swear that, in pu	rsuance of instructions received fro	om the United
States Surveyor Ger	neral for ARIZON	TA	, dated
		, I have, in strict conformity to th	
United States, the o	fficial regulations ar	nd instructions thereunder, and the	e instructions
of said Surveyor G	eneral, faithfully ar	nd correctly executed the survey o	of the Mining
Claim of BLACK	C RANGE MINING	COMPANY	
***************************************	######################################	, k	nown as the
		RICK No. 2 LODES	
situate in Sar	rancisco	Mi	ning District,
MOHAVE		County, ARIZONA	, in Section
10 unapproved, Town	nship No. 18 II.,	Range No. 20 W., & S. B	. B. & M.,
		, a	
		rately show the boundaries of said	
as distinctly marked	l by monuments on	the ground, and described in the	attached copy
of the location cert	tificate, which was	received by me from the Surveyor	General with
said instructions, an	d that all the corne	rs of said survey have been establis	shed and per-
petuated in strict a	ccordance with the	law, official regulations and instru	actions there-
under; and I do fu	rther solemnly swe	ar that the foregoing are the true	and original
field notes of said	survey and my rep	oort therein, and that the labor e	expended and
improvements made	upon said mining	claim by claimant or its	grantors
are as therein fully	stated, and that th	ne character, extent, location and it	temized value
thereof are specified	d therein with part	icularity and full detail, and that i	no portion of
said labor or improv	vements so credited	to this claim has been included in	n the estimate
10	•		
·		Corner LOCA	Al
		U.S. Deputy H	likeral Surveyor.
Subscribed an	d sworn to by the s	aid Edward & X	Haff,
U. S. Depu	ty Mineral Surveyor	; before me a Natury	Interior
of for Mi	chave leaunty	Cerujana this For	wek
day of	Reignit 1,	916	
William Ve		Poss P	
-1-1		- Mewas	,
		nolary Per	blei
my Comm	ission Expires ;	march 13th 1920	

Amended Location Certificate

JUN 6- 1916

KNOW ALL MEN BY THESE PRESENTS: That the Black Range Mining Co. by
D. P. Wright, its president and general manager, a
***Control of the United States, over the age of twenty-one years, having complied with all the requirements of
the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regu-
lations of San Francisco Mining District, hereby make and file this amended
location of the Saint Patrick Lode, claiming by right of discovery, location, primal appropriation
and possession 1381 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock
in place, bearing gold
being 310 feet along the ledge in a S. 56° 25° E. direction from the dis-
shaft covery more and 1071 feet along the ledge in a N. 56° 25° W. direction therefrom,
together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges,
mineral deposits, mineral and surface ground within the lines of said claim.
Situate in San Francisco
Beginning at the east corner whence U.S.L.M. No. 2512 bears N. 17º 27'
30" W. 661.63 ft. Thence S. 37° 29' W. 300 ft. to the east end center
Thence S. 37° 29' W. 300 ft. to the South corner Thence N. 56° 25' W.
1381. ft. to the West corner Thence N. 37° 29° E. 300 ft. to the west
end center, thence N. 37° 29' E. 300 ft. to the North corner, Thence
S. 56° 25° E. 1381 ft. to the place of beginning.
Variation at all corners 14° 40' E. All corners and both end centers
are 4 in. sq. posts 4 ft long properly set and marked.
*
by Black Range Mining Co. by D.P. Wright Pres.
THIS AMENDED LOCATION is made in conformity with the original location, made
recorded
Recorder of said county, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described,
and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, sup-
plying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving
no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then
this location shall be an original location and this certificate an original certificate.
Date of Original Discovery
Date of Amended Location
Attest: Black Range Mining Co.
By D. P. Wright Pres.
Recorded at the request of Bruce Glidden at the request of Bru
in Book . P. P. of Mining Claims, Page 201 , Records of Mohave County, Arizona.
J. W. Morgan
County Recorder.

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS: That the Black Range Mining Co. By
D. P. Wright, its president and general agent, a
citizen of the United States, over the age of twenty-one years, having complied with all the requirements of
the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regu-
lations of San Francisco Mining District, hereby make and file this amended
location of the Saint Patrick No. 2 Lode, claiming by right of discovery, location, primal appropriation
and possession 1342.95 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock
in place, bearing gold
being
covery and and
together with
mineral deposits, mineral and surface ground within the lines of said claim.
Situate in San Francisco Mining District, County of Mohave, State of Arizona
and more particularly described as follows, to-wit: Beginning at the north corner Whence U.S.L.M. No. 2512 bears N. 16° 04°
W. 673.32 ft. Thence S. 69° 40° E. 1342.95 ft. to the east corner, Thence
S. 37° 29° W. 310 ft. to the east end center. Thence S. 37° 29° W. 314.15
ft. to the south corner. Thence N. 67° 51° W. 1330.60 ft. to the West
corner. Thence N. 37° 29' E. 270 ft. to the West end center, Thence N. 37°
29° E. 310 ft. to the place of beginning.
Variation at all corners 14° 40° E.
All corners and both end centers are 4 in. sq. posts 4 ft. long
properly set and marked.
manifestion of the production of the control of the
,
by Black Range Mining Co.
THIS AMENDED LOCATION is made in conformity with the original location, made March 17, 1.915.,
recorded
Recorder of said county, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described,
and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, sup-
plying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving
no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then
this location shall be an original location and this certificate an original certificate.
Date of Original Discovery
Date of Amended Location
Attest: Black Range Mining Co.
By D. P. Wright Pres.
April 28th, 1916, Bruce Glidden , at
in Book . P. P. of Mining Claims, Page . 202 , Records of Mohave County, Arizona.
J. W. Morgan
By J. T. Morgan, Deputy.

14

RECORDER'S CERTIFICATE.

STATE OF ARIZONA,) :- ss. County of Mohave.)

I, J. W. Morgan, Recorder of Mohave County, State of Arizona, do hereby certify that I have compared the foregoing copies of amended location certificates of the SAINT PATRICK and SAINT PATRICK NO. 2 lode mining claims, located and situated in the San Francisco mining district.

County of Mohave, State of Arizona, and of the endorsements thereon, with the original records thereof on file in this office and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and official seal this 12th day of May, A. D. 1916.

J. W. MORGAN,
Recorder of Mohave County,
State of Arizona.

Deputy.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
June 11 , 1917.
I, U. S. Surveyor-General for District of Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
BLACK RANGE MINING COMPANY
known as the SAINT PATRICK AND SAINT PATRICK NO. 2 LODES.
situate in SAN FRANCISCO
Mining District, MOHAVE County, ARI ZONA
in Section 10 , Township No. 18 N., , Range No. 20 W., unapp'd, and
designated as Survey No. 3308 , has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve- or for each of ments made upon said mining claim by claimant or its grantors, and that said improvements
consist of 1 cut, 2 shafts and 2/8 interest in the common improve-
ment, total value, \$4789. Said common improvement, a shaft with
workings therefrom, is situated on the Golden Era lode, Sur. No.
2512, and is for the common benefit and development of a group of
eight claims, viz., L. & R. and Golden Era lodes, Sur. No. 2512,
Nettie No.2, Lady Smith, Lady Smith No.2 and Nettie lodes, Sur. No.
3309, and the two claims of this survey, therefore an undivided one-eighth interest therein, value \$2300, is properly credited
to each of said claims. and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim, except the common improvement, which then represented an expenditure of only \$600, was included in expenditures on the Golden I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix, Era Iode, Sur. No. 2512
Arizona, is correct and in conformity with the foregoing Field Notes.
Frank P. Trott,
United States Surveyor-General for Ari zona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix,	Arizona,	
		June 1]	, 19 17.
I, U. S. Surveyor-Gen	eral for Distric	t of Arizona	<u>-</u> -
do hereby certify that the	foregoing and hereto attache	ed Field Notes and Return	of the Survey of the
Mining Claim of			·
	BLACK RANGE M	INING COMPANY	,
			, known as the
SAIN	T PATRICK AND SAIL	NT PATRICK NO. 2	LODES.
situate in	SAN F	RANCISCO	mining district,
MOHAVE	County,		ARIZONA.
in Section 10	, Township No. 18	3 N., Range No	20 W.,unapp'd.
, desi	gnated as Survey No	3 3 08	
executed by	Edward L. Ha	ff, U	. S. Deputy Mineral
Surveyor,	July 13-15,	, 19 16, under m	y instructions dated
June 6,	, 19 16 , have b	een critically examined an	d the necessary cor-
rections and explanations	made, and the said Field No	otes and Return, and the St	urvey they describe,
are hereby approved. A t	rue copy of the copy of the l	ocation certificate filed by	y the applicant for
survey is included in the fi	eld notes.		
		om K. D. S.	Troff