1

4-683.

Mineral Survey No. 3314

Lot No.

Crizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIR	M OF
John H Jellweger	
and the fact that the same of	
KNOWN AS THE	
Gelliveger Lade	
Riverside	Minima District
aversea	Mining District,
Jinal County, Q	zona
Section approx Sec 16 Township 45	, Range 13 E. G. 8 S.R. B&M.
Surveyed under instructions dated June 26	, 1914
by <i>Ea</i>	
	U. S. Deputy Mineral Surveyor
Claim located face 1st 189	7, 1
Survey commenced July	gra 1916
Survey completed Survey	2 19/6

Address;

Thos. D. Derry, Atty., Florence, Arizona.

(2)

teet

Zelleweger Lode.

Feet

Beginning at corner No. I.

A 4" x 4" Oregon Pine post 4" long set I8 ins. in groundewith X on top-

AITE OF Vergie

Marked Z- 1- 3314 on S. W. face with mound of stone 2 ft. Base 2 ft. high along side, No bearing available.

U. S. L. M. No. I.

Bears N. 48° 00' E. 2444.2 ft.

Thence 3. 15° 05' W.

300

STREETS

To E. E. Center.

A 4" x 4." Oregon Pine post 4 ff.long set 18 ins. in ground Marked Z- E. E. C. 3314 on W. face, with nail in center with a mound of stone 2 ft. base 2 ft. high alongside.

A 4" X 4" Oregon Pine post 4 ft. long set 18 ins. in ground with X on top.

Marked Z-2-3314 on N. W. face, with mound of stone 2 ft.

.of to No Bearing available. The traffich berhauf

Jan # | 35 and arged do Thence No. 744 55' W. -yevcoche . t a

.750 To Center of South Side Line,

An old mound of stone identical with location.

I500 To Cor. No. 3. Treed . The sale of th

Marked Z-3-3314 on N. E. face with nail in center, with mound of stone 2 ft. base 2 ft. high alongside.

No Bearing available.

Thence N. 15° 05' E.

300 To West End Center.

A 4" X 4" Oregon Pine post 4 ft long set 18ins in ground with x on top.

Marked Z-W. N.C. -3314 on E. face, with mound of stone

3 ft. base 2 ft. high alongside.

1600 To Corner No. 4. or igreve efficie in the

A X on rock in place 3 ft. above ground,

the state of the chiseled Z-4-3314.

No Berging available.

in ground

TOOTER

LETTE OF YOUR Survey No. 3314. (2) Thence S. 74° 55' E. Feet-To Center of North Side line. 750 eman de naimhigeF - teeW Old monument of stone, identical with location. To Cor. No. 1. place of Beginning. 1500 Marked 3- 1- 3211 on ". T. 1gos with mount of 155 -1 -5 bestage Area -20.661 Acres-Vein. T O L. M. No. I. The presumed course of the vein on this claim is 8.74° 55'- F 745 ft. and N 74° 55' W. from the discovery. Adjoining Claims. to E. E. Contest.

This claim is bounded on the East by Manda Lode claim, St. unsurveyed, Sarreck &/Charles, owners, Location of corners unknown- On the West by the Noble, unsurveyed, Owners Sarreck & St. Charles, Location of corners unknown.

On the North and South by claims unsurveyed, Owners un-Tong at Known I the goal att. teng and Language "A V

Expenditure of Five Hundred Dollars. I certify that the value of labor and improvements made upon this location by the claimant is not less than five hundred dollars and that said improvements consist of No. No.1. discovery shaft, 4x6x50 ft.which bears N.74° 55' W. 745 ft. from E, end Cent. with a drift at Bottom 5x7x2I5 ft. bearing S.77° E. A winze at bottom of Discovery Shaft I5 ft. deep with a drift 5x7x175 ft. bears S. 70° E. Value, \$4550.00 der great at No. 2 Incline dipping to North, connecting at bottom of winze, 6x8x75 ft. 750.00 \$50,00 No. 3 tunnel 4x6x160 ft. mouth of which bears S. 74° 55' E. 595 ft. from West End Center, and connects with No.I. shaft.

Value, \$1600.00

Fotal Value. Total Value.

Location.

This claim is situated on unsurveyed land approximately in Sec- 16, T.4 S. R. | 3 E. mor no a Stir

party to become Attr en Report: 4188- . D. H. . T-T Pexage

The Lode Line of the location of this claim was run directly on the ground and the several corners were established by means of offsets from the Lode Line. All lines were run directly on the ground and all corners and End Centers were identical with location corners and End Centers.



There were no available bearing points at any corners. Variations N.14° 20' E. from all corners.

Instrument.

This survey was made with a Lietz Transit and the courses were deflected from the True Meridian determined by direct observation on Polaris.

The distance was measured with a 100 ft. steel tape.

FINAL OATHS FOR SURVEYS.

LIST	OF NAMES.	
A list of the names of the individuals employe	ed by Earl Has	fur
United States Deputy Mineral Surveyor, to assist		es, corners, and
boundaries described in the foregoing field notes of		
John A. Zelling	- Lode	
and showing the respective capacities in which the	y acted.	
	Low Jockes of	Chainman.
	Pete Kohlmoos.	Chainman.
		Axman.
		Flagman.
FINAL OATHS	S OF ASSISTANTS.	
We. Tom Sparker, gr	·	
We. Tom Sparker, Jr and Pete Kohlmoor	., do solemnly swear that we assisted Ear.	lo Fark
, United States De j	puty Mineral Surveyor, in marking the corners	s and surveying
the boundaries of the mining claim of	n A Zellweger	
known as the Gelleweger	- Lode	
represented in the foregoing field notes as having b	been surveyed by said deputy mineral surveyo	r and under his
direction; and that said survey has been in all res	spects, to the best of our knowledge and belie	f, faithfully and
correctly executed, and the corner and boundary	monuments established according to law and	the instructions
furnished by the United States Surveyor-General fo	or anzona	
	Love Spooling H	, Chainman.
	Pete Nohlmon	; Chainman.
		, Axman.
		, Flagman.
Subscribed and sworn to	by the above-named persons before me this	12th
day of	My 3, 19/6.	
* .	1 Lucrecea de	eale
	Materia 1	ubles

9489 b5 m8-03

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

1, Earl A. Parfur	, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instru	
States Surveyor General for Angona	
June 2 6th 19/6, , I have, in strice	
United States, the official regulations and instructions the	
of said Surveyor General, faithfully and correctly exec	uted the survey of the Mining
Claim of John Afelling	· · · · · · · · · · · · · · · · · · ·
Claim of John Affelling Gelfweger lode situate in Americale	, known as the
Gellweger lode	
situate in Amersida	Mining District,
Grad County,	arzona, in Section
Fipprox-16, Township No. 45, Range No. 13.	EMPG &SR. B&M.
and designated as Survey No. 33/4	, as represented
in the foregoing field notes, which accurately show the l	
as distinctly marked by monuments on the ground, and	described in the attached copy
of the location certificate, which was received by me fi	com the Surveyor General with
said instructions, and that all the corners of said survey	have been established and per-
petuated in strict accordance with the law, official regu	lations and instructions there-
under; and I do further solemnly swear that the fore	going are the true and original
field notes of said survey and my report therein, and	
improvements made upon said mining claim by claimar	it or grantors
are as therein fully stated, and that the character, ext	ent, location and itemized value
thereof are specified therein with particularity and ful	l detail, and that no portion of
said labor or improvements so credited to this claim ha	s been included in the estimate
of expenditures upon any other claim.	A CONTRACTOR OF THE PARTY OF TH
- Gar	1 Startur
	U. S. Deputy Mineral Surveyor.
F	1/1/1/2
Subscribed and sworn to by the said Coal	H. Carker
U.S. Deputy Mineral Surveyor, before me	
	this 270
day of Jaly 1916,	
D. D.	DRake
	Don
y Commission expires Feb. 15, 1920	volacy Cublia

STATE OF ARIZONA,	SS.
County of Pinal.	§ 33.

I,WL., BRO	OWN,	County Recorder, in
and for the County of PINAL, State of Aria	zona, do hereby certify t	hat the within and following is a full
true and correct copy of Zelleweger	r Mining Claim I	Location
	, as the same ap	opears of record in my office in Book
No15of Mines.	Records, at page	-3 thereof, or under File No
; that I have compared the same	ne with the original reco	rd, and that the same is a true tran-
script, and of the whole thereof.		
IN WITNESS WHEREOF, I have	ve hereunto set my hand	and affixed the seal of my office, this
fifth day of Jun	ne, 1	19.16, at Florence, the County Seat
•	W.	L. BROWN,
2		County Recorder.
	By mo15	ensere
		Deputy Recorder.

Location Notice.

Notice is hereby given that the Zellweger Mining claim, containing mineral bearing quartz, earth or rock, in place, located by on this 1st day of January 1897, has been located for mining purposes. said claim is 1500 in length and ... claim 300 feet on each side of the discovery shaft, for full length of claim. The general course of the lode, deposit or premises is Easterly and Westerly. This claim is situated in the Riverside Mining District, Pinal County, Arizona, about 2 miles in a Southerly direction from the Gila River. This claim is bounded and marked As follows, to wit: Beginning at the mast center end of claim being 745 feet of the discovery shaft, upon which this notice is posted; thence 300 feet in a Northerly direction to a post or monument; thence 750 feet in a Westerly direction to a post or monument at the center of the North side of said claim; thence 750 feet in a Westerly direction to a post or monument; thence 300 feet in a southerly direction to a post or monument, being the center end post or monument of West end of said claim, and 755 feet from the discovery shaft; thence 300 feet in a Southerly direction to a post or monument; thence 750 feet in a Easterly direction to a post or monument, being the center of the South side of claim; thence 750 feet in a Easterly direction to a Easterly direction to a post or monument; thence 300 feet in a Northerly direction to the place of beginning.

Done under and by virtue of the laws of the United States, and the laws of the Territory of Arizona.

John Zellweger L.S.
Sophia Zellweger L.S.
Locators.

This mining claim heretofore known as the Coyote mine having been abandoned is now relocated by the above parture.

Witnesses) Thomas Mitchell.
) Euroic Lopez.

Filed and recorded at request of John Zellweger, June 29th, 1897 at 1 P.M. F.A. Chamberlin----Recorder.

7

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, A	ri zona,
		March 5 , 1917.
I, U. S. Surveyor-General for	District of Arizon	a
do hereby certify that the foregoin	ng transcript of the Field Notes, retur	rn and approval of the survey
of the mining claim of		
	JOHN H. ZELLWEGER	
known as the	ZELLEWEGER LODE	·
situate in	RIVERSIDE	
Mining District, PI	NAL County,	ARIZONA.
in Sectionapprox. 16, Towns	ship No. 4 S., Range No.	13 E. unsur., and
designated as Survey No. 33	14 has been correctly copi	ed from the originals on file in
this office; that said Field Notes	furnish such an accurate description of	of said mining claim as will, if
incorporated into a patent, serve f	fully to identify the premises, and that	such reference is made therein
to natural objects or permanent m	nonuments as will perpetuate and fix t	the locus thereof.
And I further certify that fi	ve hundred dollars' worth of labor h	nas been expended or improve-
	im by claimant or his granton	_
total value \$6900.		

		NATURE STREET, COMMENTATION OF THE PROPERTY OF THE PROPERTY.
and that no portion of said labor	or improvements has been included in	a the estimate of expenditures
upon any other claim.		-
I further certify that the plat	thereof, filed in the U.S. Land Office	Phoenix,
	correct and in conformity with the fo	
	· Frank P	. Trott.
T.T.	mited States Surneyor-General for	Ari zona.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,		
•	M	arch 5.	, 19 17.
I, U. S. Surveyor-	General for District of Arizo	na	
lo hereby certify that	the foregoing and hereto attached Field Notes	and Return of the S	arvey of the
Mining Claim of			
	JOHN H. ZELLWEGE	<u>R</u>	
		, k	nown as the
	ZELLEWEGER LODE	<u> </u>	
situate in	SIVERSIDE	mir	ning district,
PINAL	County,		ARI ZONA
	. 16, , Township No. 4 S., , , , designated as Survey No. 3314 Earl H. Parker,		
Surveyor,	July 8-12, , 191	.6, under my instru	ctions dated
Jun	e 26, , 1916, have been critically	examined and the ne	ecessary cor-
rections and explanati	ions made, and the said Field Notes and Retur	en, and the Survey th	ney describe,
are hereby approved.	A true copy of the copy of the location certification	icate filed by the ap	oplicant for
survey is included in	the field notes.	19. Fo	0 /
	U. S. Surveyor-Gene	ral for Ariz	ona.

0–2