UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956) BUREAU OF LAND MANAGEMENT M.S. 3322 ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Donnelly No.1 lode, Mineral Survey No. 3322, located in sections 31 and 32, Township 4 South, Range 12 East, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Donnelly No.1 lode, M.S. No. 3322, was canceled November 15, 2011, by memo 9605 (956) M.S. 3322, which is now a part of the original field notes."

November 15, 2011

Date

Janny J.

Acting Chief Cadastral Surveyor of Arizona

AFR. 11. 19.7

4---683.

Mineral Survey No. 3322

6	Lot No.	
	•	
4	arizona	Land District.
	——————————————————————————————————————	

FIELD NOTES	
OF THE SURVEY OF THE MINING CLAIM	OF
John H Jellweger	
June of juneyor	
KNOWN AS THE	
Donnelly 18º1 Lock	

Geonear	Mining District,
Quial County, C	· · · · · · · · · · · · · · · · · · ·
Section 3/ Township 45	Range 12 2 (28)
Surveyed under instructions dated June 2	6 ,18/6
	Allarlun
by 6 art -	
	U. S. Deputy Mineral Surveyor
Claim located See location notice	, 1
Survey commenced July 8	7h 1916
Survey completed July / 3	214 , 1916
υ 6—1co	
Address;	
N H 11-	

Thos. D. Derry, Atty., Florence, Arizona.

Feet	de A M. 10. als - C. betanth and mento out?	
2000	Donnelly No. 1 Lode	
14.	Beginning at Cor. No. 1.	* 13
1	A granite stone 4"x6"x18" set 12ins. in ground.	
007	With X on top	12,
FILE	Marked on S.E. face D1-1-3322 with a mound of stone	
the sto	3 ft. Base 3 ft. high along side from which the East	**
Dan By	1/4 cor. Section 36 o T 4S.R11E. bears N.74 53'W. 2499.7 ft.	49
13	Thence N.60° 30'E.	
300	N.E. Cen.	1 200
1 4 4 4 4	A Tufa Stone 4"x8"x20" set 12 ins. in ground	1 30
	Marked D1-2-3322 on S.E. face X on top	400
600	With a mound of stone 3 ft. Base, 3 ft. high alongside. To Cor. No. 2.	1 33
000	A granite stone 4"x4"x15" set 10 ins. in ground	- 4.5
-11/11	Marked D1-2-3322 on S.W. face, X on top	
19 m	Mound of stone 3 ft. base, 3 ft. high alongside	
100	Thence S.29°30'E.	
1500	To Cor. No. 3.	
	A granite stone 4"x6"x18" set 12 ins. in ground	
Brand -	Marked D1-3-3322 on N.W. face, X on top Wound of stone 3 ft. base, 3 ft. high alongside.	7 2 22
18.	Thence S.60°30'W.	
300	To S.E. Cen.	
1	A granite stone 6"x8"x20" set 12 ins. in ground	
2002	Marked Dl-S.E.C3322 on N. face, X on top	
600	Mound of stone 3 ft. base, 3 ft. high alongside To Cor. No. 4.	
000	A granite stone 4"x6"x20" set 12 ins. in ground	
4.	Marked D1-4-3322 on N.E. face. X on top	
No.	Mound of stone 3 ft. base, 3 ft. high alongside	
1500	Thence N.29°30'W.	
1500	To Cor. No. 1, place of beginning.	
	Area (Vain. The presumed course of the vein on	
Me 11	20 661 Acres Ithis claim is \$29°30° & 530 ft. 8 n 29°30° W 970 ft. from	_ Da
EL O	Adjoining Claims.	
B 3 **	This claim is bounded on East by Donnelly No. 2, un-	
13	surveyed claim, owned by Claimant; on other sides by vacant land	
1/2	Expenditure of Five Hundred Dollars.	
	I certify that the value of labor and improvements	100
	made upon this location embraced in said mining claim	3. 3.
	by the claimant is not less than Five Hundred Dollars,	100
	and that said improvements consist of No. 1 Discovery Cut 6x8x20 ft. which bears N.29 30'W.	De la
	530 ft. from S.E. Cen Value	100.00
	No.2 Cut 6x25 ft. 15 ft. face which bears N.28 00 W.	200100
	550 ft. from Cor. No. 4. Value	200.00
	No. 3 Shaft 6x6x8 ft. which bears N. 28 00 W. 575 ft.	
	from Cor. No. 4. Value No. 4 Open Cut 5x10x60 ft. which bears 5.39° 14 E.	75.00
1	450 ft. from Cor. No. 1. Value	200.00
	No. 5 Open Cut 6x10x10 ft. face which bears S.15°30'w.	~00.00
	130 ft. from N.E. Cen. Value	50.00
100	No. 6 Drill hole 8 ins. dia. 190 ft. deep which bears	5-
1 4 9	N.20 20 W., 970 feet from S.E. Cen. Value No. 7 Drill hole 6 ins. dia. 200 ft. deep, which bears N.	380.00
	18°47'W. 908 ft. from S.E. Cen. Value	350.00
		1355.00
16 to		

Location. This claim is situated in Dec. 31, T. 4 S., R. 128,

Report.

The Lode line of the location of this claim was run directly on the ground and the several corners were established by means of offsets from the Lode Line. All lines were run directly on the ground and all corners and End Centers were identical with the location corners and End Centers.

There were no available bearing points at any corners. Variation N. 14 20 E. from all corners.

Instrument.

cos of X years.

This survey was made with a Lietz Transit and the corners were deflected from the true Meridian determined by direct observation; on polaris. The distances were measured with a 100ft. steel tape.

To S. Ib. Man a second

told de uninoiso

col co K .ar. / nois Cold .i? C .s

Les de de la company de la com

This similar of the control of the c

november of the second of the second second

SCHOOL STREET MEATING AND THE CUTTON FOR MANY STREET

And to trop of the contract of

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employ	yed by Garl Jarhan
United States Deputy Mineral Surveyor, to assis	et in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of	of the survey of the mining claim of John
Felliveger	
known as the Donnelly	Nº/ Lode
and showing the respective capacities in which the	ey acted.
	Horn Sporker H, Chainman.
	Que Kohlomoos, Chainman.
	Chainman.
	, Axman.
	, Flagman.
FINAL OATH	S OF ASSISTANTS.
We Com Sharker la	
and Pete Gohlmoos	, do solemnly swear that we assisted Earl Allar
	eputy Mineral Surveyor, in marking the corners and surveying
	n At Jellweger
the boundaries of the mining claim of	
	art 1 . D D
known as the Donnelly	11-1 Lock
represented in the foregoing field notes as having	been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all re-	espects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary	monuments established according to law and the instructions
furnished by the United States Surveyor-General	for arizona
	Low Jorokan, Chainman.
	lete Mohlmoos, Chainman.
	, Axman.
	Flagman.
Subscribed and sworn,	by the above-named persons before me this.
day of	rely 19/
day or	Lungain Kannal
premission expires June 19, 1917.	president for
9489b5m8-03	attenter

STATE OF ARIZONA,	
County Yavapai.	5
Before me, E.A.MCSWIGGIN, a Notary Public in and for the County of Yavapai, State of Arizona, on this day personally appeared TON SPARKS,	
and acknowledged to me that he executed the same for the purpose and acknowledged.	
Given under my hand and seal of office, this 15th. day of JULY., A. D. 1916.	
(My Commission expires Dec., 7th., 1918.) Of My Swiggin / Notary Public.	
No. 130—ACKNOWLEDGMENT-—The McHeil Company's Red-Line Blanks. Phoenix. Arizona	

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

1, Earl At Park	, U. S. Deputy- Mineral
Surveyor, do solemnly swear that, in pursuance of	
States Surveyor General for	
Jane 26th 19/6, I have	
United States, the official regulations and instru	
of said Surveyor General, faithfully and correct	
Claim of John St &	known as the
Amuellet rol	lode.
situate in O concer	Mining District
Pinal Count	in Section
and designated as Survey No. 333	Unsurveyed,
in the foregoing field notes, which accurately she	
as distinctly marked by monuments on the grou	
of the location certificate, which was received	
said instructions, and that all the corners of said	_
petuated in strict accordance with the law, offic	_
under; and I do further solemnly swear that t	
field notes of said survey and my report there	
improvements made upon said mining claim by	
are as therein fully stated, and that the characteristics	
thereof are specified therein with particularity	·
said labor or improvements so credited to this c	laim has been included in the estimate
of expenditures upon any other claim.	
	Garl Attartus
	U. S. Deputy Mineral Surveyor.
1	
Subscribed and sworn to by the said.	oach Harkes
U.S. Deputy Mineral Surveyor, before a	
	this 271
day of July 1916,	
	DDD- V
Commission expires Feb. 15, 1920	arker.
	Notary Hablic
	N

STATE	OF	ARIZONA	,)	ss.
Cour	nty (of Pinal.	- }	33.

AMENDED


Motice of Mining Location

X	
This Mining Claim, the name of which is the	Jonnelly 160.1.
Mining Claim, situate on lands belonging to the United	States of America, and in which there are
valuable mineral deposits, was entered upon and located to	for the purposes of exploration and purchase
by John Hellingeger	OXPOLX OXX
(Locator must insert either "a citizen of the United States) or "who has deal	the Ameld States.
the undersigned, on the day of	Coloris intention to become a citizen of the United States.")
The length of this claim is	
and claim	feet,
	direction and
	Pasterly direction from
the center of the discovery shaft, at which this notice is p	posted, lengthwise of the claim, together with
feet in	width of the surface grounds, on each side
of the center of said claim. The general course of the lod	e deposit and premises is from the
Horth West to the	South Gast
The claim is situated and located in the	meek Mining District, in
County in the State of Arizon	
in a Gasterly direction from	florence and about
4 miles South East of the 15	atter at what in
January June Committing Ivan	uch.
The surface boundaries of the claim are marked u	pon the ground as follows: Beginning at
a moment of stone	
at a point in a South Easterly direction	530 feet from L
the discovery shaft (at which this notice is posted), being	in the center of the South East
end line of said claim; thence \$60°30'	in the center of the South East
end line of said claim; thence S 60°30'	in the center of the South East
end line of said claim; thence S60°30' Mester of stone, being the South Mesters	in the center of the South East, 300 feet to a monument corner of said claim; thence
end line of said claim; thence \$60°30' // feet to a min	in the center of the South Easy 300 feet to a monument corner of said claim; thence under of stone, being at the
end line of said claim; thence S60°30' of stine, being the South Mest 199°30' M. S00 feet to a min Mosth Mest corner of said claim; thence	in the center of the South Easy 300 feet to a monument corner of said claim; thence mulus of stone, being at the ce 1600306. 300 feet
end line of said claim; thence \$60°30' of stone, being the South Yes 1999°30' W 500 feet to a mon Thorefore West corner of said claim; thence to a mornimum of stone at the center of the	in the center of the South East, 300 feet to a monument corner of said claim; thence under up a tone being at the ce 160306. 300 feet Wheat end of said claim;
end line of said claim; thence \$60°30' of said claim; thence \$60°30' Nest Seed to a minument of said claim; thence to a minument of store at the center of the seed to a minument of said claim; thence \$160°30'6.	in the center of the four oas g 300 feet to a monument corner of said claim; thence with fest, end of said claim; minent of stone being at the
end line of said claim; thence \$60°30' of a work, being the South Yes 1099°30' South feet to a minimum to a minimum of south at the center of the thence \$60°30'6. 300 feet to a minimum The said claim; thence South Gast corner of said claim; thence	in the center of the foul one of said claim; thence confirmed being at the cell of said claim; the end of said claim; mumber of stone being at the said claim; mumber of stone being at the said claim; mumber of stone being at the said claim; feet
end line of said claim; thence \$60°30' of a tone, being the South Yest 1990'30' W. 500 feet to a min to a manual of stone at the center of the thence \$160°30'6. 300 feet to a min Thirth Gast corner of said claim; thence to a minument of stone at the center of the thence \$160°30'6. 300 feet to a min Thirth Gast corner of said claim; thence to a minument of stone at the So	in the center of the foul of said claim; thence corner of said claim; thence with the said claim;
end line of said claim; thence \$60°30' of a work, being the South Yes 1099°30' South feet to a minimum to a minimum of south at the center of the thence \$60°30'6. 300 feet to a minimum The said claim; thence South Gast corner of said claim; thence	in the center of the foul of said claim; thence corner of said claim; thence with the said claim;
end line of said claim; thence \$60°30' feet to a minument of south thence \$60°30' at the center of the standard claim; thence to a minument of south at the center of the standard claim; thence to a minument of said claim; the said claim; thence to a minument of said claim; thence	in the center of the foul of said claim; thence corner of said claim; thence being at the set of said claim; mumber of store being at the said claim; mumber of store being at the said claim; of beginning. itle XXXII, of the Revised Statutes of the
end line of said claim; thence \$60°30' Joseph Being the South Yest Joseph Being the South Yest To a morning of south at the center of the thence \$60°30' 6. So feet to a morning to a morning of said claim; thence to a morning of said claim; the said claim; thence to a morning of said claim; thence to a morning of said claim; the said cl	in the center of the foul one of said claim; thence corner of said claim; thence being at the cell of said claim; end of said claim; mumber of said claim; being at the said claim; of beginning. itle XXXII, of the Revised Statutes of the Arizona, entitled "An Act to Revise and
end line of said claim; thence \$60°30' Joseph Being the South Lead Corner of said claim; thence to a manufactural of store at the center of the Lead Corner of said claim; thence to a manufactural of said c	in the center of the Loudh East, feet to a monument corner of said claim; thence the local feet color feet co
end line of said claim; thence Soo 30 feet to a more of said claim; thence of the said claim; the said claim; thence of the said claim;	in the center of the fourth one of said claim; thence corner of said claim; thence with the said claim; being at the set of said claim; end of said claim; with the said claim; of beginning. itle XXXII, of the Revised Statutes of the Arizona, entitled "An Act to Revise and sarch 16, 1901.
end line of said claim; thence 60°30 feet to a 2000 feet to a 2000 feet to a 2000 thence 60°30°6 corner of said claim; thence to a 2000 feet to the place All done under the provisions of Chapter Six, of T United States, and of an Act of the General Assembly of Codify the Laws of the Territory of Arizona," approved M This is an Amended Location Notice of the 2000 Mining Claim? located by 2000 Mining Claim? located by 2000 Accorded 2000 Mining Claim? located by 2000 Accorded 2000 Accorded 2000 Accorded 2000 Mining Claim? located by 20	in the center of the fourth one of said claim; thence corner of said claim; thence being at the self of said claim; mumber of said claim; mumber of said claim; being at the Sayon feet corner of said claim; of beginning. itle XXXII, of the Revised Statutes of the Arizona, entitled "An Act to Revise and arch 16, 1991.
end line of said claim; thence So 30 feet to a minument of source of said claim; thence to a minument of source of said claim; thence to a minument of source of said claim; thence to a minument of source of said claim; thence to a minument of source of said claim; thence to a minument of source of said claim; thence to a minument of source of the said claim; thence to a minument of source of the source o	in the center of the fourth oas grown feet to a monument. corner of said claim; thence would being at the being at the feet feet for the f
end line of said claim; thence 60°30 feet to a 2000 feet to a 2000 feet to a 2000 thence 60°30°6 corner of said claim; thence to a 2000 feet to the place All done under the provisions of Chapter Six, of T United States, and of an Act of the General Assembly of Codify the Laws of the Territory of Arizona," approved M This is an Amended Location Notice of the 2000 Mining Claim? located by 2000 Mining Claim? located by 2000 Accorded 2000 Mining Claim? located by 2000 Accorded 2000 Accorded 2000 Accorded 2000 Mining Claim? located by 20	in the center of the fourth oas grown feet to a monument. corner of said claim; thence would being at the being at the feet feet for the f
end line of said claim; thence So 30 feet to a minument of source of said claim; thence to a minument of source of said claim; thence to a minument of source of said claim; thence to a minument of source of said claim; thence to a minument of source of said claim; thence to a minument of source of said claim; thence to a minument of source of the said claim; thence to a minument of source of the source o	in the center of the low of said claim; thence corner of said claim; thence would being at the set of said claim; of beginning. The set of said claim; of beginning. The set of said claim; of beginning. The set of said claim; of beginning. The set of said claim; thence of said claim; of beginning. The set of said claim; thence of said claim; of beginning. The set of said claim; thence of said claim; of beginning. The set of said claim; thence of said claim; of beginning. The set of said claim; thence of said claim; of beginning. The set of said claim; thence of said claim; of beginning. The set of said claim; of said claim; of beginning. The set of said claim; of being at the said claim; of beginning. The set of said claim; of being at the said claim; of beginning. The set of said claim; of being at the said claim; of beginning.
end line of said claim; thence Soo 30 feet to a mining Claim; thence Soo 30 Codify the Laws of the Territory of Arizona," approved Mining Claim; located by May 190 9, and recorded in Book. All done under the provision of Chapter Six, of The Codify the Laws of the Territory of Arizona," approved Mining Claim; located by May 190 9, and recorded in Book.	in the center of the low of said claim; thence corner of said claim; thence with the said claim; of beginning. itle XXXII, of the Revised Statutes of the Arizona, entitled "An Act to Revise and sarch 16, 1901. Though 357 Mining words the day of the corner of said claim; of Records of Mines, at aforesaid County of Said Claim;
end line of said claim; thence \$60°30' feet to a *** **Joseph Corner of said claim; thence to a *** **Local Corner of	feet to a monument corner of said claim; thence would being at the seed of Sold feet at the seed of said claim; mumber of said claim; mumber of said claim; being at the said claim; of beginning. The seed of said claim; of beginning. The seed of the Revised Statutes of the Arizona, entitled "An Act to Revise and earch 16, 1991. Though 357 Mining translation of Records of Mines, at aforesaid County of Said claim; at aforesaid claim; at a said claim; a
end line of said claim; thence Services being the South Seal claim; thence to a manufacture of said claim; thence to a manufacture of the General Assembly of Codify the Laws of the Territory of Arizona," approved M This is an Amended Location Notice of the Mining Claim, located by Manufacture of the Mining Claim, located by manufacture of the County Recorder of the to which reference is hereby made, and this amended Locaterrors in the description in the said original Location Notes.	feet to a monument corner of said claim; thence with the set of the said claim; thence with the set of the said claim; of beginning. The said claim; the said claim; the said claim; of beginning. The said claim; of beginning. The said claim; the said c
end line of said claim; thence Server	feet to a monument corner of said claim; thence with the set of the said claim; thence with the set of the said claim; of beginning. The said claim; the said claim; the said claim; of beginning. The said claim; of beginning. The said claim; the said c
end line of said claim; thence Services being the South Seal claim; thence to a manufacture of said claim; thence to a manufacture of the General Assembly of Codify the Laws of the Territory of Arizona," approved M This is an Amended Location Notice of the Mining Claim, located by Manufacture of the Mining Claim, located by manufacture of the County Recorder of the to which reference is hereby made, and this amended Locaterrors in the description in the said original Location Notes.	feet to a monument corner of said claim; thence with the set of the said claim; thence with the set of the said claim; of beginning. The said claim; the said claim; the said claim; of beginning. The said claim; of beginning. The said claim; the said c
end line of said claim; thence Services being the South Seal claim; thence to a manufacture of said claim; thence to a manufacture of the General Assembly of Codify the Laws of the Territory of Arizona," approved M This is an Amended Location Notice of the Mining Claim, located by Manufacture of the Mining Claim, located by manufacture of the County Recorder of the to which reference is hereby made, and this amended Locaterrors in the description in the said original Location Notes.	feet to a monument corner of said claim; thence with the set of the said claim; thence with the set of the said claim; of beginning. The said claim; the said claim; the said claim; of beginning. The said claim; of beginning. The said claim; the said c

Theorder Shap to

3	STATE OF	FARIZONA,					-
Cot	inty of	PINAL	SS.				
	T	W. L. BRO	W.N.	Cour	tv Recorder	in and for	
+ha	County and Stat	te aforesaid, do hereby		,	•		
LITE		M., on this JUN					

		o. $3/$ of n	Records of	of	PINAL	County.	
Ari	zona, at pages?	7.5			santo sta-		
	WITNESS my	hand and official seal th	e day and year fire	st above written.			
/				Α	W. L. PROY	VN,	
				The m	Couply Re	corder.	
				1		Deput	7
			9.		and the		7
				N M		H	J
	8 \	\\b	, P	6		ecorde	
	Location LAIM		est E	Da L	ľ	Seco	
	Loca	1 2/3	374 request		N	4 2 4	
	of Lo	10000	10 # A		7 \$	ounty eputy	
	9 5 5	1 9 3	Jed 5	C 4 4 1 1	7 8	0 20	
	S E	1 1/2 1/3	Recorded	in ?	N MC	9	
II.	AME CC 0	Mr OD N			744	00	
	3 0	30 52	A B X	3	Pous B	S	
	10		Per	3 2	r (8	2	
		E /r	B E X	OK "	7 8		
			Dated	\sim	Book	By	
13		-		4			



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,	
Julγ 20 , 191	-7 .
I, U. S. Surveyor-General for District of Arizona	
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the surv	еу
of the mining claim of	
JOHN H. ZELLWEGER	
known as the DON NELLY NO. 1 LODE	
situate in PI ONEER	
Mining District, PINAL County, ARIZONA.	
in Section 31 , Township No. 4 S., , Range No. 12 E., unsur. , a	nd
designated as Survey No. 3322 , has been correctly copied from the originals on file	in
this office; that said Field Notes furnish such an accurate description of said mining claim as will,	if
incorporated into a patent, serve fully to identify the premises, and that such reference is made there	in
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.	
And I further certify that five hundred dollars' worth of labor has been expended or improve	re-
ments made upon said mining claim by claimant or his grantors, and that said improvement	its
consist of 4 cuts, 1 shaft and 2 drill holes, total value \$1.355.	
and that no portion of said labor or improvements has been included in the estimate of expenditur	es
upon any other claim.	
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,	
Arizona, is correct and in conformity with the foregoing Field Notes.	
Frank P. Trott,	
United States Surveyor-General for Arizona.	

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

Phoenix, Arizona, July 20 , 19 17. I, U. S. Surveyor-General for District of Arizona do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of.... JOHN H. ZELLWEGER -----, known as the DONNELLY NO. 1 LODE situate in ______ Mining District, PINAL County, ARIZONA in Section 31 , Township No. 4 S., Range No. 12 E.unsur. designated as Survey No. 3322 executed by _______, U.S. Deputy Mineral Surveyor, July 8-12, , 19 16, under my instructions dated June 26, 1916, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

Hand St. Office

U. S. Surveyor-General for Arizona.

7360b5m3-03

survey is included in the field notes.