

Copied Jan. 11, 1917,

A L H

1

4-683.

Mineral Survey No. 3323

Lot No. _____

Arizona

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

John H Zellweger

KNOWN AS THE

Dagger Lode

Pupsey

Mining District,

Pinal

County,

Arizona.

Sections Approx. 15 & 16, Township 5 S, Range 13 E, ^{UNSUB} G B S P B & M.

Surveyed under instructions dated June 26th, 1916

by Earl H Parker,

U. S. ~~Deputy~~ Mineral Surveyor

Claim located See location notice, 1.

Survey commenced July 8th, 1916

Survey completed July 12th, 1916

o 6-100

Address of claimant;

Thos. D. Derry, Atty.,

Florence, Arizona.

Survey No. 3323

Feet

- Dagger Lode -

Beginning at Corner No. 1

A granite stone 10x12x30 ins. set 14 ins. in ground.
Marked D-1-3323 on S. face X on top

Mound of stone 3 ft. Base 3 ft. high alongside;

U.S.M.M. No. 3323 A granite stone 12x20x30 ins.

Marked U.S.M.M.-3323 X on top

set 18 ins. in ground, with 6"x3"x3 ft. pine post in mound of stone
5 ft. base 4 ft. high alongside,

Bears N.51° 30' W. 854.8 ft.

Thence S.36° 40'E.

300

To N.E. Cen.

A granite stone 8x12x15 ins. set 12 ins. in ground.

Marked D-N.E.C.-3323 on S.W. face X on top

Mound of stone 3 ft base 3 ft. high alongside

600

To Cor. No. 2

A granite stone 7x12x24 ins. set 16 ins. in ground

Marked D-2-3323 on W. face X on top

Mound of stone 3 ft. base 3 ft. high alongside

Thence S.53° 20' W.

1500

To Cor. No. 3

A granite stone 7x12x20 ins. set 14 ins. in ground

Marked D-3-3323 on N. face X on top

Mound of stone 3 ft. Base 3 ft. high alongside

Thence N.36° 40' W.

300

To S. E. Cen.

A granite stone 8x9x20 ins. set 14 ins in ground

Marked D-S.E.C.-3323 on N.E. face X on top

Mound of stone 3 ft. Base 3 ft. high alongside

600

To Cor. No. 4

A granite stone 8x12x20 ins. set 14 ins. in ground

Marked D-4-3323 on E. face X on top

Mound of stone 3 ft. base 3 ft. high alongside

Thence N.53° 20' E.

1500

To Cor. No. 1, Place of Beginning

Area

20.661 Acres

Adjoining Claims.

This claim is bounded on East and South by unsurveyed claims,
names and owners unknown, on North and West by vacant land.

Expenditure of Five Hundred Dollars

I certify that the value of labor and improvements made upon this
location embraced in said mining claim by the claimant is not less
than Five Hundred Dollars; and that said improvements consist of

No. 1 Discovery Shaft, 4x6x10 ft. which bears S.53° 20' W. from N.E. Cen. 450 ft.,	Value	\$100.00
No. 2 Shaft 4x6x55 ft. which bears N.67° 35' E. 285 ft. from Discovery Shaft,	Value	275.00
No. 3 Cut 6x10x10 ft. face which bears S.53° 20' W. 100 ft. from N.E. Cen.,	Value	50.00
No. 4 Shaft 4x6x60 ft. which bears N.3° 40' W. 300 ft. from Discovery Shaft,	Value	300.00
	Total	\$725.00

Other Improvements.

S.E. Corner of lumber house 16x30 ft. bears N.49° 40' E. 975
ft. from S. E. Cen.

S. E. Corner of lumber house 16x28 ft. bears N.44° 44'E. 950
ft. from S. E. Cen.

Report

The Lode Line of the location of this claim was run directly on the ground and the several corners were established by means of offsets from the Lode Line. All lines were run directly on the ground and all corners and End Centers were identical with the location corners and End Centers.

There were no available bearing points at any corners. Variation $N.14^{\circ}20'E.$ from all corners.

Instrument.

This survey was made with a Lietz Transit and the corners were deflected from the true Meridian determined by direct observation; on polaris.
The distance were measured with a 100 ft. steel tape.

LOCATION.

This survey is located in approximate Sections 15 and 16, Township 5 S., Range 13 E., unsurveyed.

VEIN.

As near as may be determined from present developments, the presumed course of the vein on this claim extends $N.53^{\circ}20' E.$, 450 ft. and $S. 53^{\circ} 20' W.$, 1050 ft. from the discovery shaft.

Phoenix, Arizona. Dec 5th 1916.-

Mr. Frank P. Trott-
Surveyor General-
Phoenix, Arizona-

Dear Sir.-

Description of U. S. L. M. No. 3323 as follows:-

A Granite stone 12" X 20" X 30" set 18 ins in the ground
with X on top -Chiseled U. S. L. M. No. 3323;

With monument of stone 5 ft. base 3 ft high -6" X 8" X 8"

Pine post in monument alongside-

From which point a monument on Grayback peak bears

N 41° 43' W approximately 41400 ft. and the Ripsey mine

North Easterly approximately Three and onehalf miles.

Yours Truly

Earl H Parker

U. S. Mineral Surveyor.-

3120 141400
26760
9240
3553
280

2500
1200
370

Plotted on

STATE OF ARIZONA,

County Yavapai.

} ss.

5

Before me, E.A. MCSWIGGIN,

for the County of Yavapai, State of Arizona, on this day personally appeared

TOM SPARKES,

known to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that he executed the same for the purpose and consideration therein expressed.

Given under my hand and seal of office, this 15th. day of J U L Y, A. D. 1916.

(My Commission expires Dec., 7th., 1918)

E.A. McSwiggin
Notary Public.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Earl H. Parker
 United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of John H. Zellweger
 known as the Dagger-Lode
 and showing the respective capacities in which they acted.

Tom Sparkes Jr., Chainman.
Pete Kohlmoos, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Tom Sparkes Jr.
 and Pete Kohlmoos, do solemnly swear that we assisted Earl H. Parker
 _____, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of John H. Zellweger
 known as the Dagger-Lode
 represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
 correctly executed, and the corner and boundary monuments established according to law and the instructions
 furnished by the United States Surveyor-General for Arizona

Tom Sparkes Jr., Chainman.
Pete Kohlmoos, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 12th
 day of July, 1916.

Lucy P. P. P.
 Notary Public

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Earl H. Parker, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 26th 1916, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of John H. Zellweger, known as the Agger lode, situate in Ripsey Mining District, Pinal County, Arizona, in Sections Approx. 15816, Township No. 5 S, Range No. 13 E, G. S. R. B. B. M., and designated as Survey No. 3323, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Earl H. Parker
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Earl H. Parker,
U. S. ~~Deputy~~ Mineral Surveyor, before me R. P. Parker
this 27th
day of July 1916.

R. P. Parker
Notary Public

My Commission expires Feb. 15, 1920

JUN 7- 1916

STATE OF ARIZONA, }
County of Pinal. } SS.

I, W. L. BROWN, County Recorder, in
and for the County of PINAL, State of Arizona, do hereby certify that the within and following is a full,
true and correct copy of Dagger Mining Claim (Amended)
....., as the same appears of record in my office in Book
No. 31 of Mines, Records, at page 238 thereof, or under File No.
.....; that I have compared the same with the original record, and that the same is a true tran-
script, and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed the seal of my office, this
Fifth day of June,, 1916, at Florence, the County Seat.

..... W. L. BROWN,
County Recorder.

By *MO Benscoe*
Deputy Recorder.



AMENDED

Notice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Dagger Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by John H. Zeltwegger

(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 3rd day of April, 1916

The length of this claim is 1500 feet, and 9 claim 430 feet, in a N 53° 20' E direction and 1050 feet in a S 53° 20' W direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the South West

The claim is situated and located in the Ripsey Mining District, in Pinal County in the State of Arizona, about 4 miles in a S. W. direction from Peorie Mine

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Monument of stone

at a point in a North Easterly direction 450 feet from the discovery shaft (at which this notice is posted), being in the center of the North East end line of said claim; thence South 36° 40' East 300 feet to a Monument of stone, being the South East corner of said claim; thence S 53° 20' W 1500 feet to a Monument of stone, being at the South West corner of said claim; thence N 36° 40' W 300 feet to a Monument of stone at the center of the South West end of said claim; thence N 36° 40' W 300 feet to a Monument of stone, being at the North West corner of said claim; thence N 53° 20' E 1500 feet to a Monument of stone at the North East corner of said claim; thence S 36° 40' E 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Dagger Mining Claim, located by Amanda J. Harrington on the 21st day of August, 1894, and recorded in Book 14 of Records of Mines, at page 23, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice

Dated and posted on the ground this 3rd day of April, 1916
John H. Zeltwegger

STATE OF ARIZONA,

County of PINAL ss.

I, W. L. BROWN,

County Recorder in and for

the County and State aforesaid, do hereby certify that the within instrument was filed for record at 1 o'clock P M., on this 3d day of June, 1916, and duly recorded in Book No. 31 of Mines Records of PINAL County, Arizona, at pages 238.

WITNESS my hand and official seal the day and year first above written.

By W. L. Brown County Recorder.

Deputy

AMENDED
Notice of Location
LODE CLAIM

Tagger
John H. Gellinger
Locater


Dated April 3rd, 1916.

Filed and Recorded at request of
W. L. Brown

JUN 3 - 1916
A. D. 19

at 1 P M.,
Book 31 of Mines
Pages 238

W. L. BROWN, County Recorder.
By W. L. Brown Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,
OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

March 5, 19 17.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

JOHN H. ZELLWEGER

known as the DAGGER LODE

situate in RIPSEY

Mining District, PINAL County, ARIZONA,

in Sections approx 15 & 16, Township No. 5 S., Range No. 13 E., unsur., and

designated as Survey No. 3323, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 3 shafts and 1 cut, value \$725.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

March 5, 1917.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

JOHN H. ZELLWEGER

, known as the

DAGGER LODGE

situate in RIPSEY mining district,

PINAL County, ARIZONA.

in Sections approx. 15&16, Township No. 5 S., Range No. 13 E., unsur.

, designated as Survey No. 3323

executed by Earl H. Parker, U. S. Deputy Mineral

Surveyor, July 8-12, 1916, under my instructions dated

June 26, 1916, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

[Handwritten signature]

U. S. Surveyor-General for Arizona.