

*Platted*

4-683

AUG. 20. 1916

MINERAL SURVEY No. 3324.

LOT No.

Arizona Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Copper Chief Mining Company

KNOWN AS THE

Victor, Mohawk Lodes

Verde Mining District,

Yavapai County, Arizona

~~Section~~ Sec. 1, Township 15 N., Range 2 E., G. and S. R. M. unsur.

Surveyed under instructions dated June 30, 1916.

by E. A. Byler  
U. S. Mineral Surveyor.

Claim located See location notices, ~~xxx~~

Survey commenced June 30, 1916.

Survey completed July 10, 1916.

Address of claimant Clarkdale, Arizona, care J. T. Matson.

#### DATES OF AMENDED LOCATIONS.

Victor Lode, June 26, 1916.

Mohawk Lode, June 26, 1916.

SURVEY NO. 3324.

Feet.

Victor Lode

Beginning at Cor.No.1,  
 Identical with cor.Nos.3-6-6 Sur.No.1222A<sub>m</sub>, Bear, Snow  
 Flower and End Line lodes.  
 A porphyry stone showing 12x12x14 ins. above ground  
 chiseled No.6 1222A SF, No.6 1222A E L, 3 B, and  
 1-3324 V, with monument of stone alongside, whence,  
 the S.  $\frac{1}{4}$  Cor. Sec. 36, T. 16 N., R. 2 E., G. and S. R. Meridian  
 bears N.  $4^{\circ} 4' W$ . 4493.5 ft.  
 U.S.M.M. No. 2 bears N.  $65^{\circ} 19' W$ . 2499.2 ft.

Thence S.  $80^{\circ} 55' W$ .

300. West End Center,  
 A porphyry stone 5x7x24 ins. set 1 ft. in the ground  
 chiseled W END V, with mound of stone alongside.  
 597. Channel of small stream, course East.  
 600. To Cor.No.2,  
 Identical with Cor.No.4 Sur.No.1222A<sub>m</sub> Bear lode.  
 On line 1-2 Mohawk lode of this survey, S.  $80^{\circ} 55' E$ . 24.6 ft. from Cor.No.1.  
 A diorite rock in place on south bank of stream showing  
 6x8 ft., chiseled 2 V-3324 and X at corner point, with  
 monument of stone alongside.

Thence S  $80^{\circ} 55' E$ .

450. Channel of small stream, course southeast.  
 575.40 Cor.No.2 Mohawk lode of this survey.  
 1490. Channel of small stream, course northeast.  
 1500. To Cor.No.3,  
 A diorite rock in place 3x4 ft. on south bank of stream  
 chiseled 3 V-3324 and X at corner point, with monument  
 of stone alongside.

Thence N.  $8^{\circ} 55' E$ .

5. Channel of small stream, course East.  
 300. East End Center,  
 A porphyry stone 5x12x24 ins. set 1 ft. in the ground  
 chiseled E END V, with mound of stone alongside.  
 600. To Cor.No.4,  
 A porphyry rock in place showing 2x2.5x2.5 ft. above  
 ground chiseled 4 V-3324 and X at corner point with  
 monument of stone alongside.

Thence N.  $80^{\circ} 55' W$ .

900. Cor.No.7 Sur.No.1222A<sub>m</sub> End Line lode.  
 1500. To Cor.No.1, the place of beginning.

Mohawk Lode.

Beginning at Cor.No.1,  
 A diorite rock in place showing 6x10 ft. on north bank  
 of stream, chiseled 1 M-3324 and X at corner point with  
 monument of stone alongside, whence,  
 the S.  $\frac{1}{4}$  Cor. Sec. 36, T. 16 N., R. 2 E., G. and S. R. <sup>S</sup>M. bears  
 N.  $2^{\circ} 16' W$ . 5075. ft.

Thence S.  $80^{\circ} 55' E$ .

15. Channel of small stream, Course East.  
 24.60 Cor.No.4 Sur.No.1222A<sub>m</sub> Bear lode and Cor.No.2 Victor  
 lode of this survey.

Feet	
300.	North End Center, A porphyry stone 3x8x24 ins.set 1 ft.in the ground chiseled N END M,with mound of stone alongside.
600.	To Cor.No.2, On line 2-3 Victor lode of this survey A porphyry stone 3x8x24 ins.set 1 ft.in the ground chiseled 2 M-3324 with monument of stone alongside.
Thence S.8° 55'W.	
100.	Channel of small stream,course southeast.
1494.9	To Cor.No.3, A porphyry stone 6x12x30 ins.set 1 ft.in the ground chiseled 3 M-3324 with monument of stone alongside.
Thence N.80° 55'W.	
300.	South End Center, A porphyry stone 10x10x24 ins.set 1 ft.in the ground chiseled S END M with mound of stone alongside.
600.	To Cor.No.4, A porphyry stone 7x14x26 ins.set 1 ft.in the ground chiseled 4 M-3324 with monument of stone alongside.
Thence N.8° 55'E.	
285.34	Cor.No.3 Sur.No.2065 East Gold Reef lode.
885.34	Cor.Nos.2-3 Sur.No.2065 East Gold Reef and Midgeon lodes.
1488.	Channel of small stream,course East.
1489.24	Cor. No. 2 Sur. No. 2065 Midgeon lode.
1494.48	intersect line 4-5 Sur.No.1222A, Bear lode at N.81°54'W. 24.6 ft.from Cor.No.4.
1494.91	To Cor.No.1,the place of beginning

Variation at all corners 15° East.

Lode Lines

As near as can be determined from present developments the veins of the locations embraced in this claim extend as follows from their respective discovery shafts:  
Victor lode:-37 ft.N.80°55'W.and 1463 ft. S.80°55'E.  
Mohawk lode:-775 ft.N.8°55'E.and 719.9 ft. S.8°55'W.

Area.

Total area Victor lode-----	20.661 Acres.
Total area Mohawk lode-----	20.591 "
Area in conflict with	
Sur.No. 1222A, Bear lode-----	0.000+ "

The survey of each lode of this location is identical with the respective amended location as staked on the ground.

Location.

This survey is located in Section 1, T.15 N., R.2 E., S.R.M. and S.R.M.

UNSUB.

SURVEY No.3324.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements made upon each location embraced in this survey by the claimant or its grantors is not less than five hundred dollars and that said improvements consist of:-

VICTOR

- No.1 The discovery shaft of the ~~Victor~~ lode which bears from the West End Center S.80°55'E. 37 ft. 8x8 ft., 10 ft. deep. Value \$100.00
- No.2 A shaft which bears from West End Center Victor lode S.80°55'E. 80 ft. 10x10 ft., 6 ft. deep. Value \$60.00
- No.3. A tunnel the entrance of which bears from Cor.No.4 Victor lode S.86°W. 380 ft. 4x6 ft. running S.45°W. 58 ft. to face. At a point 18 ft. from entrance a drift 4x6 ft. runs N.77°W. 85 ft. Value of tunnel and drift \$1430.00
- No.1 The discovery shaft of the ~~Mohawk~~ lode which bears from the North End Center S.8°55'W. 775 ft. 6x6 ft. 37 ft. deep, dipping west 40°. Value \$370.00
- No.2 A shaft which bears from Cor.No.2 Mohawk lode S.25°W. 750 ft. 4x8 ft. 10 ft. deep Value \$100.00
- No.3 A shaft which bears from Cor.No.4 Mohawk lode N.23°E. 405 ft. 4x8 ft. 10 ft. deep, dipping Southeast 45° Value \$100.00
- No.4 A tunnel the mouth of which bears from Cor.No.1 Mohawk lode S.15°E. 695 ft. 4x6½ ft. running S.9°W. 60 ft. Value \$600.00


Other improvements.  
None.

Instrument.

This survey was made with a Berger and Sons no.4 transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 500 ft. and 100 ft. steel tapes.

Report.

The lines of this survey were run upon the ground. The connection lines to the S.¼ Cor.36 T.16 N.R.2 E., G. and S.R.M. were run by traverse as herewith submitted upon separate sheet.

The above corner consists of a 1 in. iron pipe with cap marked  with monument of rocks

U.S.M.M.No.2 consists of a round post 6 ins. in diameter 6 ft. long hewn to 4 ins. square at the top in monument of stone on sandstone cliff scribed U.S.M.M.No.2.

Cor.No.2 Sur.No.2065 Midgeon lode is a rock in place, of indefinite extent in bed of small stream chiseled 2-2065 M X.

Cor.Nos.2-3 Sur.No.2065 East Gold Reef and Midgeon lodes is a rock showing 6x8x14 ins. above ground chiseled 3 M 2-2065 E G R.

Cor.No.3 Sur.No.2065 East Gold Reef lode is missing and its position is given herein as designated in the official field notes thereof by its course and distance from Cor.No.2.

Cor.No.7 Sur.No.1222A. End Line lode has been destroyed and its position is given as shown in the field notes of that survey.

No corner was found in the position for Cor.No.4 Sur.No.

SURVEY No.3324

1222A. Bear lode. There are indications that a corner had formerly existed at this point but this position has been swept bare by the water of the small stream, now leaving exposed the rock in place upon which Cor.No.2 of the Victor lode has been marked.

The length of line 2-3 Sur.No.2065 Midgeon lode is in error as given in the official field notes. The same should be 603.9 ft. instead of 600 ft. Also the position of Cor.No.2 as given on line 4-5 Sur.No.1222A. Bear lode is in error and same is shown herein in its true position on the ground, viz. at S.8°55'W. 5.22 ft. from said line.

20.00  
100.00  
200.00  
300.00  
400.00  
500.00  
600.00  
700.00  
800.00  
900.00  
1000.00

DESCRIPTION

Survey

This survey was made by the Victor lode company and is a continuation of the survey made by the Midgeon lode company. The survey was made in 1912 and 1913.

Notes

The lines of this survey were run in a line from the intersection of the Victor lode line to the intersection of the Midgeon lode line. The lines were run in a line from the intersection of the Victor lode line to the intersection of the Midgeon lode line. The lines were run in a line from the intersection of the Victor lode line to the intersection of the Midgeon lode line. The lines were run in a line from the intersection of the Victor lode line to the intersection of the Midgeon lode line.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by E.A.Byler

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

The Copper Chief Mining Company

known as the Victor and Mohawk lodes

and showing the respective capacities in which they acted.

N.R.Collins, Chairman.

....., Chairman.

....., Axman.

....., Flagman.

## FINAL OATHS OF ASSISTANTS.

~~We, I,~~ N.R.Collins

~~and~~ ..... do solemnly swear that ~~we~~ <sup>I</sup> assisted

E.A.Byler, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of The Copper Chief Mining Company

known as the Victor and Mohawk lodes

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of ~~our~~ <sup>my</sup> knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for Arizona

N.R.Collins, Chairman.

....., Chairman.

....., Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 16<sup>th</sup>

day of Aug, 1916.

C.D.Paine

My commission Expires Sept. 10, 1917

NOTARY PUBLIC  
In and for the County of Los Angeles, State of California

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, E.A.Byler, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 30, 1916, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Copper Chief Mining Company, known as the Victor and Mohawk lodes, situate in Verde Mining District, Yavapai County, Arizona, in ~~Section~~ Sec. 1, Township No. 15 N., Range No. 2 E., G. and S. R. M. unsur., and designated as Survey No. 3324, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

*E.A. Byler*

U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said E.A.Byler,

U. S. ~~Deputy~~ Mineral Surveyor, before me

this 16<sup>th</sup>

day of Aug 1916.

My commission Expires Sept. 10, 1917

*A.D. Raine*

NOTARY PUBLIC

In and for the County of Los Angeles, State of California.

1916

ADDITIONAL AND AMENDED LOCATION CERTIFICATE.

STATE OF ARIZONA

County of Yavapai

ss.

JUN 30 1916

Know All Men by These Presents, That THE COPPER CHIEF MINING COMPANY, grantee of the original locator, the undersigned, has this 26th day of June 1916, amended, located and claimed, and by these presents does amend, locate and claim, by right of the original discovery and this additional and amended location certificate, in compliance with the Mining Act of Congress, approved May 10, 1872, and all subsequent acts and with the Statutes of Arizona and with local customs laws and regulations 1500 linear feet and horizontal measurements on the Victor lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations, as allowed by law, together with not exceeding 300 feet on the northerly side and 300 feet on the southerly side of the middle of said vein at the surface, so far as can be determined from present developments, and all veins, lodes, ledges or deposits and surface ground within the lines of said claim, 37 feet running N 80 degrees 55 minutes W from location shaft, and 1465 feet running S 80 " 55 " E from location shaft, said location shaft being situate upon said lode, vein, ledge or deposit, and within the lines of said claim, in Verde Mining District, County of Yavapai and State of Arizona, described by metes and bounds as follows, to wit:

Beginning at Corner No. 1 The N.W. Corner, identical with Corner Nos. 6-6 and 3 of Survey No. 1222 A End Line Snow-Flower and Bear Lodes. Thence S 8 degrees 55 minutes W 300 feet to West End Center, 600 " to S.W. Corner; Thence S 80 " 55 " E 1500 feet to S.E. Corner; Thence N 8 " 55 " E 300 " to East End Center 600 " to N.E. Corner; Thence N 80 " 55 " W 1500 feet to Corner No. 1, the place of beginning.

All Corners and End Centers consist of substantial Monuments of stone, 3 feet high, marked with name of claim Victor lode and the Corner or End they designate.

The location work is situate at S 80 degrees 55 minutes E 37 feet from the West End Center consisting of a shaft of the following dimensions, viz.: 8 x 8 x 10 feet. This being the same lode originally located on the first day of January 1898, by Arthur Bendy, and recorded on the 30th day of March, 1898, in book 50, page 104, in the office of the Recorder of Yavapai County, Arizona. This further additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of correcting any errors in the original location, description or record, and of taking in and acquiring all forfeited or abandoned, overlapping ground, and of taking in any part of any overlapping claim which has been abandoned, and of securing all benefits of said Statutes of Arizona.

Date of Discovery

January 1, 1898

Date of additional and Amended certificate

June 26, 1916

THE COPPER CHIEF MINING COMPANY,

By J. T. Matson

Agent,

Locators.



2687.

Filed and Recorded at Request

of The Copper Chief Mining Co.,

June, -29th., -A.D., ----- 1916.

Book, - 93 of MINES;

Pages, - 615- 616:Records

of Yavapai County, Arizona.

( SEAL. ) L.S. COLWELL,  
County Recorder.

BY, - CHAS. R. LAING,  
Deputy Recorder.

1916

THE COPPER CHIEF MINING COMPANY  
By \_\_\_\_\_  
Attorney

THE COPPER CHIEF MINING COMPANY  
By \_\_\_\_\_  
Attorney

Filed and recorded at request of THE COPPER CHIEF MINING COMPANY,

JUNE 29th., A. D., 1916, at 9:00 o'clock

A.M., Book 93 of MINES; pages 615-616;

Records of Yavapai County, Arizona.

(SEAL)

L. S. COLWELL,  
County Recorder,

By CHAS. R. LAINO,  
Deputy Recorder.

STATE OF ARIZONA, }  
COUNTY OF YAVAPAI. } ss.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of AMENDED LOCATION CERTIFICATE ;  
of the VICTOR Lode Mining Claim; located by The Copper Chief Mining  
Company; June 26th., A.D., - 1916; - and, -  
filed for record on June 29th., A.D., 1916, at 9:00-0'clock <sup>A.M.,</sup> and as the same appears of record in my office in Book 93 of MINES;  
at pages 615-616; and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 29th. day of JUNE, A. D., 1916.

L. S. Colwell  
County Recorder.

ADDITIONAL AND AMENDED LOCATION CERTIFICATE

STATE OF ARIZONA )  
 County of Yavapai ) ss.

JUN 30 1916

Know All Men by These Presents, That the COPPER CHIEF MINING COMPANY, grantee of the original locators the undersigned, has this 26th day of June, 1916, amended, located and claimed, and by these presents does amend, locate, and claim, by right of the original discovery and this additional and amended location certificate, in compliance with the Mining Act of Congress, approved May 10, 1872, and all subsequent acts with the Statutes of Arizona and with local customs laws and regulations 1494.9 linear feet and horizontal measurements on the Mohawk lode, vein, ledge or deposit, along the vein thereof, with all its dips angles and variations, as allowed by law, together with not exceeding 300 feet on the Easterly side and 300 feet on the Westerly side of the middle of said vein at the surface, so far as can be determined from present developments, and all veins, lodes, ledges or deposits and surface ground within the lines of said claim, 775 feet running N 8 degrees 55 minutes E from location shaft, and 719.9 feet running S 58 degrees 55 minutes W from location shaft, said location shaft being situate upon said lode, vein, ledge or deposit, and within the lines of said claim, in Verde Mining District, County of Yavapai, and State of Arizona, described by metes and bounds as follows, to-wit:

Beginning at Corner No. 1, The N E Corner, whence Corner No. 4, Survey No. 1222 A Bear lode bears S 80 degrees 55 minutes East 24.6 feet, Thence S 80 degrees 55 minutes E 300 feet to North End Center, 500 " to N E Corner;  
 Thence S 8 degrees 55 " W 1494.9 feet to S. E. Corner;  
 Thence N 80 " 55 " W 300 feet to South End Center, 500 " to South West Corner;  
 Thence N 8 " 55 " E 1494.9 feet to Corner No. 1, the place of beginning.

All Corners and End Centers consist of substantial monuments of stone 3 feet high marked with name of claim Mohawk lode and the corner or end they designate.

This claim is bounded on the North by the Victor lode and on the West by the Midge and East Gold Reef Lodes.

The location work is situate at S 8 degrees <sup>55'</sup> W 775 feet from the North End Center and consists of a shaft of the following dimensions, viz: 6 x 6 x 37 feet. This being the same lode originally located on the first day of January, 1898, by Arthur Hendy and Mary Duke, and recorded on the 30th day of March, 1898, in book 50, page 99, in the office of the Recorder of Yavapai County, Arizona. This further additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of correcting any errors in the original location, description or record, and of taking in and acquiring all forfeited or abandoned, overlapping ground, and of taking in any part of any overlapping claim which has been abandoned, and of securing all benefits of said Statutes of Arizona.

Date of Discovery )  
 January 1, 1898. )  
 Date of Additional and )  
 Amended Certificate )  
 June 26, 1916. )

THE COPPER CHIEF MINING COMPANY,  
 By J. T. Matson, Agent,  
 Locators.

THE COPPER CHIEF MINING COMPANY,  
 BY J. T. MASON, Agent,  
 LOCATORS.

Filed and Recorded at Request  
 of The Copper Chief Mining Co.,  
 June 29th, A.D., 1916.  
 Book, - 93 of MINES;  
 Pages, - 614- 615; Records of  
 Yavapai County, Arizona.  
 (SEAL.) L.S. COLWELL,  
 County Recorder.  
 Chas. R. Laing,  
 Deputy Recorder.

Mason

2688.

The location work is situated at 8 degrees W 75 feet from the  
 north end center and consists of a shaft of the following dimensions  
 6 x 6 x 27 feet. This being the same shaft originally located on  
 the first day of January, 1878, by Arthur Hardy and Mary Jane, and re-  
 corded on the 30th day of March, 1888, in book 50, page 99, in the of-  
 fice of the Recorder of Yavapai County, Arizona. This further addition-  
 al and amended certificate of location is made without waiver of any  
 previously acquired rights, but for the purpose of correcting any errors  
 in the original location description or record, and of taking in and  
 adding all forfeited or abandoned, overlapping ground, and of taking  
 in any part of any overlapping claim which has been abandoned, and of  
 securing all benefits or valid statutes of Arizona.

THE COPPER CHIEF MINING COMPANY,  
 BY J. T. MASON, Agent,  
 LOCATORS.

DATE OF DISCOVERY  
 JANUARY 1, 1878  
 DATE OF ADDITIONAL AND  
 AMENDED CERTIFICATE  
 JUNE 28, 1916.

Filed and recorded at request of THE COPPER CHIEF MINING CO.,

June 29th., A. D., 1916, at 9:00 o'clock

A. M., Book 93 of MINES; pages 614-615;

Records of Yavapai County, Arizona.

(SEAL)

L. S. COLWELL,  
County Recorder,

By CHAS. R. LAING,  
Deputy Recorder.

STATE OF ARIZONA, }  
COUNTY OF YAVAPAI. } ss.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of AMENDED LOCATION CERTIFICATE ;  
of MOHAWK Lode Mining Claim; located by The Copper Chief Mining  
Company; June 26th., A.D., 1916; and,  
filed for record on June 29th., A.D., 1916, at 9:00-0'clock/ A.M., and as the same appears of record in my office in Book 93 of MINES;  
at pages 614-615; and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 29th. day of J U N E., A. D., 1916.

L. S. Colwell  
County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

November 3, 1916.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

THE COPPER CHIEF MINING COMPANY

known as the VICTO AND MOHAWK LODES.

situate in VERDE

Mining District, YAVAPAI County, ARIZONA.

in Section 1, Township No. 15 N., Range No. 2 E., unsur., and

designated as Survey No. 3324, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if

incorporated into a patent, serve fully to identify the premises, and that such reference is made therein

to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or its grantors, and that said improvements consist of 5 shafts, 2 tunnels and 1 drift, total value \$2760.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

November 3, 1916

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

THE COPPER CHIEF MINING COMPANY

, known as the

VICTOR AND MOHAWK LODES

situate in VERDE mining district,

YAVAPAI County, ARIZONA.

in Section 1, Township No. 15 N., Range No. 2 E. unsur.

, designated as Survey No. 3324

executed by E. A. Byler, U. S. Deputy Mineral

Surveyor, June 30-July 10, 1916, under my instructions dated

June 30, 1916, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank P. Byler

U. S. Surveyor-General for Arizona.