Pla Heri

4-683.

Mineral Survey No. 3325

Lot No. ____Land District. FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF The Copper Chief Mining Company KNOWN AS THE Old Abe and Link Lodes Yerde Mining District, Yavapai County, Arizona Sexion Sec. 11 Township 15 N. , Range E. G. and S.R.M. Surveyed under instructions dated July 11 , 1916, by E.A.Byler , U. S. Deputy Mineral Surveyor Claim located Old Abe location notices
Link lode , January 1 , 1903. Survey commenced July 11 , 916. Survey completed 1916.

Address of claimant Clarkdale, Arizona, care J.T. Matson.

Survey No. 3325

	Feet.	Old Abe Lode.
		Beginning at Cor. No.1. A limestone rock 5x18x32 ins. set 1 ft. in the ground chiseled 1-0A-3325 with monument of stone alongside, whence the S4 Cor.Sec.36,T.16N., R.2 E., G. and S.R.M. bears N.27°27'E. 9408 ft.
		Thence S.49°57'E.
	212.52. 300.	Intersect line 4-1 Link lode of this survey, \$68° 13'E 500.35 ft. from Gov. No.4. North End Center. A sandstone rock 7x7x26 ins. set 1 ft. in the ground chiseled N. END O.A. with mound of stone alongside.
	600.	To Cor. No.2. A sandstone rock 8x10x27 ins. set 1 ft. in the ground chiseled 2-0 A-3325, with monument of stone alongside.
		Thence S.40° 03'W.
		Intersect line 2-3, Link lode of this survey, N 68° 13'W.557.13 ft. from Cor. No. 2.
	110001	A limestone rock luxl2x25 ins. set 1 ft. in the ground chiseled 3-U A-3325, with monument of stone alongside.
		Thence N.49° 57'W.
		South End Center, limestone rock lox12x24 ins. set 1 ft. in the ground chiseled S. END O A with mound or stone alongside. To Cor. No. 4,
	000.	A limestone rock 12x12x27 ins. set 1 ft. in the ground in monument of stone chiseled 4-0 A-3325.
•		Thence-N.40° 03'E.
	797.73 1429.55 1499.7	Intersect line 4-1 Link lode of this survey. S.68° 13'E. 276.55 ft. from Gor. No. 4.
		Link Lode.
£.	To the second se	Beginning et Cor. No. 1. A porphyry stone 10x16x30 ins. set 1 ft. in the ground, chiseled 1-L-3325, with monument of stone alongside, whence The S.1 Cor. Sec. 36, 1.16 N., R.2 E., G. and S.R.M. bears N. 2007'E. 9432.4 ft. U.S.M.M. No. 2 bears N. 13025'E. 5570.6 ft.
		Cor. No.2 Old Abe lode of this survey, beers N.7906'W. 643.26 ft.
		Thence S.42° 58'W.
	32 1.7 4	Last End Center. A porphyry stone 8x10x24 ins. set 1 ft. in the ground chiseled E. END L., with monument of stone alongside. To Cor. No. 2,
	0.20 8.350	A porphyry stone 6x10x24 ins. set 1 ft. in the ground chiseled 2 L-3325, with monument of stone alongside.
	,	Thence N.68° 13'W.
	557.13 1188.97 1500.	intersect line 2-3 Old Abe lode of this survey, \$40°3'W.503.93ff.from Cor. No.2. Intersect line 4-1 Old Abe lode of this survey, \$40°3'W 701.97ff.from Gor. No.1. To Cor. No. 3,
		On line 4-1, Sur. No. 1501 and Line will Site.

Survey No. 3325.

	Survey No. 3323.
Feet.	A limestone rock 4x17x26 ins. set 1 ft. in the ground chiseled 3 1-3325 with monument of stone alongside.
	Thence N.42° 58'E.
321.74 361.24 643.48	West End Center. On line 4-1, Sur. No. 1501 End Line Mill Site. A sandstone rock 4x24x26 ins. set 1 ft. in the ground chiseled W END L, with mound of stones alongside. Cor. No.1, Sur. No. 1501 End Line Mill Site. To Cor. No. 4.
	A limestone rock 5x20x36 ins. set 1 ft. in the ground in monument of stone chiseled 4 L-3325.
	Thence S.68° 13'E.
276.55 500.35 1500.	Intersect line 4-1, Old Abe lode of this survey, \$40 3 W.70.15 R. Intersect line 1-2, Old Abe lode of this survey, N 49°57' W.387.48 10 Cor. 10. 1 the place of beginning. H.from Cor. No.2.
	Variation at all corners 15° East.
	Lode Lines. As near as can be determined from present development the veins of the locations embraced in this survey extend as follows:- Old Abe lode, from mouth of discovery tunnel N.40° 03'E. 397 It. and 5.40° 03'W. 1102.7 ft. Link lode:- from the discovery shaft N.68° 13'W. 197 ft. and S.68° 13'E. 1303 ft.
	Areas: Total area Old Abe lode
V	The survey of each lode of this location is identical with the respective amended location as staked upon the ground.
	This survey is located in unsurveyed T.15, N. R.2 E., G. S.R.M., and within the Prescott National Forest.
	Expenditure of Five Hundred Dollars.
No.1	I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant is not less than five hundred dollars upon or for the benefit of each location, and that said improvements consist of: The discovery tunnel of the old Abe lode the entrance to which bears S.40° 3'W. 397 ft. from North End Center 4x6½ ft. running S.40°3'W. 56 ft. to face. At a point 48 ft. from entrance a drift 4x6½ ft. runs N.42°W. 35 ft. thence N.7°W. 24 ft. thence N.71°W. 96 ft.
No.2	to face. Value tunnel and drift. \$2030.00 Value interest credited to this claim. \$1015.00 A tunnel, the mouth of which bears from Cor. No. 2 Old Abe lode 5.58°W. 765 ft. 4x6 ft. running 5.55°W. 50 ft. thence N.69°W. 50 ft. Value \$1000.00
No. 3	A tunnel, the mouth of which bears from Cor. No.2 Old Abe lode S.480 W. 160 ft. 4x6 ft. running N.20°E. 10 ft.
No. 1	The discovery shaft of the Link lode which bears from the West End Center S.68°13'E. 197 ft. 4x8 ft. 10 ft.
	deep. Value \$100.00

No.2

A cut the face of which bears from Cor. No. 1 Link lode N.86°W. 430 ft. 5 ft.wide,6 ft.deep running S.20°W. 15 ft.to surface Value \$50.00

No.3

A cut the face of which bears from Cor. No. 1 Link lode N.87°W. 400 ft.,5 ft.wide,6 ft.face running S.20°W. 15 ft.to surface

Tunnel and drift described under improvement No.1, Old Abe lode were made for the common benefit and development of both the Old Abe and Link lodes. The ground rises rapidly in both westerly and southerly directions from the mouth of the tunnel so that the workings in those directions are advantageous and economical methods of developing each location. An undivided one half of this improvement, value \$1015.00 is for the benefit of each the Old Abe and Link lodes.

Value credited to this claim, \$1015.00

Other Improvements.

None.

Instrument.

This survey was made with a Berger and Sons Transit. The courses were deflected from the true meridian as determined by direct solar observations.

The distances were measured with 500 ft. and 100 ft.

steel tapes.

The disagreement between these field notes and the amended location certificates is due to errors in the latter.

Report.

The lines of this survey were run upon the ground. The connection lines to the S. & Cor. Sec. 36, T. 16 N., R.2 E., G. and S.R.M. were run by traverse as herewith submitted on separate sheet.

The above section corner consists of a 1 inch iron pipe with cap marked with mound of rocks. 536

5/

U.S.M.M.No.2 consists of a post 6 ins.diameter hewn to 4 ins. square at top in monument of stone on sandstone eliff seribed U.S.M.M.No.2.

Cor.No.1 Sur.No.1501 End Line Mill Site is a stone showing 4xllx10 ins.above ground chiseled 1 E L M S

Cor. No. 4 Sur. No. 1501 End Line Mill Site is a limestone rock chiseled 4 1501 E t M S .

The sourse of line 4-1 Sur. No. 1501 End Line Mill Site is in error. Same should be N.42°58'E. instead of N.43° 3'E. as shown in the official notes thereof and same is herewith returned as found upon the ground.

In this survey the connection was given to the S 1 cor. Sec. 36. T. 16 N., R. 2 E., for the reason that it was the nearest corner that I was able to find and for the reason that the country intervening between these claims and the positions of the corners further west is very rough and exceedingly difficult to traverse and would necessitate a circuitous traverse of great length which would detract from the accuracy of the work.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employe	red by E.A.Byler	•			
United States Deputy Mineral Surveyor, to assist	t in running, measuring, and marking the li	nes, corners, and			
boundaries described in the foregoing field notes of	f the survey of the mining claim of				
The Copper Chief Mining Comp	The Copper Chief Mining Company				
known as the Old Abe and Link	lodes	***************************************			
and showing the respective capacities in which the	y acted.				
	N.R.Collins	-, Chainman.			
		, Chainman.			
		, <u> </u>			
	S OF ASSISTANTS.				
Ax, I, N.R.Collins					
×××.	-, do solemnly swear that we assisted				
E.A.Byler , United States Dep	puty Mineral Surveyor, in marking the corner	rs and surveying			
the boundaries of the mining claim ofTh	e Copper Chief mining Company	7			
_					
known as the Old Abe and Link 1					
represented in the foregoing field notes as having b					
	my				
direction; and that said survey has been in all res	spects, to the best of Mar knowledge and believed	ef, faithfully and			
correctly executed, and the corner and boundary r	monuments established according to law and	the instructions			
furnished by the United States Surveyor-General fo	or Arizona	.			
	M. R. Collins	, Chainman.			
• .		, Chainman.			
		, Axman.			
•		, Flagman.			
Subscribed and sworn to	by the above-named persons before me this	16			
day of	\wedge				
	Ca Remo				
My commission Expires Se	ept. 10, 1917 NOTARY PUE	BLIC State of California			

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I,	L.A.Byler		, U. S. Deputy Mineral
Surveyor,	do solemnly swear th	at, in pursuance of	instructions received from the United
			, dated
			a strict conformity to the laws of the
			ons thereunder, and the instructions
			executed the survey of the Mining
Claim of.	The Coppe	r Chief Mining	Company
			known as the
			0·S,
situate in		Verde	Mining District,
	Yavapai	County,	Arizona , in Sextions
Sec. 1	1 , Township No. 1	5 N., Range No2	E., Unsur.,,
and design	nated as Survey No	33 25	, as represented
			the boundaries of said mining claim
as distinct	ly marked by monum	nents on the ground	, and described in the attached copy
of the loc	ation certificate, which	ch was received by	me from the Surveyor General with
said instru	actions, and that all th	ne corners of said su	arvey have been established and per-
petuated i	n strict accordance w	ith the law, official	regulations and instructions there-
under; an	d I do further solem	nly swear that the	foregoing are the true and original
field notes	s of said survey and	my report therein	, and that the labor expended and
improvem	ents made upon said r	mining claim by cla	aimant or its grantors
are as the	rein fully stated, and	that the character	c, extent, location and itemized value
thereof ar	e specified therein wi	ith particularity an	d full detail, and that no portion of
said labor	or improvements so o	credited to this clain	m has been included in the estimate
of expendi	tures upon any other	claim.	

			Glissylen
			U. S. Doputy Mineral Surveyor.
			·
Subs	scribed and sworn to b	by the said E.A	.Byler ,
J	J. S. -Deputy- Mineral S	urveyor, before me	Co same
-	A		this 167
d	lay of 1916	ŝ,	
		(da Rame
	My commission Expire	es Sept. 10, 1917	NOTARY PUBLIC In and for the County of Los Angeles, State of California

State of Arizona County of Yavapai

SS.

WUL 11.1976

97

Know All Men by these Presents, - That The Copper Chief Mining Company, the original locator the undersigned, has this first day of July, 1916, amended, located and claimed, and by these presents does amend, locate and claim, by right of the original discovery and this additional and amended location certificate, in compliance with the Mining Act of Congress, approvedMay 10, 1872, and all subsequent acts and with the Statutes of Arizona and with local customs laws and regulations 1600 linear feet and hor-ziontal measurement on the Old Abe lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations, as allowed by law, together with not exceeding 300 feet on the easterly side and 500 feet on the westerly side of the middle of said vein at the surface, so far as can be determined from present developments, and allowing, lodes, ledges or deposits and surface grounds within the lines of said claim.

397 feet running M 40 degrees 3' M from mouth of location tunnel, and location tunnel, and location situate upon said lode, vein, ledge or deposit, and within the lines of said claim, in Verde Mining District, Bounty of Yavapai, and State of Arizona, described by metes and bounds as follows, to-wit:

Beginning at Corner No. 1, the N W Corner whence Corner No. 1, the N W Sol East to North End Center, 500 feet to N E Corner; Thence N 40 " 3' W 1500 feet to S E Corner; Thence N 49 " 57' W 300 feet to South End Center, 600 feet to S W Corner; Thence N 40 " 3' E 1500 feet to place of beginning.

All corners and End Centers consist of substantial monuments of stone 3 feet high marked with name of claim Old Abe lode and the corner or end they designate as above.

This claim is situate about one mile in a southwesterly direction from the Copper Chief Mine.

The location work consists of a Tunnel 4 x 6 feet running 3 40 degrees W 56 feet, the entrance of which is situate at 3 40 degrees 3 W 397 feet from the north ends center. This being the same lode originally located onthe first day of January, 1903, by The Copper Chief. Mining Company, and recorded on the 24th day of February, 1903, in book 67, page 13, in the office of the Recorder of Yawapai County, Arizona. This further additional and amended certificate of location is made without waiver of any previously acquired wights. out waiver of any previously acquired rights, but for the purpose of correcting any errors in the original location, description or record, and of taking in and acquiring all forfeited or abandoned, overlapping ground, and of taking in any part of any overlapping claim which has been abandoned, and of securing all benefits of said Statutes of Arizona.

Date Discovery January 1. 1903 Date of Additional and Amended Certificate July 1916 1.

Locator

The Copper Chief Mining Company.

By J. T. Matson,

state of Artsona County of Ysvepsi.

.80

Company, the original locator the undersigned, has this first day of July otacel brams seed stresser esent vd bro beninic han beleed bear all vascool brams seed stresser esent vd bro beninic han beleed bear all branch branc Chas.R.Laing. Recorder Beginning at Corner Me. 1. the W Crimer School Mo. 1. the W Crimer School Mo. 1. the Warre O VE degrees 30' W 410 feet.

Thence S 49 degrees 57' \$ 500 feet to Horth End Conter.

Thence S 40 " 5' W 1200 feet to B Editioner:

Thonce N 40 " 5' W 1200 feet to South End Center.

coo feet to S W Corner;

Thence H 40 " 2' E 1500 feet to place of beginning.

atnosumom Inithetedus to taismos exetned bud bre exentos IIA of stone S feet algh merked with name of claim old the lode and the overer or end they designate as above.

This claim is situate about one mile in a southwesterly direntil held reagon off mort molice

The location work consists of a Tennel d x 62 feet running 5 40 degrees 5 40 degrees 7 5 40 degrees 7 5 40 degrees 8 5 6 degrees 8 7 7 597 feet from the north oad center. This being the same lode originally located onthe first day of January, 1903, by The Copper Chief Mining Company, and recorded on the S4th day of Jebruary, 1903, in the office of the Recorder of Tayapai County, internal and smended certificate of location is made with to escape the first to be added a second and the purpose of court was to the purpose of court was to the original location, description or record, end of taking in and societies of any overlapping and of taking in any part of any overlapping claim which has ground, and of taking in any part of any overlapping claim which has been abandoned, and or securing all benefits of said Statutes of Artson.

Date of Discovery

Jenuary 1.

Date of Additional and Amended Certificate

1, 1916 JULY

Losstor

The Copper Chief Mining Company, . reega . noutell . C

Filed and recorded at request of Copper	Chief Mng., Co.,
July 10	Oth. A. D., 1916, at 9:00 o'clock
A. W. D. 1 03 of Minore	pages 622-624 ;
Records of Yavapai County, Arizona.	
(SEAL)	
	L. S. COLWELL, County Recorder,
	ByChas.R.Laing, Deputy Recorder.

STATE OF ARIZONA,
COUNTY OF YAVAPAI.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of Amended Location Certificate of

OLD ABE Lode Mining Claim, - Located by the The Copper Chief Mining

Company, -July 1st., -- 1916, and,

filed for record on July 10th, A.D., 1916, at 9:00-0 clock and as the same appears of record in my office in Book 93 of MINES;

at pages 622-624; and of the whole thereof.





IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 10th day of ______, A. D., 1916.

S. S. Colwell
County Recorder.

11

State of Arizona

85.

JUL 11.1976

County of Yavapai

Know All Men by these Presents. - That The Copper Chief Mining Company, the original locator the undersigned, has this first day of July. Company, the original locator the undersigned, has this first day of July 1916, amended, located and claimed, and by these presents does amend, locate and claim, by right of the original discovery and this additional and amended location certificate, in compliance with the mining act of Congress, approved May 10, 1872, and all subsequent acts and with the Statutes of Arizona and with local customs laws and regulations 1500 linear feet and horizontal measurement on the Link lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations, as allowed by law, together with not exceeding 500 feet on the northerly side and 500 feet on the southerly side of the middle of said vein at the surface, so far as can be determined from present developments, and all veins, lodes, ledges or deposits and surface ground within the lines of said claim; 197 feet running M 68 degrees 13 minutes we from location shaft, and 1505 feet runnings 68 degrees 13 minutes east from location shaft, said location shaft being situate upon said lode, vein, ledge or deposit, and within the lines of said claim, in Verde Mining District, County of Yavapai, and State of Arizona, described by metes and bounds as follows, to wit:

Seginning at Corner No. 1, the N W Corner whence Corner No. 1

Surveye No. 1501 End Line Mill Site bears S 42 degrees 58 W 282.24 feet.

Thence S 48 degrees 58 W 321.74 feet to West End Center,

4 643.48 feet to S W Corner;

Thence S 68 degrees 13 E 1500 feet to S E Corner;

Thence N 42 degrees 58' E 321.74 feet to East End Center,

Thence N 68 degrees 15' W 1500 feet to place of beginning.

All Corners and End Centers consist of substantial stone monuments 3 feet high, marked with name of claim, Link lode and the corner or end they designate as above.

This Claim is situate about one mile in a south westerly direction from the Copper Chief Mine.

The location work is situate at S 68 degrees 13' E 197 feet from the West End Center and consists of a shaft of the following dimensions, viz.: 4 x 8 x 10 feet. This being the same lode originally located on the 31st day of December, 1904, by The Copper Chief Mining Company, and recorded on the 8th day of February, 1905, in book 72, page 554, in the office of the County Recorder of Yavapai County, Arizona. This further additional and amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of correcting any errors in the original location, description or record, and of taking in any part of any overlapping claim which has been abandoned, and of securing all benefits of said Statutes of Arizona. The location work is situate at S 68 degrees 13' E 197 feet

Date of Discovery December 31, 1904 Date of Additional and Amended Certificate July 1. 1916.

Locators

The Copper Chief Mining Company. By J. T. Matson, Agent.

smonith to ejett

.88

Lausval to vinnot

mow all iten by these tresents. - That The Copper Chief Mining. Commany the original locator the undersigned has this first day of July and a manded located and claimed and by these presents does emend locate and claimed and the original discovery and this additional and amended location certificate. In compliance with the mining act of any and amended location certificate. In compliance with the mining act of the

The H Corner whence Corner we were to the H Corner we will be to west and Conter we will be to we (SEAL)

Thence J 68 degrees nence II 42 degrees

SAS. 48 feet to H. B Corner: Thence I 68 degrees 15' W 1600 feet to place of beginning.

-nom enote latinatedne to telence utefmed bad bas steared LLA mente a feet his marked with name of claim, bink lode and the corner or end they designate as above.

-Tib viretsew stuce a mi alim one juoda etautia at misio sidi socion from the Copper Chief Mine.

test vel E '81 secret 80 & te etautte at arow motion of the most out to the test and content of the sense to the sense that test and content the sense loss originally located and the first of the sense loss originally located and recomber, leod, by The Copper Chief Mining Company, on the Sth day of Tebruary, 1906, in book '8, page 554, in and recorded an the Sth day of Tebruary, 1906, in book '8, page 554, in the county Recorder of Yevers County, American the made without waiver the test to the purpose of the distinct waiver to the purpose of correcting any previous to the county the formal and content to the purpose of the first to the county of the c .anoaira to seiniaid hiss to siliened Ils pol

Date of Discovery

December 31, 1904

Lancitible to etsu and Amended Cortificate

1919 I. 1916.

Locators

The Copper Chief Maing Company,

. Justen, Agent.

Filed and recorded at request ofCopper	Chief Mng., Co.,
July 10th.,	A. D., 191 6 , at 9:00 o'clock
A. M., Book _93 Of Mines;	pages 620 et seq.
Records of Yavapai County, Arizona.	
(SEAL)	L. S. COLWELL, County Recorder,
	By Chas., R. Laing, Deputy Recorder.

STATE OF ARIZONA, COUNTY OF YAVAPAI.





IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this_10thday of _____, A. D., 1916.

County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	ona,			
		Apri	1 10	, 1917_
I, U. S. Surveyor-Gen	eral for Distric	t of Arizon	a	
do hereby certify that the	foregoing transcript of the	Field Notes, retur	n and approve	al of the survey
of the mining claim of				
4	THE COPPER CHIEF	MINING COMP	ANY	
known as the	OLD ARE AND 1	INK LODES.		
situate in	VERDE			************
Mining District,	YAVAPAI	County,		ARI ZONA
in Section 11,	Township No. 15 N.	, Range No.	2 E.,	unsur., and
designated as Survey No.	3325 , has b	een correctly copi	ed from the or	iginals on file in
this office; that said Field	Notes furnish such an accu	urate description o	of said mining	claim as will, if
incorporated into a patent,	, serve fully to identify the p	oremises, and that	such reference	is made therein
to natural objects or perma	anent monuments as will pe	erpetuate and fix t	he <i>locus</i> thereof	f.
or for ea	that five hundred dollars' ch of ing claimsby claimant or.		_	_
	. 1 shaft, 2 cuts	_		-
	el No.1 on the Ol			
provement for the	e benefit and deve	elopment of	both cf	the lodes
in this survey ar	n undivided one-h	alf interes	t therein	, value
\$1015, is properl	ly credited to eac	ch of said o	el@ims.	3
and that no portion of said	l labor or improvements ha	ıs been included in	the estimate	of expenditures
upon any other claim.				
I further certify that the	he plat thereof, filed in the	U. S. Land Office	at Phi	enix.
Arizona,	is correct and in confo	ormity with the for	regoing Field l	Notes.
	·	Frank P. T	rott,	·
7361b5m3-03	United States Surveyor-(General forA	ri zona.	

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,				
		Apri:	1 10.	, 1917.
I, U. S. Surveyor-0	General for Distri	ct of Arizo	na,	
do hereby certify that	the foregoing and hereto at	tached Field Note	es and Return of	the Survey of the
Mining Claim of				
	THE COPPER C	HIEF MINING	COMPANY	
				known as the
	OLD AB	E AND LINK	LODES	4
situate in		VERDE		mining district,
YAVAPAI	Co	unty, .	-	ARI ZONA,
in Section 11	, Township No	15 N.,	, Range No	2 E., unsur
,	designated as Survey No	3 3 2 5		
executed by	Е. А. Ву	ler	, U.	S. Deputy Mineral
Surveyor,	July 11-14,	, 19	16, under my	instructions dated
July 1	.1, , 19 16, h	ave been critically	y examined and	the necessary cor-
rections and explanation	ons made, and the said Fie	ld Notes and Retu	arn, and the Sur	vey they describe,
are hereby approved.	A true copy of the copy of	the location cert	ificate filed by	the applicant for
survey is included in th	ne field notes.			
	Ø	Frank	170	Front

U. S. Surveyor-General for Arizona.