

Platt

4-683

MINERAL SURVEY No. 3332

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Jennie H. Clark and Pete Mackin

KNOWN AS THE

ROSE Lode

Hassayampa Mining District,

Yavapai County, Arizona

Section 26, Township 13 N., Range 2 W.

Surveyed under instructions dated Nov. 11, 1918

by J. Wm. Waara
U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced October 20, 19 19

Survey completed October 22, 19 19

Address of claimant's Atty., Richard Lamson,
Prescott, Arizona.

DATES OF AMENDED LOCATIONS.

see 5673
5688

MINERAL SURVEY NO. 3332

ROSE LODGE

Feet

Beginning at Cor. No.1, a granite stone 10 x 14 x 12 inches exposed with a substantial mound of stone alongside; chiseled R 1 3332 with cross on top for exact corner point,whence, the southeast cor. Sec.26, T.13 N.R.2 W brs. S.18°-54'E. 1618.5 feet.

A western Yellow pine 6 inches in diameter brs. S.84°-53'W. 18.1 ft, scribed BxT R 1 3332.

A western yellow pine 6 inches in diameter and scribed BxT R 1 3332, brs. N.23°-52'E. 2.8 ft. Cor.No.6 Chicago Lode Sur.No.669 brs.S.12°-12'E.478.6 ft. Thence N.12°-33'30" W.

854.4 TO COR. NO.2, on line 5-6 Chicago lode Sur.No.669, S.12°-25'E. 140.6 feet from Cor. No.5; a syenite stone 6 x 8 x 10 inches exposed with a substantial mound of stone alongside; chiseled R 2 3332 with cross on top for exact corner point, whence

The northeast fork of an oak tree 10 inches in diameter, scribed BxT R 2 3332, brs. N.35°-08'W. 26.83 ft.

No other bearings available.

Thence N.31°-35'W.

250.0 Cross Groom creek, flows northwesterly.

450.1 TO COR. NO.3, a granite-stone 6 x 8 x 12 inches exposed with a substantial mound of stone alongside; chiseled R 3 3332 with cross on top for exact corner point;whence,

Cor.No.3 Ida lode Sur.No.1045A brs. N.70°-30'E. 220.64 ft.

An oak tree 10 inches in diameter, scribed BxT R 3 3332 brs. N.51°-15'E. 10.3 feet.

Thence S.71°-05'-30"W.

240.0 Cross Groom Creek, flows northwesterly

306.4 NORTH CENTER END, a mound of stone.

350.0 Cross road brs. north and south.

499.4 POINT FOR CORNER NO:4 identical with Point for Cor.No. 2 Ida lode Sur.No. 1045A, where it was impracticable to set

a stone for corner, due to the point falling on a road, so I established a witness corner S.0°-04'E. 17.0 ft. a granite stone 6 x 18 x 18 inches exposed with a substantial mound of stone alongside; chiseled W C R 4 3332 with cross on top for exact corner point.

From the true point for corner a nail in the blaze of an oak tree 20 inches in diameter, scribed B T I-2-1045, R 4-3332 brs. N.48°-18'W. 70.3 ft.

No other bearings available.

17.0
206.2

Thence S.0°-04'E. from true corner point. Witness Corner to Cor No.4, heretofore described. TO COR. NO.5, identical with Cor.No.4 Oakdale lode Sur.

No.1571, a slate stone ⁵ x 12 x 12 inches exposed with a substantial mound of stone alongside; chiseled R 5 3332, O 4 1571 with cross on top for exact corner point, whence

A western yellow pine tree 14 inches in diameter scribed BxT R 5 3332 brs. S.89°-17'E. 26.0 ft.

A western yellow pine tree 18 inches in diameter scribed BxT O 4 1571, brs. N.38°-28'W. 15.2 ft. Intersect line 4-5 Oakdale lode, Sur.No.672, N. 32° 10' W. 683.9 feet from Cor. No. 5.

177.67

Thence S.33°-29'E.

333.0 Cross road brs. northeast to southwest.

659.9 TO COR. NO.6, identical with cor. No.3 Oakdale lode Sur. and Cor.No.5, Oakdale lode, Sur.No.672, No.1571, a granite stone 6 x 10 x 10 inches exposed with a substantial mound of stone alongside; chiseled R 6 3332 O 3 1571 with cross on top for exact corner point, whence

An oak tree 12 inches in diameter scribed BxT R 6 3332, brs. S.42°-45'W. 23.6 feet.

An oak tree 14 inches in diameter scribed BxT O 3 1571 brs. S.1°-48'E. 85.7 feet.

Thence S.57°-39'E.

582.6 TO COR. NO. 7, a granite boulder 12 x 12 x 12 inches exposed with a substantial mound of stone alongside; chiseled R 7 3332 with cross for exact corner point, whence

A western yellow pine 10 inches in diameter scribed BxT R 7 3332 brs. N.64°-50'E. 17.4 ft.

A western yellow pine 10 inches in diameter, scribed

BxT R 7 3332, brs. S.39°-13'E. 23.0 ft.

The location monument, being a substantial mound of stone brs. S.71°-05'-30"W. 250 feet.

Thence N.71°-05'-30"E.

19.6 SOUTH CENTER END , a mound of stone.

37.7 Intersect line 5-6 Chicago Lode Sur.No. 669, N.12°-25'W. 478.6 ft from Cor. No.6 and S.12°-35'E. 995.2 ft from Cor. No.5.

39.6 TO THE PLACE OF BEGINNING.

All corners are identical with their respective locations except where otherwise mentioned. Variation 15°-15'E. at all corners.

LODE LINE

As near as can be determined from the present developments, the vein on this lode extends as follows from the discovery.

N.31°-37'W. 608 ft. and S.31°-37'E. 712.6 ft.

AREA

ROSE LODE

	Acres	Acres
Total area - - - - -		13.240
Area in conflict with		
Chicago Lode Sur.No. 669	0.019	
Oakdale lode, Sur.No. 672	.119	

LOCATION

This survey is located in section 26, T. 13 N. R. 2W. of the Gila and Salt River base and meridian, within the Prescott National Forest, Hassayampa Mining District, Yavapai County, State of Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I hereby certify that the value of the labor and improvements made upon, or for the benefit of this location by the claimant or her grantors is not less than five hundred dollars, and that said improvements consist of;

No.1 Discovery shaft 4 x 6 x 10 ft deep, the center of which brs. N.31°-37'W. 712.6 feet from the South Center End.

value \$100.00

No. 2 a shaft 4 x 6 x 45 feet deep caved, the center of which brs. N. 27° - 25' W. 268 ft from Cor. No. 6

Value \$ 900.00

No. 3 a shaft 4 x 6 x 50 feet deep, caved, the center of which brs. N. 24° - 52' W. 231 feet from Cor. No. 6

Value \$1000.00

No. 4 a shaft 4 x 6 x 10 ft deep, the center of which brs. N. 68° - 30' E. / From Cor. No. 6

value \$100.00

No. 5 a shaft 4 x 6 x 10 feet deep, the center of which brs. N. 74° - 55' E. 210 ft. from Cor. No. 6

Value \$100.00

OTHER IMPROVEMENTS.

A frame house 13 x 27 ft long, the northwest corner of which brs. S. 3° - 15' W 342 ft from Cor. No. 3

A frame house 10 x 30 ft long, the northeast corner of which brs. S. 15° - 40' W. 390 ft from Cor. No. 3

ADJOINING CLAIMS.

This lode is bounded on the northwest by patented land owned by the Kelley estate, on the north and east by Sur. Nos. 1045A & 669 respectively / Ida and Chicago lodes, Chicago Mining Co. claimant, on the south by an unpatented lode claim, ^{name unknown} T. J. Laird claimant, and 672 & on the Southwest by the Oakdale lode Sur. Nos. 1571, claimant unknown.

INSTRUMENT

This survey was made with a Lietz Light Mountain Transit theodolite No. 13-5929. The courses were deflected from the true meridian, as determined by the use of the Saegmuller Solar Attachment and checked by direct solar observations. The distances were measured with a 500 ft. steel tape.

REPORT

The southeast corner of Sec. 26 T. 13 N. R. 2 W. 1 is an oak tree as described in the field notes of said survey. Survey No. 669.

The corners adjoining this survey are stones properly

set and chiseled with the number of the corner and survey. I do not agree with the course and distance of line 5-6 of this survey.

Survey No. 1045A

The corner No.3 is a stone properly set and chiseled with the number of the corner and survey. Cor.No.2 is missing but an iron pin set for the corner point is in place and this pin is considered and recognized as Cor. No.2 of the Ida lode Sur.No. 1045A . I do not agree with the course and distance of line 2-3 ,da lode, finding same to be N.70°-55'E. 720.0 feet.

SURVEY No. 1571

The corners adjoining this survey are stones properly set and chiseled with the number of the corner and survey. I do not agree with the course and distance of line 3-4 of this survey.

The discrepancies found existing between the claim as marked by the location monuments and as described in the location notices are due to errors in the location notices.

The discrepancies between the lines of this survey and prior approved surveys are due to errors in the latter.

William Waase
U.S. MINERAL SURVEYOR

Survey No. 672. The conflict with this claim was computed from the record, assuming Cor. No.5 to be identical with Cor. No.3 Oakdale lode, Sur. No. 1571.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by J. WILLIAM WAARA
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of JENNIE H.
CLARK and PETE MACKIN
 known as the ROSE lode
 and showing the respective capacities in which they acted.

W.B. Whitfield , *Chainman.*
 , *Chainman.*
 , *Axman.*
 , *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, I. W.B. Whitfield
~~and~~ , do solemnly swear that ^I~~we~~ assisted J. WILLIAM
WAARA , United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of PETE MACKIN AND JENNIE CLARK
 known as the ROSE lode
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for ARIZONA

W.B. Whitfield , *Chainman.*
 , *Chainman.*
 , *Axman.*
 , *Flagman.*

Subscribed and sworn to by the above-named persons before me this 25th

day of Oct. , 1919
J. Brown
Notary Public

JAN 24 1928

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, J. WILLIAM WAARA, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for ARIZONA, dated
NOV. 11, 1918, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of JENNIE H. CLARK and PETE MACKIN
, known as the
ROSE lode
situate in HASSAYAMPA Mining District,
Yavapai County, Arizona, in Section
26, Township No. 13 N., Range No. 2 W.
and designated as Survey No. 3332, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant^s or thei r grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

J. William Waara
U. S. Mineral Surveyor.

Subscribed and sworn to by the said J. WILLIAM WAARA
U. S. Mineral Surveyor, before me J. J. Brown, a Notary
Public this 25th
day of Oct, 1919

J. J. Brown
Notary Public

My Commission expires. 7/19-20

AMENDED

AUG. 16 1916

Notice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the ROSE
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase
by Jennie H. Clark and Pete Mackin

Both citizens of the United States
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 12th day of August, 1916

The length of this claim is 1316 feet,

and we claim 608 feet,

in a northerly direction and 708

feet in a Southerly direction from

the center of the discovery Monument at which this notice is posted, lengthwise of the claim, together with

300 feet in width of the surface grounds, on each side

of the center of said claim. The general course of the lode deposit and premises is from the

north to the south

The claim is situated and located in the Hassayampa Mining District, in

Yavapai County in the State of Arizona, about 700 feet

in a southeasterly direction from Groom Creek Post Office and

is bounded on the east by the CHICAGO claim, a patented claim on

the West by the OAKDALE another patented claim and on the north

by the IDA another patented claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

a point in a northwesterly direction 608 ft. from the Discovery Monument, at which this notice is posted, being at the center of the north end line of said claim; thence westerly 191 ft., along the south side line of the Ida claim to an iron pin driven flush to the ground with a mound of stone along side being the north west corner of said claim; thence southerly 207 ft., to a mound of stone being a corner on the westerly side line of said claim and identical with Cor. No. 4 of the Oakdale claim; thence southeasterly 1125 ft., to a mound of stone being at the south west corner of said claim; thence easterly 268 ft., to a mound of stone being the center of the south end line of said claim; thence easterly 20 ft., to a mound of stone being the south east corner of said claim and located on the westerly side line of the Chicago claim thence northwesterly 848 ft., to a mound of stone being a corner on the east side line of said claim and on the westerly boundary of the Chicago claim; thence northwesterly 450 ft., to a mound of stone being the north east corner of said claim and on the south side line of the Ida claim; thence westerly 307 ft., to the place of beginning.

October, 1905, and recorded in BOOK 97 of Records of Mines, at page 414, in the office of the County Recorder of the aforesaid County of Yavapai

to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice

Dated and posted on the ground this 12th day of August, 1916

Jennie H. Clark

Pete Mackin.

STATE OF ARIZONA,

County of } ss.

I, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at o'clock M., on this day of 19, and duly recorded in Book No. of Records of County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

County Recorder.

AMENDED
Notice of Location
LODE CLAIM

Dated, 19.....

Filed and Recorded at request of

..... A. D. 19.....


at M.,

Book

Pages

County Recorder.

By Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Filed and recorded at request of Jno. J. Hawkins

Aug. 15th, A. D., 1916, at 9:51 o'clock

A. M., Book 93 of Mines pages 640

Records of Yavapai County, Arizona.

(SEAL)

L. S. COLWELL,
County Recorder,

By Chas. R. Laing
Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI. } ss.

I, L. S. Colwell, County Recorder in and for the County of Yavapai, State of Arizona, and
custodian of the records of such office, do hereby certify that I have compared the foregoing copy with,
and that the same is a full, true and correct copy of A mended Location Notice of
ROSE Mining Claim.

filed for record on August 15th, A. D. 1916 and as the same appears of
record in my office in Book 93 of Mines
at pages 640 and of the whole thereof.

IN WITNESS WHEREOF, I have hereunto set my
hand and affixed my Official Seal this 15th
of August, A. D., 1916.

L. S. Colwell
County Recorder.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

June 30, 19 21

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Jennie H. Clark and Pete Mackin

known as the ROSE Lode

situate in Hassayampa

Mining District, Yavapai County, Arizona

in Section 26, Township No. 13 N., Range No. 2 W., and

designated as Survey No. 3332, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimants or their grantors, and that said improvements consist of 5 shafts, total value \$2200.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

June 30, 1921

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Jennie H. Clark and Pete Mackin

, known as the

ROSE Lode

situate in Hassayampa mining district,

Yavapai County, Arizona

in Section 26, Township No. 13 N., Range No. 2 W.

, designated as Survey No. 3332

executed by J. Wm. Waara, U. S. Mineral

Surveyor, October 20 - 22, 1919, under my instructions dated

Nov. 11, 1918, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. The certified copy of the location certificate filed by the applicant for survey is on file in this office and a true copy of said certified copy of said location certificate is included and made a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.