4-683

MINERAL SURVEY No. 3337

	LO	OT No		
		, i 30.na		district.
	FII	ELD NO	TFS	
		VEY OF THE MIN		F
<i>F.</i>	rter Gaudi	i		
		KNOWN AS THI	r.	
Mor	rtaz uma'			
		·	u	Mining Distri
Gila 15 16 0n 13		County, / ** ** ** ** ** ** ** ** ** ** ** ** **	Auzona Ran	15½ 16 E
		ns dated Sept	tl.l.,	
		by)	PSS	J. Koma J. S. Mineral Survey
Claim i	ocated. (See locatio	n notice	19
		Sept. 21		,
Survey	completed	Sept 23 L.L. Hen t Globe Ari	ry, Atty.,	, 19/6
Address		of Amended Lo		
	Var Jop	t, 7, 1916,		
		-		

Feet

Survey No. 3337 Montazuma Lode .

Beginning at corner No. 1 identical with corners No.2 and 4, survey No. 2312, Annie and Bird Lodes respectively, and corner No. 1 Sur. 2430, Fraction Lode. A 4 x 4-in pine post in place three feet high, surrounded by a mound of stone, scribed M 1 - 3337 - , whence the 1/4 corner to sections 13 - T.1.N.R.15 E., G&S R.B & M and Sec 18 T. 1. N.R 16 E, G & S R B & M, bears N 65 54'W 488.4 ft. Across (x) BR 1 - 3337 chiseled on a lxl.5 x l. Quartzite Rock facing S. E. bears N 58°58'E 18.3 Ft.

Thence S 36 40' E

78.50

N E End center Location and Lode

157.00

To Corner No. 2

Identical with Corner No. 5, survey No. 2430, Fraction Lode and Cor. No. 6, survey No. 631, Cochise Lode. A 4 x 4 in pine post in place, 3 ft high, surrounded by mound of stone scribed M 2 - 3337 No bearings available.

Thence S 56 59'W

640.46

Intersect the East Boundary line of the S. E. 1/4 of Sec. 13. T. 1. N.R. 15 E., C & S.R.B & M, and the West Boundary of S W 1/4 Sec 15 T.1.N.R. 16 E., C & S.R.B & M at S 0°- 13' E, 674.34 ft from the 1/4 Cor common to the S E 1/4 and S W 1/4 Secs13 and 10 respectively, and at N 0 13' W 1888.31 Ft from the S. E. Cor Sec. 13 and S W Corvil

10 Feet 1182.1 To Corner No. 3. Identical with Cor. No. 3 Sur 2312 Annie Lode, Cor. No. 2 Sur. 2304 Gem Lode, Cor No. 5 Sur. No. 631, Cochise Lode. A 4 x 4 in pine post, three feet high, set in concrete scribed M 3 - 3337, whence A cross (x) BR3 - 3337 chiseled on a quartzite rock in place 2x1.5x1.5 facing S.E. bears N 53 42' E 8.1 Ft. Thence N 36 40' W S. W. End Center Location and Lode. 157.0 To Cor. No. 4 A 4 x 4 in pine post in place two feet high, surrounded by mound of stones, scribed M 4-3337. No Bearings available. Thence N 56 59' E -652.61 Intersect the East Boundary line of the S. E. 1/4 of Sec. 13, T.1.N.R 15 E.G & S R B & M, and the West Boundary of the S W 1/4 Sec 18 T. 1 - N.R. 16 E., G & S R B & M at S Ol3! E 487.94 from the 1/4 Cor common to the S N 1/4 and S 11/4 Secs 13 and 18 respectively, and at N 0 13' W 2074.71 from the S.E.Cor Sec 13 and S.W. cor. Sec. 18 1182.1 To Cor. No. 1 The Place of beginning. Variation at all Corners 13 40' E Tell month of Mr. No. 12 700 Lode Line

As near as can be determined from the present

as follows from the discovery shaft 20 ft

development the vein embraced in this survey extends

10 Ft N 56 59' E and 1172.1 S 56 59' W.

The phan call

Area.

Acres

Total Area Montazuma Lode ---- 4.252

Area in conflict with -

Survey 2312 Annie Lode- - - - - 2.126

Location

y many ye teel the as none;

This survey is located in the Globe Mining District, Gila County, Arizona, in Sec. 13, T 1 N R 15 E G & S R B & M, and Sec. 18. T. 10N R 16 E G & S R B & M in the Crook National Forest.

Expenditure of Five Hundred Dollars.

I certify that the value of the Labor and improvements made upon the Location embraced in this survey by the claimant or his grantors is not less than Five Hundred Dollars, and that said improvements consist of:

No. 1 The discovery shaft, showing mineral in place is on the lode line ten feet from the Northeast end center 4'x6 #.,10 ft deep.

Value - - - - \$50.00

No. 2 A shaft the center of which bears from Cor No.2 S 57 59' W 138 Ft. 3'x 5 ff- 48 ffdeep timbered

Value - - - - - - - \$480.00

No. 3 A tunnel with an open cut approach, the mouth of which bears from Cor No. 2 S 60° 50' W 107 ft running N 29°-10' W 15 Ft., 4 ft wide 10 ft. face. Entrance of tunnel has caved.

Value of open cut - - - \$75.00

Instrument.

This survey was made with a Gurley Light Mountain Transit. The courses were deflected from the true meridian as determined by Solar observations made with a Burt Solar attachment. The distances were measured with 5,50, and 500fisteel tapes.

Adjoining Lodes.

This survey is bounded on the north by survey 2312, Annie and Bird Lodes, Iron Cap Copper Company Claimants: on the East by survey No. 2430 Fraction Lode, Iron Cap Copper Company, claimant; on the South by survey No. 631, Cochise Lode, Arizona Commercial Copper Company Claimant; and on the West by survey No. 2304, Gem Ldde, Globe Consolidated Mining Company Claimant.

Report.

The East 1/4 Cor Sec. No. 13 T.1.N.R 15 E. is identical with the West 1/4 Cor Sec 18 T.1.N.R 16 E., 6 & S.R.B & M. A quartzite rock in place 1 x .5 ft wide at bottom tapering to a point, and six inches above the ground, marked 1/4 on North side with punch mark on top.

The S. E. Cor Sec No. 13 T.1, N.R 15 E., is identical with the S.W.Cor Sec No. 18 T.1, N.R 16 E., G & S. R.B & M.

A lx2 face in Quartz ledge 3 ft above ground marked lll on North side,(x) lll on top. A mound of stone a-longside.

bernu evil (vir

Jun Lodo ore,

Cor No 5 survey No. 631 Cochise Lode identical with Cor. No. 2 Ga. Survey No. 2304 Gem Lode and Corner No. 3 survey No. 2312 Annie Lode, and cor. No. 3 of this survey. A . 4 x 4 in pine post, three ft high, set in concrete, not scribed for previous surveys. Identified by running line 2 - 3 survey No. 2312 Annie Lode.

Cor. No. 6 Sur. 631, Cochise Lode, Identical with Cor. No. 5 Survey No. 2430 Fraction Lode, and with corner No. 2 this survey.

A pine post properly set and scribed.

Cor. No. 2 and 4 survey No. 2312 Annie and Bird Lodes, respectively.

A pine post properly set and scribed.

All end centers are mounds of stone.

The survey of this lode is identical with the amended location as staked upon the ground.

Any differences between these field notes and amended location certificates are due to errors in the latter.

Any differences between these field notes and previous surveys, are due to errors in the latter.

S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employ	ved by R.G.Thomas.	
United States Deputy Mineral Surveyor, to assist	t in running, measuring, and marking the l	ines, corners, and
boundaries described in the foregoing field notes o	f the survey of the mining claim of	
Peter Gaudin	20	
known as the Montaguma	Lode	
and showing the respective capacities in which the	ey acted.	
	R. A. Noggle	, Chainman.
	R. A. Noggle L. M. Greenstein,	, Chainman.
	4/11/24/2017/1/21	
		, v
	S OF ASSISTANTS.	
We, R.A. Noggle		
and L.M. Greenstein		
R. G. Thom 95, United States De		
the boundaries of the mining claim ofPeta	er Gaudino	
known as the	ntazuma Lode	
represented in the foregoing field notes as having	been surveyed by said deputy mineral survey	yor and under his
direction; and that said survey has been in all re-	espects, to the best of our knowledge and bel	lief, faithfully and
correctly executed, and the corner and boundary		
furnished by the United States Surveyor-General	for Arizona.	
	R. J. Miggle	, Chainman.
	IM Frenstein	, Chainman.
	***************************************	, Axman.
		, Flagman.
Subscribed and swgrn t	to by the above-named persons before me this	27th
day of Sep	tember, 1916	0.0
	Joseph F. C.	hisholy.
A. A.	notary Pu	blic
9489b5m8-03	OMMEDIAN S VENE	

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, R.G. Thomas	, U. S. Deputy Mineral
	pursuance of instructions received from the United
States Surveyor General for	Arizona , dated
Sept 8, 1916,	, I have, in strict conformity to the laws of the
	and instructions thereunder, and the instructions
of said Surveyor General, faithfully	and correctly executed the survey of the Mining
	1udino.
	, known as the
situate in	Lode, Mining District,
	County, $Arizona$, in Section, Range No. 15 E, 685, R, B&M.
,	3337 , as represented
in the foregoing field notes, which acc	curately show the boundaries of said mining claim
as distinctly marked by monuments of	on the ground, and described in the attached copy
of the location certificate, which was	received by me from the Surveyor General with
said instructions, and that all the corn	ners of said survey have been established and per-
petuated in strict accordance with the	e law, official regulations and instructions there-
under; and I do further solemnly sw	year that the foregoing are the true and original
field notes of said survey and my r	eport therein, and that the labor expended and
improvements made upon said mining	g claim by claimant or his grantors
are as therein fully stated, and that	the character, extent, location and itemized value
thereof are $specified$ therein with pa	rticularity and full detail, and that no portion of
said labor or improvements so credite	d to this claim has been included in the estimate
of expenditures upon any other claim	•
	Rd Olhomas
	U.S. Deputy Mineral Surveyor.
	R 4 40
Subscribed and sworn to by the	said . V. Thomas A
U.S. Deputy Mineral Survey	or, before me Joseph F. Chisholy
day of September, 1	916
	Joseph J. Chickoly,
o 3—164	Molary Vublic
Q	016

SEP. 11, 1916

AMENDED

Motice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:	
This Mining Claim, the name of which is the	id in which there are
by Peter Gaudine, a citizen of the United St	ates
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a	citizen of the United States.")
the undersigned, on theday ofday ofday	, 191
The length of this claim is	feet,
andclaim	feet,
in a	
feet in a 58° 03	direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the	he claim, together with
feet in width of the surface	grounds, on each side
of the center of said claim. The general course of the lode deposit and premises	is from the
Northeast to the Southwest	
The claim is situated and located in the	Mining District, in
County in the State of Arizona, about	
in a direction fromthe Buckeye Mine	
The surface boundaries of the slaim are marked upon the ground or fo	
The surface boundaries of the claim are marked upon the ground as fo	
the Northeast end center, at a monument of ston	0-01000
at a point in a second at a direction	faat fram
at a point in a	
the discovery shaft (at which this notice is posted), being in the center of the	The state of the s
end line of said claim; thence	
being the feet to a All wall more	
thence of the southwest at the center of the southwest	
thence 836°.40	
to a4" post	
thence	corner or said claim,
All done under the provisions of the laws of the United States, and of the S	
The done the provisions of the laws of the Office States, and of the S	state of Arizona
This is an Amended Location Notice of the	The state of the s
This is an Amended Location Notice of the	
Mining Claim, located byPeter Gauding	
Mining Claim, located by on thes	day of
Mining Claim, located by	day of Records of Mines, at
Mining Claim, located by on the on the of page, in the office of the County Recorder of the aforesaid County of	Records of Mines, at
Mining Claim, located by	Records of Mines, at
Mining Claim, located by on the on the of the, 1920, and recorded in Book of page, in the office of the County Recorder of the aforesaid County of to which reference is hereby made, and this amended Location Notice is made errors in the description in the said original Location Notice	Records of Mines, at and posted to correct
Mining Claim, located by	Records of Mines, at and posted to correct
Mining Claim, located by on the on the of the, 1920, and recorded in Book of page, in the office of the County Recorder of the aforesaid County of to which reference is hereby made, and this amended Location Notice is made errors in the description in the said original Location Notice	Records of Mines, at and posted to correct

Pay & Reman

STATE (OF ARIZONA,					•
County of	116131		SS.			
•				, Cour	nty Recorder in	and for
the County and	Stat <mark>e aforesaid</mark> , do	hereby certify	that the within	instrument v	was filed for re	ecord at
o'clock	M., on this		day of	4	, 19, a	and duly
recorded in Bool	k No	of	Records of			County,
Arizona, at page	es					
WITNESS	my hand and offic	ial seal the day	and year first al	oove written.		
				a sala		
				-	County Rec	order.
Motice of Location LODE CLAIM	Worlinguma.	Joealur Dated 19	Filed and Recorded at request of	A. D. 19tt	Pages	By Deputy Recorder.

Monument

Solution

Monument

Toologe

Monument

his diagram is to give locator a eral idea of plan of location (er the new law. The Discovery fit can be in the center of claim any distance from either end defect from the diagram it is placed feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural 2b-ject, or permanent monument, as will identify the claim.

SS

E.T.STEWART, County Recorder,

4. D. 1916.

County of Gila.)

I, E.T.Stewart, County Recorder in and for the County of Gila, State of Arixona, do hereby certify that the above and foregoing is a full, true and correct copy of the Amended Location Notice of the MonTaxuma Lode Mining Claim, as the same appears of record in my office in Book 24, Records of Mines, at page : that I have compared the same with the original record, and that the same is a true transcript, and of the whole thereof.

Cluent whole thereof.

ANOZIAA TO HTATE

E.T. Stewart, County Recorder, by L.B. Feland, Deputy Recorder.

Filed and recorded at the request of L.L.Henry on the 7 day of September, A.D.1916, at 3:30 o'clock P.M.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,
	December 19 , 1916.
I, U. S. Surveyor-Gene	ral for District of Arizona
do hereby certify that the fo	regoing transcript of the Field Notes, return and approval of the survey
of the mining claim of	
	PETER GAUDINO
	MONTAZUMA LODE
situate in	GLOBE
Mining District,	GILA County, ARIZONA.
in Section 15 13 designated as Survey No.	GILA County, ARIZONA. Fownship No. $\frac{1}{1}$ N., Range No. $\frac{15}{15}$ E., and $\frac{15}{15}$ E., has been correctly copied from the originals on file in
	Notes furnish such an accurate description of said mining claim as will, if
	erve fully to identify the premises, and that such reference is made therein
•	ent monuments as will perpetuate and fix the locus thereof.
	hat five hundred dollars' worth of labor has been expended or improve-
	ng claim by claimant or his grantors, and that said improvements
	1 cut and tunnel, total value \$605.
and that no portion of said upon any other claim.	labor or improvements has been included in the estimate of expenditures
-	Phoenix
A	e plat thereof, filed in the U. S. Land Office at Phoenix.
new de despressión	is correct and in conformity with the foregoing Field Notes.
	Frank P. Trott,
	United States Surgery Commal for Art Zona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Ariz	ona,	
	***************************************	December 19	, 1916.
I, U. S. Surveyor-General for Di	strict of Ari	zona	
do hereby certify that the foregoing and h	ereto attached Field	Notes and Return o	f the Survey of the
Mining Claim of		737	
PETI	ER GAUDINO		
		4- -	, known as the
MONTA	AZUMA LODE		
situate in	LOBE	***************************************	mining district,
GILA	County,		ARIZONA.
in Section 15, Township 13	No. 1 N.,	, Range No	15½ 16 E., and 15 E.
designated as Surve			
executed by R. C	. Thomas	, U.	S. Deputy Mineral
Surveyor, Sept. 2	21-23,	, 1916 , under my	instructions dated
Sept. 11, , , 19	916., have been crit	ically examined and	the necessary cor-
rections and explanations made, and the sa	id Field Notes and	Return, and the Sur	vey they describe,
are hereby approved. A true copy of the	copy of the location	certificate filed by	the applicant for
survey is included in the field notes.			
	Man	KA A	off

U. S. Surveyor-General for Arizona.