

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (942)  
BUREAU OF LAND MANAGEMENT M.S. 3343  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Fraction and Fraction No 1 lodes, Mineral Survey No. 3343, located in Township 4 South, Range 29 East, Gila and Salt River Meridian, Arizona, are hereby canceled. As of this date, this notice of cancellation will become part of the field notes for Mineral Survey No. 3343, page 17.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Fraction and Fraction No 1 lodes, M.S. 3343 were canceled February 14, 1996, by memo 9605 (942) M.S. 3343 which is now a part of the original field notes."

February 14, 1996  
Date

  
Acting Chief Cadastral Surveyor of Arizona

*Platted*

4-683

MINERAL SURVEY No. 3343

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

HARRY WRIGHT

KNOWN AS THE

FRACTION and FRACTION NO. 1 lodes

Copper Mountain Mining District,

Greenlee County, Arizona

Sections 5 & 6 Uns., Township 4 South, Range 29 E., G. & S.R.B. & M.

Surveyed under instructions dated October 4, 1916.

by E.T. Morton

U. S. Mineral Surveyor.

Claim located see location notices, 19

Survey commenced October 6, 1916.

Survey completed October 9, 1916.

Address of claimant Hampton & Arnold, Attys.,  
Phoenix, Arizona.

DATES OF AMENDED LOCATIONS.

Feet.	Feet.
	Survey No. 3343.
	Fraction lode.
1	Beginning at Cor. No. 1. On lines 1-2 and 1-2 Sur. Nos. 1868 and 3175 Martha and St. Paul lodes at S. 86°48'W. 1199.12 ft. and S. 1°31'W. 74.3 ft. from Cors. Nos. 1 and 1 respectively. A pine post, in place, 4 ins. square, 3 ft. high, with a mound of stones scribed F-1-3343 whence, A cross (x) and B R 1-3343 chiseled on quartzite 3x10 ft. facing Northeast bears S. 0°06'E. 21.4 ft. The N. E. Cor. Sec. 12, T. 4 S., R. 28 E., G. & S. R. B. & M. bears S. 82°31'W. 3236.8 ft. Thence N. 0°06'W.
74.12	Intersect lines 1-2 and 1-4 Surs. Nos. 3019 and 3175 Vicksburg and St. Paul lodes at S. 85°37'W. 2.16 ft. from Cors. Nos. 1 and 1 respectively.
79.52	Intersect lines 4-1 and 2-3 Sur. No. 3019 Vicksburg and Sherman lodes at N. 22°28'W. 5.66 ft. from Cors. Nos. 1 and 2 respectively.
132.65	West end center of the location and lode.
265.3	To Cor. No. 2. A pine post, in place, 4 ins. square, 3 ft. high, with a mound of stones scribed F-2-3343 whence, A cross (x) and B R 2-3343 chiseled on quartzite outcrop 3x6 ft. facing north bears S. 54°34'W. 6.75 ft. Thence N. 86°48'E.
1199.12	To Cor. No. 3. On lines 1-2 and 1-2 Sur. No. 3019 Sherman lode and Fraction No. 1 lode of this survey, at N. 77°49'E. 1222.3 ft. and N. 0°06'W. 265.3 ft. from Cors. Nos. 2 and 1 respectively. A pine post, in place, 4 ins. square, 3 ft. high, with a mound of stones scribed F-3-3343. No bearings available.



Feet.

Thence S. 0° 06' E.

132.65 East end center of the location and lode.

265.3 To Cor. No. 4.

Identical with Cors. Nos. 1, 4 and 1, Fraction No. 1 lode of this survey, Sur. No. 3019 Guadalupe lode and Sur. No. 1868 Martha lode respectively.

A pine post, in place, 4x6 ins., 3 ft. high, with a mound of stones scribed F 1-1-F-4-3343 whence, A cross (x) and B R 1-4-3343 chiseled on quartzite outcrop 3x3 ft. facing west bears N. 79° 57' E. 34.4 ft.

Thence S. 86° 48' W.

1199.12 To Cor. No. 1, the place of beginning.

Fraction No. 1 lode.

Beginning at Cor. No. 1.

Identical with Cors. Nos. 4, 1 and 4 Sur. No. 3019 Guadalupe lode, Sur. No. 1868 Martha lode and

Fraction lode of this survey heretofore described, whence N. E. Cor. Sec. 12, T. 4 S., R. 28 E., G. & S. R. B. & M. bears S. 83° 41' W. 4433.5 ft.

Thence N. 0° 06' W.

207.07 West end center of the location and lode.

265.3 Cor. No. 3 Fraction lode of this survey also intersects line 1-2 Sur. No. 3019 Sherman lode at S. 77° 49' W. 165.5 ft. from Cor. No. 1.

414.14 To Cor. No. 2.

A pine post, in place, 4 ins. square, 3 ft. high, with a mound of stones scribed F 1-2-3343 whence, A cross (x) and B R 2-3343 chiseled on quartzite bedrock 2x2 ft. bears N. 53° 54' E. 16.3 ft.

Thence N. 86° 50' E.

112.52 Intersect lines 4-1 and 3-4 Sur. No. 3019 Sherman and Copper Crown No. 2 lodes at N. 22° 28' W. 130.03 ft.



Feet.	Area in conflict with
	from Cors. Nos. 1 and 3 respectively.
1329.7	To Cor. No. 3. Identical with Cors. Nos. 2, 4 and 5. Sur. No. 3019
433.51	Copper-Crown-No. 2, Matilda No. 12 and Sphinx lodes
	respectively. Cor. No. 3 said Copper-Crown No. 2 lode hrs. S. 80° 52' W 1180.6 ft
	A pine post, in place, 4 ins. square, 3 ft. high, with
	a mound of stones scribed F 1-3-3343.
	No bearings available.
	Thence S. 0° 06' E.
207.07	East end center of the location and lode.
414.14	To Cor. No. 4. Identical with Cor. No. 1 Sur. No. 3019 (Guadalupe
	lode also on line 4-1 Sur. No. 3019 Sphinx) lode at
	S. 0° 06' E. 414.14 ft. from Cor. No. 1.
	A pine post, in place, 4 ins. square, 3 ft. high, with
	a mound of stones scribed F 1-4-3343.
	No bearings available.
	Thence S. 86° 50' W.
1329.7	To Cor. No. 1, the place of beginning.
	Variation at all corners 13° 40' E.
	As near as can be determined from present developments
	the veins of the several locations embraced in this
	mining claim extend as follows from their discovery
	points:
	Fraction lode 1159.12 ft. S. 86° 48' W. 40 ft. N. 86° 48' E.
	Fraction No. 1 lode 1089.7 ft. S. 86° 50' W. 240 ft. N. 86° 50' E.
	AREAS.
	Acres.
	Total area Fraction lode 7.292

Area in conflict with:	Acres
Sur. No. 3175 St. Paul lode	0.002
Sur. No. 3019 Vicksburg lode	0.000
Sur. No. 3019 Sherman lode	12.631
Total area Fraction No. 1 lode	12.624

Area in conflict with:
Sur. No. 3019 Sherman lode
Sur. No. 3019 Copper Crown No. 2 lode

LOCATION.

This survey is located in the Copper Mountain Mining District, Greenlee County, Arizona, in Secs. 5 and 6. T. 4 S., R. 29 E., G. & S. R. B. & M.

ADJOINING LODES.

This survey is bounded on the North by Sur. No. 3019 Sherman and Copper Crown No. 2 lodes; on the East by Sur. No. 3019 Sphinx lode; on the South by Sur. No. 3019 Guadalupe lode, Arizona Copper Co. claimant and Sur. No. 1868 Martha lode, Shannon Copper Co. claimant; and on the West by Sur. No. 3175 St. Paul lode, The Keating Mines Co. claimant, and Sur. No. 3019 Vicksburg lode, Arizona Copper Co. claimant.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in this mining claim by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:

Fraction lode. The discovery showing mineral in place is on the lode line 40 ft. from line 3-4.

No. 2. A tunnel with an open cut approach the mouth of which bears from the east end center S. 79° 54' W. 36.7 ft. running N. 2° 24' E. 5x10-21 ft. open cut and 5x6-7 ft. tunnel.

Value - - - - - \$150.00



No. 3. A tunnel with an open cut approach the mouth of which bears from the east end center N.84°28'W. 17 ft. running N.9°32'E. 5x12-29 ft. open cut and 5x6-50 ft. tunnel.  
 Value - - - - - \$600.00

Fraction No. 1 lode.

No. 1. The discovery shaft showing mineral in place is on the lode line 240 ft. from line 3-4, 4x6-32 ft.  
 Value - - - - - \$320.00

No. 2. An open cut the mouth of which bears from Cor. No. 1 N.0°06'W. 132.65 ft. running N.29°54'E., 5x8-18 ft.  
 Value - - - - - \$100.00

No. 3. A tunnel with an open cut approach the mouth of which bears from Cor. No. 1 N.12°29'E. 123.1 ft. running N.10°54'E. 5x10-15 ft. open cut and 5x6-8 ft. tunnel.  
 Value - - - - - \$200.00

INSTRUMENT.

This survey was made with a Buff and Berger light mountain transit. The courses were deflected from the true meridian as determined by Polaris observations. The distances were measured with 5, 50 and 500 ft. steel tapes.

REPORT.

The N. E. Cor. Secs <sup>1, 6, 7 &</sup> 12, T.4 S., R. <sup>29</sup> 28, E., G. & S. R. B. & M. is a rod with brass cap properly set and marked. Sur. No. 3019 Vicksburg, Sherman, Copper Crown No. 2, Sphinx and Guadalupe lodes.  
 All corners are posts properly set and scribed.  
 Sur. No. 1868 Martha lode.  
 All corners are posts properly set and scribed.  
 Sur. No. 3175 St. Paul lode.  
 All corners are posts properly set and scribed.

The survey of each location embraced in this mining claim is identical with the respective locations as staked upon the ground.

The differences between these field notes and the returns on previous surveys are due to errors in the latter.

All end centers are mounds of stones.

No. 1. The discovery shaft showing mineral in place is on the lode line 240 ft. from line 3-4. 4x5-32 ft.

Value - - - - - \$330.00

No. 2. An open cut the mouth of which bears from

E. T. Morton,

U. S. Mineral Surveyor.

Value - - - - - \$100.00

No. 3. A tunnel with an open cut approaches the mouth

of which bears from Cor. No. 1 N. 12° 29' E. 132.1 ft.

terminating N. 10° 04' E. 2x10-12 ft. open cut and 2x8-3 ft.

tunnel.

Value - - - - - \$300.00

INSTRUMENTS.

This survey was made with a Bull and Bergner light mount-

tain transit. The courses were deflected from the

true meridian as determined by Polaris observations.

The distances were measured with 5, 50 and 300 ft.

steel tapes.

REPORT.

The N. E. Cor. Sec. 12, T. 4 S., R. 28 E., G. & S. R. 2.

& M. is a rod with brass cap properly set and marked.

Sur. No. 3019 Vicksburg, Sherman, Copper Crown No. 2.

Sphinx and Chabaisque lodes.

All corners are posts properly set and scribbled.

Sur. No. 1888 Martha lode.

All corners are posts properly set and scribbled.

Sur. No. 3175 St. Paul lode.

All corners are posts properly set and scribbled.



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by E.T.Morton

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Harry Wright

known as the Fraction and Fraction No.1 lodes

and showing the respective capacities in which they acted.

W.R.Hutchins, Chainman.

J.L.Awalt, Chainman.

Arman.

Flagman.

## FINAL OATHS OF ASSISTANTS.

We, W.R.Hutchins

and J.L.Awalt, do solemnly swear that we assisted E.T.Morton

, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Harry Wright

known as the Fraction and Fraction No.1 lodes.

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

W.R.Hutchins, Chainman.

J.L.Awalt, Chainman.

Arman.

Flagman.

Subscribed and sworn to by the above-named persons before me this 30th

day of October, 1918.

Louis T. Payne  
Notary Public

My commission expires Feb. 20-1919.

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, E.T.Morton, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated October 4, 1916., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Harry Wright, known as the Fraction and Fraction No. 1 lodes, situate in Copper Mountain Mining District, Greenlee County, Arizona, in Section 5 & 6 Uns., Township No. 4 S., Range No. 29 E., G. & S.R.B. & M. and designated as Survey No. 3343, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

*E. T. Morton*  
 U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said

U. S. ~~Deputy~~ Mineral Surveyor, before me

*E. T. Morton*  
*Louis T. Payne*  
*Notary Public* this 30th  
 day of October - 1916

*Louis T. Payne*  
*Notary Public*

o 3-164

*My commission expires Feb. 20 - 1919.*





# AMENDED LOCATION NOTICE

## Know All Men By These Presents:

That Harry Wright, the undersigned, has this 13 day of Sept., 1916, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the Fraction lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1199.12 feet, and I claim 40 feet, in a N. 86°48' E. direction, and 1159.12 feet in a S. 86°48' W. direction from the center of the discovery tunnel at which this notice is posted, lengthwise of the claim, together with 132.65 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona, ~~XXXX~~  
~~XXX~~ ~~XXXXXXXXXXXX~~

From the N.E. Cor. of this claim U. S. M. M. No. 1 bears N. 63°46' E. 855.6 ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a N. 86°48' E. direction 40 feet from the discovery tunnel (at which this notice is posted,) being in the center of the East end line of said claim; thence S. 0°06' E. 132.65 feet to a post, being at the Southeast corner of said claim; thence S. 86°48' W. 1199.12 feet to a post being at the Southwest corner of said claim; thence N 0°06' W. 132.65 feet to a mound of stones being at the center of the West end of said claim; thence N 0°06' W. 132.65 feet to a post being at the Northwest corner of said claim; thence N. 86°48' E. 1199.12 feet to a post, being at the Northeast corner of said claim; thence S. 0°06' E. 132.65 feet to the place of beginning.

This is an Amended Location Notice of the Fraction Mining Claim, ~~located~~ <sup>Amended</sup> by H. Wright on the 10 day of January, 1907 ~~191~~, and recorded in book 16 of records of Mines, at page 188 in the office of the County Recorder of the ~~xxxxxx~~ County of Graham to which reference is hereby made,

Dated and posted on the ground this 13 day of September, 1916.

*Harry Wright*

No. 7141

AMENDED

Notice of Location

LODE CLAIM

James ...

Henry ...

Dated ... Sept 13 1916

Filed and recorded at request of

R. A. ...

Sept 18 A. D. 1916

at ...

Book 3 Sec. 15 T. 2 S.


Pages 100

Rodney Ellis

County Recorder

By ... Deputy Recorder

The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of the claim, or any distance from either end you may desire. In the diagram we have placed it 500 feet from one end 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.



County Recorder:

Witness my hand and seal the day and year first above written.

State aforesaid, do hereby certify that the within instrument was filed for record at ... o'clock ... M., on this ... day of ... 191 ... and ... of ... Records of ... County, Arizona, at pages ... of ...

County Recorder in and for the County and ... STATE OF ARIZONA, ... ss. ... County of ...



# AMENDED LOCATION NOTICE

12  
OCT-3 1916

## Know All Men By These Presents:

That Harry Wright, the undersigned, has this 13 day of Sept., 1916, amended, located, and claimed, and by these presents does amend locate, and claim, by right of the original discovery and this additional and amended location certificate on the Fraction No. 1 lode, vein, ledge or deposit, along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1329.7 feet, and I claim 240 feet, in a N. 86°50'E. direction, and 1089.7

feet in a S. 86°50'W. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 207.07 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West

The claim is situated and located in the Copper Mountain Mining District in Greenlee County, State of Arizona, ~~XXXX~~

~~XXX~~ ~~XXXXXXXXXX~~

From the N. E. Cor. of this claim U. S. M. M. No. 1 bears N. 74°27' W. 581.25 ft.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones at a point in a N. 86°50'E. direction 240 feet from the discovery shaft (at which this notice is posted,) being in the center of the East end line of said claim; thence S. 0°06'E. 207.07 feet to a post, being at the Southeast corner of said claim; thence S. 86°50'W. 1329.7 feet to a post being at the Southwest corner of said claim; thence N. 0°06' W. 207.07 feet to a mound of stones being at the center of the west end of said claim; thence N. 0°06'W. 207.07 feet to a post being at the Northwest corner of said claim; thence N. 86°50'E. 1329.7 feet to a post, being at the Northeast corner of said claim; thence S. 0°06' E. 207.07 feet to the place of beginning.

This is an Amended Location Notice of the Fraction No. 1 Mining Claim, ~~located~~ <sup>Amended</sup> by M. Z. Elliot on the 10 day of January, 1907 ~~191x~~, and recorded in book 16 of records of Mines, at page 188 in the office of the County Recorder of the ~~XXXXXX~~ County of Graham to which reference is hereby made,

Dated and posted on the ground this 13 day of September, 1916

*Harry Wright*

*W. J. Wilson*

AMENDED

Notice of Location

LODE CLAIM

*Section 20.1*

*1st*

*Henry H. Taylor*

Dated *April 13* 191*6*

Filed and recorded at request of

*H. A. Bennett*

*April 18* A. D. 191*6*

at *Leannett* P. M.

Book *3 Soc. Ntes.*

Pages *161-162*


*Rodney Ellis*

County Recorder

By *S. V. Balliettle*

Deputy Recorder

The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of the claim, or any distance from either end you may desire. In the diagram we have placed it 500 feet from one end 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.



County Recorder.

Witness my hand and seal the day and year first above written.

County, Arizona, at pages ..... of ..... of ..... Records of .....

duly recorded in Book No. .... of ..... M., on this ..... day of ..... 191....., and

State aforesaid, do hereby certify that the within instrument was filed for record at

County Recorder in and for the County and

STATE OF ARIZONA,

County of ..... }  
ss.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

February 17, 1917.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

HARRY WRIGHT

known as the FRACTION AND FRACTION NO. 1 LODES.

situate in COPPER MOUNTAIN

Mining District, GREENLEE County, ARIZONA.

in Sections 5 & 6 unsp Township No. 4 S., Range No. 29 E

designated as Survey No. 3343, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claim<sup>s</sup> by claimant or his grantors, and that said improvements consist of 1 shaft, 3 tunnels and 4 cuts, total value \$1370.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

February 17, 1917.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

HARRY WRIGHT

, known as the

FRACTION AND FRACTION NO. 1 LODES.

situate in COPPER MOUNTAIN mining district,

GREENLEE County, ARIZONA.

in Sections 5 & 6, unsur; Township No. 4 S., Range No. 29 E.

, designated as Survey No. 3343

executed by E. T. Morton, U. S. Deputy Mineral

Surveyor, October 6-9, 1916, under my instructions dated

October 4, 1916, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Handwritten signature of Frank D. Frost

U. S. Surveyor-General for Arizona.