Platted. 4-683

MINERAL SURVEY No. 3345

	LOT No.				
	Arizona	Land Dis	trict.		
	111111111111111111111111111111111111111				
	FIELD	NOTES			
	OF THE SURVEY OF TH	HE MINING CLAIM OF			
	HARRY W	RIGHT			
	KNOWN .	AS THE			
	VICTOR lode				
Copper Mour	tain		Mining District,		
Greenlee	Cow	nty, Arizona			
Section 12 Un	sur. , Township 4	South, Range	e 28 EG.& S.R.B.& M.		
Surveyed u	nder instructions dated.	October 4 , 1	916.		
	by	E.T.Morton			
		v.	S. Mineral Surveyor.		
Clai	m located see locat	ion notice	., 19		
Sur	vey commenced Octob	er 16	, <i>19</i> 16.		
Sur	vey completed Octob	er 17	., 1916 •		
Ada	ress of claimant Hampt	on & Arnold.Attys Phoenix,Ariz			
	DATES OF AMENI	DED LOCATIONS.			
Minut also take					

Jon4

Feet.

Survey No. 3345.

.S .on .wo con lode. S.SAE .woo s. ..

In acci noinimed dals. . . . The position look at

Beginning at cor. No. 1.

A pine post, in place, 4 ins. square, 3 ft. high with a mound of stones scribed V-1-3345, whence

A cross (x) and B R 1-3345 chiseled on limestone exposed 2x10 ft. bears S.57016 R. 6.2 ft.

- singa paga in the strang more from the right of her and her ex-

The E. & Cor. Sec. 12, T. 4 S., R. 28 E., G. & S. R. B. & M. bears S.43°59'E. 1448.6 ft.

shoute misle eight or becomes a line 14'W.

200 Intersect gulch, course northwest.

1495.90 To Cor. No. 2. has went on ? . J. Ha about to be

A pine post, in place, 4 ins. square, 3 ft. high, with a mound of stones scribed V-2-3345 whence,

A cross (x) and B R 2-3345 chiseled on quartzite bedrock 2x3 ft. bears S.34056'E. 12.1 ft.

Thence N.34°56'W.

300 Southwest end center of the location and lode.

600 To Cor. No. 3.

A pine post, in place, 4 ins. square, 3 ft. high, with a mound of stones scribed V-3-3345.

No bearings available.

Thence N.55014'E.

1396 Intersect gulch, course northwest.

1458.34 Intersect line 2-3 Sur. No. 3145 Dominion lode at N.88°53'W. 388.66 ft. from Cor. No. 2.

A pine post, in place, 4 ins. square, 3 ft. high, with a mound of stones scribed V-4-3345 whence,

A cross (x) and B R 4-3345 chiseled on quartzite outcrop exposed 3x4 ft. sloping west bears N.16007'W.18.9 ft. Feet.

MITE

Thence S.34°56'E.

27.23 Intersect line 2-3 Sur. No. 3145 Dominion lode at N.88053 W. 342.2 ft. from Cor. No. 2.

Northeast end center of the location and lode. 300

Intersect gulch, course northwest. 323

To Cor. No. 1, the place of beginning. 600

Variation at all corners 13°40'E.

LODE LINES.

A cross (x) sail, a Leasth chareled on Mamestone

198 년 및 2019: 802: 12 전 4 85: 12: 유리 등 : 0.16: 13:

As near as can be determined from present developments the vein of the location embraced in this claim extends as follows from the discovery point:

Victor lode 410 ft. S.55°14'W. and 1085.9 ft.N.55°14'E.

A sine wet, in slave, 4 ins. equipe, 5 ft. high, with

, sonsily Gran-E-V beatros conste is 1 con B

A cros : (x) sail F L &-5345 chiseled on quartrite

. ISST

Total area victor lode - - - - - - - 20.604 Area in conflict with:

Sur. No. 3145 Dominion lode - - - 012 Southerst and center of the localism and lode.

LOCATION.

This survey is located in the Copper Mountain Mining District, Greenlee County, Arizona, in Sec. 12, T.4 S., R.28 E., G. & S. R. B. & M.

ADJOINING LODES.

This survey is bounded on the North by the American lode uns. A. Burke claimant, and Sur. No. 3145 Dominion lode Arizona Copper Co. claimant; on the East by the Scotchman lode, uns.; on the South by the Antietam No. 3 and Bonanza No. 2 lodes uns.; on the West by the Antietam No. 11 lode uns., A. Burke claimant. A cross (x) and B N 4-5545 chisched on quartaite out-

drup exposed 3x4 ft, sloping west bears M.18 07'W.15.8 ft.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon the location embraced in this mining claim by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:

No. 1. The discovery showing mineral in place is on the lode line 410 ft. from line 2-3.

No. 2. A tunnel with an open cut approach the mouth of which bears from Cor. No. 3 S.86°20'E. 495.4 ft. running N.41°50'E. 5x10-17 ft. open cut and 5x6-220 ft. tunnel.

Value - - - - - \$3400.00

INSTRUMENT.

This survey was made with a Buff and Berger light mountain transit. The courses were deflected from the true meridian as determined by Polaris observations. The distances were measured with 5, 50 and 500 ft. steel tapes.

REPORT.

The E. ‡ Cor. Sec. 12, T.4 S., R.28 E., G. & S. R. B & M. is a rod with brass cap properly set and marked.

Sur. No. 3145 Dominion lode.

Cors. Nos. 2 and 3 are posts properly set and scribed.

The survey of the lode of this location is identical with the location as staked upon the ground.

The differences between these field notes and the location certificate are due to errors in the latter.

All end centers are mounds of stone.

U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

	of the individuals employed by E.T.Morton	
United States Deputy Mi	ineral Surveyor, to assist in running, measuring, and marking the lines,	corners, and
ooundaries described in th	he foregoing field notes of the survey of the mining claim of	
	Harry Wright	
known as the	Victor lode	
and showing the respectiv	ve capacities in which they acted.	
	W.R.Hutchins , C	Thainman.
	J.L.Awalt , C	Thainman.
	, A	xman.
	, F	Flagman.
F	INAL OATHS OF ASSISTANTS.	
,	ntohins	
and J.L.Awalt	, do solemnly swear that we assisted E.T.Mo	or con
	, United States Deputy Mineral Surveyor, in marking the corners a	ina sarveying
the boundaries of the min	ning claim of Harry Wright	
	ning claim of Harry Wright	
	ning claim of Harry Wright	
known as theV	ning claim of Harry Wright	
known as the	ning claim of Harry Wright Victor lode	and under his
known as the	victor lode ing field notes as having been surveyed by said deputy mineral surveyor a	and under his
known as the	ring claim of Harry Wright Victor lode ing field notes as having been surveyed by said deputy mineral surveyor a survey has been in all respects, to the best of our knowledge and belief,	and under his
known as the	Victor lode ing field notes as having been surveyed by said deputy mineral surveyor a survey has been in all respects, to the best of our knowledge and belief, the corner and boundary monuments established according to law and the States Surveyor-General for Arizons	and under his
known as the	Victor lode In the same of the surveyed by said deputy mineral surveyor as survey has been in all respects, to the best of our knowledge and belief, the corner and boundary monuments established according to law and the States Surveyor-General for the same of the states of the surveyor of the states of the same of the states of the same of	and under his faithfully and
known as the	Victor lode In the same of the surveyed by said deputy mineral surveyor as survey has been in all respects, to the best of our knowledge and belief, the corner and boundary monuments established according to law and the States Surveyor-General for the same of the states of the surveyor of the states of the same of the states of the same of	and under his faithfully and e instructions Chainman.
known as the	victor lode ing field notes as having been surveyed by said deputy mineral surveyor a survey has been in all respects, to the best of our knowledge and belief, the corner and boundary monuments established according to law and the States Surveyor-General for Arizona	and under his faithfully and e instructions Chainman. Chainman.
known as the	Victor lode Sing field notes as having been surveyed by said deputy mineral surveyor as survey has been in all respects, to the best of our knowledge and belief, the corner and boundary monuments established according to law and the States Surveyor-General for Arizona Arizona Arizona Arizona Arizona Arizona	and under his faithfully and e instructions Chainman. Chainman. Axman.
known as the	Nictor lode ing field notes as having been surveyed by said deputy mineral surveyor a survey has been in all respects, to the best of our knowledge and belief, the corner and boundary monuments established according to law and the States Surveyor General for Arizons Subscribed and sworn to by the above-named persons before me this.	and under his faithfully and e instructions Chainman. Chainman. Axman.
known as the	Victor lode Sing field notes as having been surveyed by said deputy mineral surveyor as survey has been in all respects, to the best of our knowledge and belief, the corner and boundary monuments established according to law and the States Surveyor-General for Arizona Arizona Arizona Arizona Arizona Arizona	and under his faithfully and e instructions Chainman. Chainman. Axman.
known as the	Nictor lode ing field notes as having been surveyed by said deputy mineral surveyor a survey has been in all respects, to the best of our knowledge and belief, the corner and boundary monuments established according to law and the States Surveyor General for Arizons Subscribed and sworn to by the above-named persons before me this.	and under his faithfully and e instructions Chainman. Chainman. Axman.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

Ι,	E.T.Morton	, U	. S. Deputy Mineral
Surveyo	or, do solemnly swear that, in	pursuance of instructions rece	ived from the United
States S	Surveyor General for	Arizona	, dated
	er 4,1916		
United S	States, the official regulations	and instructions thereunder,	and the instructions
of said	Surveyor General, faithfully	and correctly executed the su	arvey of the Mining
Claim o	f Harry Wright		
			, known as the
	Victor lode		·,
situate i	n Copper Mountai	1	Mining District,
	Greenlee	County, Arizona	, in Section
	12 ^{Uns} Township No. 4 S.	, Range No. 28 E. G.& S	•R•B•& M•
and des	ignated as Survey No. 334	5	as represented
in the fe	oregoing field notes, which ac	curately show the boundaries	of said mining claim
as distir	nctly marked by monuments	on the ground, and described:	in the attached copy
of the l	ocation certificate, which wa	s received by me from the Su	rveyor General with
said ins	tructions, and that all the cor	ners of said survey have been	established and per-
petuated	l in strict accordance with th	e law, official regulations and	l instructions there-
under;	and I do further solemnly s	vear that the foregoing are th	ne true and original
		report therein, and that the l	<u> </u>
	·	g claim by claimant or his	•
_		the character, extent, location	
	· ·	rticularity and full detail, and	
	1	,	1
	-	ed to this claim has been inclu	
of exper	iditures upon any other clain	, j	
	<u></u>		
		15 11 92	1-56
		1191	Depute Min and Summan
		(. D. I	O cputy Mineral Surveyor.
		90	Man IV
St	abscribed and sworn to by the		wyory.
	U.S. Deputy Mineral Survey	or, belore me Jours	1. Jayru
	May	ulle this	304
	day of Maler	1916,	
		And the second	1 (Januar
		- Jours	2-1100
	o 31 54	(Asta	my Valle
	(Mus com	mission off-	ines TID
		- Lyp	w) et 20-19/9,

STE OF ARIZONA, COUNTY OF GREENLES	Tay/36 3345
- LaduonEcois	in and for the County of Greenlee, State of Arizona, do hereby certify that the
The same of the sa	aplete copy of the within mentioned Muleullol Tratice
of Muning Socation	
as the same appears of record in my office,	in book 6 of Mining Cocations
Juneanted Possells	1, at page 56/
10 10 15	IN WITNESS WHEREOF, I have hereunto set my hand and seal
(SEAL)	of office, this /8 day of Peph A. D. 1916
MATERICK-CLANKS LITHO, CO.	County Recorder
Marriage -	County Recorder

AMENDED NOTICE OF MINING LOCATION LODE CLAIM.

IGT.-3.1916

KNOW ALL MEN BY THESE PRESENTS:

That Harry Wright, the undersigned, has this 30 day of March 1904

AMENDED, Located and Claimed, and by these presents does AMEND, Locate

and Claim by right of the original discovery of this additional and

vein,

amended location certificate on the "VICTOR" lode / ledge or deposit

along the vein thereof, with all its dips, angles and variations.

The length of this claim is 1500 feet, and I claim 1090 feet in a Northeasterly direction, and 410 feet in a Southwesterly direction from the center of the discovery cut, at which this notice is posted, lenghtwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode, deposit and premises is from the Northeast to the Southwest.

The claim is situated and located in the Copper Mountain Mining District, in Graham County, in the Territory of Arizona, U. S. L. M. No. 1, bears from the East corner N. 66° 30° E. 6770 ft.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at mound of stone, at a point in a Northeasterly direction 1090 feet from the discovery cut (at which this notice is posted) being in the center of the Northeasterly end line of said claim, thence N. 34° 43' W. 300 feet to a pine post, being the North corner of said claim, thence S. 55° 17' W. 1500 feet to a pine post, being at the west corner of said claim, thence S. 34° 43' E. 300 feet to amound of stone, being the center of the Southwesterly end of said claim, thence S. 34° 43' E. 300 feet to a pine post, being at the South corner of said claim, thence N. 55° 17' E. 1500 feet to a pine post, at the east corner of said claim, thence N. 34° 43' W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona" approved March 16,1901.

This is an AMENDED Location Notice of the VICTOR Mining Claim, located by A. M. Porter and John Molder, on the 28th day of March 1898, and recorded in Book 10 of Record of Mines, at page 16, in the office of the County Recorder of the aforesaid County of Graham, to which reference is hereby made.

Dated and posted on the ground this 30th day of March 1904.

9

Harry Wright.

Filed and recorded at request of Harry Wright, Oct. 7 1905, at 9 A. M.

Mit Simms, County Recorder.

By L. Simms,
Deputy.

(Book 6 of Mining Locations, at page 561 -Transcribed Records)

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,			
			April 28, ,191	7
I, U. S. Surveyor-G	General for Distric	t of Arizon	ıa	
do hereby certify that th	he foregoing transcript of the	Field Notes, retur	en and approval of the surv	y
of the mining claim of				
	HARRY	WRIGHT		
known as the	VICTOR			
situate in	COPPER	MOUNTAIN		
Mining District,	GREENLEE	County,	ARIZONA	J
in Section 12 Uns	, Township No. 4 S.	, Range No.	28 E. , ar	ıd
designated as Survey No	o. 3345 , has b	een correctly copi	ed from the originals on file	in
this office; that said Fig	eld Notes furnish such an accu	urate description	of said mining claim as will,	if
incorporated into a pate	ent, serve fully to identify the p	oremises, and that	such reference is made there	in
to natural objects or per	manent monuments as will pe	erpetuate and fix t	he locus thereof.	
	ify that five hundred dollars'			e-
	nining claim by claimant or		-	
	end tunnel, value \$			
				1.177
			***************************************	-
				-
				-
3 13 1 1 2 2	2.31.1.1			
	aid labor or improvements ha	s been included in	the estimate of expenditure	s
upon any other claim.			7 1	
1	t the plat thereof, filed in the			
Arizon	a is correct and in confo	ormity with the fo	regoing Field Notes.	
		Frank P	. Trott,	
	United States Surveyor-G	Feneral for	Arizona.	

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona	
	1504	April 28, , 1917.
I, U. S. Surveyo	r-General for District of Arizon	8
do hereby certify tha	at the foregoing and hereto attached Field Notes	and Return of the Survey of the
Mining Claim of		
***************************************	HARRY WRIGHT	
		, known as the
	VICTOR LODE	
situate in	COPPER MOUNTAIN	mining district,
GREENLEE	County,	ARIZONA.
in Section	12 Uns., Township No. 4 S.,	Range No. 28 E.
	, designated as Survey No. 3345	
executed by	E. T. Morton	, U. S. Deputy Mineral
Surveyor,	October 16-17, , 191	6, under my instructions dated
Octo	ber 4, 19 16, have been critically e	xamined and the necessary cor-
rections and explanat	tions made, and the said Field Notes and Return	a, and the Survey they describe,
are hereby approved.	A true copy of the copy of the location certific	eate filed by the applicant for
survey is included in	the field notes.	,

U. S. Surveyor-General for Arizona.