The see

### MINERAL SURVEY No. 3354

4-683

		LOT No.	~~~~~~		
1					
	***************************************			4853	
		Arizona	Lan	d District	10 12 Day 1

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

<u> </u>	A. Dell, W. A. Schwart	tz, Charles	W. Rambo	
	киоч	WN AS THE		
	POINT LOOKO	II lode	tin. idi	Color State
Bally 4				
	Warren		J	Mining District,
	Cochise	County,	Arizona	
Section	18 Unappd, Township		Range	
Surve	yed under instructions dat			
	A STATE OF THE PARTY OF THE PAR	by RALP	H L. MOTZ	
	THE WAY TO A COMPANY	•		Mine <mark>ral Surveyor.</mark>
MATE			1 A	
	Claim located See loca	ation notice	<b>a</b>	19
	Survey commenced No.	zember 23	, i	1916
ER: V	Survey completed Nor	vember 24	, J	916
	Address of claimants! At	ttorney, Fr	ed Sutter, Bisbee, Ar	izona.
	DATES OF AMI	ENDED LOCAT	rions.	
4 4	CART CALL	16.7		
600			· · · · · · · · · · · · · · · · · · ·	
	***************************************			
é 000	***************************************			

## -her a noiteant ditty lest MINERAL SURVEY NO 3354 1 TOD of 2.dc

bandry and hi ani al ton perolit Lookout h tag boom

Beginning at Cor No 1, the S W Cor, a redwood post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3354 P L whence a limestone ledge with 24 x 12 x 5 ins high exposure chiseled B R x 1-3354 brs. S 37° 05' W 5.85 ft and a second limestone ledge with 19 x 12 x 11 ins high exposure with like chiseling brs N 60° 57' E 5.1 ft, original location for the S W Cor being a mound of stones 3 ft high with 3 ft base brs S 59° 36' W 85.3 ft.

Cor No 2 Sur No 3162, Bonita lode brs S 24° 25' W 398.3 ft and the N E Cor Sec 30, T 23 S, R 24 E, G & S R B & M brs S 13° 23' E 7545.4 ft

### resorve daid ani SI xhence N 12° 07' W

80.2 to the S.E. Cor of Los Angelus lode unsurveyed

COGEST

-Bot B

15.807

680.2 to Cor No 2, identical with the N E Cor and S E Cor of Los Angelus and Look Out lodes unsurveyed respectively 200-4 a redwood post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3354 P L whence a limestone ledge with 30 x 12 x 7 ins high exposure chiseled BR x 2-3354 brs S 73° 16' W 11.6 ft and a second limestone ledge with 21 x 9 x 9 ins high exposure and like chiseling brs N 53° 49' W 10.6 ft

Some S Broc mort it 0.050 thence N 1° 05' Ett 0.178 a

to Cor No 3, the N W Cor identical with the N E Cor of the 600.0 Look Out lode unsurveyed a redwood post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3354 P L. Original location for the N W Cor being a mound of stones 3 ft high with 3 ft base brs S 59° 36' W 82.1 ft no other bearings available.

thence N 59° 36' E

228.2 to original location for the north end center being a mound of stones 3 ft high with 3 ft base

to S E and S W Cors of New York and Montreal lodes un-390.5 surveyed odt to ealer ent tent viltres vderen I evergmi. ments room tend of the olding of the claiments or their

to Cor No 4, the N E Cor, identical with location a red-556.2 wood post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3354 P L whence a limestone ledge with 33 x 17 x 9 ins high exposure chiseled B R x 4-3354 brs S 11° 58' W 10.2 ft and a second limestone ledge with 24 x 12 x 14 ins high exposure and like chiseling brs 5 75° 32' E 5.9 ft Brd Zulleside sail dathence S 5. 48 dE ani 11 x 21 x 21 1058.2 intersect line 2-3 Sur No 3162 Bonita lode at S 35° 54' W 442.8 ft and N 35° 54' E 1057.2 from Cors 3 and 2 respec-8 59° 36' W 85,3 Et. tively 1273.1 to Cor No 5, the S E Cor, identical with location a redwood post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 5-3354 P L whence a limestone ledge with 26 x 11 x 12 ins high exposure chiseled B R x 5-3354 brs N 44° 14' E 17.8 ft and a second limestone ledge with 22 x 13 x 7 ins high exposure and like chiseling brs S 65° 26' W 12.7 ft and the 1/4 Cor between Secs 17 & 18, T 23 S, R 24 E G & S R B & M brs N 77° 13' E 1298.8 ft 60012 to baron a ni baron errange dald and 7 x SI x thence S 590 36 W semil & sometw 328.0 to original location for the south end center being a mound of stones 3 ft high with 3 ft base 355.7 intersect line 2-3 Sur No 3162 Bonita Lode at N 35° 54' E 571.0 ft and S 35° 54' W 929.0 ft from Cors 2 and 3 respectively Lecidentia Ted W. H. out . E of 100 of 553.0 to Cor No 1 the place of the beginning redities one senots to bonom LEDGE how or and and 81 tes The presumed course of the vein on this claim is from the north end center S 5° 48 ' E 1273.1 ft Areas Total Area Point Lookout lode -Area in conflict with to original lecution for Survey No 3162 Bonita lode - - - 0.798 A -ne senot fastion one IMPROVEMENTS TOD W & AGE & & of 2.000

(2)

I hereby certify that the value of the labor and improve-

ments made upon this claim by the claimants or their

grantors is not less than Five Hundred Dollars and that said improvements consist of:-

- No 1 Discovery cut 4 x 8 x 14 ft long brg N 6 w mouth of which brs on lode line from south end center 475.0 ft Value - - - \$ 65.00
- No 2 Open cut 19.5 x 10.5 x 29 ft long, tunnel at face 3.5 x 6 x 38 ft long both brg N 78° E mouth of open cut brs from Cor No 2 S 39°
  30' E 159.00 ft Value - - - 630.00

Total Value - - - - - \$ 695.00

#### ADJOINING CLAIMS

North: New York lode unsurveyed owned by Fred Sutter and W. A. Dell. Montreal lode owned by W. A. Dell and Chas. Rambo

East: Mount Shasta lode unsurveyed, owned by Chas. Rambo. Sur No 3162, Bonita lode

South: Bonita lode, sur no 3162 Punta lode unsurveyed, owned by Emil Marks and W A Schwartz

West: Punta lode, unsurveyed, owned by Emil Marks and W. A. Scwartz. Los Angelus lode unsurveyed owned by W. A. Dell and Chas. Rambo. Look Out lode unsurveyed owned by Chas. Rambo.

#### LOCATION

This claim is located in the Warren Mining District, Cochise County, Arizona in Sec. 18, T 23 S, R 24 E, G & S R B & M. unsurveyed.

#### INSTRUMENT

This survey was made with a C L Berger & Sons No 1 C transit. The courses were deflected from the true meridian as determined from a direct Solar observation. Distances were measured with a 300 ft steel tape. Magnetic variation 12° 30' E at all corners.

#### REPORT

Cors of the adjoining unsurveyed claims are redwood posts. Sur No 3162, Bonita lode Cors 2 and 3 are pine posts properly set and scribed

N E Cor Sec 30, T 23 S, R 24 E, G & S R B & M is a limestone rock 9 x 7 x 9 ins high chiseled 11 on south face and 11111 on east face. Monument 2 ft west

1/4 Cor between Secs 17 and 18, T 23 S R24 E G & S R B & M is an iron pipe with copper cap. This is an unapproved corner.

Rulph d.

Dated at Bisbee, Arizona

U. S. Mineral Surveyor

Jan. 4, 1917.

## FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz	
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lin	es, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of	. Dell.
W. A. Schwartz, Charles W. Rambo	
known as the POINT LOOKOUT	
and showing the respective capacities in which they acted.	
E. W. Brandon	, Chainman. , Axman.
FINAL OATHS OF ASSISTANTS.	
and , do solemnly swear that w assisted Ral	
	W. Rambo
known as the POINT LOOKOUT	
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor direction; and that said survey has been in all respects, to the best of our knowledge and belief correctly executed, and the corner and boundary monuments established according to law and the furnished by the United States Surveyor-General for	f, faithfully and
Subscribed and sworn to by the above-named persons before me this	Chainman.  Axman.  Flagman.
day of January , 19 17.	

Notary Public, in and for the County of Cochise, State of Arizona.

My commission expires Feb. 21, 1920.

#### FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Ralph L. Motz		, U. S. <del>Deputy-</del> Mineral			
Surveyor, do solemnly swear tha					
States Surveyor General for	Arizona	, dated			
November 11	., 1916, I have, in strict confor	mity to the laws of the			
United States, the official regular	tions and instructions thereunde	er, and the instructions			
of said Surveyor General, faithf	fully and correctly ex <mark>ecuted</mark> the	survey of the Mining			
Claim of W. A. Dell, W.	A. Schwartz, Charles W.	, Rambo			
		, known as the			
POINT					
situate in W	arren	Mining District,			
Cochise	County, Arizona	, in Section			
18, Township No. 2	3 S., Range No. 24 E. G &	SRB&M, unsur			
and designated as Survey No	3354	, as represented			
in the foregoing field notes, which	ch accurately show the boundaries	es of said mining claim			
as distinctly marked by monume	ents on the ground, and describe	ed in the at <mark>tached</mark> copy			
of the location certificate, which	of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and per-				
said instructions, and that all the					
petuated in strict accordance with	th the law, official regulations a	and instructions there-			
under; and I do further solemn	aly swear that the foregoing are	e the true and original			
field notes of said survey and	my report therein, and that th	e labor expended and			
improvements made upon said m	nining claim by claimant or	their grantors			
are as therein fully stated, and	that the character, extent, locat	ion and itemized value			
thereof are specified therein wit	th particularity and full detail, a	and that no portion of			
said labor or improvements so cr	redited to this claim has been in	acluded in the estimate			
of expenditures upon any other	claim.				
,					
	Nalph a	S. Deputy Mineral Surveyor.			
	U.	S. <del>Deputy</del> Mineral Surveyor.			
Subscribed and sworn to b	y the said Ralph L. Mo	tz			
U.S. <del>Deputy</del> Mineral St	arveyor, before me J. W. R	088			
Notary Public	this	4 th			
day of January	, 1917 .				
	DAI (R.	74			

Notary Public, in and for the County of Cochise. State of Arizona

My commission expires Feb. 21, 1920.

# NOTICE OF MINING LOCATION Lode Claim

TO ALL WHOM IT MAY CONCERN:

The length of this claim is 1500 feet, and I claim 700 feet, in a Southerly direction, and 800 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Warren Mining District, in Cochise County, in the Territory of Arizona, about 1 1/2 miles in a Southwesterly direction from The city of Bisbee and is bounded on the north by the "Montreal" mining claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Stone monument three feet high at a point in a Southerly direction 700 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence East 300 feet to a stone Monument, being the southeast corner of said claim; thence north 1500 feet to a Stone monument, being at the northeast corner of said claim; thence West 300 feet to a Stone monument at the center of the north end of said claim; thence West 300 feet to a Stone Monument, being at the Northwest corner of said claim; thence South 1500 feet to a stone monument at the Southwest corner of said claim; thence East 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title

XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16th, 1901.

Dated and posted on the ground this 3 day of March 1903

Witness Robt. Coughran

Chs. Rambo

Filed and recorded at request of Robt Coughran Mch 18th A.D. 1903 at 11 A.M., in Book 23 Records of Mines at page 443.

9

STATE OF ARIZONA, )ss County of Cochise. )

I, Owen E. Murphy, County Recorder in and for the County and State aforesaid, DO HEREBY CERTIFY that I have compared the annexed and foregoing copy with the original Notice of Mining Location of the Point Lookout Mining Claim, filed in my office on the 18th day of March, 1908, at 11 A.M. and recorded in Book 23 Records of Mines at page 443, and that the same is a full true and correct copy of said original and of the whole thereof.

Given under my hand and seal of office, this the Ninth day of November, A.D. 1916.

OWEN E. MURPHY,

County Recorder

Deputy

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

		Phoenix, Arizona	:#
		, <del>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>	May 24, , 1917
I, U. S. Surveyor-	General for Di	strict of Arizona	
do hereby certify that	the foregoing transcript	t of the Field Notes, return	and approval of the survey
of the mining claim of			
,	W. A. DELL. W	. A. SCHWARTZ, CH	ARLES W. RAMBO.
known as the	P0:	INT LOOKOUT LODE	
situate in		WARREN	
Mining District,	COCHISE	County,	ARI ZONA
			24 E. , and
designated as Survey	No. 3354	, has been correctly copied	d from the originals on file in
			said mining claim as will, if
			ach reference is made therein
		s will perpetuate and fix the	
			s been expended or improve-
			and that said improvements
			2
	, <del></del>		
-			
***************************************			
and that no portion of s	said labor or improveme	ents has been included in t	the estimate of expenditures
upon any other claim.			
			at Phoenix,
Ari zona,	is correct and i	in conformity with the foreg	going Field Notes.
		Frank P	. Trott,
	United State	e Samanana Cananal for	Ari zona.
19421b3m8-05	. Onnea State	o sarveyor-General Jor	

# SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
May 24 , 19 17
I, U. S. Surveyor-General for District of Arizona
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of
W. A. DELL, W. A. SCHWARTZ, CHARLES W. RAMBO.
, known as the
POINT LOOK OUT LODE
situate in mining district,
COCHISE County, ARIZONA.
in Section 18 unapp drownship No. 23 S., Range No. 24 E.
, designated as Survey No. 3354
executed by Ralph L. Motz, U. S. Depart Mineral
Surveyor, November 23-24, , 1916, under my instructions dated
November 13, 1916, have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.
· And And soft