Copied 7-5-17, A L H Platted 4-683

Mar. 15.1917 Mar. 8- 1917 1

MINERAL SURVEY No. 3358

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

UNITED VERDE EXTENSION MINING COMPANY

KNOWN AS THE

	MIDGET lode	
	VERDE	Mining District,
YAVAPAI	County,	ARIZONA
Section 23	, Township 16 N.	, Range 2 E.

Surveyed under instructions dated <u>December 15</u>, 19 17

by J.WILLIAM WAARA

U. S. Mineral Surveyor.

Claim located See location notice ,	19	16-
Survey commenced December 23,	19	16
Survey completed February 12,	19	17
Address of claimant JEROME ARIZONA.		

DATES OF AMENDED LOCATIONS.

Address of attorney, Richard Lamson, Atty. Prescott Arizona.

	and a start of	
	\$ 5268	M belon his MINERAL SURVEY NO. 3358 on last noted to
		with cross on tor for smach corder point, whence
	.sid	AGTOL .ON .ING abol stonerold f.oM .ton
	199-1	Beginning at the point for Cor. No.1 where it was
	-ido Ens	impracticable to set stone for corner due to point falling
		in water course, so jestablished a witness Corner, S.44°-
	Nati ce.	43'E. 44.8 feet, a limestone boulder 1 x 1 x 0.6 feet ex-
	1.000	posed with a substantial mound of stone alongside; chisel-
	142803	ed W C M 1 3358 with cross on topfor exact corner point,
	- 947. W	whence, 36.87 Interact line 1-2 Florencia lode Sur. No. 10764
		A limestone boulder 5 x 4 x 3 feet exposed and
	and the	chiseled BxR M 1 3358, brs. S.82°-18'E. 48.0 feet.
-		No other bearings available.
	100.000	From the point for corner No.1, the 1/4 corner
	at i uni	between sections 22 and 23, T.16 N.R.2 E of the Gila and
	TO GUT OT	Salt River Base and Meridian, brs. N.88°-59'W. 1345.5 ft.
		Thence N. 65°-161E.
	12.0	Intersect line 1-2 Florencia Lode Sur. No. 1076A, N.74°-
	1. A. 15	41'W. 284.15 feet from Cor. No.1 and 59.01 feet from its
	1.	intersection with line 1-4 yerde lode Sur. No. 1356, and
	3 M.L. 199	126.49 feet fromits intersection with line 1-4 Columbia lode Sur No. 1491
2	78.2	In channel of creek, flows southeasterly. NORTH CENTER END, a mound of stone.
	149.5	TO COR. NO.2, a limestone 7 x 9 x 27 inches long set
	1.	twelve inches in the ground with a substantial mound of
	Teres int	stone alongside; chiseled M 2 3358 with cross on top for
	1.1.1	exact corner point, whence.
0	24.19.24	A limestone reef ten feet high and chiseled BxR
	.7000	M 2 3358, brs. N.22°-49'W. 46.2 feet.
		No other bearings available.
	A CARLEN	Thence S.44°-431E.
	45.0	In channel of creek, flows northeasterly,
	49.93	Intersect line 1-4 yerde Lode, Sur. No. 1356, identical with
100	Contra	line 1-2 Columbia lode Sur. No. 1491 N. 69°-57'E. 313.03
	a toneral	feet-from Cor. No. 1 Verde lode, 109.95 ft. from intersection of said line 1-4 Verde lode with line 1-2 Florencie Lode Sur. No. 1096A, and 67.63 feet from Cor. No.
		1 Columbia lode.
	129.5	TO COR. NO. 3, a limestone reef two feet exposed, with a
0	na hi na n	numeros escan ideaxe tuoliscor avisedcer itest
		(1)

.....

-		
		substantial mound of, stone alongside, chiseled M 3 3358
1	the build	with cross on top for exact corner point, whence,
	1.12	Cor. No.1 Florencia lode Sur. No. 1076A, brs.
	a.bw 计上	S.55°-08'E. 70.9 feet.
8	e fallår	A limestone reef 5 x 10 x 1 foot exposed and chi-
-	· 162.8	seled BxR M 3 3358, brs. S. 47° - 39'W. 12.3 feet.
-	-ze feel	A limestone reef ten feet high and chiseled BxR
_	les trio	posed with a minital neural of store signation
	: point,	M 3 3358, brs. S.6°-19'E. 23.4 feet.
	02424	Thence S,65°-16'W.
	36.87	Intersect line 1-2 Florencia lode Sur. No. 1076A, N.74°-
		41'W. 95.03 feet from Cor. No. 1, and 8.74°-41'E. 62.63
	100	fed from its intersection with line 1-4 Columbia lode Sur-
		at S. 38°-301 30°E. 41.14 feet from Cor. No.1.
	75.06	Intersect line 1-4 Columbia lode Sur. No. 1491, S. 38°-20'-
		30"E. 82.61 feet from Cor. No.1 and 41.47 feet from its
	.51 6.6	intersection with line 1-3 Florencia lode Sur. No. 1076A.
6	87.1	SOUTH CENTER END, a mound of stone.
	149.5	TO COR. NO.4, a limestone 6 x 10 x 18 inches long set
-	sti mor	twelve inches in the ground with a substantial mound of
-	6, 9770	stone alongside: chiseled M 4 3358 with cross on top for
-		exact corner point, whence, decrosed fermio al 0.82
	1443	A limestone reef three feet high and chiseled BxR
	t et	LAS & TO COR NO. 8, a line tone " 1 8 k 27 inside long
	lo br	M 4 3358, brs. S.55°-59'E. 19.7 feet.
	tot go	A limestone reef three feet exposed and chiseled
	dian.	BxR M 4 3358, brs. S.15°-04'E. 24.9 feet.
	গ্ৰহণ ল	The location monument, being a mound of stone three
	1.4.4	foct base and two feet high, brs. S. 27°-22'W. 21 feet.
	14 B.	Thence N.44°-43'W.
	84.7	Witness Corner to Corner No.1, previously described.
	92.99	Intersect line 1-4 verde Lode Sur. No. 1356 , N. 69°-57'E.
	228	158.43 feet from Cor. No.1 and S.69°-57'W. 86.87 feet
	the fac	from point for Cor. No.1 Columbia lode, on said line,
0	13.00	-48.85 feet from its intersection with line 1-3 florencia
	Car. 1	lode Sur. No. 1076A.
	129.5	TO THE PLACE OF BEGINNING. All corners are identical with
	a nd l	their respective locations except where otherwise mentioned.
	Le pres la	

(2)

and to Variation at all corners, N.15'-25'E. . 1102 Mo. 1076A, United Verie west by the Florenois lode LODE LINES Commany gaining mole met 14.1 BULLD The American President As near as can be determined from the present developments, the vein on this lode extends as follows from its discovery. TNERPORT nist N. 37º -27'W. 59.0 feet.and S. 37º -27'E. 65.7 feet. transit theodolite No. 13- 5929. The courses were deflect ad from the meridian AARA termined by polaris observations, by observations by the use of the Generations by TELOT acres acres toon for sotal area 0.417 attack ant mhe listante Area in conflict with .agat 0.139 V Verde lode Sur. No. 1356 Florencia lode Sur. No. 1076A 0.174 Columbia lode Sur.No.1491 0.125 of its conflict with the 0.025 columbia lode Sur. No. 1076A Columbia lode Sur. No. 1491 ex-clusive of its conflict with the 0.117 0:00 0.108 Florencia lode Sur. No. 1076A LOCATION . Holtose Lise 1: This survey is located upon surveyed land in section 23, T.16 N.R.2 E of the Gila and Salt River Base and Meridian, within the Prescott National Forest, Verde ining District, Yavapai County, State of Arizona. line 1-2 of this BOTTOS EXPENDITURE OF FIVE HUNDRED DOLLARS I hereby certify that the value of the labor and improvements made upon, or for the benefit of this location able to by the claimant or its grantors is not less than five Dicost! hundred dollars, and that said improvements consist of: atantos ent mort 4 No.1 Discovery cut set and shaft, the center of 10 200 cut t brs. S. 37-27'E. 59.0 feet from the north center end. Cut 4 x 9 x 9 feet (inside located area) and shaft 1-4 of this mirvey. 4x6 x 50 feet deep. Value cut vevue \$ 75.00 Shaft 500.00 500.00 for No.1 is plasing but was able to re-establish TOTTLE ID SET TO SET IS OTHER IMPROVEMENTS and mort ener Cor.No. 2 is migplaced but can be researed inch the colle in the of SMIALD . MINIOLON T. No. 4 is a stand properly of I way this survey is bounded on the north, east, and, south by Verde and Columbia lodes Sur. Nos 1356 and 1491 respect-

C4

(3)

ively, Jerome Verde Mining Company, claimant, and on the west by the Florencia lode Sur. No. 1076A, United Verde Copper Company, and United Verde Extension Mining Company, avab the claimants. lorments, the veto on this lode extends HOT I F 10 8 tts lifectvery INSTRUMENT . This survey was made with a Lietz Light Mountain transit theodolite No. 13- 5929. The courses were deflected from the meridian as determined by polaris observations, and by observations by the use of the Saegnuller Solar BOTOS 0.417 attachment. The distances were measured with a 500 foot .01 .200 1556 abol actal steel tape. TIT. 1076A stal Sorescia Columbia lod sidmuloC 0,125 The 1/4 corner between sections 22 and 23, T.16 N. 482.0 R.2 E. is an iron pipe properly set and chiseled with the number of the sections as described in the field notes of said section. MOITADOA This survey is ". Ca. A0701 OF Survey Not Store and in section bre sest tevil The corners adjoining this survey are stones proverly set and chiseled initial and number of corner as . described in the field notes of said survey. I do not agree with the course and distance of line 1-2 of this . I hereby cortify that the value of the la te labor and Survey No.1356. of this location inprovements made upon, or Cor.Nos 1 and 4 are missing but I was able to avil nent real : establish Cor. No.1 from the calls in the official records :10 12 of said survey, and the course of line 1-4 from the corners to tot and calls in the official records of identicallines of sater adjoining surveys, I do not agree with the course of line 1-4 of this survey. 4 x 6 x 50 feat deep. Survey No. 1491 MAY Cor No.1 is missing but was able to re-establish same from the calls in the official records of said survey, Cor.Nos 2 is misplaced but can be reestablished from the calls in the official records. Cor. No. 4 is a stone properly

5

(4)

not agree with the courses of line 1-2 and 1-4 of this sur-

dince isst and chiseled with number of corner and survey. I do

The discrepancies found existing between the lode as marked by the location monuments and as described in the location notices are due to errors in the location notices. The discrepancies between the lines of this survey and prior approved surveys are due to errors in the latter.

(5)

vey.

- William Wassa -

4-685.

MAR. 15.19117

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals e	employed by J.WILLIAM WAARA	
United States Deputy Mineral Surveyor, to	assist in running, measuring, and marking t	the lines, corners, and
boundaries described in the foregoing field n	notes of the survey of the mining claim of	
UNITED VERDI	E EXTENSION MINING COMPANY	
known as the		
and showing the respective capacities in whi		
	FRED L.HANGER	, Chainman.
		, Chainman.
		Arman
		, Flagman.
FINAL OA'	THS OF ASSISTANTS.	
T TRAU I UANCER		
and	, do solemnly swear that XX assisted	J. WILLIAM
WAARA, United Sta	tes Deputy Mineral Surveyor, in marking the c	corners and surveying
	ITED VERDE EXTENSION MINING C	
, , , , , , , , , , , , , , , , , , , ,		
MIDORM 1		
known as the <u>MIDGET</u> 10	ode	-
represented in the foregoing field notes as ha	aving been surveyed by said deputy mineral su	irveyor and under his
direction; and that said survey has been in	all respects, to the best of our knowledge and	l belief, <mark>faithfully</mark> and
correctly executed, and the corner and boun	ndary monuments established according to law	and the instructions
	A DT ZONA	
furnished by the United States Surveyor-Ge	neral for	
		, Chainman.
	Fiel L. Hange	., Chainman.
	0	, Axman.
		n.t
Subscribed and sv	vorn to by the above-named persons before me t	his 21 NV.
	BRUARY 19 17	1

Dec., 7th, a. D. - 7918,

9489b5m8-03

My commission expires

8

(4-686.)

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, J.WILLIAM WA	ARA	, U. S	8. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United			
States Surveyor General for	ARIZONA		, dated
DECEMBER 15, 1916	, , I have, in	strict conformity	to the laws of the
United States, the official regula	tions and instruction	ons thereunder, an	d the instructions
of said Surveyor General, faith	fully and correctly	executed the surv	vey of the Mining
Claim of UNITED VERD	E EXTENSION MI	NING COMPANY	
			, known as the
	MIDGET lode		9
situate in	VERDE		Mining District,
YAVAPAI			
23 , Township No.	16 N., Range No.	2 E.	,
and designated as Survey No	3358	·	, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim			
as distinctly marked by monum	ents on the ground,	, and described in	the attached copy
of the location certificate, which	h was received by :	me from the Surv	eyor General with
said instructions, and that all th	e corners of said su	rvey have been est	ablished and per-
petuated in strict accordance with	th the law, official	regulations and i	nstructions there-
under; and I do further solem	nly swear that the	foregoing are the	true and original
field notes of said survey and	my report therein,	, and that the lab	oor expended and
improvements made upon said mining claim by claimant or its grantors			
are as therein fully stated, and	that the character	, extent, location a	nd itemized value
thereof are specified therein wi	th particularity and	l full detail, and t	hat no portion of
said labor or improvements so credited to this claim has been included in the estimate			
of expenditures upon any other			

Abillian baaro U.S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said **J.WILLIAM WAARA** U.S. Deputy Mineral Surveyor, before me A Notary Public in and for Yavapai County, Arizona this February 1917 day of. NOTARY PUBLIC My commission expires Feb. 19-1920.

Notice of Mining Location

9

UL. 15.1915

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:	
This Mining Claim, the name of which is the	MIDGET
	United States of America, and in which there are valu-
able mineral deposits, was entered upon and loca	ted for the purposes of exploration and purchase by
C.C.Leavitt	F a particular and particular by
	d States
(Locator must insert either A citizen of the United States," or; W	Who has declared his intention to become a citizen of the United States.")
the undersigned, on the day of	vember
The length of this claim is 100	feet.
and 25.0	
in a northwesterly	direction and
75.0 feet in a southeasterly	direction from
the center of the discovery shaft, at which this no	tice is posted, lengthwise of the claim, together with
	irse of the lode deposit and premises is from the
northwesterly to	
The claim is situated and located in the	Verde Mining District, in
Yavapai County, in the State of	$\frac{400 \text{ ft}}{100 \text{ ft}}$
in Westerly direction for	n Jerome Verde shaft; being a frac-
tional area lying between the Colu	
	rked upon the ground as follows. Beginning at
at a point in a northwesterly di	rection 25.0 feet from
the discovery shaft (at which this notice is posted)	being in the center of the northwesterly
end line of said claim: thence northeasterly	75feet to a _mon. of stone
being the most nor	therly
southeasterly 100 feat to .	a mon. of stone , being at the
most easterly corper of sold claims	thence southwesterly 75 feet
to a mon. of stone	r of the southeasterly end of said claim;
thence southwesterly 75	mon. of stone
most southerly	; thence, being at the
test to a mon. of stone	most westerly corner of said claim;
at the	corner of said claim;
thence <u>northeasterly</u> 75 feet All done under the provisions of Chapter Six, of State, and of an Act of the General Assembly of Ari of the Territory of Arizona" approved March 16, 1901	f Title XXXII, of the Revised Statutes of the United izona, entitled "An Act to Revise and Codify the Laws
Dated and Posted on the Ground this21_st	day of Novembor , 1916.
	C.C.Leavitt
A.C. Thompson	C.C.Leavitt

Mining Blanks of All Kinds Printed and for Sale at the JOURNAL-MINER Office, Prescott, Ariz.

STATE OF ARIZONA, County of _____ss.

10

I, _____, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record at ______ o'clock ____M., on this ______ day of ______, 19___, and duly recorded in Book No._____ of ______ Records of ______ County, Arizona, at pages ______ WITNESS my hand and official seal the day and year first above written.

County Recorder.





In descrip-locality of distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a Shaft; thence bound the claim with reference to some natural permanent monument, as general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any center end monument, giving its distance and direction from center of tion be careful to state claim in either direction. will identify the claim. OT Discovery object,

Filed and recorded at request of _______ Bichard Lamson, _______ A. D., 1916, at 1:55 _____ o'clock
P.___M., Book _____103 __of Mines; _______ pages _______
Records of Yavapai County, Arizona.

(SEAL)

L. S. COLWELL, County Recorder,

11

By Lula McIntosh, Deputy Recorder.

STATE OF ARIZONA, COUNTY OF YAVAPAI.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this_14thday

of _____ A. D., 1916. loolund County Recorder.

4-688

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

August 7 , 1917.

I, U. S. Surveyor-Gei	neral forD	istrict	of Arizon	9	
do hereby certify that the	foregoing transcrip	ot of the Fi	ield Notes, return	and approval	of the survey
of the mining claim of					
UNITE	D VERDE EXTE	NSION N	IINING COMP.	ANY	
known as the	MID	GET LOI) <mark>E</mark>		
situate in	V	ERDE			
Mining District,	YAVAPAI		County,		ARIZONA.
in Section	., Township No	16 N.	, Range No	2 E.	, and
designated as Survey No	3358	, has beer	a correctly copied	from the origi	nals on file in
this office; that said Field	l Notes furnish suc	h an accur	ate description of	said mining cl	aim as will, if
incorporated into a patent	, serve fully to ident	ify the pre	mises, and that su	uch reference is	made therein
to natural objects or perm	anent monuments a	s will perp	etuate and fix the	e locus thereof.	

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant. or. 1ts grantors, and that said improvements consist of ______ cut and shaft, value \$745.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

-2934

Frank P. Trott,

United States Surveyor-General for______Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

4-687.

Department of the Interior,

Office of U.S. Surveyor-General,

Phoenix, Arizona,

August 7 , 1917

I, U. S. Surveyor-General for District of Arizona
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of
UNITED VERDE EXTENSION MINING COMPANY
, known as the
MIDGET LODE.
situate in
XAVAPAI County, ARIZONA
in Section
, designated as Survey No
executed by
Surveyor, December 23, 1916February 12, 19 17, under my instructions dated
December 15, , 1916, have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes

ant

U. S. Surveyor-General for _____ Arizona.

7360b5m3-03