UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956) BUREAU OF LAND MANAGEMENT M.S. 3366 ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Iron Wood lode, Mineral Survey No. 3366, located in sections 5, 6, 7 and 8, Township 7 North, Range 17 West, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Iron Wood lode, M.S. 3366, was canceled April 16, 2002, by memo 9605 (956) M.S. 3366, which is now a part of the original field notes."

April 16, 2002 Date

Chief Cadastral Surveyor of Arizona

4-683

Mar. 8- 197/

4, 1, 30, 1877

MINERAL SURVEY No. 3366.

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

		ed Mines Company of Ar	12011a	
		KNOWN AS THE		
	255 L C +	Iron Wood Lode		
	Plomosa		Mining District,	
	Yuma	County, Arizona,		
	The state of the s	nship 7 N. R		
Survey	ed under instruction	ons dated February 10	, 19 17.	
		O O mb		
		by C. C. Thou	psen	
14			U. S. Mineral Surveyor.	
4			U. S. Mineral Surveyor.	
	Claim located	See location notice	U. S. Mineral Surveyor.	
			U. S. Mineral Surveyor.	
	Survey commenced	See Tocation notice	U. S. Mineral Surveyor, 19 68.	
	Survey commenced Survey completed	See location notice February 13 February 15 nt Alexander & Christ	U. S. Mineral Surveyor. , 19 6. , 19 17. , 19 17. y, Attys.,	
	Survey commenced Survey completed Address of claiman	See location notice February 13 February 15 nt Alexander & Christ Phoenix, Arizo	U. S. Mineral Surveyor. , 19 6. , 19 17. , 19 17. y, Attys.,	
	Survey commenced Survey completed Address of claiman	See location notice February 13 February 15 nt Alexander & Christ	U. S. Mineral Surveyor. , 19 68. , 19 17. , 19 17. y, Attys.,	
	Survey commenced Survey completed Address of claiman	See location notice February 13 February 15 nt Alexander & Christ Phoenix, Arizo	U. S. Mineral Surveyor. , 19 68. , 19 17. , 19 17. y, Attys.,	

OF VALIGIE

or many

common notice

1. AL 19 15 TETE

Mar. 8- 191/

3239

TRON WOOD LODE.

the bearings available. Beginning at Cor. No. 1.

Identical with the N. W. Cor. Little Butte lode, 100 005 . 9 000 . unsurveyed, claimant herein.

A stone 7 x 10 x 24 ins. set 16 ins. in the ground, with mound of stone, chiseled 1-1-3366 and a cross at Igation Told at . M. A. Heir Secitions corner point, LOTOVIEL IN

whence,

Cor. to Secs. 5, 6, 7 and 8, T. 7 N., R. 17 W., G. one ground, lo brus: U'lw S. R. M., bears S. 13° 21' E. 150.7 ft.

No other bearings available.

2 inc. dien , blased and lorined Feet.

Thence N. 39° 31' E.

54.53 Intersect line between Secs. 5 and 6, T. 7 N., R. 17 W., G. VS. R. M., at N. 0° 04' W. 188.80 ft. from Cor. to Secs. 5, 6, 7 and 8, and at S. 0° 04' E. 2456.20 ft. from t Cor. to Secs. 5 and 6. .W 188 908 . f on terf?

To a stone monument being the west end center. 1848.85 Intermedat line between Second Grand G.

To Cer. No. 2.

Identical with the S. W. Cor. C. O. D. lode, unsurvey-# 1 m ,8 1.m ed, claimant herein.

Eram | Dur. to Repo. D that B. A stone 7 x 12 x 34 ins. set 16 ins. in the ground, T. T. M. E. LT W. with mound of stone, chiseled 21-3366 and a cross at . roo more 5. E. H. M., - 1 C. C. O. 7. 118. St. 15. corner point. Teen. 5, 8, 7 -118, and at 0. (0 04)

No bearings available.

garaged to seeks. Te Com. No. 1 Thence S. 50° 39' E.

Sweet B die. to Tech. 5 and 6.

963.51 Intersect line between Secs. 5 and 8, T. 7 N., R. 17 W., G. S. R. M., at S. 89° 59' E. 1090.71 ft. from Cor. to Secs. 5, 6, 7 and 8, and at N. 89° 59' W. 1554.09 ft. from # Cor. to Secs. 5 and 8. Paint to common fig do telfalled

1500 To Cor. No. 3.

> Identical with the S. E. Cor. C. O. D. lede unsurveyed.

> A stone 6 x 6 x 34 ins. set 14 ins. in the ground, with mound of stone, chiseled 31-3366 and a cross at L. ofo It. and B.

SURVEY NO. 3366.

Ī	Feet.	corner point adol does woll
		No bearings available.
	1 1	টামা সংগ্ৰ কছে । বাই প্ৰ মঞ্চ শাস্ত্ৰ মঞ্চ শৈশ নামী
	, all	Thence S. 39° 21' W. Thence S. 39° 21' W. Thence S. 39° 21' W.
	300	To a stone monument being the east end center.
	6 00	To Cor. No. 4. coard a has 8088-14 beforehie , eachs he bruce drive Identical with the N. E. Cor. Little Butte lede
	lt.	unsurveyed.
		A stone 6 x 12 x 24 ins. set 18 ins. in the ground,
		with mound of stone, chiseled 41-3366 and a cross at
		corner point,
	-	whence,
		A Palo Verde tree 12 ins. dism., blazed and scribed
	w 21	41-3336-BT, beers N. 1° 53' W. 30.1 ft8 . N 7 . 0 boo d .coo rewise toestel Ed. Ad
		A Pale Verde tree 7 ins. diam., blazed and scribed
		4I-3366-BT., bears S. 67° 50' W. 50.9 ft.
		from \$ Cor. to Sagn. 5 and 5.
		Thence N. 50° 39' W.
	1268.68	Intersect line between Secs. 5 and 8, T. 7 N., R. 17 W.,
	ravenene	G#S. R. M., at S. 89° 59' E. 144.08 ft. from Cor. to
		Secs. 5, 6, 7 and 8, and at N. 89° 59' W. 3500.72 ft.
	hmuon	from \$ Cor. to Secs. 5 and 8.
	1455.18	Intersect line between Secs. 5 and 6, T. 7 N., R. 17 W.,
		G. S. R. M., at N. 0° 04' W. 118.21 ft. from Cor. to
		Secs. 5, 6, 7 and 8, and at S. 0° 04' E. 2526.79 ft.
		from & Cor. to Secs. 5 and 6.
	1500	To Cor. No. 1 the place of beginning.
		All corners of this survey are identical with the
		corners of the location.
		from t dor to Seco. 5 and 8.
	745	Variation at all corners of this survey 14° 30' E.
	m/vole:	I dentionly with the P. E. Cer. C. D. Dede-
	-4,31,41	LODE LINE.
	harrier	As near as can be determined from present develop-
		ments the vein of this claim extends as follows from

SURVEY NO. 3366.

39' W. 890 ft. to a point on line 1-2 which point is 300 ft. from Cor. No. 1.

ADJOINING CLAIMS.

This survey is joined on the northeast side by the C. O. D. lode and on the southwest side by the Little Butte lode, both unsurveyed, olaimant herein.

LOCATION. STALL X 3 : LOCATION.

This survey is located in the S. W. & Sec. 5, the S. E. & Sec. 6 and in the N. W. & Sec. 8, T. 7 N., R. 17 W., G. S. R. M., Plomosa Mining District, Yuma County, Arizona.

. reb a. 12 . 11 200 Jane . . and do area. 2 o area do sever recen

Total area Iron Wood lode 20.661 Acres.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon this claim by the claiment or its grantons is not less than five hundred dollars and that said improvements consist of:-

- No. 1. The discovery on the center line 610 ft. from the center of line 3-4. No physical improvement is made at this point it being merely the discovery on which this location is based.
- No. 2. A shaft which from a point on line 2-3. 945 ft. from Cor. No. 2, bears S. 46° 30' W. 335 ft., 42 x 52 ft. x 7 ft. deep. Value \$50.00

- No. 3. A shaft which from a point on line 2-3, 945 ft. from Cor. No. 3, bears S. 51° W. 244 ft., 32 x 7 ft. x 8 ft. deep. Value \$50.00
- No. 4. A shaft which from a point on line 2-3, 945 ft. from Cor. No. 3 bears N. 62° W. 368 ft., 4 x 6 ft. x 9 ft. deep. For the way of the Value \$50.00
- No. 5. A cut the face of which from a point on line 2-3, 945 ft. from Cor. No. 2, bears N. 64° 40' W. 313 ft., 7 ft. face, 5 ft. wide running East 18 ft. Value \$50.00
- No. 6. A shaft which from a point on line 4-1, 1356 ft. from

SURVEY NO. 3366.

Cor. No. 4, bears S. 58° E. 75 ft., 4 x 6 ft. x 19 ft. Too ever to one deep.

Value \$150.00

- No. 7. A shaft which from a point on line 4-1, 1356 ft. from Cor. No. 4. bears S. 77° E. 93 ft., 4 x 6 ft. x 8 ft. deep. To the topic topic value \$50.00
- No. 8. A shaft which from a point on line 4-1, 901 ft. from Cor. No. 4, bears N. 39° E. 250 ft., 6 x 14 ft. x 6 ft. deep. d .pal b . value \$130.00
- No. 9. A shaft which from a point on line 4-1, 901 ft. from Cor. No. 4, bears N. 66° 30' E. 198 ft., 4 x 6 ft. x 14 ft. deep.

Value \$100.00

- No. 10. A shaft which from a point on line 4-1, 901 ft. from Cor. No. 4, bears N. 19° 30' E. 100 ft., 32 x 7 ft. x 14 ft. deep.
- No. 11. E out the face of which from a point on line 4-1, 901 ft. from Cor. No. 4, bears N. 7º W. 70 ft., 6 ft. face, 6 ft. wide running N. 20° E. 14 ft.

Value \$50.00

- No. 12. A shaft which from a point on line 4-1, 901 ft. from Cor. No. 4, bears N. 30° W. 63 ft., 4 x 6 ft. x 13 ft. deep.
- No. 13. A crosscut, 4 x 6 ft., which at a point on line 4-1, 852 ft. from Cor. No. 4, enters this claim from the 100 ft. level of the Little Butte mine workings and running thence N. 12° 07' W. 26 ft., thence N. 22° 29' W. 16.2 ft., thence N. 18° E. 115 ft. to face.

Toneb . 3 3 x . 3 No. 14. A shaft which from Cor. No. 1 bears N. 48° E. 138 fu., 5 x 6 ft, x 7 ft. desp. Value \$50.00

No. 2 Dearts h. 620 W. 200 It. & S It. & S It. as S It.

OTHER IMPROVEMENTS.

A shaft which from a point on line 2-3, 945 ft. from Cor. No.: 2, bears S. 57° 30' W. 224 ft., 4 x 6 ft.

of Bakin T-A and no talog o movi dolde finds

CAL T.

- Tire or

actt :

A shaft which from a point on line 2-3, 945 ft. from Cor. No. 2, bears S 60° 45' W. 351 ft., 6 x 6 ft. x 8½ ft. deep.

A shaft which from a point on line 4-1, 613 ft. from Cor. No. 4, bears N. 25° E. 28 ft., 4×6 ft. $\times 8\frac{1}{2}$ ft. deep.

A shaft which from a point on line 4-1, 901 ft. from Cor. No. 4, bears N. 66° 10' E. 358 ft., 4 x 4, ft. x 5 ft. deep.

A shaft which from a point on line 4-1, 901 ft. from Cor. No. 4, bears N. 59° 20' E. 337 ft., $3\frac{1}{2}$ x 5 ft. x 6 ft. deep.

A trench the southwest end of which is on line 4-1, 1165 ft. from Cor. No. 4, and running N. 33° E. 28 ft., first 5 ft. 3 ft. wide and 3 ft. deep, last 23 ft. 4 ft. wide and 5 ft. deep.

A shaft which from a point on line 4-1, 1356 ft. from Cor. No. 4, bears S. 56° 30° E. 97 ft., 3 x 5 ft. x 9 ft. deep.

A shaft which from a point on line 4-1, 1356 ft. from Cor. No. 4, bears S. 65° 30' E. 115 ft., 5 x 9 ft. x 9 ft. deep.

A shaft which from a point on line 4-1, 1356 ft. from Cor. No. 4, bears S. 55° 30' E. 122 ft., 4 x 6 ft. x 8 ft. deep.

INSTRUMENT.

This survey was made with a C. L. Berger & Sens No. 4 transit. The courses were deflected from a meridian established in connection with my Sur. No. 3157. The distances were measured with a Lufkin 660 ft. steel tape.

REPORT.

Cor. to Secs. 5, 6, 7 and 8, T. 7 N., R. 17 W., G. & S. R. M., is a stone 6 x 8 ins. showing 6 ins. above ground having 5 netches chiseled on its south edge and 5 notches on its east edge.

from

STORY.

SURVEY NO. 3366.

I find the south one half of line between Secs. 5 and 6, T. 7 N., R. 17 W., G. S. R. M., to be N. 0° 04 W. 3645 ft. and the west one half of line between Secs. 5 and 8 to be N. 89° 59' W. 2644.8 ft.

> Seme of the "Other Improvements" hereinbefore described are said to have been made prior to the location of this claim and some of them are said to be claimed by 1. J. Eddy: 12 366 E. 150 10 B street A . of . zen

The claimant has stated its intention to extend improvement No. 2 to the point of discovery at such time as may be deemed convenient.

I beat no of doing to be to water out desert to 1195 It. from Cor. No. 6. and Turning N. 339 E. 26 ft.,

first 5 ft. 3 ft. wide end 3 ft. deep leat 23 ft. 4 ft. wide and bar dier.

A minest abiden from poster on line dell, 1800 ft.

from Cor, War 4, bear 7, 53° 20' E. 97 ft., 3 x 5 ft.

grob 32 B X

1 hoft which true c point on line 4-1, 1888 it.

form for No. 4, bears 5, 650 301 L. 115 ft., 5 a 9 ft.

A short world are restrict or dine 4-1, 1500 ft. from Ser. Mr. 4, beer ". -65" 30 E. 188 ft. 4 x C ft.

. mest . it B z

TABLE VILLEGAL

This ourvey we acte with a d. L. Berger & Dans H. at olive o mail before the derive derive on themen's ent . To 13 . oN . mot you dithe not toes no of Lad. I deten distances were mercard with a harkin ode ft. etec tepe.

THOUSE

Cor. to Seon. 5, 6, 7 and 8, 7, 7 M., B. 17 W., G. 4 S. R. M. in a close 6 x 8 ten. nacrife & inc. above bus ages from att de celectro medeten a shived bours o retober on its east same.

FINAL OATHS FOR SURVEYS.

1. 1.30. 1971

LIST OF NAMES.

A list of the names of the individuals employ	yed by C. C. Thompson,
United States Deputy Mineral Surveyor, to assis	st in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of	of the survey of the mining claim of
United Mines Com	peny of Arizona
known as the Iron Wood Lode	
and showing the respective capacities in which the	ey acted.
	Peter Thompson , Chainman.
	, Chainman.
	, Axman.
	, Flagman.
	C OF ACCIONANTS
	S OF ASSISTANTS.
	-
तार्व -	, do solemnly swear that we assisted C. C. Thompson
, United States De	eputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of United	Mines Company of Arizona
vac volumentos or vac manag caria or	
known as the Iron Wood Lode	· EURIGIETH U. SETTE STEELE ST
known as theIron Wood Lode	
represented in the foregoing field notes as having	been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all re	espects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary	monuments established according to law and the instructions
furnished by the United States Surveyor-General f	for Arizona.
	Peter Thompson, Chainman.
	, Chainman.
	, Axman.
	,, Flagman.
Subscribed and except to	to by the above-named persons before me this. 3
	1917.
I Comminsion Expires Decemb	10, 16:7 F. Hamlin
	Notary Public

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, C. C. Thompso	on ,	U. S. Deputy Mineral
Surveyor, do solemnly swear	that, in pursuance of instructions red	ceived from the United
States Surveyor General for	Arizona	, dated
	, , I have, in strict conform	
United States, the official reg	rulations and instructions thereunder	, and the instructions
of said Surveyor General, fa	uithfully and correctly executed the	survey of the Mining
Claim of United Mines	Cempany of Arizona	***************************************
		known as the
	ron Wood Lode	
situate in	Plomosa	Mining District,
Yu	ma County, Arizona	, in SectionS
<mark>5,6 and 8</mark> , Township No.	7 N., Range No. 17 W., G.	3. R. M.,
and designated as Survey N	o. 3366	as represented
in the foregoing field notes, v	which accurately show the boundaries	s of said mining claim
as distinctly marked by mon	uments on the ground, and described	in the atta <mark>ched copy</mark>
of the location certificate, w	hich was received by me from the S	urveyor Ge <mark>neral with</mark>
said instructions, and that all	l the <mark>corners of sa</mark> id survey have been	established and per-
petuated in strict accordance	with the law, official regulations are	nd instructi <mark>ons there-</mark>
under; and I do further sol	emnly swear that the foregoing are	the true an <mark>d original</mark>
field notes of said survey a	nd my report therein, and that the	labor expended and
improvements made upon sai	d mining claim by claimant or 11	grantors
are as therein fully stated, a	nd that the character, extent, location	on and item <mark>ized value</mark>
thereof are specified therein	with particularity and full detail, an	nd that no portion of
said labor or improvements s	so credited to this claim has been inc	luded in the estimate
of expenditures upon any oth	ner claim.	and a second to the company of
		<i>J</i>
		7/1
		Munish
	U.S.	Deputy Mineral Surveyor.
	*	
Subscribed and sworn t	o by the said C. C. Thompson	,
U.S. Deputy Minera	l Surveyor, before me H. C. Haml	lin,
	Notary Public, this	3
day of March,	1917.	
	HO I	0
	J. Ot mile	
Tall 11 The making the		

No.176

NOTICE OF MINING LOCATION. Lode Claim.

FED.9- 101/

TO ALL WHOM IT MAY CONCERN:

This Mining Claim the name of which is the IRON WOOD Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable Mineral deposits, was entered upon and located for the purpose of exploration and purchase by H.M.Willett a citizen of the United States the undersigned, on the first day of January 1908.

The length of this claim is 1500 feet and I claim 610 feet in a Southeasterly direction, and 890 feet in a North Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North West to the South East.

The claim is situated and located in the Plomosa Mining District; in Yuma County, in the Territory of Arizona, about 4½ miles in a North Westerly direction from Bouse's Well and 1000 ft. N. E. of Little Butte peak, and the S. W. side line of Iron Woods is identical with the N. E. side line of the Little Butte "lode claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a stone monument. at a point in a south Easterly direction 610 feet from the discovery shaft (at which this notice is posted), being in the center of the S. E. end line of said claim; thence N.E. 300 feet to a stone being the

N. E. corner of said claim; thence N.W. 1500 feet to a stone being at the N. W. corner of said claim; thence S. W. 300 feet to a stone monument at the center of the N.W. end of said claim: thence S. W. 300 feet to a stone being at the S. W. corner of said claim; thence S. E. 1500 feet to a stone at the S. E. corner of said claim; thence N. E. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16th, 1901.

Dated and posted on the ground this 1 day of January 1908.

Witness

H. M. Willett.

J. V. Smale R. McMahan

Filed and recorded at request of H. E. Wood January 23rd 1908; at 9:10 A. M.

J. M. Polhamus.

County Recorder.

STATE OF ARIZONA,) ss.

I, R. I. Winn, County Recorder in and for the County of Yuma, State of Arizona, do hereby certify that the foregoing is a full, true and correct copy of a Mining Location, as filed in this office January 23rd, 1908, at 9:10 o'clock A. M., and which appears of record in Book Y of Mines at page 92, Records of Yuma County, State of Arizona.

IN WITNESS WHEREOF I have hereunto set my hand and official seal this 25th day of January, A. D., 1917.

County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

		Pho en i	x, Arizon	na,	
				July 20	, 1917.
I, U. S. Surveyor-Gen	eral for Dis	trict o	f Arizona	a	
do hereby certify that the					
of the mining claim of					-
UN	ITED MINES C	COMPANY	OF ARIZON	VA	
known as the	IRON	WOOD L	ODE		
situate in		LOMOSA			
Mining District,	YUMA		County,		ARIZONA,
in Sections 5,6 and 8	, Township No	7 N.,	, Range No	17 W.,	, and
designated as Survey No	3366	, has been o	correctly copie	d from the or	iginals on file in
this office; that said Field					
incorporated into a patent,	serve fully to identi	fy the prem	ises, and that	such reference	is made therein
to natural objects or perma					
And I further certify					
ments made upon said min					
consist of 10 shafts					
and that no portion of said					
ipon any other claim.	mader of improvem	ients has be	en included in	the estimate of	or expenditures
Part de la companya del companya de la companya del companya de la	a plat thomas f flad	i. db. II C	T 10m	Dhaan	d av
I further certify that the Arizona,					
Ari zona,	is correct and i	u conformit	y with the for	egoing Field I	Notes.
			Frank P.	Trott.	
District States	United States		7.0	Andro	20

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Pho enix,	Arizona.	
		July	20 , <i>19</i> 17.
I, U. S. Survey	or-General for District	of Arizona	
do hereby certify the	nat the foregoing and hereto attached	Field Notes and Return	n of the Survey of the
Mining Claim of			
	UNITED MINES COMPAN	Y OF ARIZONA	
			, known as the
	IRON WOOD	LODE	
situate in	PLOMOSA	.	mining district,
YUMA	County,		ARIZONA.
in Section 5,6	and 8, , , Township No. 7 N	Range No.	17 W.
	, designated as Survey No	3366	
executed by	C. C. Thompso	n,	U. S. Deputy Mineral
Surveyor,	February 13-15,	, 19 17, under	my instructions dated
Feb	ruary 10, , 19 17, have bee	en critically examined a	and the necessary cor-
rections and explan	ations made, and the said Field Note	es and Return, and the	Survey they describe,
are hereby approve	d. A true copy of the copy of the loc	cation certificate filed	by the applicant for
survey is included i	n the field notes.		
	OFF.	_ ~ (Front

U. S. Surveyor-General for Arizona.