

Copied 2-11-1918,

1

A L H

4-683

AUG. 24 1917

Platted

MINERAL SURVEY No. 3373

LOT No. _____

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

S. S. Ballard

KNOWN AS THE

BELL and DIAMOND FRACTION lodes

VERDE

Mining District,

MAVAPAI

County, ARIZONA

Section 35, Township 16 North, Range 2 East, G&SRB&M.

Surveyed under instructions dated June 19th., 1917.

by Harry E. Jones,

U. S. Mineral Surveyor.

Claim located See location notices, 19

Survey commenced July 2nd., 1917.

Survey completed July 4th., 1917.

Address of claimant's Atty., J. L. Sullivan,
Jerome, Arizona.

DATES OF AMENDED LOCATIONS.

See location notices

SURVEY NO. 3373

Feet. --- Bell lode.

Beginning at Cor. No. 1

Identical with location monument, and the intersection of line 1-2 Reservation lode, and line 1-2 Columbian lode Sur. No. 1365. A porphyry stone 10x12x16 ins. set 12 ins. in ground, with a mound of stone alongside; chiseled B-1-3373, with a x on top.

Cor. No. 2 Columbian lode Sur. No. 1365 bears N. 55° 51' E. 96.50 ft.

The corner of Sections 25-26-35-36, T. 16 N. R. 2 E. G&S RB&M. bears N. 59° 51' E. 654.45 ft.

No other bearings available.

Thence S. 55° 51' W.

Along line 2-1 Columbian lode Sur. No. 1365.

20.0 Cross road bears Northwesterly and Southeasterly.

250.0 Cross road bears Easterly and Westerly.

647.50 To Cor. No. 2

Identical with location monument, and the intersection of line 2-1 Columbian lode Sur. No. 1365, and line 2-3 Red Willow lode, Sur. No. 1365. A porphyry stone 7x12x18 ins. set 12 ins. in ground with a mound of stone alongside; chiseled B-2-3373, with a x on top.

Cor. No. 3 Red Willow lode Sur. No. 1365 bears N. 70° 54' E. 229.20 ft. No other bearings available.

Thence S. 19° 31' E.

300.0 Cross 10 ft. wash course Northeasterly.

310.0 West End Center, a mound of stone. Identical with Loc. Mon

314.9 To Cor. No. 3

Identical with location monument. A porphyry rock in place exposed face 18 ins. square and flush with surface; chiseled B-3-3373, with a x on top, and mound of stone alongside. No bearings available.

Thence S. 87° 41' E.

272.27 To Cor. No. 4

On line 3-4 Red Willow lode, Sur. No. 1365. Identical with location monument; and Cor. No. 2 of the Diamond Fraction lode of this survey. A porphyry stone 8x10x16 ins. set

Feet 12 ins. in ground; chiseled B-4-3373 and DF-2-3373, with a x on top, with a mound of stone alongside.

Cor. No.3 Red Willow lode Sur. No.1365 bears N.23° 46'W. 415.20 ft. No other bearings available.

Thence N. 30° 00" E.

100.00 Intersect North End Center of the Diamond Fraction lode of this survey; a mound of stone.

185.0 Cross road bears Northwesterly and Southeasterly.

280.0 Cross 15 ft. wash course Southeasterly.

292.68 To Cor. No. 5

Identical with location monument; and Cor. No.3 of the Diamond Fraction lode of this survey; Identical with Cor. No.1 Neutral Strip lode, and Cor. No.5 Side Line lode, both of Sur. No.1409. A 3 in. iron pipe, filled and set in concrete, standing 3 ft. high, nail in top, chiseled NS-1-1409-SL-5-1409 and B-5-3373-DF-3-3373; with a mound of stone alongside. No bearings available.

Thence N, 13° 39' E.

Along line 1-8 Neutral Strip lode Sur. No.1409.

205.0 Cross road bears Easterly and Westerly.

276.23 To Cor. No. 6

Identical with Cor. No.8 Neutral Strip lode, Sur. No.1409 and Cor. No.1 Reservation lode Sur. No.1365.

A 3 in. pipe, filled and set in concrete, standing 2.5ft. high, with nail in top; chiseled R-1-1365- NS-8-1409 and B-6-3373; with mound of stone alongside. No bearings available. Location monument bears S.19° 31'E. 101.0ft.

Thence N. 19° 31' W.

Along line 1-8 Reservation lode, Sur.No.1365.

28.50 To East End Center; a mound of stone, identical with location monument.

115.0 Cross road bears Northwesterly and Southeasterly.

158.50 To Cor. No. 1; the place of beginning.

Feet

Diamond Fraction lode.

Beginning at Cor. No. 1

Identical with location monument; and the intersection of line 1-2 May Queen lode, Sur.No.1361 and line 3-4 Copper Glance lode, Sur.No.1365. A porphyry stone 2x10x20 ins. set 12 ins. in ground; chiseled DF-1-3373; with a x on top. with a mound of stone alongside.

Cor. 4 of the Copper Glance lode, Sur. No. 1365, bears S.15° 15' E. 193.29 ft.

The 1/4 Section corner common to Sections 35 and 36; T. 16 N. R. 2 E. G&SRB&M. bears S. 35° 31' E. 381.36 ft.

No other bearings available.

Thence N.20° 50' 50" W.

148.0 Cross 10 ft. wash course Northeasterly.

362.66 Intersect line 2-3 Copper Glance lode, and line 4-1 Red Willow lode, both of Sur. No.1365, at a point which bears S.70° 54' W. 35.41ft. from Cor. No.3 Copper Glance lode, and Cor. No.4 Red Willow lode, Sur. No.1365, and which Cors. are identical with the West Side monument of the Wealth lode, Sur. No.1613.

1418.12 To Cor. No. 2

N. 22° 46' W. 1057.03ft. from Cor. No. 4 (identical with Cor. No. 4 Bell lode, this survey,

On line 3-4 Red Willow lode, Sur. No.1365, and previously described. No bearings available. Identical with Loc. Mon.

Thence N. 30° 00' E.

100.00 To North End Center, a mound of stone, identical with location monument.

185.0 Cross road bears Northwesterly and Southeasterly.

280.0 Cross 15ft. wash course Southeasterly.

292.68 To Cor. No. 3

and Cor. No. 5 Bell lode of this survey,

Identical with location monument, and previously described.

Cor. No.1 Side Line lode Sur. No.1409, and Cor. No.3 Wealth lode Sur. NO.1613, bears S. 7° 36' E. 612.63 ft.

No other bearings available.

Thence S. 14° 35' 50" E.

15.0 Cross 15ft. wash course Southeasterly.

460.0 Cross road bears Northwesterly and Southeasterly.

605.83 Intersect line 1-2 Side Line lode Sur. No.1409, and line

Feet 2-3 Wealth lode Sur. No. 1613, at a point which bears N.73°41'E. 74.66 ft. from Cor. No.1 Side Line lode Sur. No. 1409, and Cor. No.3 Wealth lode, Sur. No.1613.

1440.00 Cross 10 ft. wash course Northeasterly.

1566.17 To Cor. No. 4

Identical with the intersection of line 1-2 May Queen lode Sur. No.1361, and line 3-WSM-4 Wealth lode, Sur. No. 1613.

A basaltic stone 4x8x16 ins. set 12 ins. in ground; chiseled DF-4-3373, with a x on top, and a mound of stone along side. The location monument bears N.30°E. 16.90 ft.

A basaltic rock ledge, exposed face 4x12 ft. chiseled BxR DF-4-3373, bears N. 30° E. 16.90 ft.

Cor. No.2 May Queen lode Sur. No.1361; bears N.30°E. 51.58ft

Cor. No.4 Wealth lode Sur. No.1613; bears S.24°40' E.

146.87 ft. West Side Mon. said Wealth lode brs. N.24°40'W. 316.33 ft. and Cor. No.3 said lode brs. N.16°19'W. 646.9 ft from the W.S. Mon. thereof. No other bearings available.

Thence S. 30° 00' W.

36.37 To South End Center, a mound of stone, identical with location monument.

72.77 To Cor. No. 1, the place of beginning.

Variation at all corners 14°50' E.

LODE LINES

As near as can be determined from the present developments the veins on the respective lodes extend as follows from their discovery points.

Bell lode
N.41°45'E. 285.0ft. and S.41°45'W. 429.53 ft.

Diamond Fraction lode
N.18°54'40"W. 10 ft. and S.18°54'40"E. 1449.02 ft.

AREAS

Bell lode.

Total area----- acres
5.322

Area in conflict with

Red Willow lode Sur.No.1365----- acres
2.004

AREAS - Continued.

Diamond Fraction lode.	Acres
Total Area - - - - -	4.613
Area in conflict with:	
	Acres
Wealth lode Sur. No.1613	1.164
Side Line lode Sur. No.1409	0.519
Red Willow lode Sur.No.1365	0.429
Copper Glance lode Sur.No.1365	0.147

LOCATION

This survey is located in the E $\frac{1}{2}$ of the NE $\frac{1}{4}$ of Section 35 T. 16 N. R. 2 E. G&SRB&M. Verde Mining District, Yavapai County, Arizona. And is within the Prescott National Forest.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon, and for the benefit of each of the locations embraced in the said mining claim by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:

Bell lode

No.1 Dis Cut 4x8x7 ft. face, bears from the E. end center S.41°45' W. 285.0 ft, runs N.W. to face.

Value \$ 75.00

No.2 Cut 6x20x10 ft face, bears from Cor. No.5, N.62°50'W 100.0 ft, runs northerly to face.

Value \$ 100.00

No. 3 Cut 5x12x8 ft. face, and double tunnels, 4x6x20 ft. and 4x6x50 ft long(caved) bears from Cor. No.5, N.45°40'W. 48.0 ft, tunnels extend northerly & northeasterly, respectively.

Value \$ 800.00

No.4, trench 3x10x3 ft. deep, center of which bears from Cor. No. 6, S. 71° 55' W. 90.0 ft, extends N.W. & S.E.

Value \$ 50.00

No. 5 Shaft 5x6x10 ft. deep, bears from Cor. No.6, N. 77° 15' W. 90.0 ft.

Value \$ 100.00

No. 6 Shaft 5x8x25 ft. deep, bears from Cor. No.2, N. 75° 42' E. 120.0 ft.

Value \$ 250.00

No. 7 Cut 5x6x30 ft long, and tunnel 4x6x35 ft. long, bears

from Cor. No. 2, N. 62° 25' E. 85.0 ft. ^{extends northwesterly.} Value \$ 500.00

An undivided one half interest of this improvement is credited to this lode, the other half being credited to the Columbian lode, Sur. No. 1365, into which it extends, Value 1/2 \$ 250.00

An undivided one half interest of No. 1 Dis. Cut and Tunnel of the Diamond Fraction lode of this survey, hereinafter described is credited to this lode.

Value \$ 765.00

Diamond Fraction lode

No. 1 Dis. Cut 8x20x12 ft. face, and Tunnel, bearing S. 85° W. 4x6x81 ft. long; ^{bears from Cor. No. 3 S. 5° 37' W. 170 ft.} at the 67 ft. point in this tunnel a drift bears S. 15° E. 4x6x34 ft. long. At the 81 ft. point in this tunnel a drift bears N. 15° W. 4x6x6 ft. long, and from this point the tunnel bears S. 85° W. 4x6x12 ft. long

Total value \$ 1530.00

An undivided one half interest of this improvement is credited to this lode, the other half to the Bell lode, this survey Value 1/2 \$ 765.00
As this improvement crosses the common line between the Bell and Diamond Fraction lodes and develops both claims I have credited each with an undivided 1/2 interest therein.

OTHER IMPROVEMENTS

A frame house 12x40 ft. bears from Cor. No. 2 of the Bell lode, N. 62° 25' E. 140.0 ft.

ADJOINING CLAIMS

This claim is bounded on the North by the Columbian lode Sur. No. 1365, S. S. Ballard claimant; on the East by the Reservation lode Sur. No. 1365, S. S. Ballard, claimant; the Neutral Strip and Side Line lodes, Sur. No. 1409, the Gadsden Copper Co. claimant; the Wealth lode Sur. No. 1613, claimants unknown; on the South by the May Queen lode, Sur. No. 1361, claimant unknown; on the West by the Copper Glance, and Red Willow lodes Sur. No. 1365, S. S. Ballard, claimant.

INSTRUMENT

This survey was made with a W. & L. E. Gurley light mountain transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 50 and 600 ft. steel tapes.

REPORT

The lode line of each location of this claim was run directly upon the ground, and the several corners established by means of offsets from the lode lines. All tie lines were run directly upon the ground.

The U. S. Land survey corners to which this survey is tied, are iron posts properly set and marked.

I do not agree as to courses and distances with any of the adjoining Surveys as reported, but found in every instance the corners of the different surveys properly set and marked with the number of the corner and survey.

The discrepancies found existing between the lodes as marked by the location monuments and as described by the amended location notices, are due to errors in the amended location notices.

Harry E. Jones
U. S. Mineral Surveyor.

AUG 24 9 1917

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Harry E. Jones,
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
S. S. Ballard
 known as the BELL and DIAMOND FRACTION lodes
 and showing the respective capacities in which they acted.

- F. P. Ellingston, _____, *Chainman.*
- Chas. Quintanilla _____, *Chainman.*
- _____, _____, *Asman.*
- _____, _____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

We, F. P. Ellingston, and Chas. Quintanilla,
 and _____, do solemnly swear that we assisted _____
Harry E. Jones, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of _____
S. S. Ballard,
 known as the BELL and DIAMOND FRACTION, lodes
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona.

F. P. Ellingston _____, *Chainman.*
Chas. Quintanilla _____, *Chainman.*
 _____, *Asman.*
 _____, *Flagman*

Subscribed and sworn to by the above-named persons before me this 4th.

day of July, 19 17.

My Commission Expires Dec. 1, 1920.

John L. Sullivan

 Notary Public.

My Commission expires the _____ day of _____ 19 _____

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Harry E. Jones, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 19th. 1917., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of S. S. Ballard, known as the BELL and DIAMOND FRACTION, lodes, situate in Verde Mining District, Yavapai County, Arizona, in Section 35, Township No. 16 North, Range No. 2 East; G&SRB&M. and designated as Survey No. 3373, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Harry E. Jones
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Harry E. Jones
U. S. ~~Deputy~~ Mineral Surveyor, before me J. L. Sullivan, a Notary
Public, in and for Yavapai Co. Arizona. this 4th.
day of July 1917.

John L. Sullivan
Notary Public.

o 3-154

My commission expires the _____ day of _____ 19__

My Commission Expires Dec. .1, 1920

Notice of Mining Location

LODE CLAIM

FEB 20 1917

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Bell Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by

S.S. Ballard

a citizen of the United States

(Locator must insert either "A citizen of the United States," or, "Who has declared his intention to become a citizen of the United States.")

the undersigned, on the 10 th day of March, 1907 ~~1917~~

The length of this claim is 711.7 feet and I claim 285 feet in a northeasterly

direction and 426.7 feet in a southwesterly direction from the center of the discovery ~~xxx~~ ^{cut}, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the State of Arizona, about 2 miles in a southerly direction from the Town of Jerome, and adjoining the Columbian, Red Willow, Reservation and Neutral Strip patented lode claims

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stone

at a point in a southwesterly direction 426.7 feet from the discovery ~~xxx~~ ^{cut} (at which this notice is posted), being in the center of the southwesterly end line of said claim; thence N.19-23'W. 310 feet to a mon. of stone being the northwest corner of said claim; thence N.56-08'E. 644.9 feet to a mon. of stone being at the northeast corner of said claim; thence S.19-23'E. 129.8 feet to a mon. of stone at the center of the northeast end of said claim; thence S.19-23'E 129.8 feet to a mon. of stone being at the southeast corner of said claim; thence S.30-01'W 193.4 feet to a mon. of stone at the most southerly corner of said claim; thence N.87-02'W 269.2 feet to the ~~place of beginning~~ ^{southwest cor.}, thence N.19-23'W. 4.9 to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an amended location notice of the Bell Mining Claim, located by S.S. Ballard

on the 10 th day of March, 1907 ~~1917~~ and recorded in Book 80 of records of Mines, at page 447, in the office of the County Recorder of the aforesaid County of Yavapai

, to which reference is hereby made; and this Amended Location Notice is made and posted to correct errors in the description in the said original location notice.

Dated and posted on the ground this 5 day of Feb, 1917

Witness

S.S. Ballard

1153

Filed and recorded at request of

S. S. Ballard

Feb 8 A. D. 1917

at 9 o'clock A. M.

Book 99 of Mines.

Pages _____

Records of Yavapai Co. D. 17012.

By _____

Notary Public

Notary Recorder

Notice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the DIAMOND FRACTION Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by S.S. BALLARD

A CITIZEN OF THE UNITED STATES

(Locator must insert either "A citizen of the United States," or, "Who has declared his intention to become a citizen of the United States.")

the undersigned, on the 12 th day of March 1907 ~~1906~~

The length of this claim is 1445.6 feet and 1 claim 10 feet in a northwesterly direction and 1435.6 feet in a southeasterly direction from the center of the discovery ~~stake~~ mon. & tunnel at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the southeast to the northwest

The claim is situated and located in the Verde Mining District, in Yavapai County, in the State of Arizona, about 2 miles in a southerly direction from Town of Jerome and adjoining the Red Willow, Side Line, Wealth, and Copper Giance patented lode claims

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at a monument of stone

at a point in a northwesterly direction 10 feet from the discovery ~~stake~~ mon. & tunnel (at which this notice is posted), being in the center of the northerly end line of said claim; thence S.30 -01'W.100 feet to a mon. of stone being the northwest corner of said claim; thence S.20 -47'E. 1420.1 feet to a mon. of stone being at the Southwest corner of said claim; thence N.30 -01'E. 44.9 feet to a mon. of stone at the center of the southerly end of said claim; thence N.30 -01'E. 44.9 feet to a mon. of stone being at the southeast corner of said claim; thence N.14 -56'W. 1557.4 feet to a mon. of stone at the northeast corner of said claim; thence S.30 -01'W. 193.4 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an amended location notice of the DIAMOND FRACTION Mining Claim, located by S.S. BALLARD

on the 12 th day of March 1907 ~~1906~~ and recorded in Book 80 of records of Mines, at page 449, in the office of the County Recorder of the aforesaid County of Yavapai, to which reference is hereby made; and this Amended Location Notice is made and posted to correct errors in the description in the said original location notice.

Dated and posted on the ground this 7 day of Feb 1917

Witness

S.S. Ballard

1154

Filed and recorded at request of

J. S. Ballard

Feb 8 A. D. 1917

at *9* o'clock *A. M.*,

Room *99 of Mines*

ages _____
records of Yavapai _____

SV _____

STATE OF ARIZONA)
): SS
 COUNTY OF YAVAPAI)

I, EDITH RUFFNER, County Recorder in and for the aforesaid County of Yavapai and State of Arizona, and Custodian of the Records of such Office; DO HEREBY CERTIFY that I have compared the foregoing Copies with, and that the same are full, true, and correct Copies of the Original AMENDED Mining Location Notices of the BELL and DIAMOND FRACTION, Mining Claims, by S. S. BALLARD, as filed for record Feb. 8th, A.D. 1917 at 9 O'clock A.M. Book 99 of Mines, Filing Numbers 1153 and 1154, of the records of my said Office.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 8th day of February, A.D. 1917.



Edith Ruffner
 COUNTY RECORDER

BY Lula McIntosh
 DEPUTY RECORDER

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

February 23, 1918

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

S. S. BALLARD

known as the BELL AND DIAMOND FRACTION LODES

situate in VERDE

Mining District, YAVAPAI County, ARIZONA.

in Section 35, Township No. 16 N., Range No. 2 E., and

designated as Survey No. 3373, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or his grantors, and that said improvements consist of 3 shafts, 5 cuts, 4 tunnels, 1 trench and 2 drifts, total value \$3155.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

February 23, 1918.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

S. S. BALLARD

, known as the

BELL AND DIAMOND FRACTION LODES

situate in VERDE mining district,

YAVAPAI County, ARIZONA.

in Section 35, Township No. 16 N., Range No. 2 E.

, designated as Survey No. 3373

executed by Harry E. Jones, United States Mineral

Surveyor, July 2-4, 1917, under my instructions dated

June 19, 1917, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

[Handwritten signature]

U. S. Surveyor-General for Arizona.