Copied 6-28-17,

(4-683.)

Mineral Survey No. 3385

	Lot No.		
r a	ARIZONA	Land District.	

FIELD NOTES

	HE SURVEY OF THE MINING CLA	III. OF	
W.A.Dell, Sam	Frankenberg and Fred	Sutter	
*	KNOWN AS THE		
	New York lode		
<u></u>	Warren	Mining Distric	et,
Cochise	County,	Arizona	
Section 18 Unapp	d Township 23 South	, Range 24 E., C &	SRB&M
Surveyed under instr	uctions dated April 17.	, 1917.	
	by Ralph	L. Motz	
		U. S. Deputy Mineral Surveyo)1
Claim located S	See location notice	. 1	
Survey commence	ed April 24. 1917.		
Survey completed	April 24, 1917.		

Postoffice address of claimant's attorney, Fred Sutter, Attorney. Bisbee, Arizona.

NEW YORK. LODE.

Beginning at Cor No 1, the S W Cor, identical location and with the southeast corner of Panama lode, unsurveyed, and situated on the north end line of Lookout lode, unsurveyed, at S 59° 36' W 208.2 ft from the northeast corner, a redwood post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3385 NY, whence a limestone ledge with 11 x 12 x lo ins exposure chiseled BR.x 1-3385 brs S 48° 19' E 15.1 ft., and a second limestone ledge with 36 x 11 x 4 ins exposure with like chiseling brs N 57° 50' E 19.0 ft., and the 1/4 Cor between Secs 19 and 30, Tp 23 S., R 24 E., G & S R B & M, brs S 3° 58' W 8533.3 ft.

thence N 22° 501 W

1500.0

to Cor No 2, the N W Cor, identical with location and with Cor No 4, the northeast and the southwest corners of Sur No 3195 Umpire No 1 lode, Panama and Madero, lodes, unsurveyed, respectively, a redwood post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3385 NY, whence a limestone ledge with 28 x 19 ins exposure chiseled BR x 2-3385 brs N 6° 31' W 11.6 ft., and a second limestone ledge 23 x 31 ins exposure and like chiseling brs S 28° 53' E 8.0 ft. and the 1/4 Cor between Secs 7 and 18. Tp 23 S., R 24 E., G & S R B & M brs N 1° 11' W 649.6 ft.

thence N 59° 36' E

300.0

to original location for north end center, being a mound of stones 3 ft high with a 3 ft base,

508 - 7

DO VELL

to Cor No 3, the N E Cor, identical with location and with the southeast, southwest and northwest corners of Madero No 1, Madero Fraction and Montreal lodes, all unsurveyed, respectively, a redwood post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3385 N Y, whence a limestone ledge with 22 x 12 x 4 ins exposure chiseled BR x 3-3385 brs N 68° 24' W 28.4 ft.; and a second limestone ledge with 27 x 17 ins e exposure and like chiseling brs N 77° 43' W 8.7 ft.

thence S 22° 50' E

to Cor No. 4, the S E Cor, identical with location and with 1500.0 the southwest corner Montreal lode, unsurveyed, and situated on line 3-4 Sur No 3354 Point Lookout lode at N 59° 36' E 390.5 ft from Gor No 3, and S 59° 36' W 165.7 ft from Cor No 4, a redwood post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3385 NY, whence a limestone rock in place 14 x 6 x 14 ins above ground chiseled BR x 4-3385 brs N 46° 15' E 15.0 ft., and a second limestone rock in place lo x 8 x 9 ins above ground with like chiseling brs N 15° 30' E 7.0 ft. thence S 59º 36' W . 298.7 along line 4-3 Sur No 3354 Point Lookout lode to original location for sbuth end center, being a mound of stones 3 " pol . S of Too on . n. bo " ft high with a 3 ft base. 390.5 to Cor No 3 and the northeast corner of Sur No 3354 Point Lookout lode and Lookout lode, unsurveyed, respectively, 598.7 to Cor No 1, the place of the beginning. HE DECEMBER OF AND DE The presumed course of the vein on this claim is from the north end center location S 22° 50' E 1500.0 ft. AREA. The case of the control Total and net area - - - - - - - - - - 20.437 A. IMPROVEMENTS. I hereby certify that the value of the labor and improvements made upon this claim by the claimants or their grantors is not less than five hundred dollars, that said improvements consist of:-Discovery open cut 7 x 8 x 12 ft long brg S 85° E, the mouth of which brs from north end center on lode line 479.0 ft. No.1. Value . \$ 65.00 Open cut 5 x lo x 13 ft long brg S 46° E, the mouth of which brs on lode line 508.0 ft from north end center. Value \$ 65.00 No.2. Open cut 12 x 10 x 21 ft long, with tunnel at face 3 x 5.5 x 36 ft long both brg N 65° E, the mouth of open cut brs from Cor No 2, S 26° 51' E 827.0 ft. Value No.3. Value \$ 400.00 Open cut 7 x 8 x 12 ft long brg S 46° E, the mouth of which brs from Cor No 3 S 17° No .4 .

Value

65.00

05' W 153.0 ft.

No.5. Open cut 5 x 8 x 14 ft. long brg S 46° E, the mouth of which brs. from Cor. No. 3 S 27° 44' W 194.5 ft. Value

\$ 65.00

Total improvements

\$660.00

ADJOINING CLAIMS.

North. Madero No 1, unsurveyed, owned by R. Hennessey and Chas. Rambo, Sur. No. 3195 Umpire No. 1 lode and Madero Fraction lode, unsurveyed, owned by W. Schwartz and I. Jacobson.

East. Montreal, unsurveyed, owned by Fred Sutter and W.A.Dell.

South. Sur No 3354 Point Lookout lode, and Lookout lode, unsurveyed, owned by Chas. Rambo.

West. Panama, unsurveyed, owned by Lee Jovanovich and H. W. Clarkson.

LOCATION.

This survey is located in Section 18, Tp 23 S., R 24 E., G & S R B & M, in the Warren Mining District, Cochise County, Arizona.

INSTRUMENT.

This survey was made with an L. C. Gurley Light Mountain transit. The courses were deflected from the true meridian as determined by a Solar observation. The distances were measured with a 300 foot steel tape. Magnetic variation 12° 30' East at all corners.

REPORT.

1/4 Cor between Secs 19 and 30, T 23 S., R 24 E., is a porphyry rock 7 x 9 x 9 ins. high chiseled 1/4 on north face.

1/4 Cor between Secs 7 and 18, T 23 S., R 24 E., is an iron pipe with copper cap, properly marked. This is an unapproved corner.

U.S.MINERAL SURVEYOR.

Dated at Bisbee, Arizona.

April 28th, 1917.

MAIL 2- 15-1

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employ	yed by Ralph L. Motz,	
	,	
United States Deputy Mineral Surveyor, to assis		
boundaries described in the foregoing field notes of		
W. A. Dell, Sam Franker	iberg and Fred Sutter	
known as the	v York lode	
and showing the respective capacities in which the	ey acted.	
	John Maffeo	, Chainman.
	^	, Chainman.
		Axman.
		, 1 tagman.
FINAL OATH	S OF ASSISTANTS.	
John Maffeo,		·
жна	I , do solemnly swear that W assisted	
Ralph L. Motz, United States De	eputy Mineral Surveyor, in marking the corne	ers and surveying
the boundaries of the mining claim of		
W. A. Dell, Sam Frankenber	rg and Fred Sutter	
known as the		
	,	
	have surveyed by said deputy mineral survey	
	been surveyed by said deputy mineral survey	vor and under his
direction; and that said survey has been in all re-	espects, to the best of Mr knowledge and bel	or and under his
	espects, to the best of Mr knowledge and bel	or and under his
direction; and that said survey has been in all re-	espects, to the best of ser-knowledge and bel monuments established according to law and	or and under his ief, faithfully and the instructions
direction; and that said survey has been in all recorrectly executed, and the corner and boundary	espects, to the best of ser-knowledge and bel monuments established according to law and	yor and under his ief, faithfully and the instructions
direction; and that said survey has been in all recorrectly executed, and the corner and boundary	espects, to the best of my knowledge and bel monuments established according to law and for Arizona.	or and under his ief, faithfully and the instructions, Chainman.
direction; and that said survey has been in all recorrectly executed, and the corner and boundary	espects, to the best of Marknowledge and bel monuments established according to law and for Arizona. John Maffeo	or and under his ief, faithfully and the instructions , Chainman.
direction; and that said survey has been in all recorrectly executed, and the corner and boundary	espects, to the best of my knowledge and bel monuments established according to law and for Arizona. John Maffeo	or and under his ief, faithfully and I the instructions , Chainman, Chainman.
direction; and that said survey has been in all recorrectly executed, and the corner and boundary furnished by the United States Surveyor-General	espects, to the best of Marknowledge and bel monuments established according to law and for Arizona. John Moffee	or and under his ief, faithfully and the instructions , Chainman, Chainman, Axman.
direction; and that said survey has been in all recorrectly executed, and the corner and boundary furnished by the United States Surveyor-General Subscribed and sworn to	espects, to the best of Marknowledge and bel monuments established according to law and for Arizona. John Maffeo	or and under his ief, faithfully and the instructions , Chainman, Chainman, Axman.

MOTARY PUBLIC IN AND FOR THE COUNTY OF COCHISE, STATE OF ARIZONA.
MY COMMISSION EXPIRES FEB. 21st,1920.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I,	Ralph L. Mo	tz.		, U. S	S. Deputy Mineral
Surveyor,	, do solemnly swear t	hat, in purs	suance of instruc	ctions receive	ed from the United
States Su	rveyor General for	Ar	izona		, dated
	17,1917				
United St	ates, the official regu	ılations and	l instructions the	ereunder, an	d the instructions
of said S	urveyor General, fai	thfully and	correctly execu	ted the sur	vey of the Mining
Claim of	W.A.Dell, Sar	n Franke	nberg and Fr	ed Sutter	
					, known as the
. 72.72		New	York lode	~~~~~~~~~~~~	·9
situate in		Warre	<u>n</u>		Mining District,
	Cochise		County, A	rizona	, in Section
184	nappa Township No.	23 S., R	Range No. 24	E., G & S	3 R B & M
and desig	gnated as Survey No	•	3385		as represented
in the for	regoing field notes, w	hich accura	ately show the bo	oundaries of	said mining claim
as distinc	tly marked by monu	ıments on t	he ground, and o	described in	the attached copy
of the lo	cation certificate, wh	nich was re	ceived by me fro	om the Surv	eyor General with
	ructions, and that all		-		•
	in strict accordance		· ·		_
	nd I do further sole		_		
		-			_
	es of said survey an		•		-
_	nents made upon said	_	-		_
	erein fully stated, an				
thereof a	re specified therein	with partic	ularity and full	detail, and	that no portion of
said labor	r or improvements so	credited to	this claim has	been includ	ed in the estimate
of expend	ditures upon any othe	er claim.	······································	Action of the second law	
			7	, 0	5 - 6
			Talf	h L.	outy Mineral Surveyor.
				U.S. Dep	suty Mineral Surveyor.
					•
	oscribed and sworn to				
	U. S. Deputy Mineral	Surveyor,	before meJ.	.W.Ross.	Notary Bublic
•					28th
	day of April,	1917.			*
			MUI	2 mass	

Notary Public in and for the County of Cochise, State of Arizona.
My commission expires Feb 21st,1920.

Motice of Mining Location

LODE CLAIM

4.17.1917

7

TO ALL WHOM IT MAY CONCERN:
This Mining Claim, the name of which is the New York
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase
byRobt Coughran
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")
the undersigned, on the
The length of this claim isfeet,
and I claim400 feet,
in a Northerly direction and 1100
feet in a Southerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
feet in width of the surface grounds, on each side
of the center of said claim. The general course of the lode deposit and premises is from the
North to the South
The claim is situated and located in the
in a Southwesterly direction from TheCity of Bisbee, and is
bounded on the east by the "Montreal" mining claim and on the West
by the Portland Mining Claim
The surface boundaries of the claim are marked upon the ground as follows: Beginning at Stone Monument three feet high
at a point in a Northerly direction 400 feet from
the discovery shaft (at which this notice is posted), being in the center of theNorth
end line of said claim; thence East 300 feet to a Stone
Monument, being the Northeast corner of said claim; thence
South 1500 feet to a Stone Monument, being at the
Southeast corner of said claim; thence West 300 feet
to a Stone Monument at the center of the South end of said claim;
thence West 300 feet to a Stone Monument being at the
Southwest corner of said claim; thence North 1500 feet
to a Stone Monument at the Northwest corner of said claim;
thence East 300 feet to the place of beginning.
Dated and posted-on-the grounds this day of
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16th, 1901.
Dated and posted on the ground this 3 day of March 1903.
Witness Robt. Coughran Chs Rambo

of Excerpts from the Mining Laws the State of Arizona.

made by erecting at or contiguous to the point of discovery a conspicuous monument of stones not less than least four feet above the ground, in cation notice which shall be signed Title XLVII of the Revised Statutes Sec. 2. Such location shall be three feet in height, or an upright projecting at stones or on which post there shall be posted a loby the name or names of the locator of 1901, and Amendments thereto. which monument of post, securely fixed, or locators.

Sec. 4. From the time of the loca-

cified, the locator shall be allowed ninety days within which to do or cause to be done the following things: * * * * * * * * * * * * * * To sink a discovery shaft in the claim to a depth of at least eight feet from the lowest part of the rim of the shaft at the surface, and deeper, if necessary, until there is disclosed tion of a mining claim, as above spein said shaft mineral in place. ςi

each corner of said claim and one at posts projecting at least four feet Sec. 6. Such surface boundaries shall be marked by six substantial above the surface of the ground, or by substantial stone monuments at least three feet high, to-wit: One at the center of each end-line thereof. Sec. 8. Location notices may be amended at any time and the monuments changed to correspond with the amended location; Provided, That no change shall be made that will in-

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim or permanent monument, as with reference to some natural object, or permanent m

eby certify t	that the with the wit	above written	County 1	for record at, and duly County.
eby certify t	that the with the wit	above written	County	for record at, and duly County.
al the day and	day ofday of	above written	, 19 1. County 1	, and duly County. Recorder.
al the day and	Records of d year first a	above written	County	County,
		03 M.,	County 1	! . ! .
		03 M.,	County 1	! . ! .
. 19		03	County I	! . ! .
. 19		M.,		! . ! .
19		M.,	<u> </u>	
	Filed and Recorded at request of Robt. Coughran	Mch 18th A. D. 19. 11 A	23 Records of Mines	W. T. Wilson Deputy Recorder.
- 一、一、一、一、一、一、一、一、一、一、一、一、一、一、一、一、一、一、一、	Dated			Hile Gh B

Corner Monument Corner Monument ij. 300 End Monument 500 feet 200° Discovery Shaft 500 feet 2500 seet 2 ÷ 300 Corner Monument

RAY B. KREBS,

H. L. HUTCHISON,

OFFICE OF THE COUNTY RECORDER

COCHISE COUNTY. ARIZONA

Certificate

STATE OF ARIZONA,)
:SS
County of Cochise)

3154

I, RAY B. KREBS, County Recorder in and for the County of Cochise, State of Arizona, do hereby certify that the annexed and foregoing is a full, true and correct copy of Location Notice of NEW YORK Lode Minine Claim, situate in the Warren Mining District and located by Robt. Coughran as appears of record now in this office in Book 23 Record of Mines at pages 441

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tombstone, this 4th day of

April A. D. 1917

RAY B. KREBS.

COUNTY RECORDER

Βv

Deputy



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
July 25 , 191
I, U. S. Surveyor-General for District of Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
W. A. DELL, SAM FRANKENBERG AND FRED SUTTER
known as the NEW YORK LODE
situate in WARREN
Mining District, COCHISE County, ARIZONA
in Section 18 unapp'd; Township No. 23 S., Range No. 24 E., and
designated as Survey No
this office; that said Field Notes furnish such an accurate description of said mining claim as will, i
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve
ments made upon said mining claim by claimants or theirgrantors, and that said improvement
consist of 5 cuts and 1 tunnel, total value \$660.
and that no portion of said labor or improvements has been included in the estimate of expenditure
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,
Ari zona, is correct and in conformity with the foregoing Field Notes.
Frank P. Trott,
United States Surveyor-General for Arizona.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

	Phoenix,	Arizona,
		July 25 , 19 17.
I, U. S. Surveyor-Ger	eral for District of Arizona	
do hereby certify that the	foregoing and hereto attached Field Notes and	Return of the Survey of the
Mining Claim of		
	DELL, SAM FRANKENBERG AND FR	
		known as the
	NEW YORK LODE	
situate in	WARREN	Mining District,
COCHISE	County,	ARIZONA
	d, Township No. 23 S., Ran	
	Ralph L. Motz	
Surveyor,	April 24, , 19 17,	under my instructions dated
Apr	il 17,, 1917, have been critically exam	ined and the necessary cor-
ections and explanations	made, and the said Field Notes and Return, an	d the Survey they describe,
re hereby approved. A	crue copy of the copy of the location certificate	filed by the applicant for
survey is included in the f	eld notes.	
	Amy (00
·	U. S. Surveyor-General for	Arizona.

7360b5m3-03