

Platted

Copied 9-18-17

A L H

4-683

May 1917

JUL 16 1917

1

MINERAL SURVEY No. 3387

LOT No.

ARIZONA Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

R.A. BREThERTON and C.M. HENKEL

KNOWN AS THE

SUCCESS lode

WARREN Mining District,

COCHISE County, ARIZONA

Section 13 Unapp'd Township 23 South, Range 24 East

Surveyed under instructions dated April 20th, 1917.

by Ralph L. Motz U. S. Mineral Surveyor.

Claim located See location notice, 1917.

Survey commenced April 27th, 1917.

Survey completed April 28th, 1917.

Address of claimant R.A. Bretherton, Box 1129, Bisbee, Arizona

Address of claimant's attorney, C.T. Knapp, Attorney, Bisbee, Arizona.

DATES OF AMENDED LOCATIONS.

SUCCESS. lode

Beginning at Cor No 1, the N E Cor, identical with location and with Cors No 1, 1 and 4 of Sur No 2176 Corona lode, Sur No 3158 Corona lode and Sur No 2176 Success lode, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3387 S, whence a quartzite rock in place 26 x 20 x 10 ins high chiseled BR x 1-3387 brs S $72^{\circ} 34'$ E 3.75 ft and a second quartzite rock in place 24 x 12 x 9 ins high with like chiseling brs S $56^{\circ} 30'$ E 30.6 ft., and the W 1/4 Cor of Sec 18, T 23 S., R 25 E., G & S R B & M brs N $89^{\circ} 11'$ E 2948.8 ft., and Cor No 2 Sur No 3158 Rolla lode brs S $4^{\circ} 34'$ W 1.8 ft.

thence S $4^{\circ} 34'$ W

1.8 along line 4-1 Sur No 2176 Success lode to Cor No 2 Sur No 3158 Rolla lode and intersect line 3-4 Sur No 3117 Baltic lode at N $80^{\circ} 32'$ E 279.2 ft and S $80^{\circ} 32'$ W 320.8 ft from Cors No 3 and 4 respectively,

225.3 to original location for east end center, being a mound of stones 3 ft high with a 3 ft base,

326.4 to Cor No 2, the S E Cor, a sandstone rock 20 x 15 x 24 ins high above ground chiseled 2-3387 S, a monument of stones along side, whence original location for S E Cor, and Cor No 1 Sur No 2176 Success lode, being a mound of stones 3 ft high with a 3 ft base, brs S $4^{\circ} 34'$ W 98.9 ft.

thence N $87^{\circ} 21'$ W

253.8 intersect line 2-3 and 4-1 of Sur No 3117 Baltic and Bruce lodes respectively, at N $0^{\circ} 52'$ E 314.6 ft from Cors No 1 and 2 of Sur No 3117 Bruce and Baltic lodes, respectively and S $0^{\circ} 52'$ W 265.9 ft from Cors No 3 and 4 of Sur No 3117 Baltic and Bruce lodes, respectively,

1411.0 cross Bisbee-Douglas State Highway,

1500.0 to Cor No 3, the S W Cor, identical with location and with Cor No 2 Sur No 2176 Success lode and situated at the intersection of lines 4-1 and 3-4 of Sur No 2029 Horse Shoe lode and Sur No 3117 Bruce lode, respectively, at N $4^{\circ} 34'$

E 168.5 ft from Cor No 1 and S 4° 34' W 425.3 ft from Cot No 4 of Sur No 2029 Horse Shoe lode, and N 80° 32' E 232.6 ft from Cor No 3 and S 80° 32' W 1266.1 ft from Cor No 4 of Sur No 3117 Bruce lode, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3387 S, whence a sandstone ledge with 20 x 11 x 12 ins exposure and chiseled BR x 3-3387 brs N 19° 37' E 63.1 ft and a second sandstone ledge with 14 x 19 x 10 ins exposure and like chiseling brs S 37° 30' W 51.2 ft.

thence N 4° 34' E

200.0 to original location for west end center, being a mound of stones 3 ft high with a 3 ft base,

425.3 to Cor No 4, the N W Cor, identical with location and with

Cors No 4,1,1,2,2 and 3 of Sur No 2029 Horse Shoe lode, Sur No 2176 Carmelita lode, Sur No 3158 Carmelita lode, Sur No 2176 Corona lode, Sur No 3158 Corona lode and Sur No 2176 Success lode, respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3387 S, whence a sandstone rock in place 23 x 14 x 4 ins high and chiseled BR x 4-3387 brs S 29° 48' W 19.0 ft and a second quartzite rock in place 17 x 14 x 9 ins high with like chiseling brs N 22° 07' W 15.8 ft., and the 1/4 Cor between Secs 13 and 14, T 23 S., R 24 E., G & S R B & M brs S 78° 51' W 1009.5 ft.

thence S 83° 34' E

504.0 along lines 3-4 and 2-1 and 2-1 of Sur No 2176 Success and Corona lodes and Sur No 3158 Corona lode, respectively, cross Bisbee-Douglas State Highway

1400.0 Intersect line 2-5 Sur No 3158 Rolla lode, N 24° 32' W 2.1 ft. from Cor. No. 2.
1500.0 to Cor No 1, the place of the beginning.

LEDGE.

The presumed course of the vein on this claim is from the west end center location S 83° 34' E 1500.0 ft.

AREA

Total area Success lode - - - - - 12.936 A.

Area in conflict with

Sur No 2176 Success lode - - - - - 12.936 A.

Sur No 2176 Success lode, exclusive

of its conflict with Sur No

3117 Bruce lode - - - - - 9.134 A.

Sur No 2176 Success lode, exclusive
of its conflict with Sur No
3117 Baltic lode - - - - - 11.153 A.

Sur No 2176 Success lode, exclusive
of its conflict with Sur No
3158 Rolla lode - - - - - 12.936 A.

Sur No 2176 Success lode, exclusive
of its conflict with Sur No
3117 Bruce and Baltic lodes and
Sur No 3158 Rolla lode - - - - - 7.351 A.

Sur No 3117 Bruce lode - - - - - 3.802 A.

Sur No 3117 Baltic lode - - - - - 1.783 A.

Sur No 3158 Rolla lode - - - - nominal, No. 000+1.

IMPROVEMENTS.

I certify that the value of the labor and improvements
made upon this claim, by the claimants or their grantors
is not less than five hundred dollars and that said im-
provements consist of:-

No.1. Discovery shaft 4 x 6 x 8 ft deep brs from west end center on lode line 100 feet.	Value	\$ 60.00
No.2. Shaft 5.2 x 7.3 x 7.3 ft deep timbered, with shaft in bottom 4 x 6 x 32.7 ft deep, total depth 40 feet, brs from west end center location S 70° 30' E 302.0 ft. \$12.50 per foot.	Value	\$500.00
Total value		\$560.00

OTHER IMPROVEMENTS.

- Shaft 4 x 6 x 20 ft deep brs from Cor No 3 N 79° 32' E
618.0 ft.
- Shaft 4 x 6 x 10 ft deep brs from Cor No 3 N 80° 23' E
637.0 ft.
- Shaft 4 x 6 x 10 ft deep brs from Cor No 3 N 78° 05' E
617.0 ft.
- Shaft 4 x 6 x 10 ft deep brs from Cor No 3 N 78° 05' E
640.0 ft.
- Shaft 4 x 6 x 10 ft deep brs from Cor No 3 N 76° 51' E
594.0 ft.
- Shaft 4 x 6 x 10 ft deep brs from Cor No 3 N 76° 51' E
623.0 ft.
- Shaft 4 x 6 x 10 ft deep brs from Cor No 3 N 75° 02' E
602.0 ft.

ADJOINING CLAIMS.

- North. Sur No 2176 Corona lode and Sur No 3158 Corona lode.
- East. Sur No 3158 Rolla lode and Sur No 3117 Baltic lode.
- South. Sur No 3117 Baltic lode and Sur No 3117 Bruce lode.
- West. Sur No 2029 Horse Shoe lode.

LOCATION.

This survey is located in Sec. 13, ^{Unapp'd.} T. 23 S., R. 24 E.,

G & S R B & M

INSTRUMENT.

This survey was made with a Gurley Light Mountain transit. The course were deflected from the true meridian as determined by a direct solar observation. The distances were measured with a 300 foot steel tape. Magnetic variation 12° 30' East at all corners.

REPORT.

The W 1/4 Cor of Sec 18, T 23 S, R 25 E, is a 1" iron pipe, set in the ground, with a 2" brass cap marked 1/4 Sec 18.

Ralph L. Mox
U.S. Mineral Surveyor.

Dated at Bisbee, Arizona.

May 22nd, 1917.

No. 1. Discovery shaft 4 x 6 x 7.3 ft deep from west end center on ledge line	118.0 ft.
No. 2. Shaft 4 x 6 x 7.3 ft deep timbered with shaft in bottom 4 x 6 x 32.7 ft deep, total depth 40 feet, pris from west end center	117.0 ft.
Location 2 70° 30' E 502.0 ft. 112.50 per foot.	
Total value	2350.00
OTHER IMPROVEMENTS.	
Shaft 4 x 6 x 10 ft deep pris from Cor No 3 N 78° 00' E	618.0 ft.
Shaft 4 x 6 x 10 ft deep pris from Cor No 3 N 80° 00' E	627.0 ft.
Shaft 4 x 6 x 10 ft deep pris from Cor No 3 N 78° 00' E	617.0 ft.
Shaft 4 x 6 x 10 ft deep pris from Cor No 3 N 78° 00' E	640.0 ft.
Shaft 4 x 6 x 10 ft deep pris from Cor No 3 N 76° 00' E	504.0 ft.
Shaft 4 x 6 x 10 ft deep pris from Cor No 3 N 76° 00' E	627.0 ft.
Shaft 4 x 6 x 10 ft deep pris from Cor No 3 N 75° 00' E	602.0 ft.

ADJOINING CLAIMS.

North. Sur. No 2156 Jerome ledge and Sur. No 2158 Jerome ledge.
East. Sur. No 2158 Rolla ledge and Sur. No 2117 Baltic ledge.
South. Sur. No 2117 Baltic ledge and Sur. No 2117 Briscoe ledge.
West. Sur. No 2029 Howe ledge.

JUL 16 1917

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz

United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

R. A. Bretherton and C. M. Henkel

known as the SUCCESS lode

and showing the respective capacities in which they acted.

- J. H. Duncan, Chainman.
- _____, Chainman.
- _____, Axman.
- _____, Flagman.

FINAL OATHS OF ASSISTANTS.

~~we~~, I J. H. Duncan

and _____, do solemnly swear that we ^I assisted _____

Ralph L. Motz, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of R. A. Bretherton and C. M. Henkel


known as the SUCCESS lode

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

-  _____, Chainman.
- _____, Chainman.
- _____, Axman.
- _____, Flagman.

Subscribed and sworn to by the above-named persons before me this 22 nd

day of May, 19 17.


Notary Public in and for the
County of Cochise, State of
Arizona.

JUL 16 1917 7

(4-686.)

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, Ralph L. Motz, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 20, 1917, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of R. A. Bretherton & C. M. Henkel, known as the SUCCESS lode, situate in Warren Mining District, Cochise County, Arizona, in Section 13, unapp'd, Township No. 23 S, Range No. 24 E, G & S R B & M and designated as Survey No. 3387, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Ralph L. Motz
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz,
U. S. ~~Deputy~~ Mineral Surveyor, before me J. W. Ross
Notary Public this 22 nd
day of May, 1917.

J. W. Ross.
Notary Public in and for the County
of Cochise, State of Arizona.

My Commission expires Feb'y 21, 1920.

APR 20 1917

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Success Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J. A. Sherwood

a citizen of the United States
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 1st day of January 1912.

The length of this claim is 1500 feet, and 1 claim 100 feet, in a westerly direction and 1400 feet in an easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 200 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the west to the east

The claim is situated and located in the Warren Mining District, in Cochise County, in the Territory of Arizona, about 4000 feet in an easterly direction from the main shaft of the American-Saginaw Development Company and is bounded on the north by the Corona claim, on the east by the Rolla claim, on the south by the Bruce and on the west by the Horseshoe claim. This claim is located on abandoned mining ground.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

a post and monument
at a point in a westerly direction 100 feet from the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence northerly 300 feet to a post and monument, being the N.W. corner of said claim; thence easterly 1500 feet to a post and monument, being at the N.E. corner of said claim; thence southerly 300 feet to a post and monument at the center of the east end of said claim; thence southerly 300 feet to a post and monument being at the S.E. corner of said claim; thence westerly 1500 feet to a post and monument at the S.W. corner of said claim; thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 1st day of Januray 1912.

Witness.

Francisco Baraha

J. A. Sherwood

TERRITORY OF ARIZONA, }
County of COCHISE } ss

I, B. A. McDonald, County Recorder in and for the County and

Territory aforesaid, do hereby certify that the within instrument was filed for record at 1:00 o'clock, 9 M.,

on this FEB 8 - 1912 day of 19, and duly recorded in Book No. 49

of MINING Records of COCHISE County, Arizona, at pages 138

WITNESS my hand and official seal the day and year first above written.

B. A. McDonald
County Recorder.

By E. A. Hughes Deputy

COMPARED

734

Notice of Location

LODE CLAIM

S U C C E S S E .

Dated 19

Filed and Recorded at request of

Ralph A. Greener

FEB 8 - 1912

A. D. 19

at 1:00 P. M.

Book 49 Records 49


Pages 138

B. A. McDonald
County Recorder.

By E. A. Hughes
Deputy Recorder.

THE H. H. McNEIL CO., PRINTERS, PHOENIX, ARIZONA.

Budler



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

October 2, 1917.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

R. A. BRETHERTON AND C. M. HENKEL

known as the SUCCESS LODE

situate in WARREN

Mining District, COCHISE County, ARIZONA.

in Section 13 unapp'd, Township No. 23 S., Range No. 24 E., and

designated as Survey No. 3387, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimants or their grantors, and that said improvements consist of 2 shafts, total value \$560.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

October 2, 1917.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

R. A. BRETHERTON AND C. M. HUNKEL

, known as the

SUCCESS LODE

situate in WARREN mining district,

COCHISE County, ARIZONA.

in Section 13 unapp'd., Township No. 23 S., Range No. 24 E.

, designated as Survey No. 3387

executed by Ralph L. Motz, United States Mineral

Surveyor, April 27-28, 1917, under my instructions dated

April 20, 1917, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank P. Frost

U. S. Surveyor-General for Arizona.