July 3 1917

4-683

MINERAL SURVEY No. 3391

	LOT No.		

	ARIZONA	Land District.	

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

	MrsE	. Carrow	
		7. 14	
	INO	WN AS THE	
		MMOTH lode	
		WALLAPAI	Mining District
	MOHAVE		
Section	15 , Township	21 North,	, Range 17 West
	& Salt River Base and		1010
Sarve	yed under instructions da	ved	, 19 11
		h. Toon U	. Foster.
	A by the Party of the	ogLean n	U. S. Mineral Surveyor.
	Claim located Sec	location not	ice, 19
	Survey commenced	May 15,	, 19 17
	Survey completed	June_8.	, 19 17
-	Address of claimant	Kingman, Ariz	ona .
	DATES OF AM	ENDED LOCATIO	ons.
	March J	7, 1917.	
6-822			

Fen S. Hildreth,
Phoenix Arizona,
Attorney for Claimant.

0000

Survey No. 3391

MAMMOTH LODE

FEET

Beginning at Cor. No. 1.

A redwood post, 4 ft. long, 4 ins. square, with nail at the exact corner, set 18 ins. in the ground, in a

ICEO . ON YOUTH

mound of earth and stone, scribed M. 1 - 3391.

The Cor. of Sections 14, 15, 22, 23, T. 21 N.,

R. 17 W., bears S. 48° 52' E. 1886.5 ft.

A cross on porphyry ledge marked B.R. 1-3391 brs. N. 6°35' E. 241.2 ft.

Thence N. 6° 35' E. To the east end center of the location
A redwood post, 4 ft. long, 4 ins. square, with nail at
the exact point, set 18 ins. in the ground, in a mound
of earth and stone, scribed 3391.
The discovery cut bears N. 83° 25' W. 190 ft.

600 To Cor. No. 2.

A redwood post, 4 ft. long, 4 ins. square, with nail at the exact corner, set 18 ins. in the ground, in a mound of earth and stone, scribed M-2-3391.

Thence N. 83° 25' W.

1500

To Cor. No. 3.

A redwood post, 4 ft. long, 4 ins. square, with nail at the exact corner, set 18 ins. in the ground, in a mound of earth and stone, scribed M-3-3391.

A cross on decomposed andesite formation marked B.R. 3-3391 brs.
S. 6° 35 W. 285 ft.

300

Thence S. 6° 35' W.

To the west end center of the location. A redwood post, 4 ft. long, 4 ins. square, with a nail at the exact corner, set 18 ins. in the ground, in a mound of earth and stone, scribed 3391.

The discovery cut bears S. 83° 25' E. 1310 ft.

To Cor. No. 4. A redwood post, 4 ft. long, 4 ins. square, with nail at the exact corner, set 18 ins. in the ground, in a mound of earth and stone, scribed M-4-3391.

ti drem blits race.

07860

J't dV . de Livi

Thence S. 83° 25' E.

To Cor. No. 1.
The place of beginning.

All corners and end centers identical with the location. S shiw . I so noners &

As near as can be determined, from present developments, the course of the vein in the Mammoth lode extends N. 83° 25' W. 1310 ft. and S. 83° 25' E. 190 ft. from the discovery cut.

nicer, anol. 17 58 . shin . 18 10 mine on the act of th

Total area and the minus are obtained 20.66 reduced president and series of the product of ass.

- LOCATION SUB . J be es

This claim is located in Section 15, T. 21 N., R. 17 W. G. & S. R. B. & M., Wallapai Mining District, Mohave County, Arizona.

Survey No. 3391

Mammoth Lode - Continued.

Expenditure of Five Hundred Dollars min and the control of the con

I certify that the value of labor and improvements made upon or for the benefit of this claim by the claim-ant, or her grantor, is not less than Five Hundred Dol-lars, and are as follows:

No. 1. The discovery cut, $4\frac{1}{2}$ ft. wide, 10 ft.face the center of which is on the lode line 190 ft. from the east end center, and extending North 20 ft. to its 10.00 erect point, set le las. in the gre undationa mound.
00.00\$ \$ 10 th end stone, sulvalue 3391.
The discovery out bears N. 65° 25' W. 190 ft.
To Cor. No. 2.

To For. No. 3.

No. 2. A shaft 5 ft. wide 8 ft. long, 8 ft. deep on the lode line, 160 ft. from the east end center. The course of the long side is North.

Value,

\$45.00

No. 3. A shaft 5 ft. wide, 6 ft. long, 8 ft. deep.
The course of the long side is North. The Southeast corner bears N. 40° W. 450 ft. from Cor. No. 1.

No. 4. A shaft 8 ft. wide, 9 ft. long, 18 ft. deep. The course of the long side is N. 85° W. The Southeast corner bears N. 62° W. 770 ft. from Cor. No. 1. Value, \$200.00

No. 5. An open cut 4 ft. wide, 12 ft. face, the center of which is on the lode line 860 ft. from the east end center, extending S. 80° E. 45 ft. to its mouth.

A drift 4 ft. wide, 7 ft. high, extending N. 80° W. 18 ft. from the face.

Value, \$240.00

corners and end centers it done les No. 6. A trench $3\frac{1}{2}$ ft. wide, $2\frac{1}{2}$ ft.deep, 160 ft. long, running N. 78° W. from the east end, which bears S. 39° 15' W. 275 ft. from Cor. No. 2.

Yalue, \$50.00

Other Improvements and mort

An adobe barn 16 ft. wide, 36 ft. long, running S. 75° W. from the Southeast corner, which bears N. 62° W. 610 ft. from Cor. No. 1.

A concrete reservoir 40 ft. wide, 10 ft. deep, 75 ft. long, running N. 70° W. from the Southeast corner, which bears N. 70° W. 395 ft. from Cor. No. 1.

A house 44 ft. square, running West from the Southeast corner, which bears N. 73° W. 455 ft. from Cor. No. 1. No. 1.

(injette"

Mammoth Lode - Continued .

An open cut, the South end of which bears N. 66° W. 340 ft. from Cor. No. 1.

Thence Nø. 12° W. 150 ft. long, 4 ft. wide, $5\frac{1}{2}$ ft. deep.

Thence West 45 ft. long, 8 ft. wide and 12 ft. deep.

A spring bearing N. 47° W. 415 ft. from Cor.No. 1.

Instrument and Meridian.

This survey was made with a Berger and Sons mining transit, and a 500 and 100 ft. steel tape.

The Meridian was determined by direct observation on the sun.

Variation at all corners 14° 30' East. Report.

The side and end lines of this claim, and all the other lines were run direct on the ground.

The corner of Sections 14 - 15 - 22 - 23 is a Tufa slab, 8x15 ins., 30 ins. long, in a mound of stone, with three notches chiseled in the South side, and two notches in the east side.

U. S. Mineral Surveyor.

Box 813 Kingman, Arizona.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals e	mployed by Leon H. Foster
United States Deputy Mineral Surveyor, to	assist in running, measuring, and marking the lines, corners, and
	otes of the survey of the mining claim of Mrs. E. M. Carro
	Hlode
and showing the respective capacities in whi	ch they acted.
	A. B. McAdams , Chainman.
	XXXXXXXXXXXXXXXXX,, Chainman.
	XXXXXXXXXXXXXXXX, Axman.
FINAL OA'	THS OF ASSISTANTS.
Wwx I. A. B. McAdams	,
	I, do solemnly swear that ** assisted
	Mrs. E. M. Carrow
known as theMAMM	OTH lode
represented in the foregoing field notes as ha	aving been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in	all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boun	ndary monuments established according to law and the instructions
furnished by the United States Surveyor-Ge	neral forArizona
	a.13 MEadams, Chainman.
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
	-XXXXXXXXXXXXXXXXXXXXX,, Axman.
	XXXXXXXXXXXXXXXXXXXXXX, Flagman.
Subscribed and sv	worn to by the above-named persons before me this.
day of	Une , 19'7.
\mathcal{O}	I Whilmen

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I,	
Surveyor, do solemnly swear that, in pursuance of instructions received from the United	
States Surveyor General for, dated	
May 1st, 1917, , I have, in strict conformity to the laws of the	
United States, the official regulations and instructions thereunder, and the instructions	
of said Surveyor General, faithfully and correctly executed the survey of the Mining	
Claim of Mrs. E. M. Carrow	
, known as the	
MAMMOTH lode ,	
situate in Wallapai Mining District,	
Mohave County, Arizona , in Section	
15 Township No. 21 N., Range No. 17 West, G. & S. R. B. & M.	
and designated as Survey No. 3391 , as represented	
in the foregoing field notes, which accurately show the boundaries of said mining claim	
as distinctly marked by monuments on the ground, and described in the attached copy	
of the location certificate, which was received by me from the Surveyor General with	
said instructions, and that all the corners of said survey have been established and per-	
petuated in strict accordance with the law, official regulations and instructions there-	
under; and I do further solemnly swear that the foregoing are the true and original	
field notes of said survey and my report therein, and that the labor expended and	
improvements made upon said mining claim by claimant or her grantors	
are as therein fully stated, and that the character, extent, location and itemized value	
thereof are specified therein with particularity and full detail, and that no portion of	
said labor or improvements so credited to this claim has been included in the estimate	
of expenditures upon any other claim.	
Leon No France	
L. Noster	-
U. S. Deputy Mineral Surveyor.	
Subscribed and sworn to by the said Lon XV. Toster	
U. S. Deputy Mineral Surveyor, before me & M. Teale. Wyh of the	
Suferin Court this 9th	
day of June, , 1957.	
2 m. Teale	
Olleh of the Superior Con	ut
of Mohave County, Stat	T

AMENDED LOCATION CERTIFICATE.

know all men by these presents, that Mrs. E. M. Carrow the undersigned citizen of the United States, over the age of twenty-one years, having complied with all the requirements of the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regulations of Wallapai Mining District, hereby make and file this amended location of the Mammoth Lode, claiming by right of discovery, location, primal appropriation and possession 1500 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock in place, bearing gold and other valuable minerals, with all dips, variations and angles the same being 190 feet along the ledge in an easterly direction from the discovery stake and 1310 feet along the ledge in a westerly direction therefrom, together with 300 feet in width on each side of the middle of said ledge, and all veins, lodes, ledges, mineral deposits, mineral and surface ground, within the lines of said claim.

Situate in Wallapai Mining District, County of Mohave, State of Arizona, in Sec. 15 T. 21 N. R. 17 W. G. & S. R. B. & M, and more particularly described as follows, to-wit:

Beg. at the Southeast corner, whence the southeast corner of Sec. 15 T. 21 N. R. 17 W. bears Southeast about 3/8 mile.

Thence northerly 300' to the east end center

- " 600' " " northeast corner
- " westerly 1500' " " northwest corner
- " southerly 300' " " West end center
 - 600' " " S. W. corner
- " easterly 1500' " " S. E. corner, the place of beginning.

All corners are 4 X 4 redwood posts 4' long properly set.

THIS AMENDED LOCATION is made in conformity with the original location, made Sept. 24, 1907, recorded Dec. 25, 1907, in Book Y, Page 676, of Quartz Locations, in the office of the Recorder of said County, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described, and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities

or errors, supplying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then this location shall be an original location and this certificate an original certificate.

Date of Original Discovery Sept. 24, A.D. 1907.

Date of Amended Location Mar. 17, A. D. 1917.

Attest:

Mrs. E. M. Carrow.

Recorded at the request of E. M. Carrow at 11 o'clock A. M. March 17th, 1917, in Book S.S. of Mining Claims Page 139. Records of Mohave County, Arizona.

H. L. Underwood, County Recorder.

County of Mohave. Ss.	
I, H. L. Underwood,	Recorder of Mohave County, State
of Arizona, do hereby certify that I have compared	the foregoing copy
Amended Location Certificate of the	Mammoth Lode Mining Claim,
and of the endorsement thereupon with the original	records of the same on file in this office, and
that the same are corr	ect transcripts therefrom and of the whole of
said original records.	
	7.041

WITNESS my hand and the seal of said office this ... 19th

day of March

..., 191 7.

Recorder of Mohave County.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
October 4 , 1917.
I, U. S. Surveyor-General for District of Arizona.
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
MBS. E. M. CARROW,
known as the MAMMOTH LODE,
situate in WALLAPAI,
Mining District, MOHAVE County, ARIZONA,
in Section 15, Township No. 21 N., Range No. 17 W., G&SRB&M, and
designated as Survey No. 3391, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claim by claimant or her grantors, and that said improvements consist of 2 cuts. 3 shafts, 1 drift and 1 trench, total value \$615.
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office atPhoenix,
Arizona is correct and in conformity with the foregoing Field Notes.
Frank P. Trott,
Excelled to 14004
United States Surveyor-General for. Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizon	18,
		October 4 , 1917,
I, U. S. Surveyor-Gener	al for District of	Arizona,
do hereby certify that the fo	pregoing and hereto attached Fie	eld Notes and Return of the Survey of the
Mining Claim of		
	MRS. E. M. CARRO	NU
,		, known as the
	MAMMOTH LODE,	
situate in	WALLA PAI	mining district,
MOHA VE	County,	ARIZONA,
in Section15	, Township No. 21 II.,	, Range No. 17 W.,
J&SRB&II, design	nated as Survey No3391	
executed by Leon	H. Foster	, United States Mineral
Surveyor, May 15,	- June 8,	, 191.7., under my instructions dated
May_l,	, 191 7 , have been c	critically examined and the necessary cor-
rections and explanations m	ade, and the said Field Notes a	and Return, and the Survey they describe,
are hereby approved. A tru	ae copy of the copy of the locati	ion certificate filed by the applicant for
survey is included in the fiel	ld notes.	
•	A.	and P. Strott
	——————————————————————————————————————	

U. S. Surveyor-General for Arizona.

6-3824