JUNE - 191,

MINERAL SURVEY No. 3392 A VB

LOT No.

<u>Arizona</u> Land District.			
FIELD NOTES			
OF THE SURVEY OF THE MINING CLAIM OF			
Arigona National Animie Company			
KNOWN AS THE			
Aryona lode and Good year Milf-Site			
Lig Bry Mining District,			
Garapai County, Assyr			
Section 20-21, Township 13 X, Range / E			
Surveyed under instructions dated Analy 5, 19/7			
by William H.Werritt U. S. Mineral Surveyor.			
Claim located In Secretion Tratices, 19			
Survey commenced Anay 29, 19/7			
Survey completed May 30, 19/7			
Address of claimant's attorney, J.E.Russel,			
Prescott, Arizone. DATES OF AMENDED LOCATIONS.			

· 5 9 49 150

```
Survey No. 3392 Arizona lode.
```

Beginning at Cor. No. 1 Identical with the loc.

A Schist stone 4X8X24 ins. set 12 ins. in the ground with mound of stones chiseled X-1-A-3392-A, whence: -Cor. to secs.

20,21,28,29 T.13 N.R.1.E. brs. S 16:22 E 1110.2 ft. n the

diw butto -: No bearings available Loc. cor mound of stones 3X3 ft. Prince load prs. N 77935'E

It. which bra. N 39980 Feet 300 600

Thence N 46914 W Va. 149 E S.C.E. Identical with the loc. a mound of stones 3X3 ft.
To Cor.No.2. Identical with the loc. a schist stone 8X8X24 ins. set 12 ins. in the ground with mound of stones chiseled. X-2-A-3392-A ?. V Gross wash It if the course

Se store existante. set 12 ins.in the grand with 1078.65 Intersect sec. line between secs. 20-21 T.13 N.R.1 E.at North 380.8 ft.to 1/4 sec.cor and South 2259.2 ft to sec.cor. Cross road course S 85:We N859Heas M soment 1390 To Cor. No. 3. Identical with the local from the 1500

A Granite stone loxlox24 ins.set 12 ins.in the ground with mound of stones oniseled X-3-A-3392-A. Whence Cor. No. 5 Silverbelt lode brs.

N 58230 E 119. ft. No bearings available. Loc. cor mound of stones 3X3 ft. lides one agillide vo. Beninib haverivene

TRI.R.U 25 300

600

JT OAKBE J

and too more arged forde ?

detil a su

Thence S 46214'E Va.14. E An white Cross road course S 589W & N 589E

N.C.E. Identical with the loc a mound of stones 3X3 ft. To Cor. No. 4 Identical with the loc. a
A Schist stone loxlox24 ins. set 12 ins. in the ground with mound of stones chiseled X-4-A-3392-A No bearing analyli Leve, en money of Slows 3x3 fres

streme vorgmi one rodef ent to outev and tent valities I

950 Cross water tank 24 ft.diam. not less than flyen

1047.75 Intersect sec. line between secs. 20-21 T.13 N.R.1 E.at south 1391.8 to sec. cor. and North 1248.2 ft. to 1/4 sec. cor.

As near as can be determined from present developments the vein on this lode extends as follows N 43:46 F 1500 ft.

from the S.C.E. to the N.C.E. H ants shell to X 70 ft. comme of 10 Survey No. 3392 B-Good Year Mill-Site

Beginning at Cor. No. 1. Low Line A granite stone 5xlex24 ins.set 12 ins.in the ground with A granite stone 5xlox24 ins.set 12 ins.in the ground with mound of stones chiseled X-1-G-Y-M-S-3392-B Whence Cor.to secs.20,21,28,29 T.13 N.R.1.E.brs.S 68:29 W 841.8 ft.Cor.No.l Arizona lode brs.N 55:23 W 1331.6 ft.No bearings available. Loc.cor.mound of stones 3x3 ft.which brs.S 3:52 W 60 ft. sit of add dent S. a strait ask and the stones are stones at the stone of the stone of

the sem that pumps the water to the mill.

T SO Et.

Thence N 3952'E Va. 149E Feet. Cross wash 15 ft. wide course N 65°E WYDE 150 To Cor. No. 2 Identical with the loc. 466.5 A schist stone 8x18x26 ins.set 13 ins.in the ground with mound of stones chiseled X-G-Y-M-S-1-3392-B. No bearings available. Loc. cor mound of stones 3X3 ft. 108 HILV DONG Thence S 86:08'E Va.14.EU Sonots to battom Cross 2 in.pipe-line course N 53°W 466.5 To Cor. No. 3. Identical with the I.T es, 88, 19,08 A schist st one 4X4X24 ins.set 12 ins.in the ground with mound of stones ohiseled .X-3-G-Y-M-S-3392-B Whence:cor.No.2 sur.No.1714 Copper Princeslode brs.N 77:33'E 87.5 ft. Loc. cor. mound of stones 3X3 ft. which brs. N 39930'E 151 ft. No bearings available. S.C.H. Identical with theles, a mound of stones 3A5 ft.
To Cor. No. S. Identical with the 100. a schiat stone 8X8X24 002 . Delegatio sanote to burnence Sizent worva, 149HL SI Jes . ant Cross wash 15 ft.wide course S 7408-8988-A-8-X 160 466.5 A granite stone 6x14x24 ins. set 12 ins. in the ground with mound of stones chiseled x-4-G-Y-M-S-3392-B. No bearings · available. Loc.cor.mound of stones 3X3 ft. t to sec. Cor North 380.8 ft.to Thence N 86208'W Va.149E Barrios From 92090 0681 466.5 to Cor. No. 1 the place of beginning. I.E. OM. TOO OT A Granite stone leviewed last bards to anima with Arizona lode is bounded on the North by U.S. Land on the East by Smuggler lode unsurveyed, claimed by Andrews & Birch on the Southbry Bost Eshdlonther Westery diodkoutaloge, senote Thatrappedpolaimed by Phillips and Rabil: GOOD YEAR Mill-site is bounded on all sides by U.S.Land gus baum asont Location This claim is located in secs. 20&21 T.13 N.R.1. Big Bug Mining District Yavanai Co. Arizona. EXPENDITURE OF FIVE HUNDRED DOLLARS, 10 BALLON I certify that the value of the labor and improvements made upon this claim by the claimant or its granters, is not less than fivehundred dollars and said improvements consist of: No.1 dis. shaft which is on the lode line 620 ft. from the 1/4 sed cor S.C.E. 4X6X 225 ft.at loo ft. there is a drift 4X6X150 ft. S 44°W and a drift 4X6Xloo ft. N 44°E, and at 165 ft. there is a drift 4X6 X 550 ft. S 44. W and a drift 4X6X 150 ft. N 44. E value...... \$14,050.00 Other improvements all of which bears from cor. No. 4 N.E. Cor. of Boarding house brs. S 78:15'W 795.ft 18X40 ft. course of long side N 27:E... value \$200.00 S.E. Cor. Bunk house brs. S 78:15'W 880 ft. 12X18 ft.course . Jaco Ft. of long side N 20°D value \$100.00 North cor. of Mill brs. S 64°30'W 20 X 70 ft. course of long course of long side N 449H value \$100. states ballogs Good Year Mill-site from Cor, No. 3 S 65.W 195 ft. shaft

4X6X10 ft. value \$100.

From cor. No. 3 S 362W 133 ft. to North end of concrete dam-

course South, 35 ft long X lo ft high value 500 from a

the dam that pumps the water to the mill.

pump at this dam there is a 2 inch pipe to the tank on the E side line of the Arizona lode and a pipe from the tank to the mill about 1850 ft.long. There is a pump at

This survey was made with a Gurley Solar Transit, The courses were deflected from the meridian as determined by direct solar observations. The distances were measured w with loo-ft. and 500-ft. steal tapes.

Report.
The lode line was run direct upon the ground and the corners were established by means of offsets from the lede line.
The tie lines were run upon the ground.
Cor.to secs.20,21,28,29 is a stone in mound of stones.
After tracing the line between secs.20&21 and diligent search I did not find the 1/4 cor.nor cor to secs.16,17,
20&21 s.I calculated the intersections with thes sec.line from the official field notes.
Cor.No.5 Silver Belt lode is a Granite stone 4X8X14 ins.in a mound of stones chiseled S.B.No.5.
Cor.No.2 sur.No.1714 Copper Prin cesslode is a schist stone 2X10X10 ins.in mound of stones chiseled C-P-2-1714

William H Musself U.S. Mineral Surveyor

5

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employ	ed by WAMESULT
	in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of	f the survey of the mining claim of.
Anyona Valional	Muny Company
known as the Arryma luck X	- Grand year will-Site
and showing the respective capacities in which the	
	, Chainman.
	R So frankt, Chainman.
	, Arman.
	, Flagman.
ELMAT CATAL	S OF ASSISTANTS.
Who R So Grand	
The state of the s	, do solemnly swear that we assisted William
Thurson, United States De	puty Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	ma National General compar
1 0 8	10 11 1-00-81-
known as the Anyona Rose and	
	been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all re-	spects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary	monuments established according to law and the instructions
furnished by the United States Surveyor-General f	or Angua. P. L. Merrit, Chainman.
	R. L. Mesself, Chainman.
	, Chainman.
	, Axman.
	, Flagman.
Subscribed and sworn to	by the above-named persons before me this.
day of	19 / 7
	Fred Son
	Moteur turke

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

	, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance	of instructions received from the United
States Surveyor General for Aprilana	, dated
may 5 - 1917, , I hav	e, in strict conformity to the laws of the
United States, the official regulations and instr	uctions thereunder, and the instructions
of said Surveyor General, faithfully and corre	ctly executed the survey of the Mining
Claim of Aryona National M	my Company
	, known as the
Arigina lode & Gundlepar	Mill-Site
Claim of Aryrna Natural III. Aryrna lode & Goodhysas situate in Rig Bry Coun Coun Coun	Mining District,
Manapar Coun	ty, Anjora, in Section
2012/ , Township No. 13 N, Range	No. / E
and designated as Survey No. 3392 A 33	
in the foregoing field notes, which accurately sl	
as distinctly marked by monuments on the gro	
of the location certificate, which was received	
said instructions, and that all the corners of sai	
petuated in strict accordance with the law, offi	
under; and I do further solemnly swear that	
field notes of said survey and my report the	
improvements made upon said mining claim by	1 1
are as arcream rang stated, and that the chara	cter, extent, location and itemized value
	cter, extent, location and itemized value and full detail, and that no portion of
thereof are specified therein with particularity	and full detail, and that no portion of
thereof are specified therein with particularity said labor or improvements so credited to this	and full detail, and that no portion of claim has been included in the estimate
thereof are specified therein with particularity	and full detail, and that no portion of claim has been included in the estimate
thereof are specified therein with particularity said labor or improvements so credited to this	and full detail, and that no portion of claim has been included in the estimate
thereof are specified therein with particularity said labor or improvements so credited to this of expenditures upon any other claim.	and full detail, and that no portion of claim has been included in the estimate
thereof are specified therein with particularity said labor or improvements so credited to this of expenditures upon any other claim.	and full detail, and that no portion of claim has been included in the estimate
thereof are specified therein with particularity said labor or improvements so credited to this of expenditures upon any other claim.	and full detail, and that no portion of claim has been included in the estimate
thereof are specified therein with particularity said labor or improvements so credited to this of expenditures upon any other claim.	and full detail, and that no portion of claim has been included in the estimate Williams H Ones Mineral Surveyor.
said labor or improvements so credited to this of expenditures upon any other claim. Subscribed and sworn to by the said.	and full detail, and that no portion of claim has been included in the estimate William H Annut I'.S. Deputy Mineral Surveyor.
thereof are specified therein with particularity said labor or improvements so credited to this of expenditures upon any other claim.	and full detail, and that no portion of claim has been included in the estimate William H Munit I'.S. Deputy Mineral Surveyor.
said labor or improvements so credited to this of expenditures upon any other claim. Subscribed and sworn to by the said.	and full detail, and that no portion of claim has been included in the estimate William H Annut I'.S. Deputy Mineral Surveyor.
said labor or improvements so credited to this of expenditures upon any other claim. Subscribed and sworn to by the said. U. S. Deputy Mineral Surveyor, before	and full detail, and that no portion of claim has been included in the estimate William H Munit I'.S. Deputy Mineral Surveyor.
said labor or improvements so credited to this of expenditures upon any other claim. Subscribed and sworn to by the said. U. S. Deputy Mineral Surveyor, before	and full detail, and that no portion of claim has been included in the estimate William H Munit I'.S. Deputy Mineral Surveyor.
said labor or improvements so credited to this of expenditures upon any other claim. Subscribed and sworn to by the said. U. S. Deputy Mineral Surveyor, before	and full detail, and that no portion of claim has been included in the estimate William H Munit I'.S. Deputy Mineral Surveyor.

NOTICE of LOCATION.

5-1911

Know all Men by these Presents:

That the the undersigned, have this day Located Fifteen Hundred (1,500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is Located.

This claim commences at this Monument and Notice placed upon the ledge, and runs Fifteen Hundred (1,500) feet in a Northerly direction along the ledge.

The Exterior boundaries are as follows, viz:

Commencing at this Monument and Motice, and running Three Hundred (300) feet in an easterly direction to monument at S.E. corner of claim; thence in a northerly direction parallel with the ledge Fifteen Hundred (1,500) feet to monument at N.E. corner of claim; thence in a westerly direction at right angles across the ledge Six Hundred (600) feet to monument at N.W. corner of claim; thence parallel with the lode in a southerly direction Fifteen Hundred (1,500) feet to monument at S.W. corner of claim; thence at right angles across the ledge in an easterly direction Three Hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated South of the Silver Belt Mine and Joines on the South end of Silver Belt Mine, in

BIG BUG Mining District, Yavapai County,

ARIZONA TERRITORY,

and shall be known as the ARIZONA Mining Claim.

DATED ON THE GROUND, this 1st day of August 1898

F. R. Little

H. Minuse.

Recorded at request of F. R. Little, Oct. 1st A.D. 1898, at 3:00 o'clock P.M., in Book 46 of Mines, Page 12 Records of Yavapai County, Arizona. W. I. Johnson County Recorder. (SEAL)

By J. H. Forbes Deputy.

Location Notice

OF

	GOOD	YEAR.
The	はししか	The Table

Mill-Site Claim and Water Kight

the undersigned, ecting suitable works for reducing the ores of Mining
Mining
Mining
~
State of Arizona. The exterior boundaries
-Site Claim are as follows, viz.:
rner of claim, and running thence in a westerly rner of claim, thence in a southerly direction laim, thence in an easterly direction, 466½ feet to a monument.
as being situated on Galena Gulch
umbolt, and about one mile
ast of the Kinsman goat Ranch
ne Mill-Site claim
inches miner's measure of the water
under and in accordance with the laws of the
on of water rights
ter from its natural course at the head, being as
o, one and $\frac{1}{2}$ foot wide at
a uniform grade of 4½ inches
of June , 191.5
F. M. Anderson.

STATE OF ARIZONA)

COUNTY OF YAVAPAI)

I, EDITH RUFFNER, County Recorder in and for the aforesaid County of Yavapai and State of Arizona, and Custodian of the Records of such Office; DO HEREBY CERTIFY that I have compared the foregoing Copies with, and that the same are full, true and correct Copies of the Original Mining Location of the ARIZONA, Mining Claim, as the same appears of record in Book 46 of Mines, at Page 12, and the Original Location Notice of the GOOD YEAR Mill-Site and Water Right Claim as the same appears of record in Book 4 of Mill-Sites and Water Rights, at Page 304, of the records of my said office.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 24th day of April, 1917.

OUNTY RECORDER

YAVAPAI COUNTY ARIZONA

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,		
September 22 , 1917.		
I, U. S. Surveyor-General for District of Arizona		
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey		
of the mining claim ofARI ZONA NATIONAL MINING COMPANY		
known as the ARIZONA LODE AND GOOD YEAR MILL SITE		
situate in BIG BUG		
Mining District, YAVAPAI County, ARIZONA.		
in Section \$ 20 & 21., Township No. 13 N., Range No. 1 E., and		
designated as Survey No. 3392 A&B , has been correctly copied from the originals on file in		
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if		
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein		
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.		
And I further certify that five hundred dollars' worth of labor has been expended or improve-		
ments made upon said mining claim by claimant. or 118 grantors, and that said improvements		
consist of 1 shaft and 4 drifts, total value \$14,050.		
and that no portion of said labor or improvements has been included in the estimate of expenditures		
upon any other claim.		
I further certify that the plat thereof, filed in the U.S. Land Office at		
Ari zona, is correct and in conformity with the foregoing Field Notes.		
Frank P. Trott,		
Industrial Comment of Arizona		

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Ari	zona,
		September 22 , 1917
I, U. S. Surveyor-Genera	l for District of Arizon	na
do hereby certify that the for	regoing and hereto attached Field No	tes and Return of the Survey of the
Mining Claim of	·	
ARI	ZONA NATIONAL MINING CO	OMPANY
		, known as the
ARIZO	DNA LODE AND GOOD YEAR I	WILL SITE
situate in	BIG BUG	mining district,
YAVAPAI	County,	ARIZONA
in Section S 20 & 21,	Township No. 13 N.,	, Range No. 1 E.
, designa	ated as Survey No. 3392	A & B
executed by	William H. Merrit	t, United States Mineral
Surveyor,	May 29-30,	19.17, under my instructions dated
May 5,	, 19 17, have been critical	lly examined and the necessary cor-
rections and explanations ma	ade, and the said Field Notes and Re	eturn, and the Survey they describe,
are hereby approved. A true	e copy of the copy of the location ce	ertificate filed by the applicant for
survey is included in the field	l notes.	
	Francy	a. d.

U. S. Surveyor-General for Arizona.