

4-683

MINERAL SURVEY No. 3393

LOT No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Tejon Mining Co.

KNOWN AS THE

Marin lode

Turquoise Mining District,
Cochise County, Arizona

Section 6, Township 20 S, Range 25 E,

Surveyed under instructions dated May 8, 1917

by John A. Rockefeller
U. S. Mineral Surveyor.

Claim located See location notice, 1917

Survey commenced May 10, 1917

Survey completed June 2, 1917

Address of claimant Gleason Ariz
L. D. Shiers, Supt.

DATES OF AMENDED LOCATIONS.

Marin Lode.

Beginning at Corner No. 1 the N.E. Corner of location a monument of stone. Set an iron pipe 2 ins. diam., 3 ft. long, 8 ins. in ground to hard pan, in a base of concrete the pipe chiseled 1-3393 M and base graven N.E.C.-M.

Whence: The Closing Corner on the North boundary of sections 5-6 Tp 30 S. R 25 E. G. & S.R.M. bears N. 20° 30' E. 659.1 ft. U.S. M.M.No. 1 Turquoise District bears N. 10° 16' W. 7632 ft.

Cor. No. 4 Tom Thumb lode Sur. No. 2635 bears N. 19° 42' W. 810.6 ft.

The S.E. Cor of Ryan lode unsurveyed bears S. 64° 47' W. 87.6 ft.

Thence S. 19° 42' E. Va. 13° 15' E.

301.7 East Center End a monument of stone, identical with location.

382 Center of road bears N. Westerly and S. Easterly

603.4 To Cor No. 2 a monument of stone identical with location Set an iron pipe 2 ins. diam., 3 ft. long, 7 ins. in the ground to hard pan in a base of concrete, the pipe chiseled 2-3393 M., the base graven S.E.C.-M.

Whence: X.B.R. (not space for more) chiseled on a granite rock exposing 12 x 7 x 4 ins. bears S. 18° 02' W. 54.0 ft. Cor. No. 3 Tom Thumb lode Sur. No. 2635 bears S. 19° 42' E. 86.0 ft.

No other nearby bearings available.

Thence S. 63° 15' W. Va. 13° 15' E.

375.0 Summit ridge brs. S. Easterly and N. Westerly

845 Center of wash 15 ft. wide course S. Easterly

1500 To Cor. No. 3 a monument of stone, identical with location Set an iron pipe 2 ins. diam., 3 ft. long, 9 ins. in the ground to hard pan in a base of concrete, ^{pipe} chiseled 3-3393 M. the base graven S.W.C.-M.

Whence: X.B.R. 3-3393 chiseled on a porphyry rock 10 x 8 x 8 ins. bears N. 49° 58' E. 11.7 ft.

No other nearby bearings available.

- Thence N. 19°42'W. Va. 13°15' E.
- 301.7 West Center End, a monument of stone, identical with location.
 - 303 Enter sandwash course N.N.Westerly
 - 525 Leave sandwash
 - 603.4 To Cor. No.4, a monument of stone identical with location
Set an iron pipe 2 ins. diam., 3 ft. long, 8 ins. in the ground to hard pan in a base of concrete, the pipe chiseled 4-3393 M. the base graven N.W.C.-M.
Whence: X.B.R. 4-3393 chiseled on granite stone 20 x 7 x6 ins. bears N.78°09' E. 115.3 ft.
other No/nearby bearings available
- Thence N. 63°15'E. Va.13°15'E.
- 192.0 Point whence: N.26°45' W. 1.5 ft. stone monument.
 - 196 Point whence: N.26°45' W. 2 ft. stone monument.
 - 602 Center of wash 12 ft. wide bears S. Easterly
 - 74 6 Center of road bears N.Westerly and S. Easterly
 - 1131 Summit of ridge bears N.Westerly and S. Easterly
 - 1472.3 Stone monument. S.Center End Homestead lode unsurveyed.
 - 1500 To Cor. No.1 the place of beginning.

AREA. 20.621 Acres.

Location.

This claim is located in Turquoise Mining District, Cochise County Arizona, in section 6 Tp, 20 S. R. 25 E.
The presumed course of the ^{Vein.} lode is N.63°15' E. 1500 ft. from W. Center End to E. Center End.

Adjoining claims.

On the North: ~~Ryan lode unsurveyed, John Gleeson claimant.~~ Homestead lode unsurveyed, M.H.O'Connor claimant.
On the East: Tom Thumb lode Survey No. 2635, Chas.M. Renaud claimant.
On the South: Ridgeway lode unsurveyed, claimant unknown.

Expenditure of five hundred dollars.

I certify that the value of the labor and improvements made upon this claim by the claimant or its grantors is not less than five hundred dollars and that said improvements consist of:

From E. Center End.		
No. 1)	Discovery shaft the center of Southerly side of which bears S. 63°15' W. 133 ft. Shaft 6 x 4 ft. 21 ft. deep. Value at \$10. per foot	\$210.
No. 2)	A shaft the center of which bears S. 55°30' W. 133 ft. Shaft 6 x 4 ft. 11 ft. deep. Value	100.
No. 3)	A shaft the center of which bears N. 88°05' W. 184 ft. Shaft 6 x 4 ft. caved now 7 ft. deep. Value	30.
No. 4)	A shaft the center of which bears N. 84°15' W. 167 ft. Shaft 6 x 4 ft. 11 ft. deep. Value	100.
No. 5)	An incline shaft the center of which bears N. 75°30' W. 129 ft. Shaft caved and dangerous to measure: approximately 6 x 4 ft. 20 ft deep. Value at \$10. per foot	200.
No. 6)	An open out or stope, the S.E. Corner of which bears N. 66°35' W. 153 ft. Course W.S.W. 19 ft. 4 ft. wide 9 to 10 ft. deep. Value	200
No. 7)	A shaft the center of which bears N. 4°42' E. 335 ft. Shaft 5 x 4 ft. caved now 8 ft. deep. Value	60.

Instrument.

This survey was made with a Young & Sons Mountain transit (No. 6855) provided with a Smith Solar attachment. The courses were deflected from true Meridian as determined by direct solar observations. The distances were measured with 500 ft. and 50 ft. steel tapes.

Report.

U.S. Mineral Monument No. I is a post 8 ft. above ground in a conical mound of stone, scribed U.S.M.M. NO. I

The closing corner between sections 5-6 on N. boundary

Tp. 20 S. R. 25 E is a limestone set in the ground exposing 7 x 6 x 6 ins. chiseled C.C. on the South and five notches on East and one notch on West edges.

Cor. No. 4 Tom Thumb lode is a monument of stone the post having rotted away.

Cor. No. 3 Tom Thumb lode is a post 4 ins. square 2 1/2 ft. above ground in a monument of stone, scribed S.W.C.-T.T. 3-2635.

Tombstone Arizona.

June 23, 1917.

U.S. Mineral Surveyor.

Instrument.

This survey was made with a Young & Sons Mountain transit (No. 3333) provided with a Smith Solar attachment. The courses were delineated from true meridian as determined by direct solar observations. The distances were measured with 500 ft. steel tapes.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockfellow
United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of _____

known as the Tejon Mining Company
Marine Lode

and showing the respective capacities in which they acted.

M. H. O'Connor, Chainman.

A. G. Waite, Chainman.

_____, Arman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~ M. H. O'Connor
and A. G. Waite, do solemnly swear that we assisted John A. Rockfellow, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of Tejon Mining Co.

known as the Marine Lode

represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments established according to law and the instructions
furnished by the United States Surveyor-General for Arizona

M. H. O'Connor, Chainman.

A. G. Waite, Chainman.

_____, Arman.

_____, Flagman.

Subscribed and sworn to by the above-named persons before me this 22nd

day of June, 1917.

M. C. Phiers

Notary Public.

My commission expires Jan 29th 1921.

FINAL OATH OF U. S. ~~DEPUTY~~ MINERAL SURVEYOR

I, John A. Rockefeller, U. S. ~~Deputy~~ Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated May 8 1917, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Tejon Mining Company, known as the Marin Lode, situate in Turquoise Mining District, Cochise County, Arizona, in Section 6, Township No. 20 S, Range No. 25 E, and designated as Survey No. 3393, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockefeller
U. S. ~~Deputy~~ Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller
U. S. ~~Deputy~~ Mineral Surveyor, before me William D. Mummier
a Notary Public this 12th
day of July 1917

My commission
exp. Feb. 26. 1920

Wm. D. Mummier
Notary Public

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Marion Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Lee J. Thiers and H. H. McKittrick

Citizens of the United States
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 3^d day of January 1906

The length of this claim is 1500 feet,

and NE claim 92 feet,

in a Easterly direction and 1408

feet in a Westerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is ~~from the~~ N 63° 30' E to the

The claim is situated and located in the Turquoise Mining District, in Cochise County, in the Territory of Arizona, about From N.E. Corner in a U.S. Mineral Monument N^o 1 direction from base N 10° 12' W, distant about 7600 ft. From same corner College Peak base S 52° 21' E

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post & mound of stone

at a point in a N 63° 30' E direction 92 feet from

the discovery shaft (at which this notice is posted), being in the center of the East

end line of said claim; thence N 19° 35' W, 302 feet to a Post & mound of stone

stone, being the North east corner of said claim; thence

S 63° 30' W, 1500 feet to a Post & mound of stone, being at the

North west corner of said claim; thence S 19° 35' E, 302 feet

to a Post & mound of stone at the center of the West end of said claim;

thence same course, 302 feet to a Post & mound of stone, being at the

South West corner of said claim; thence N 63° 30' E, 1500

feet to a Post & mound of stone at the South East corner of said claim;

thence N 19° 35' W, 302 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 3^d day of January 1906

Lee J. Thiers.
H. H. McKittrick.

TERRITORY OF ARIZONA,

County of.....**COCHISE**..... } ss.

I, Frank H. Harn....., County Recorder in and for the County and

Territory aforesaid, do hereby certify that the within instrument was filed for record at.....10 o'clock, 2 M.,

on this..... day of..... **MAR 21 1906**..... 190..., and duly recorded in Book No..... 36

of..... **MINING**..... Records of..... **COCHISE**..... County, Arizona, at pages..... 3

WITNESS my hand and official seal the day and year first above written.

Frank H. Harn
County Recorder.

COMPARED

No. 1595

Notice of Location

LODE CLAIM

Marie Mining Claim

Marquis District

Cochise Co

A.T.

Dated January 3^d 1906

Filed and Recorded at request of

L. S. Myers

MAR 21 1906 A. D. 190

at 10 a M.


Book 36 Record of Mines

Pages 3
Frank H. Harn

County Recorder.

By.....
Deputy Recorder.

P. D. Gleason



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

September 27, 1917.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

TEJON MINING COMPANY

known as the MARIN LODE,

situate in TURQUOISE

Mining District, COCHISE County, ARIZONA,

in Section 6, Township No. 20 S., Range No. 25 E., and

designated as Survey No. 3393, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 1 cut, and six shafts, value \$900.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

September 27, 1917.

I, U. S. Surveyor-General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of TEJON MINING CO.,

, known as the

MARIN LODE,

situate in TURQUOISE mining district,

COCHISE County, ARIZONA,

in Section 6, Township No. 20 S., Range No. 25 E.,

designated as Survey No. 3395

executed by John A. Rockfellow, United States Mineral

Surveyor, May 10 - June 2, 1917, under my instructions dated

May 8, 1917, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

[Handwritten signature]

U. S. Surveyor-General for Arizona.