4-683

- JUL6- 1917

377

· SER25 1217

### MINERAL SURVEY No. 3396

LOT No.

Orizona Land District.

### FIELD NOTES

Claim located See location notice.

Claim located See location notice.

Claim located See location notice.

Claim located See location difference.

Survey completed June 20, 19/7

Address of claimant Milliam Claffung atty.

DATES OF AMENDED LOCATIONS.

6-82

Survey No. 3396

Alace lbde

Beginning at cor. No. 1 identical with the loc.

A limestone 4x10x26 ins. set 13 ins. in the ground with mmound of stone. Chiseled x=1A=3396. Whence cor. secs.

25 and 36 T.23 N. R. 13 W. brs. N.89°30' W. 1834.24 ft. C.C. secs. 30 and 31 T. 23 N.R.12W. brs. N88°22'W.1834.56

Feet

Thence S.55° 39'E. Va. 14° E.

300

600

S.C.E. Identical with the loc. A mound of stone 3x3 ft.
To cor. No. 2 identical with the loc.

A granite stone 6x6x24 ins. set 12 ins in the ground with mound of stone. Chiseled x-2A-3396. Whence a cedar tree 10 ins. in diam. scribed x-BT-2A-3396 brs. N.50°E. 24.6 ft. No other bearings available. Loc. cor. mound of stone 3x3 ft.

Thence N. 34° 21' E. Va. 14° E.

-600 °

Cors. 5 Yellow Girl and 1 Silver Bell lodes of survey

1500

To cor. No. 3 identical with the loc. and with cor. No. 4 of Silver Bell lode of survey No. 3011

A granite stone 6x10x13 ins. with mound of stone. Chiseled x-SB4-3011. I chiseled 3A=3396 on the side facing this lode. No bearings available. Loc. cor. mound of stone 3x3 ft.

Thence N.55° 39' W. Va. 14° E.

300

N.C.E. identical with the loc., a mound of stone 3x3 ft. and at intersection of the S. end line of Walkover lode unsurveyed at N.84°33' E. 390.51 ft. from the S.W. cor. of said Walkover lode.

600

To cor. No. 4 identical with the loc.

A granite stone 6x12x2 6 ins. set 13 ins. in the ground with mound of stone. Chiseled x-4A-3396. Whence a cedar tree 8 ins. diam. scribed x-BT-4A-3396 brs. S.17°30' W. 9.6 feet

Survey No. 3396 Alace lode continued A cedar tree 6 ins. diam. scribed x-BT-4A-3396 brs. N. 45° 22' B. 14.8 fe et.

Feet

Thence S. 34 211 W. Va. 14 . E

250

Intersect E side line of Dixie Queen lode unsurveyed, at S.W. cor. of Walkover lode unsurveyed at N. 5°27' W. 610 ft. from S.E. cor. of said Dixie Queen lode.

938.2 Intersect south end line of Dixie Queen lode unsurveyed at N. 85° W. 447.97 ft. from the S.E. cor. of said Dixie Queen lode.

1500

To cor. . No. 1 the place of beginning.

AREA.....20,661 acres.

Conflict with Walkover lode unsurveyed ..... 0.861 " Conflict with Dixie Queen lode unsurveyed .... 3.084 "

#### LOCATION , -

This claim is located in secs. 30 and 31 T. 23 N. R.12 W. unapproved. Cottonwood Mining District, Mohave Co. Arizona.

#### ADJOINING CLAIMS

This claim is bounded on the N. by the Walkover lode unsurveyed, claimed by Mr. Loper and by the Esperanza lode unsurveyed, claimed by Johnson and Delier.

On the E. by Silver Bell and Yellow Girl lodes of survey No. 3011

On the S. by U.S. land.

ON the W. by U.S. land and by the Dixie Queen lode unsurveyed, claimed by Mr. Loper.

#### LODE LINE

As near as can be determined from present developments the vein extends from the disc. point; 30 ft. N.34° 21' E. and 1470 ft. S. 34°21' W.

Survey No . 3396 Continued

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvments made upon this claim by the claimant and his grantor is not less than five hundred dollars and said improvments consist of;

No. 1 disc. shaft which is on the lode line 30 ft. from the N.C.E. 4x6x20 ft..... Value..... \$300.00

The following work all brs. from cor. 3

No. 2 cut N.77°W. 438 ft. 4x30x10 ftValue\$100.00

No. 3 shaft S.73 W. 125 ft. 4x6x10 ft.... 100.00

#### REPORT

The lode line was run direct upon the ground and the corners were established by means of offsets from the lode line. The tie lines were run direct upon the ground The cor. of secs. 25 and 36 T.23 N. R.13 W. is a sandstone lox8x9 ins. above ground with mound of stone and properly marked.

The cor. of secs. 30 a nd 31 T. 23 N. R.12 W. is an iron pipe with mound of stone and properly marked.

Cors. No. 1 of Silver Bell and No. 5 of Wellow Girl lodes, survey No. 3011 is a malpais stone 6x6x12 ins. with mound of stone, chiseled SB1-Y5-3011.

The S.W. and S.E. cors. of the Walkover lode uns. are mounds of stone 3x3 ft.

The S.E. cor. of the Dixie Queen lode is a mound of stone 2x2 ft. The N.E. and S.W. cors. are mounds of stone 3x3 ft.

#### INSTRUMENT

This survey was made with a Gurley Solar Transit.

The courses were deflected from the meridian as
determined by direct solar observations. The distances
were measured with 100 and 500 ft. steel tapes.

Survey No. 3396 continued

I administered oath to my assistant to save time and expense as there was no one to administer an oath nearer than Hackberry.

William H Munit,
U.S. Mineral Surveyor

## FINAL OATHS FOR SURVEYS.

### LIST OF NAMES.

A list of the nar	mes of the individuals emplo	oyed by WHMenntt	
		ist in running, measuring, and marking the	
boundaries described	in the foregoing field notes	of the survey of the mining claim of	
	anichael	Mc Bride - lode	
	Olar		0
known as the	caac	10de	
and showing the resp	ective capacities in which the	ney acted.	
		***************************************	, Chainman.
		JD Sofur	Chainman
			, Chainman.
			, Axman.
			, Flagman.
		IS OF ASSISTANTS.	
Wes	J. Deep	lan	
and		, do solemnly swear that I assisted W	
Car. XI			
xramm.	, United States 4	Deputy Mineral Surveyor, in marking the cor	ners and surveying
the boundaries of the	mining claim of		
	Micha	el Mc Bride	
known as the		le lode	
			1 1
represented in the for	regoing field notes as having	been surveyed by said deputy mineral surv	eyor and under his
direction; and that s	said survey has been in all r	respects, to the best of our knowledge and b	elief, faithfully and
correctly executed, an	nd the corner and boundary	y monuments established according to law a	nd the instructions
furnished by the Uni	ted States Surveyor-General	for Anyona.	* 6
Turnshou by the Offi	bed Gearles Sail Veg of General		
	-	n // //	, Chainman.
		J. Loper	, Chainman.
		0	
			, Flagman.
		to by the above-named persons before me this	
	day of Jun	, 19/7.	
	L	ourse Alle	3.17
		e 19/7. William HMer	20

9489b5m8-03

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for
States Surveyor General for
United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of
United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of
Claim of
Claim of
Situate in Mining District,  County, And, in Sections  30 and 31 Township No. 23 N , Range No. 12 N., unapproved survey,  and designated as Survey No. 3396, , as represented
Situate in Mining District,  County, And, in Sections  30 and 31 Township No. 23 N , Range No. 12 N., unapproved survey,  and designated as Survey No. 3396, , as represented
Situate in Mining District,  County, And, in Sections  30 and 31 Township No. 23 N , Range No. 12 N., unapproved survey,  and designated as Survey No. 3396, , as represented
County, And Strong in Sections and designated as Survey No. 3396.  County, And Land County, in Sections in Sections and designated as Survey No. 3396.  A represented
30 and 31 Township No. 23 N , Range No. 12 W., unapproved survey, and designated as Survey No. 3396,, as represented
· · · · · · · · · · · · · · · · · · ·
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
William Herrity
U. S. <del>Deputy</del> Mineral Surveyor.
Subscribed and sworn to by the said William Harmth,
U.S. Deputy Mineral Surveyor, before me M. W. Moore
U.S. Deputy Mineral Surveyor, before me MM Moore this 23
day of June 1917.
$(m_{m}, m_{m})$
- 11.11,//loon
M.W. Moon Nolary Public
No care mission expires Feb-28 1820

# **Notice of Mining Location**

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:
This Mining Claim, the name of which is the Alace
Mining Claim, situate on lands belonging to the United States of America, and in which
there are valuable mineral deposits, was entered upon and located for the purpose of
exploration and purchase by Michael McBride and Z. T. McAbee, Citizens of the United States.
(Locator must insert either "a citizen of the United States," or "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 21st day of November , 1910
The length of this claim is Fifteen Hundred feet,
and we claim fifty feet,
in a northerly direction and fourteen hundred ar
fifty feet in a southerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim,
together with three hundred feet in width of the surface grounds, on
each side of the center of said claim. The general course of the lode deposit and prem-
ises is from the northerly to the southerly
The claim is situated and located in the Cotton Wood Mining District,
in Mohave County in the State of Arizona, about One half mile
in a north easterly direction from Brownsville, and about one
mile from State Mountain.
The surface boundaries of the claim are marked upon the ground as follows:
Beginning at Monument direction fifty foot from
at a point in a
the discovery shaft( at which this notice is posted), being in the center of the north
end line of said claim; thence three hundred feet to a monument
, being the north east corner of said claim; thence
fifteen hundred feet to a monument , being at the
south east corner of said claim; thence three hundred feet
to a monument at the center of the south end of said claim;
thence three hundred feet to a monument being at the
south west corner of said claim; thence fifteen hundred feet
to a monument at the north west corner of said claim;
thence three hundred feet to the place of beginning.
Dated and posted on the grounds this 21st day of November , 1910.
Michael McBride.  Z. T. McAbee.
Filed and recorded at request of Jas. E. Brown , November 28th, A.D.
at page 14 o'clock A. M., in Book G.G.
J. W. Morgan,
County Recorder.
By Donata Board
Deputy Recorder.

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Pho er	nix, Arizona	<u> </u>	
		Januar	у 26	, 1918
I, U. S. Surveyor-General for	District	of Arizona		
do hereby certify that the foregoing transc	eript of the F	ield Notes, return	and approval o	of the survey
of the mining claim of	····			
	Michael M	AcBride		
known as the	ALACE 1	ODE	·	
situate in	COTTONY	vo od		
Mining District, MOHAVE		County,	ĮĄ.	RIZONA.
in Section <sup>S</sup> 30 & 31, Township No.	23 N.	, Range No	12 W., Una	pp'd., and
designated as Survey No. 3396	, has been	n correctly copied	from the origin	als on file in
this office; that said Field Notes furnish s				
incorporated into a patent, serve fully to id				
to natural objects or permanent monument	-			
And I further certify that five hundr	-			Lor improvo-
ments made upon said mining claim by cl	-		*	•
consist of 2 shafts and 2 cuts		,		-
consist of	10001	<u>ναιμο φυμο</u>		
			<b></b>	
				· · · · · · · · · · · · · · · · · · ·
			***************************************	
, ,				
and that no portion of said labor or impro	ovements has	been included in t	he estimate of	expenditures
upon any other claim.			•	
I further certify that the plat thereof,	filed in the U	J. S. Land Office at	Phoeni:	X.
Ari zona is correct a	and in confor	mity with the fore	going Field Not	es.
	150	Frank P. Tr	ott,	
United .	State <b>s</b> Surveyor	-General for	Arizo	na.

STATE 0	F	ARIZONA	1)	~~
		Mohave		SS.

	ave compared the foregoing copy . of Alace Mining Claim
-27.5	
and of the endorsement t	hereon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.  WITNESS my hand and the seal of said office this .9.th
	day ofApril, 191.7.  Recorder of Mohave County, Arizona.

#### SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Ar	izona,	
		January 26,	, 1918.
I, U. S. Surveyor-Genera	al for District of	Arizona	~~~
do hereby certify that the fo	regoing and hereto attached Fie	eld Notes and Return of the S	Survey of the
Mining Claim of			
	Michael McBride		
		, k	known as the
	ALACE LODE		
situate in	C OTT ON WOOD	mi	ning district,
MOHAVE	County,		ARIZONA.
in Section 8 30 & 31,	, Township No. 23 N.	, Range No. 12 W	.unapp'd.
, design	nated as Survey No. 3396		
executed by	William H. Merri	tt, United St	tates Mineral
Surveyor,	June 20-21,	, 1917, under my instru	ictions dated
May 8,	, 191.7., have been o	critically examined and the n	ecessary cor-
rections and explanations m	ade, and the said Field Notes a	and Return, and the Survey t	hey describe,
are hereby approved. A tru	e copy of the copy of the locati	ion certificate filed by the a	pplicant for
survey is included in the fiel	d notes.		
	A. T.	nx Doby	01/

U. S. Surveyor-General for Arizona.