4-683

WE 27. 1917

MINERAL SURVEY No. 3412

LOT No.
Arizona Land District.
FIELD NOTES
OF THE SURVEY OF THE MINING CLAIM OF
Phelps Dodge Corporation
KNOWN AS THE
Montezuma Annex lode
Copper Mountain Mining District,
Greenlee County, Arizona
Section 16 Uns., Township 4 South, Range 29 E., G.& S.R.B.& M.
Surveyed under instructions dated July 16 , 19 17.
by E.T. Morton U. S. Mineral Surveyor.
Claim located see location notice , 19
Survey commenced July 20 , 19 17.
Survey completed July 21 , 1917.
Address of claimant S.H.Morris, Box 879, Globe, Arizona.
DATES OF AMENDED LOCATIONS.

Lock

SURVEY NO.3412.

Montezuma Annex lode.

Feet. Beginning at Cor. No.1.

Identical with Cors.Nos.4 and 40 Lot No.39 Montezuma lode and Sur.No.1127 Humboldt lode, respectively, also on line 37-38 Sur.No.1127 Joy lode at S.56°29'W.747.4 ft.from Cor.No.38.

An iron rod set in cement about 12 ins.below surface.

U.S.L.M.No.1654 bears N.29°46'W.3272.1 ft.

hereafter described

Witness Cor.bears N.55°15'E.11.5 ft.

Thence N. 55°15'E., from true corner point

- 4 Center of wagon road, course Northwest to Southeast.
- 11.5 Witness Cor. for Cor. No.1.

A redwood post, in place, 4x6 ins., 4 ft. high, with a mound of stone, scribed WCMA 1-3412.

No bearings available.

- 794.6 Intersect line 24-25 Sur.No.1127 Portmore lode at N.36°
 34'E. 50.3 ft.from Cor.No.24.
- 1484.5 Witness Cor.for Cor.No.2.

A redwood post, in place, 4x6 ins., 3.5 ft. high, with a mound of stone, scribed WCMA 2-3412.

- do Fry Jos If you is not

No bearings available.

1489.8 To Cor. No. 2.

Identical with Cor. No. 3 Lot No. 39 Montezuma lode.

Not practicable to set corner on account of stone wall. W. C. heretofore described brs. S. 55°15'W. 5.3 ft.

Thence S.34°45'E.

- 8.1 Northeast end center of the location and lode.
- 16.2 To Cor. No. 3.

A redwood post, in place, 4x6 ins., 3.5 ft. high, with a mound of stone, scribed MA 3-3412.

No bearings available.

Thence S.55°15 'W.

742.7 Cors. Nos. 24 and 38 Sur. No. 1127 Portmore and Joy lodes

	The Late of the Control of the Contr
Feet.	respectively.
1480	Witness Cor. for Cor. No. 4.
	A redwood post, in place, 4x6 ins., 4 ft. high on iron rod
	set in cement, scribed WCMA 4-3412.
añal smu	No bearings available.
1487	Center of wagon road, course Northwest to Southeast.
1489.8	To Cor. No.4.
.008	Not practicable to set corner on account of wagon road. heretofore described Witness Cor, bears N.55°15'E.9.8 ft.
	Thence N.34°45*W. 100 agond
8.1	Southwest end center of the location and lode.
16.2	To Cor. No.1, the place of beginning. The survey of this claim is identical with the location thereof. The corner point in each instance is indicated by a tack or small nail. Variation at all corners 13.40 E.
bnosm	e dair, Ayid. da A. Ban axa da panin al. Juon bottor:
	LODE LINE bedians, encis to
	As near as can be determined from the present de-
*50.10	velopements, the vein of the location embraced in this
	survey extends as follows from the discovery point:
	Montezuma Annex lode, 742.3 ft. N. 55°15'E and 747.5 ft.
Distrom (a)	S.55°15'W. a and axt. confo ni. sang former a
	AREA. bearing in Acre.
The said	Total area Montezuma Annex lode 0.554
	Area in conflict with-
	Sur. No. 1127 Joy lode 0.139
LESW	
	Tract"A" hereinafter described 0.129
9.4	Sur.No.1127 Portmore lode (exclusive
	of its common conflict with Tract"A") - 0.138
	TBACTTAU
billaria	Beginning at Cor.No.24 Sur.No.1127 Portmore lode and on
	line 3-4 Montezuma Annex lode of this survey. Thence
	N,36°34'E.50.3 ft. to a point on line 24-25 Sur. No. 1127
	HE CONTROL OF SECURITY SECURI
805	Portmore lode, 3-4 Lot No.39 Montezuma lode and 1-2

Montezuma Annex lode of this survey. Thence N.55°15'E.

695.2 ft.to Cor.No.2 Montezuma Annex lode of this survey,
also Cor.No.3 Lot No.39 Montezuma lode. Thence S.54°00'W.

742.7 ft.to the place of beginning. Containing 0.129 Acre.

Lost 12 000 hr o 08 8 day bar soon orew soonstail ore

This survey is located in the Copper Mountain Mining
District, Greenlee County, Arizona, approximately in Sec.
16 Uns., T.4 S., R.29 E., G.& S.R.B.& M.

EXPENDITURE OF FIVE HUNDRED DOLLARS...

made upon the location embraced in this mining claim by
the claimant or its grantors is not less than five hundred dollars and that said improvements consist of:
No.1. The discovery tunnel the mouth of which is on the
lode line 747.5 ft. from line 4-1,4x 6 ft., running N.55°E.

Value - - - - \$200.00

No.2.An open cut, the Northeast side of the mouth bears from a point on line 1-2,794.6 ft.from Cor.No.1,S.71°47'W.

36.5 ft.; thence S.1°24'W.25 ft.; thence S.68°E.15 ft.; thence S.0°30'W.34.5 ft.; thence S.68°W.47.5 ft.; thence N.42°W.45 ft.; thence N.6°E.43 ft. to the Northwest side of said mouth. The above description gives dimensions of said cut at the base. Average depth 15 ft. Value \$2000.00

Value of part on this lode - -\$500.00

OTHER IMPROVEMENTS.

A frame house the N.E.Cor.of which bears from Cor.No. 3 N.10°E.6 ft.,19x33 ft.Course of long sides N.73°30'W.

ADJOINING LODES.

The adjoining lodes are Sur.No.1127 Portmore Joy lodes,

Sur No. 1127 on the west
Humboldt lode, the Arizona Copper Company claimant, Lot

No. 39 Montezuma lode, claimant herein, on the north

*003

. Tib rada, i sonod . verra INSTRUMENTS of mount squares and

This survey was made with a Buff and Berger light mountain mining transit. The courses were deflected from the true meridian as determined by Polaris observations.

The distances were measured with 5,50 and 500 ft. steel tapes.

gnink nistavod reagod ent ni REPORT.

U.S.L.M.No.1654 is a post 7 ins.square properly set and scribed.

Sur. No. 1127 Humboldt and Portmore lodes:

yd mis posts properly set and scribed except Cor.No.40 Humboldt
-int o lode, which is an iron rod set in cement about 12 ins.

: below the surface. It him that the strategy of the strategy o

Lot.No.39 Montezuma lode:

Cor. No.4 is identical with Cor.

moveste set .L.o.

No.40 Humboldt lode hereto fore described.Cor.No.3 has been obliterated, evidences of it were found.

The differences between these field notes and the returns on previous surveys are due to errors in the latter.
The N.E. end center monument is a mound of stone. The
S.W. end center has been obliterated by wagon road.

to ano remonio covin moitginead overs out. U.S. Mineral Surveyor.

said out at the base, iverees death is it, value 10000,000

Value of party on this lode - - 600.00

. STREMENOVEMENT REFER

A frame house the M. Der. of which beard from Cor. Mo.

.1'05° 17. I eshis and lo servol. IT EEEE, . It b. H'OL . I C.

. CHOOL SHIRLOLDA

The adjoining lodes are Sur. Mo. 1127 Fortmore, Joy Edes, bester to the best transfer Company Claim to to the best transfer Company Claim to to

Monday to Monday Lode, olaimant horsin, on the north

US 27.1977

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by	E.T.Morton
United States Mineral Surveyor, to assist in running, m	neasuring, and marking the lines, corners, and
poundaries described in the foregoing field notes of the sa	urvey of the mining claim of
Phelps Dodge Corporati	lon
known as the Montezuma Annex lode	
and showing the respective capacities in which they acted.	
	W.R. Hutchins , Chainman.
	J. L. Awalt , Chainman.
	, Axman.
	, Flagman.
FINAL OATHS OF	ASSISTANTS.
We, W.R.Hutchins	·
nd J. I. Awalt , do solemn	ly swear that we assisted
E.T.Morton , United States Mineral Su	
ne boundaries of the mining claim ofPhelps_Do	
nown as the Montezuma Annex lode	
epresented in the foregoing field notes as having been su	
rection; and that said survey has been in all respects, to t	
nd correctly executed, and the corner and boundary monume	•
ons furnished by the United States Surveyor-General for	_
ons turnished by the Officed States Surveyor-General for	
	Calchers, Chainman.
	2 Destall, Chainman.
	, Axman.
	, Flagman
Subscribed and sworn to by the above-r	named persons before me this 10 th
day of august	, 19/7
	- made Hampton
	named persons before me this 10th 1917 2016 Sampton Notany Publi 6-1048

106277077

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, E.T. Morton	, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions recei	ved from the United States
Surveyor General for Arizona	, dated
July 16,1917 , I have, in strict of	conformity to the laws of the
United States, the official regulations and instructions ther	eunder, and the instructions
of said Surveyor General, faithfully and correctly executed	the survey of the Mining
Claim of Phelps Dodge Corporation	
	, known as the
Montezuma Annex lode	·,
situate in Copper Mountain	Mining District,
Greenlee County, Arizo	
16 Uns., Township No. 4 S., Range No.29 E., G	.& S.R.B.& M.
and designated as Survey No. 3412	
in the foregoing field notes, which accurately show the bour	
as distinctly marked by monuments on the ground, and des	scribed in the attached copy
of the location certificate, which was received by me from	the Surveyor General with
said instructions, and that all the corners of said survey have	ve been established and per-
petuated in strict accordance with the law, official regulat	ions and instructions there-
under; and I do further solemnly swear that the foregoin	g are the true and original
field notes of said survey and my report therein, and the	at the labor expended and
improvements made upon said mining claim by claimant or	grantors
are as therein fully stated, and that the character, extent,	location, and itemized value
thereof are specified therein with particularity and full de-	tail, and that no portion of
said labor or improvements so credited to this claim has be	een included in the estimate
of expenditures upon any other claim.	
16 17	Too Con
	U. S. Mineral Surveyor.
Subscribed and sworn to by the saidE.T.Morton	
U. S. Mineral Surveyor, before me a notary pul	olic
	this 10th,
day of August , 19 17.	
	11 11
Mul	Hampton Votong Public
2. 2044	notony Public
6—1044	

My commission expires February 23rd,1920.

JUL 14 1917

NOTICE IS HEREBY GIVEN THAT THE UNDERSIGNED
Phelps Dodge Corporation, Morenci Branch
a corporation, the assignee ofWilliam Church
County Describer
who on the 29 day of June 1891 located the Monte zuma Annex
Formerly Graham) County, Arizona, the location notice of which claim is of record in the office of the Recorder of said
County, Arizona, the location notice of which claim is of record in the office of the Recorder of said County in Book7, Record of Mines, page127, has on this 27th,day of, 191_7_, made an amended location of said claim, by virtue of which
and of said original location, it claims as a mining claim the following described lead, lode or vein of
mineral bearing earth, rock or quartz and premises situated in theCopper_Mountain
Mining District, in the County ofGreenleeArizona, to-wit:
The name of said claim is the Montezuma AnnexMining Claim. The nameof
the locatoris Phelps Dodge Corporation, Morenci Branch
m 1 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
The length of the claim along said vein or lode is 1489.8 feet; the width of said claim is 8.1 feet on each side of the middle of said lead, lode or vein. The general course of said lode and claim
is_Southwest toNortheast The distance from the Point of Discovery to
the Southwest end center monument of said claim is 747.5feet. The distance from said
Point of Discovery to the Northeast end center monument is 742.3 feet.
This Location Notice is posted in the monument of stones erected at said Point of Discovery upon
said claim, which monument is hereinafter referred to as the Location Monument.
Said claim is bounded and described as follows, to-wit: Beginning at the monument of stones
placed at the center of the_Southwestend of the claim, which monument is_747.5feet
S 55° 15' W from said Location Monument; thence N 34° 45' W 8.1 Witness Cor.brs.N.55°15'E.11.5 ft.
S 34 • 45 E 8.1 feet, to a monument of stones, being the center of the Northeast end of the
claim; thence again S 34° 45' E feet to a Post, being
the Northeastcorner of the claim; thence _S _55° 15' E1489.8 feet to aPoint, being the Southeastcorner of the claim; thence _N _34° 45' W
To more fully identify the claim its general location is described as followss
From the Southwest Cor. of this claim U. S. L. M. No. 1654
bears: - N 29° 46' W 3272.1 Ft.
The S.W.Cor.of this claim is identical with Cor.No.40 Sur.No.1127
Humbolt Lode. - Amended and posted on the ground Phelps Dodge Corporation, Morenei Branch.
this 27th, day of MOYM Recent
June 1917 Manager.
Witness:- mor Crombia

STATE OF ARIZONA, County of				
	ages		year first above writt	ten.
	Medical assurant	1204	ontal men	unty Recorder
Amemded Cocation Antice	Montesuma Annex P. D. Corporation	Piled and recorded at request of P. No. Loop oraller	Gune 28 4. D. 1917 at 7 36 gentran Miles Pages 319-20.	By Deputy Recorder.

Manuel Laboroll, nother corres sebell wilder.

* THE DESIGNATION OF THE PARTY OF THE PARTY

Count & Louise

-: actiff

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,	
February 28	191 8
I, U. S. Surveyor-General for <u>District of Arizona</u>	
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the	survey
of the mining claim of	
Phelps Dodge Corporation	
known as the Montezuma Annex lode	
situate in Copper Mountain	
Mining District, Greenlee County, Arizona.	
in Section 16 uns., Township No. 4 S., Range No. 29 E.	
designated as Survey No. 3412 , has been correctly copied from the originals or	
this office; that said Field Notes furnish such an accurate description of said mining claim as	will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made	therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.	
And I further certify that five hundred dollars' worth of labor has been expended or in	iprove-
ments made upon said mining claim by claimant or its grantors, and that said improv	-
consist of 1 cut and 1 tunnel, total value \$700.	
· · · · · · · · · · · · · · · · · · ·	
and that no portion of said labor or improvements has been included in the estimate of expend	litures
upon any other claim.	
I further certify that the plat thereof, filed in the U.S. Land Office at	
Arizona, is correct and in conformity with the foregoing Field Notes.	
Frank P. Trott,	
mulau a Arizona	

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Ar	izona,
		February 28 , 1918.
I, U. S. Surveyor-General	for District of	Arizona
do hereby certify that the fore	going and hereto attached Field	Notes and Return of the Survey of the
Mining Claim of		
	Phelps Dodge Corp	poration
		, known as the
	Montezuma An	nex lode.
situate in	Copper Mountain	mining district,
Greenlee	County,	Arizona.
in Section 16 uns.	., Township No. 4 S.,	, Range No. 29 E.
, designat	ted as Survey No341:	2
executed by	E. T. Morton	, United States Mineral
Surveyor,	July 20-21,	, 1917., under my instructions dated
July 16,	, 191.7., have been cri	tically examined and the necessary cor-
rections and explanations mad	e, and the said Field Notes and	l Return, and the Survey they describe,
are hereby approved. A true	copy of the copy of the location	a certificate filed by the applicant for
survey is included in the field	notes.	De Front

U. S. Surveyor-General for Arizona.

6--3824