

SEP 26 1917

*Platted*

(4-683.)

Mineral Survey No. 3418

Lot No. \_\_\_\_\_

Arizona Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Copper Queen Extension Mining Company

KNOWN AS THE

No. 1 Bisbee Consolidated and No. 20 Bisbee Consolidated lodes

Warren Mining District,

Cochise County, Arizona

Sections 19, 20, 29, 30, Township 23 S, Range 24 E  
Unappd. &

Surveyed under instructions dated Sept. 18, 1917,

by Ralph L. Motz,  
*U. S. Deputy Mineral Surveyor.*

Claim located see location notices, 1

Survey commenced September 20, 1917

Survey completed September 21, 1917

o 6-100

Address of Claimant's Attorney,

James J. Flanagan,

Bisbee, Arizona.

G-54

SURVEY NO. 3418

NO. 1 BISBEE CONSOLIDATED lode

Beginning at Cor No 1, the N E Cor identical with loca-  
tion and with Cor No 2 Sur No 2094 Florence lode a pine  
post 4 ft long 4 ins sq set 18 ins in the ground in a  
mound of stones and scribed 1-3418 No 1 B C whence a  
limestone boulder 48 x 94 x 39 ins above ground chiseled  
B R x 1-3418 brs S 35° 30' W 125.9 ft and a second lime-  
stone boulder 30 x 65 x 28 ins above ground with like  
chiseling brs S 35° 30' W 73.0 ft. The Cor of Secs. 19,  
20, 29 and 30, T 23 S, R 24 E G & S R B & M brs S 45°  
20' W 413.5 ft

thence S 35° 30' W  
356.7 intersect line between Secs 20 and 29, T 23 S, R 24 E  
at N 89° 48' E 87.0 ft from the Cor of Secs 19, 20, 29  
and 30 and S 89° 48' W 2556.5 ft from the 1/4 Cor between  
Secs 20 and 29, T 23 S, R 24 E

371.3 to Cor No 1 and the S W Cor of No 20 Bisbee Consolidated lode,  
this survey, and No 21 Bisbee Consolidated, <sup>lode,</sup> unsurveyed, res-  
pectively

507.0 along line 1-4 No 20 Bisbee Consolidated lode this sur-  
vey, intersect line between Secs 29 and 30, T 23 S, R 24  
E at S 0° 09' W 122.1 ft from the Cor of Secs 19, 20, 29  
and 30 and N 0° 09' E 2519.9 ft from the 1/4 Cor between  
Secs 29 and 30, T 23 S, R 24 E

671.3 to west end center location No 20 Bisbee Consolidated  
lode this survey

971.3 to Cor No 4 and N W Cor of No 20 Bisbee Consolidated  
lode, this survey, and Nellie lode, unsurveyed, respectively

1500.0 to Cor No 2, the S E Cor, identical with location and  
with the S W, N W and N E Cors of Nellie, Boston and  
Rhode Island lodes, all unsurveyed, respectively, a pine  
post 4 ft long 4 ins sq set 18 ins. in the ground in a  
mound of stones and scribed 2-3418 No 1 B C no bearings  
available

thence N 53° 55' W  
300.0 to original location for south end center being a mound

of stones 3 ft high with 3 ft base  
 600.0 to Cor No 3, the S W Cor, identical with location and  
 with the S E Cor of No 2 Bisbee Consolidated lode, unsurveyed, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3418 No 1 B C no bearings available

thence N 35° 46' E  
 709.1 intersect line between Secs 19 and 30, T 23 S, R 24 E at  
 S 89° 51' W 647.6 ft from the Cors of Secs 19, 20, 29  
 and 30 and N 89° 51' E 1989.2 ft from the 1/4' Cor between  
 Secs 19 and 30, T 23 S, R 24 E

1500.0 to Cor No 4, the N W Cor, identical with location and with  
 the N E Cor of No 2 Bisbee Consolidated lode unsurveyed  
 and situated on line 2-3 Sur No 2094 Florence lode at  
 S 53° 55' E 906.0 ft from Cor No 3 and N 53° 55' W 593.2  
 ft from Cor No 2, a pine post 4 ft long 4 ins sq set 18 ins  
 in the ground in a mound of stones and scribed 4-3418 No  
 1 B C, whence a limestone ledge with 23 x 23 ins exposure  
 chiseled B R X 4-3418 brs N 58° 22' E 19.5 ft and a second  
 limestone ledge with 24 x 13 x 11 ins high exposure with  
 like chiseling brs N 55° 02' W 12.5 ft  
 thence S 53° 55' E

227.7 along line 3-2 Sur No 2094 Florence lode intersect line  
 between Secs 19 and 20 T 23 S, R 24 E at N 0° 09' W 506.0  
 ft from the Cor of Secs 19, 20, 29 and 30 and S 0° 09' E  
 2127.7 ft from the 1/4 Cor between Secs 19 and 20, T 23 S  
 R 24 E

293.2 to original location for the north end center being a  
 mound of stones 3 ft high with 3 ft base

593.2 to Cor. No. 1, the place of the beginning

-----  
 NO. 20 BISBEE CONSOLIDATED  
 Beginning at Cor No 1, the N W Cor, identical with loca-  
 tion and with the S W Cor No 21 Bisbee Consolidated lode,  
 unsurveyed, and situated on line 1-2 No 1 Bisbee Consol-  
 idated lode, this survey, a pine post 4 ft long 4 ins sq set

NO. 20 BISBEE CONSOLIDATED (Con't)

- 18 ins in the ground in a mound of stones and scribed 1-3418 No 20 B C no bearings available. The Cor of Secs 19, 20, 29 and 30, T 23 S, R 24 E G & S R B & M brs N 81° 34' W. 79.3 ft
- 1498.3      thence S 45° 35' E  
to Cor No 2, the N E Cor, identical with location and with the S E Cor No 21 Bisbee Consolidated lode, unsurveyed, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3418 No 20 B C no bearings available
- 300.0      thence S 35° 30' W  
to original location for the east end center being a mound of stones 3 ft high with 3 ft base
- 307.2      to S W Cor Hill lode unsurveyed
- 600.0      to Cor No 3, the S E Cor, identical with location and with the N E Cor Nellie lode, unsurveyed, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3418 No 20 B C. No bearings available
- 1123.7      thence N 45° 35' W  
intersect line between Secs 29 and 30, T 23 S, R 24 E at S 0° 09' W 761.8 ft from the Cor of Secs 19, 20, 29 and 30 and N 0° 09' E 1880.2 ft from the 1/4 Cor between Secs 29 and 30, T 23 S, R 24 E
- 1498.3      to Cor No 4, the S W Cor, identical with location and with the N W Cor Nellie Lode, unsurveyed, and situated on line 1-2 No 1 Bisbee Consolidated lode, this survey, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3418 No 20 B C. No bearings available
- 300.0      thence N 35° 30' E  
along line 2-1 No 1 Bisbee Consolidated lode, this survey, to original location for the west end center being a mound of stones 3 ft high with 3 ft base
- 464.3      intersect line between Secs 29 and 30, T 23 S, R 24 E at S 0° 09' W 122.1 ft from the Cor of Secs 19, 20, 29 and

30 and N 0° 09' E 2519.9 ft from the 1/4 Cor between  
 Secs 29 and 30 T 23 S R 24 E  
 600.0 to Cor No 1, the place of the beginning.

LEDGES.

No 1 Bisbee Consolidated:- The presumed course of the  
 vein on this claim is from the north end center S 35°  
 30' W 1500.0 ft.

No 20 Bisbee Consolidated:- The presumed course of the  
 vein on this claim is from the west end center S 45°  
 35' E 1498.3 ft.

AREAS

No 1 Bisbee Consolidated - total area - - - 20.544 Acres  
 No 20 Bisbee Consolidated - total area - - - 20.388 Acres

IMPROVEMENTS

I hereby certify that the value of the labor and improve-  
 ments made upon the claims of this survey by the claim-  
 ant or its grantors to be not less than Five Hundred  
 Dollars and that said improvements consist of:-

No. 1 Bisbee Consolidated

- No. 1 Dis. Shaft 4 x 6 x 10 ft deep brs from N<sup>orth</sup> End Center on  
 lode line 10.0 ft Value - - - - - \$ 50.00
- No. 2 Shaft 5 x 6 x 9 ft deep brs from N<sup>orth</sup> End Center S 58°  
 0' W 93.0 ft Value - - - - - 60.00
- No. 3 Open Cut 4 x 8 x 11 ft long brg S 45° E brs from  
 Cor No 1 S 38° 59' W 283.4 ft Value - - - - - 45.00
- No. 4 Open Cut 4 x 9 x 14 ft long brg S 6° E brs from  
 point on line 1-2 S 35° 30' W 900.0 ft from Cor  
 No 1 N 41° 14' W 223.9 ft Value - - - - - 40.00
- No. 5 Open cut 5 x 10 x 15 ft long brg S 11° E brs from  
 same point N 34° 50' W 197.4 ft Value - - - - - 55.00
- No. 6 Open cut 4 x 8 x 13 ft long brg S 11° E brs from  
 same point N 32° 21' W 191.9 ft Value - - - - - 35.00
- No. 7 Open cut 4 x 9 x 13 ft long brg S 15° E brs from  
 same point N 29° 33' W 190.5 ft Value - - - - - 35.00
- No. 8 Open cut 4½ x 11 x 16 ft long brg S 25° 30' E brs  
 from same point N 22° 29' W 196.7 ft Value - - 60.00

IMPROVEMENTS

No. 1 Bisbee Consolidated (Con't)

No. 9	Open cut 4 x 9 x 14 ft long brg S 33° E brs from same point N 14° 08' W 206.3 ft Value - - - - - \$ 35.00
No. 10	open cut 4 x 10 x 15 ft long brg S 40° E brs from same point N 10° 22' W 218.6 ft Value - - - - - 45.00
No. 11	Open cut 5 x 9 x 19 ft long brg S 40° E brs from same point N 7° 26' W 228.5 ft Value - - - - - 65.00
No. 12	Open Cut 5 x 9 x 18 ft long brg S 49° E brs from same point N 4° 29' W 248.3 ft Value - - - - - 60.00
No. 13	Open cut 6 x 11 x 21 ft long brg S 51° E brs from same point N 3° 24' W 274.4 ft Value - - - - - 105.00
No. 14	Open cut 11 x 10 x 9 ft long brg S 35° 30' E brs from same point N 3° 31' E 305.6 ft Value - - - - - 75.00
No. 15	Open cut 13 x 15 x 12 ft long tunnel at face 4 x 6 x 16, 3 x 4 x 7 ft long total length 23 ft, both brg S 35° E mouth of open cut brs from same point N 5° 40' E 311.9 ft Value - - - - - 270.00
No. 16	Shaft 4 x 6 x 8 ft deep brs from same point N 16° 24' E 230.1 ft Value - - - - - 25.00
No. 17	Shaft 5 x 8 x 5 ft deep brs from same point N 12° 37' E 285.8 ft Value - - - - - 25.00
No. 18	Tunnel 4 x 5½ x 12 ft long brg N 40° W mouth of which brs from same point N 8° 12' W 320.2 ft Value - - - - - 50.00

Total Value of Improvements - - - \$1135.00

No. 20 Bisbee Consolidated

No. 1	Discovery Shaft 4 x 6 x 49 ft deep brs from west end center on lode line 10.0 ft Value - - - - - \$ 300.00
No. 2	Shaft 6 x 9 x 9 ft deep brs from west end center S 82° 00' E 66.0 ft Value - - - - - 70.00
No. 3	Shaft 4 x 6 x 10 ft deep brs from west end center S 77° 23' E 103.0 ft Value - - - - - 35.00
No. 4	Shaft 4 x 6 x 9 ft deep brs from west end center S 89° 25' E 108.0 ft Value - - - - - 35.00
No. 5	Shaft 4 x 6 x 9 ft deep brs from west end center S 83° 25' E 121.0 ft Value - - - - - 35.00

No. 6	Shaft 4 x 6 x 9 ft deep brs from west end center	
	S 82° 10' E 139.0 ft Value - - - - -	\$ 35.00
No. 7	Shaft 4 x 6 x 10 ft deep brs from west end center	
	N 86° 00' E 148.0 ft Value - - - - -	35.00
No. 8	Shaft 4 x 6 x 10 ft deep brs from west end center	
	N 84° 50' E 171.0 ft Value - - - - -	35.00
No. 9	Shaft 4 x 6 x 6 ft deep brs from west end center	
	N 80° 50' E 186.0 ft Value - - - - -	20.00
No. 10	Shaft 4 x 6 x 10 ft deep brs from west end center	
	N 79° 20' E 168.0 ft Value - - - - -	45.00
No. 11	Shaft 4 x 6 x 14 ft deep brs from west end center	
	N 72° 10' E 147.0 ft Value - - - - -	<u>65.00</u>
	Total Value Improvements - - - - -	\$ 710.00 <sup>c.w.</sup>

ADJOINING CLAIMS

North Sur No 2094, Florence lode, and No 21 Bisbee Consolidated lode, unsurveyed, owned by applicant herein

East Hill lode, <sup>unsurveyed,</sup> owned by M. Corrigan

South Nellie, Boston and Rhode Island lodes, all unsurveyed, all owned by Dan F. Mc Kenzie

West No. 2 Bisbee Consolidated, <sup>lode, unsurveyed,</sup> owned by applicant herein

LOCATION

This survey is located in the Warren Mining District, Cochise County, State of Arizona in Secs 19, 20, <sup>unapproved</sup> 29<sub>A</sub> and 30 T 23 S, R 24 E

INSTRUMENT

This survey was made with a Gurley Light Mountain Transit. The courses were deflected from the true meridian as determined by a direct solar observation. The distances were measured with a 100 ft and a 300 ft steel tape. Magnetic variation 12° 30' E at all corners.

REPORT

Cor of Secs 19, 20, 29 and 30, T 23 S, R 24 E is a limestone rock 9 x 7 x 9 ins above ground chiseled 11 on south face 11111 on east face. Monument of rocks 2 ft west. 1/4 Cor between Secs 19 and 20 is an iron pipe with brass cap marked S 19 S 20 1/4, Monument 3 ft west.

1/4 Cor between Secs 20 and 29 is a limestone rock 6 x 6 x 11 ins above ground chiseled 1/4 on N face. Monument of rocks 2 ft north

1/4 Cor between Secs 29 and 30 is a limestone rock 5 x 8 x 7 ins above ground chiseled 1/4 on west face. Monument of rocks 3 ft west.

1/4 Cor between Secs 19 and 30 is a porphyry rock 7 x 9 x 9 ins above ground. Chiseled 1/4 on north face. Monument of rocks 2 ft north.

*Ralph R. Mohr*

U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

Sept. 25, 1917.



SEP. 26 1917

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Ralph L. Motz  
 United States ~~Deputy~~ Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of  
Copper Queen Extension Mining Company  
 known as the No. 1 Bisbee Consolidated, No 20 Bisbee Consolidated lodes  
 and showing the respective capacities in which they acted.

Wm. Kirkland, Chainman.  
 \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

## FINAL OATHS OF ASSISTANTS.

~~WX~~ I, Wm. Kirkland  
 \_\_\_\_\_, do solemnly swear that ~~we~~ <sup>I</sup> assisted Ralph L.  
Motz, United States ~~Deputy~~ Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of Copper Queen Extension Mining Company  
 known as the No. 1 Bisbee Consolidated, No 20 Bisbee Consolidated lodes  
 represented in the foregoing field notes as having been surveyed by said ~~deputy~~ mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of <sup>my</sup> ~~our~~ knowledge and belief, faithfully and  
 correctly executed, and the corner and boundary monuments established according to law and the instructions  
 furnished by the United States Surveyor-General for Arizona.

Wm Kirkland, Chainman.  
 \_\_\_\_\_, Chainman.  
 \_\_\_\_\_, Axman.  
 \_\_\_\_\_, Flagman.

Subscribed and sworn to by the above-named persons before me this 25th

day of September, 19017

JW Tress  
 Notary Public, in and for the County  
 of Cochise, State of Arizona.

My Commission expires Feb'y 21, 1920.

SEP. 26 1917

4-686.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Ralph L. Motz, U. S. Mineral Surveyor,  
do solemnly swear that, in pursuance of instructions received from the United States  
Surveyor General for Arizona, dated  
September 18, 1917, I have, in strict conformity to the laws of the  
United States, the official regulations and instructions thereunder, and the instructions  
of said Surveyor General, faithfully and correctly executed the survey of the Mining  
Claim of Copper Queen Extension Mining Company  
, known as the  
No. 1 Bisbee Consolidated and No. 20 Bisbee Consolidated lodes  
situate in Warren Mining District,  
Cochise County, Arizona, in Section  
<sup>Unapproved &</sup> 19, 20, 29, 30, Township No. 23 S, Range No. 24 E G & S R B & M,  
and designated as Survey No. 3418, as represented  
in the foregoing field notes, which accurately show the boundaries of said mining claim  
as distinctly marked by monuments on the ground, and described in the attached copy  
of the location certificate, which was received by me from the Surveyor General with  
said instructions, and that all the corners of said survey have been established and per-  
petuated in strict accordance with the law, official regulations and instructions there-  
under; and I do further solemnly swear that the foregoing are the true and original  
field notes of said survey and my report therein, and that the labor expended and  
improvements made upon said mining claim by claimant or its grantors  
are as therein fully stated, and that the character, extent, location, and itemized value  
thereof are specified therein with particularity and full detail, and that no portion of  
said labor or improvements so credited to this claim has been included in the estimate  
of expenditures upon any other claim.

Ralph L. Motz  
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Ralph L. Motz  
U. S. Mineral Surveyor, before me J. W. Ross, Notary Public in  
and for the County of Cochise this 25 th  
day of September, 19 17

J. W. Ross.  
Notary Public, in and for the County  
of Cochise, State of Arizona.

My commission expires Feb'y 21, 1920.

## NOTICE OF MINING LOCATION:

Lode Claim.

JUL 19 1917

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the No. 1 Bisbee Consolidated Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by

F. L. Dwight - J. A. Smith & D. F. McGarry,

all citizens of the United States, the undersigned, on the 1 day of Dec., 1902.

The length of this claim is 1500 feet, and we claim 10 feet, in a N. E. direction, and 1490 feet in a S. W. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. E. to the S. W.

The claim is situated and located in the Warren Mining District, in Cochise County, in the Territory of Arizona, Discovery about 3600 ft. in a S. E. direction from Shaft No. 1 of the Bisbee West Co. - The adjoining claims are on N. Florence - E. No. 20 & 21 Lodes & on the W. No. 2 Lode.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones, at a point in a N. E. direction 10 feet from the discovery shaft (at which this notice is posted), being in the center of the N. end line of said claim; thence N. W. 300 feet to a post, being the N. W. corner of said claim; thence S. W. 1500 feet to a post, being at the S. W. corner of said claim; thence S. E. 300 feet to a monument at the center of the S. end of said claim; thence S. E. 300 feet to a post, being at the S. E. corner of said claim; thence N. E. 1500 feet to a post at the N. E. corner of said claim; thence N. W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16th, 1901.

Dated and posted on the ground this 1 day of Dec. 1902.

F. L. Dwight  
J. A. Smith  
D. F. McGarry.

Filed and recorded at request of F. L. Dwight Feb. 24, 1903  
at 1 P. M. in Book 23 Record of Mines, page 199

Frank Hare,  
County Recorder

By R. M. Hattich,  
Deputy.

RAY B. KREBS,  
COUNTY RECORDER

H. L. HUTCHISON,  
CHIEF DEPUTY

**OFFICE OF THE COUNTY RECORDER**  
COCHISE COUNTY, ARIZONA

**Certificate**

**4509**


STATE OF ARIZONA, )  
  :SS  
County of Cochise )

I, RAY B. KREBS, County Recorder in and for the County of Cochise, State of Arizona, do hereby certify that the annexed and foregoing is a full, true and correct copy of a **Location Notice of the No. 1 Bisbee Consolidated Mining Claim -----**

as appears of record now in this office in Book **23 Record of Mines** at pages **199**

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tombstone, this **29th** day of **May**

A. D. 1917



COUNTY RECORDER

By

Deputy

## NOTICE OF MINING LOCATION

Lode Claim.

JUL 19 1917

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the No. 20 Bisbee Consolidated Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by

F. L. Dwight, J. A. Smith & D. F. McGarry,

all citizens of the United States, the undersigned, on the 18 day of Dec. 1902.

The length of this claim is 1500 feet, and we claim 10 feet, in a N. W. direction, and 1490 feet in a S. E. direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. W. to the S. E.

The claim is situated and located in the Warren Mining District, in Cochise County, in the Territory of Arizona. Discovery is about 4170 ft. in a S. E. direction from Shaft No. 1 of the Bisbee West Co. & 1500 ft. S. W. from S. W. Cor. Thordenshall Pat. claim & is bounded on the N. by No. 21 Lode & on W. by No. 1 Lode.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stones, at a point in a N. W. direction 10 feet from the discovery shaft (at which this notice is posted), being in the center of the W. end line of said claim; thence N. E. 300 feet to a post, being the N. W. corner of said claim; thence S. E. 1500 feet to a post at the N. E. corner of said claim; thence S. W. 300 feet to a monument, at the center of the E. end of said claim; thence S. W. 300 feet to a post, being at the S. E. corner of said claim; thence N. W. 1500 feet to a post, at the S. W. corner of said claim; thence N. E. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16th, 1901.

Dated and posted on the ground this 18 day of Dec. 1902.

F. L. Dwight  
J. A. Smith  
D. F. McGarry.

Filed and recorded at request of F. L. Dwight Feb. 24, 1903, at 1 P. M. in Book 23 Record of Mines, page 213.

Frank Hare,  
County Recorder,

By R. M. Hattich,  
Deputy.

RAY B. KREBS,  
COUNTY RECORDER

H. L. HUTCHISON,  
CHIEF DEPUTY

**OFFICE OF THE COUNTY RECORDER**  
COCHISE COUNTY, ARIZONA

**Certificate**

**4511**

STATE OF ARIZONA, )  
                              :SS  
County of Cochise )

I, RAY B. KREBS, County Recorder in and for the County of Cochise, State of Arizona, do hereby certify that the annexed and foregoing is a full, true and correct copy **of a Location Notice of the No. 20 Bisbee Consolidated Mining Claim-----**

as appears of record now in this office in Book **23 Record of Mines** at pages **213**.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tombstone, this **29th** day of **May** A. D. 191**7**

*Ray B. Krebs*

COUNTY RECORDER

By

Deputy

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

March 2, 1918.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

Copper Queen Extension Mining Company

known as the No. 1 Bisbee Consolidated and No. 20 Bisbee Consolidated lodes.

situate in Warren

Mining District, Cochise County, Arizona.

unapp'd & 30, in Sections 19, 20, 29, Township No. 23 S., Range No. 24 E., and

designated as Survey No. 3418, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claims by claimant or its grantors, and that said improvements consist of 15 shafts, 13 cuts and 2 tunnels, total value \$1845.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

March 2, 1918

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

Copper Queen Extension Mining Company

, known as the

No. 1 Bisbee Consolidated and No. 20 Bisbee Consolidated lodes

situate in Warren mining district,

Cochise County, Arizona.

unapp'd. & 30, in Sections 19, 20, 29, Township No. 23 S., Range No. 24 E.

, designated as Survey No. 3418

executed by Ralph L. Motz, United States Mineral

Surveyor, Sept. 20-21, 1917, under my instructions dated

Sept. 18, 1917, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

[Handwritten signature]

U. S. Surveyor-General for Arizona.



4-683

MINERAL SURVEY No. 3418

ARIZONA *Land District*

SUPPLEMENTAL  
**FIELD NOTES**

OF THE SURVEY OF THE MINING CLAIM OF

Copper Queen Extension Mining Company

KNOWN AS THE

No.1 BISBEE CONSOLIDATED and No.20 BISBEE CONSOLIDATED lodes

Warren Mining District,

Cochise County, Arizona

Sections 19, 20, 29 & 30, Township 23 S., Range 24 E.

*Surveyed under instructions dated* Sept. 18, 1917

By Ralph L. Motz  
*U. S. Mineral Surveyor.*

*Claim located* see location notices, 19

*Survey commenced* September 20, 1917

*Survey completed* September 21, 1917

*Address of claimant's Attorney*  
James J. Flanagan, Bisbee, Arizona.

DATES OF AMENDED LOCATIONS

MINERAL SURVEY No. 3418, Arizona.

SUPPLEMENTAL FIELD NOTES

Feet

On August 27, 1919, the Copper Queen Extension Mining Company, claimants, made mineral entry (Phoenix 042790) for the land in sections 19, 20, 29 and 30, T.23 S., R.24 E., G. & S.R. B. & M., Arizona, included within Mineral Survey No. 3418, embracing the No. 1 Bisbee Consolidated and the No. 20 Bisbee Consolidated, lode mining claims.

On August 1, 1925, the Commissioner of the General Land Office canceled the said mineral entry to the extent of its conflict with homestead entry Phoenix 024003 of Lloyd L. Stewart (pat'd Nov. 4, 1927) for, among other lands, lot 3 and SW $\frac{1}{4}$ NW $\frac{1}{4}$  of Sec. 29 (now designated on supplemental plat of said section approved Nov. 17, 1926, as lots 12 & 13).

In compliance with instructions received in the Commissioner's letter "N" of December 13, 1935, the following supplemental field notes have been prepared for the purpose of showing the courses and distances of the lines bounding the canceled portions of the No. 1 Bisbee Consolidated and the No. 20 Bisbee Consolidated lodes, and the acreage of each.

No. 1 BISBEE CONSOLIDATED lode.  
( in Lot 12, Sec. 29, T. 23 S., R. 24 E. )

Beginning at the corner of sections 19, 20, 29 & 30,

Thence, N. 89° 48' E.

along the subdivision line bet. secs. 20 and 29

87.0 Intersect the SE. side line (1-2) of No. 1 Bisbee Consolidated lode, this survey, at a point 350.7 feet S. 35° 30' W. from Cor. No. 1 thereof, and 2550.5 feet S. 89° 48' W. from the  $\frac{1}{4}$  sec. cor. of secs. 20 and 29.

Thence, S. 35° 30' W.

along SE. side line (1-2) of No. 1 Bisbee Consolidated lode of this survey.

14.6 Cor. No. 1 of No. 20 Bisbee Consolidated lode of this survey.

150.3 Intersect the subdivision line bet. secs. 29 and 30, at a point 122.1 feet S. 0° 09' W. from the corner of secs. 19, 20, 29 & 30, and 2519.9 feet N. 0° 09' E. from the  $\frac{1}{4}$  sec. cor. of secs. 29 and 30.

Thence, N. 0° 09' E.

along the subdivision line bet. secs. 29 and 30.

122.1 Cor. of secs. 19, 20, 29 & 30, and place of beginning.

AREA.

Acres.

Area-No. 1 Bisbee Consolidated lode  
in Secs. 19, 20 and 30. -----20.422

In Lot 12, Sec. 29 ----- 0.122

Total Area of No. 1 Bisbee Consolidated lode-----20.544

MINERAL SURVEY No. 3418, Arizona.  
 SUPPLEMENTAL FIELD NOTES.

Feet

No. 20 BISBEE CONSOLIDATED lode.  
 ( In lots 12 & 13, Sec. 29, T. 23 S., R. 24 E.)

Beginning at Cor. No. 1 of No. 20 Bisbee Consolidated lode of this survey

Thence, S. 45° 35' E.

along NE. side line (1-2) of the claim.

1498.3 Cor. No. 2

Thence, S. 35° 30' W.

along SE. end line (2-3) of the claim.

600.0 Cor. No. 3

Thence, N. 45° 35' W.

along SW. side line (3-4) of the claim.

1123.7 Intersect the subdivision line bet. secs. 29 and 30, at a point 761.8 feet S. 0° 09' W. from cor. of secs. 19, 20, 29 and 30, and 1880.2 feet N. 0° 09' E. from the  $\frac{1}{4}$  sec. cor. of secs. 29 and 30.

Thence, N. 0° 09' E.

along the subdivision line bet. secs. 29 and 30

639.7 Intersect the NW. end line (4-1) of No. 20 Bisbee Consolidated lode and SE. side line of No. 1 Bisbee Consolidated lode, both of this survey, at a point 464.3 feet N. 35° 30' E. from Cor. No. 4 of No. 20 Bisbee Consolidated lode.

Thence, N. 35° 30' E.

along NW. end line (4-1) of the claim.

135.7 Cor. No. 1, and place of beginning.

AREA.

Acres.

Area- No. 20 Bisbee Consolidated lode	
in Lots 12 & 13, Sec. 29	----- 18.416
In section 30	----- 1.972
Total area of No. 20 Bisbee Consolidated lode	--- 20.388

-----

SUPPLEMENTAL  
 CERTIFICATE OF APPROVAL OF FIELD NOTES ~~AND SURVEY~~ OF  
 MINING CLAIM

UNITED STATES  
 DEPARTMENT OF THE INTERIOR  
 GENERAL LAND OFFICE  
 PUBLIC SURVEY OFFICE

At Phoenix, Arizona

December 23, 1935

I, Office Cadastral Engineer at Phoenix, Arizona

Supplemental

do hereby certify that the foregoing and hereto attached Field Notes ~~and Return~~ of the Survey of the Mining Claim of Copper Queen Extension Mining Company, have been

prepared in compliance with instructions from the Commissioner of the General Land Office dated December 13, 1935 (Phx.042790 "N" MAS) ~~known as the~~ and that said Supplemental Field Notes of the No. 1 Bisbee Consolidated and No. 20 Bisbee Consolidated lode mining claims

situate in Warren mining district,  
Cochise County Arizona

in Sections 19, 20, 29 & 30, Township No. 23 South, Range No. 24 East  
Arizona, designated as Survey No. 3418  
 G. & S. R. B. & M.

executed by Ralph L. Motz, U. S. Mineral Surveyor, September 20 & 21, 1917, under ~~my~~ instructions dated

September 18, 1917, have been critically examined and the necessary Supplemental corrections and explanations made, and the said Field Notes ~~and Return~~, and the Survey they describe,

are hereby approved. ~~The certified copy of the location certificate filed by the applicant for survey is on file in this office and a true copy of said certified copy of said location certificate is included and made a part of the transcript of the field notes.~~

*Sherman C. Fiske*  
 Sherman C. Fiske

Acting Office Cadastral Engineer.