4-683

AUG. 11.1917

THE TAKEN OF THE TAKEN OF THE PARTY OF THE P	MI	NER	AL	SU	IRV	EY	No.	3423
--	----	-----	----	----	-----	----	-----	------

LOT No.	
ARIZONA Land District.	
FIELD NOTES	
OF THE SURVEY OF THE MINING CLAIM OF	
Charles W. Rambo	
KNOWN AS THE	
Ded a fa Tara	į
Aqua Prieta lode	
Warren Mining District,	
Cochise County, Arizona	
Section 13 Unappid., Township 23 South, Range 23 E. G & S R B & M	
Surveyed under instructions dated August 3rd., 1917.	
To Dalah T Make	
by Ralph L. Motz U. S. Mineral Surveyor.	
Claim located See location notice , 19	
Survey commenced August 6th, 1917.	
Survey completed August 6th. , 1917.	
Address of claimant's Atty. Fred Sutter, Bisbee, Arizona.	
DATES OF AMENDED LOCATIONS.	

AQUA PRIETA. lode

Beginning at Cor No 1, the S E Cor, identical with location and with the southwest corner of Wedge lode, unsurveyed, a redwood post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3423 A P, whence an oak tree 8 ins in diameter by 15 feet high, blazed and scribed BT x 1-3423 brs N 65° 15' E 7.8 ft., and a sandstone rock in place 20 x 9 x 6 ins above ground chiseled BR x 1-3423 brs 3 88° 22' W 11.7 ft., and the N W Cor of Sec. 30, T. 23 S., R. 24 E., G & S R B & M brs S 1° 32' E 6295.0 ft. thence N 86° 50' W 50 and M 370

to Cor No 4 and the northwest corner of Sur No 3153 Nob 302.5 Hill and Volcanic lodes unsurveyed, respectively,

Jiw Bas

od Inarc

.eosa

00.000

1 - 1 - 1 - 1 - 1 - 0 C

1500.0

- along line 4-3 Sur No 3153 Nob Hill lode to original 325.0 location for south end center, being a mound of stones 3 ft high with a 3 ft base,
- to Cor No 2, the S W Cor, identical with location and 650.0 with the north end center Sur No 3153 Nob Hill lode, and southeast corner of Dream lode, unsurveyed, a redwood post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3423 A P, whence a limestone ledge with 18 x 9 ins exposure chiseled BR x 2-3423 brs - admin N 43° 30' W 28.1 ft., and a second limestone ledge with 26 x 14 ins exposure and with like chiseling brs S 87° 40' E 16.6 ft., and Cor No 3 Sur No 3153 Nob Hill lode, brs N 86° 50° W 347.4 ft. Discovery over cut t

thence N 20° 45' W

to Cor No 3, the N W Cor, identical with location and with the northeast corner of Dream lode, unsurveyed, a redwood post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3423 A P, whence a co.onL granite ledge with 24 x 18 ins exposure brs N 50° 02' W 15.8 ft., and a second granite ledge with 24 x 21 x 27 ins exposure with like chiseling brs N 20° 30' E 19.9 ft. no.07 E

> mouth of which are two point on line call (. - (1.)

10.5. There are died to the Manager court, the

F1 7. RS 2 110

650.0

I-SAZS

10/01

thence S 86° 50' E

325.0 to original location for north end center, being a mound of stones 3 ft high with a 3 ft base,

SURVEY NO. SARE.

to Cor No 4, the N E Cor, identical with location and with the northwest corner Wedge lode, unsurveyed, a redwood post 4 ft long 4ins sq set 18 ins in the ground in a mound of stones and scribed 4-3423 A P, whence a granite ledge with 34 x 37 x 6 ins high exposure chiseled BR x 4-3423 brs N 71° 21' W lo.5 ft., and asecond granite ledge with 24 x ll x ll ins exposure with like chiseling hrs N 26° 03' E 18.2 ft., and the 1/4 Cor between Secs. 13, T. 23 S., R.23 E., and Sec. 18, T. 23 S., R., 24 E., G & S R B & M brs N 73° 41' E 709.4 ft.

thence S 20° 45 E

1500.0 to Cor No 1, the place of the beginning.

LEDGE.

The presumed course of the vein on this claim is from the south end center N 20° 45' W 1500.0 ft.

Lowbor a , heyermean , shoftmast to remto a needings

Total and net area Aqua Prieta lode- - - - - 20.461 A.

IMPROVEMENTS.

T certify that the value of the labor and improvements made upon this claim by the claimant or his grantors is not less than five hundred dollars and that said improvements consist of:-

- No.1. Discovery open cut 6 x 20 x 24 ft long, brg
 N 60° E, the mouth of open cut brs from
 north end center on lode line 610.0 ft. Value #300.00
- No.2. Open cut 7 x 8 x 8 ft long, brg N 35° W, the mouth of open cut brs from Cor No 2, N 17° 39' E 195.8 ft. Value \$ 75.00
- No.3. Open cut 6 x lo xl2 ft long brg east, the mouth of which brs from a point on line 2-3 N 20° 45' W 646.5 ft from Cor No 2, S 89° 05' E 253.3 ft. Value \$100.00
- No.4. Open cut 5 x 9 x lo ft long with tunnel at face 3 x 5 x 8 ft long, both brg west, the mouth of open cut brs from same point S 61° 40' E 229.3 ft. Value \$150.00
- No.5. Open cut 4 x 6 x 12 ft long brg south, the mouth of which brs from a point on line 2-3 N 20° 45' W 940.5 from Cor No 2 S 47° ol' E 228.7 ft. Value \$ 45.00

(2.)

No.6. Open cut 6 x 9 x 25 ft long, brg west, the mouth of which brs from a point on line 2-3 N 20° 45' W 1211.4 ft from Cor No 2 S 88° 30' E 200.3 ft. Value \$175.00

Total

\$845.00

ADJOINING CLAIMS .

West. Dream lode, unsurveyed, owned by C.W.Rambo.

3153 Nob Hill lode.

East. Wedge lode, unsurveyed, owned by J. Schmid and W. Schwartz. South. Volcanic lode, unsurveyed, owned by C.W.Rambo; Survey No

LOCATION.

This survey is located in Section 13, T. 23 S., R. 23 E., G & S R B & M, in the Warren Mining District, Cochise County, Arizona.

INSTRUMENT.

This survey was made with a Gurley Light Mountain transit.

The courses were deflected from the true meridian as determined by a direct solar observation. The distances were measured with a 300 foot steel tape. Magnetic variation 12° 30' East at all corners.

REPORT.

The N W Cor of Sec 30, T. 23 S., R. 24 E., is a limestone rock $5.5 \times 11 \times 5$ ins high and chiseled II on south face, and IIII on north face.

1/4 Cor. between Sec. 13, T. 23 S., R. 23 E., and Sec. 18, T. 23 S., R 24 E., is an iron pipe with brass cap marked 1/4 S 18.

Ralph L. Moh
U.S. Mineral Surveyor.

Dated at Bisbee, Arizona.

August 8th, 1917.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names	of the individuals employed by Ralph L. Motz
	Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in	the foregoing field notes of the survey of the mining claim of
***************************************	Charles W. Rambo
known as the	Aqua Prieta lode
and showing the respec	ive capacities in which they acted.
	Wm. Kirkland , Chainman.
	, Chainman.
	, Axman.
	Flagman.
	, Flagman,
	FINAL OATHS OF ASSISTANTS.
xxx I, Wm⋅ K	rkland
mm	I, do solemnly swear that we assisted
the boundaries of the n	charles W. Rambo
known as the	Aqua Prieta lode
represented in the foreg	oing field notes as having been surveyed by said deputy mineral surveyor and under his
direction; and that sai	survey has been in all respects, to the best of mark nowledge and belief, faithfully and
correctly executed, and	the corner and boundary monuments established according to law and the instructions
furnished by the United	States Surveyor-General for Arizona
	States Surveyor-General for Westernal Chainman.
	, Chainman.
	Axman.
	Flagman.
	Subscribed and sworn to by the above-named personstbefore me this 8th
	day of August, 1917. , x190x
	2111 (Proon)
	Notary Public in and for the County of Cochise, State of Arizona.

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Ralph L. Motz	, U. S. Mineral Surveyor,
	instructions received from the United States
	dated, dated
	, I have, in strict conformity to the laws of the
	d instructions thereunder, and the instructions
	correctly executed the survey of the Mining
Claim of Charles W	. Rambo
	, known as the
	Prieta lode
	ren Mining District,
•	County, Arizona , in Section
	Range No. 23 E., G & S R B & M
	3423 as represented
	tely show the boundaries of said mining claim
The state of the s	he ground, and described in the attached copy
·	eived by me from the Surveyor General with
	of said survey have been established and per-
	aw, official regulations and instructions there-
	that the foregoing are the true and original
	rt therein, and that the labor expended and
	aim by claimant or his grantors
-	character, extent, location, and itemized value
	darity and full detail, and that no portion of
*	o this claim has been included in the estimate
	this claim has been included in the estimate
or expenditures upon any other ciaim	
	Ralph L. Moh. U. S. Mineral Surveyor.
	U. S. Mineral Surveyor.
Subscribed and sworn to by the said.	Ralph L. Motz
	J.W.Ross, Notary Public
	this 8th
day ofAugust, 191'	
, 10-	SINGE
	1.UV. Vora.
	Motary Public in and for the Count of Opchise, State of Arizona.
6—1044	My commission expires Feb. 21st.,1



, C. O.	200
	1077

This Mining Claim, the name of	ERN: of which is the	ıa Prieta	
Mining Claim, situate on lands belor valuable mineral deposits, was entered	iging to the United State	es of America, and in wr	nich there are
by Charles W. Rambo			
(Locator must insert either "a citizen of the Unit	ed States," or "who has declared h	is intention to become a citizen of the	e United States.")
the undersigned, on the 20nd	day ofday	ruary	, 191. 4
The length of this claim is	1500		feet,
and claim	7 00		feet,
in a Southerly	d	lirection and 800	
feet in a 8 North	ely		direction from
the center of the discovery shaft, at	which this notice is posted	d, lengthwise of the claim,	together with
300	feet in w	idth of the surface grounds	s, on each side
of the center of said claim. The gen	eral course of the lode de	eposit and premises is from	n the
South	to the	North	
The claim is situated and locat	ed in the Warre	n Mini	ng District, in
Cochise County in	the State of Arizona, abou	t 500 feet	
in a Northely	direction from	Nob Hill and joins	
Lode mining Claim on the			
Wedge Claim on the East.			
The surface boundaries of the castone monut 3 feet high	-		
<u></u>			
at a point in a Southerly			
the discovery shaft (at which this no	tice is posted), being in t	he center of the Sout	h
end line of said claim; thence East	erly 300	feet to a Stone M	onmt.
being the South Es	est	corner of said	claim; thence
Northely 1500	feet to a	Stone Mumt	, being at the
North East			
to a Stone Munt			
thence Westerly 300			
North West			
to a Stone mumt	at the	South West corner	of said claim;
thence Easterly 300	feet to the place of begin	nning.	
All done under the progressed Statutes of the Assembly of Arizona, end of the Territory of Arizona and posted on	visions of Chapte United States, titled "An Act to zona" approved	and of an Act of a Mevise and Codif	I, of the the General by the Laws

STATE	OF	ARIZONA,
	\bigcirc \perp	11111201111,

	STATE OF ARIZONA,]
		ss.
County	of	J

I,	·,····	, County Recorder in and for
the County and State aforesaid, do		
o'clockM., on this	day of	, 19, and duly
recorded in Book No of	Records of	County
Arizona, at pages		

WITNESS my hand and official seal the day and year first above written.

County Recorder

Deputy Recorder.

Johnson

<u>е</u>

Ħ.

By

Motice of Location LODE CLAIM

Excerpts from the Mining Laws of

the State of Arizona.

Dated, 19	Filed and Recorded at Request of Chas. W. Rambo Apr. 14, 1914	at IP M., Book 52 Record of Mines	56 ea E. Mu	County recorder.
-----------	---	------------------------------------	----------------	------------------

¥ 300 300 pt.

with reference to some natural ob-ect, or permanent monument, as will identify the claim. general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed feet from one end and 1000 description of claim at a center end giving its distance and direction from center of Discovery Shaft; thence bound the claim in This diagram is to give locator careful to state locality of from the other. either direction. monument,

above the surface of the ground, or least three feet high, to-wit: One at the amended location; Provided, That amended at any time and the monuno change shall be made that will in-Fitle XLVII of the Revised Statutes 2. Such location shall be made by erecting at or contiguous to the point of discovery a conspicuous monument of stones not less than three feet in height, or an upright post, securely fixed, projecting at least four feet above the ground, in which post there shall be posted a location notice which shall be signed by the name or names of the locator tion of a mining claim, as above specified, the locator shall be allowed ninety days within which to do or To sink a discovery shaft in feet from the lowest part of the rim of the shaft at the surface, and deeper, if necessary, until there is disclos-Sec. 6. Such surface boundaries shall be marked by six substantial posts projecting at least four feet by substantial stone monuments at each corner of said claim and one at 8. Location notices may be which monument of stones or on Sec. 4. From the time of the locathe claim to a depth of at least eight cause to be done the following things: of 1901, and Amendments thereto. the center of each end-line thereof. ed in said shaft mineral in place. * * ments changed or locators.

4UL3-1917

RAY B. KREBS,

H. L. HUTCHISON,

OFFICE OF THE COUNTY RECORDER

COCHISE COUNTY, ARIZONA

Certificate

STATE OF ARIZONA,)
:SS
County of Cochise)

I, RAY B. KREBS, County Recorder in and for the County of Cochise, State of Arizona, do hereby certify that the annexed and foregoing is a full, true and correct copy of a Notice of Mining Location-Lode Claim-- Located by Charles W. Rambo, February 20th, A.D. 1914. -- a qua Frueta Claim-

as appears of record now in this office in Book 52 Record of Mines at pages 569

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tombstone, this **lst** day of

6558

August

A. D. 1917

Ray B. Krebs

COUNTY RECORDER

By N. 2.

Deputy

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoen	ix, Arizona,	
·	·	January 1	.0 , 191 8
I, U. S. Surveyor-Gene	ral for District	of Arizona	4455
do hereby certify that the fe			
of the mining claim of			
known as the			
situate in			
Mining District,			
in Section 13 unappid,.			
designated as Survey No			
this office; that said Field			
incorporated into a patent, se			
to natural objects or perman			
	nat five hundred dollars'		
ments made upon said mini			
consist of 6 cuts and			
			,
1			
and that no portion of said 1	abor or improvements has	been included in the esti	mate of expenditures
pon any other claim.			
	plat thereof, filed in the U		
Arizona,	is correct and in conform	nity with the foregoing I	Field Notes.
		Frank P. Trott,	·
	United States Surveyor-	-General forArizo	ona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,	
	Janua	ry 10 , 1918.
I, U. S. Surveyor-Ge	neral for District of Arizor	na
do hereby certify that the	e foregoing and hereto attached Field Notes and	d Return of the Survey of the
Mining Claim of		
	CHARLES W. RAMBO,	
		, known as the
	AQUA PRIETA LODE	
situate in	WARREN	mining district,
COCHISE	County,	ARIZONA.
in Section13 unapp!d	, Township No23 S.,, Re	ange No. 23 E.,
, de	signated as Survey No. 3423	
	Ralph L. Motz,	
Surveyor,	August 6, , 191 7	, under my instructions dated
August 3	, 1917, have been critically exa	mined and the necessary cor-
rections and explanations	made, and the said Field Notes and Return,	and the Survey they describe,
are hereby approved. A	true copy of the copy of the location certificat	te filed by the applicant for
survey is included in the	field notes.	
•	Altran C	Deffert.
	U. S. Surveyor-General	for Arizona.

6--3824