



United States Department of the Interior

9632 (942) M.S. # 3427

BUREAU OF LAND MANAGEMENT

ARIZONA STATE OFFICE 2400 VALLEY BANK CENTER PHOENIX, ARIZONA 85073

March 8, 1982

Memorandum

To:

Chief, Branch of Lands and Minerals Operations

Chief, Branch of Cadastral Survey

Subject: Cancellation of Mineral Survey No. 3427

This memorandum cancels the survey of the Hill, Gold Hill and Gold Wedge lode claims of Mineral Survey No. 3427.

The following notation should be made on the plat of Mineral Survey No. 3427:

"Survey of Hill, Gold Hill and Gold Wedge lode claims cancelled by Chief, Branch of Cadastral Survey, memorandum dated March 8, 1982, File 9632 (942)."

A notation of this cancellation should also be made on the Mineral Mining District Sheet. This memorandum should be made a part of the original field notes. The plat and field notes should remain in the files.

These claims have not been recorded with the BLM in accordance with Section 314 of the Federal Land Policy and Management Act of 1976, and are considered to be invalid as noted in a memorandum from the Chief, Branch of Lands and Minerals Operations, dated March 5, 1982.

James T. Kelley

Platted

DEL 7- 1917

MINERAL SURVEY No. 3427

	-	<u> </u>	
	FIELD NO	TES	
	OF THE SURVEY OF THE MIN	ING CLAIM OF	
the OATMAI	N RED LION MINING COMPA	NY	
of OATMAN	, ARIZONA		
	KNOWN AS THE	ε	
GOLD HILL.	GOLD WEDGE and HILL le	odes	
	FRANCISCO	/	District,
	County,		
Surveyed unde	er instructions dated Augus	st 28th , 1917	accepts-
	byLE	ON H. FOSTER	
		U. S. Minera	l Surveyor.
	ocated see location no		
Claim l	ocatea see Ingavion in	, 19	
	commenced September 20		
Survey		0th, 1917	
Survey Survey	commenced September 2	eth , 1917 h , 1917	
Survey Survey	commenced September 26	9th , 1917 h , 1917 RIZONA	
Survey Survey Address	commenced September 26 completed December 4th cof claimant OATMAN, A	oth , 1917 h , 1917 RIZONA	

GOLD HILL, located Jan. Ist. 1913 GOLD WEDGE, Oct. 28th.1915 Oct. 28th. 1915 May, HILL, 2Nd.1915

SECTION OF SECTION

The Training of the Control of the C

HOPS . GH. TOR . Sh GOLD HILL lode, GO 2 . OM . TOO

Beginning at .Cor. No. 1.

A pine post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set I2 ins. in the ground in a mound of earth and stone, scribed G.H. 1-3427.

Identical with the location.

The corners of Sections 13-18-24 and 19, T.19 N. Rgs. 19 and 20 W. G. and S R. B and M.bears N.71° 15'W. Thence M. Ro RW Es

Cor. No. 4 GREY EAGLE lode, Sur. No. 3199, bears S. 68° 23' 30" W. 365.49 ft.

bus vevula sind , abo Thence No. 56° 372 W. 100 of

185.50 Te Cor. 5, RISING STAR lode, Sur. No. 2610, also the N.W. end center GREY EAGLE lode, Sur. No. 3199, which is
N. 38° E. 300 ft. from Cor. No.4 said lode.
To Cor. No. 2.

1498.50

north A pine post, 5 ins. square, with a nail at the exact corner, set in a mound of earth and stone, a mr bowscibed G.H. 2-3427 on third toaks and do liam

Identical with the location and with Cor. No.I RISING STAR lode and Cor. No. 4 BENJAMIN HARRISON lode, Sur.No. 2610 and Cor. No. 4 CONE VIEW No. 2.13 lode, Sur. No. 2984.

thence \$80 34's W. nother Tay

330.50

To the westerly end center of the location.

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact point, set I2 ins. in the ground in a mound of earth and stone, scribed 3427.

The doscovery shaft bears S. 56° 372'. E. 805 ft.

354.00 To the easterly end center of CONE VIEW No. 2 lode, Sur. No. 2904. yavana atht. abol Lith dios

66I.00

T. OTTo Cor. No. 3. anothose lol tentos odt

A redwood post, 4 ins. square, 4 ft. long.with a nail at the exact corner, set I5 ins. in the ground in a mound of earth and stone, scribed, G.H. 3-3427.

> Identical with the location and with Cor. Ne.2 HILL lode, this survey. The doomber A

Cor. No. 3 CONE VIEW No. 2 lode, Sur.No. 2904 bears S. 8° 34' W. 46.30 ft.

Thence S. 56° 372' E. og enig A

1498.50 13 out Tot Cor. No. 4. . Tentes tooks out to that

heig, alstins rabove ground, chiseled G.H., 4-3427.

Identical with the location and with Cor. No. I

TASE I.

Thence N. 8° 34' E.

67.12 To the westerly end center, GOLD WEDGE lode, this survey.

271.44 To Cor. No. 2. GOLD WEDGE lode, this survey and intersecting line 3-4 GREY EAGLE lode, Sur. No. 3199 at N. 48° 21' W. 8.60 ft. and S.48° 21' E. 377.10 ft. from corners No. 3 and 4 respectively.

330.50 To the easterly end center of the location.

A redwood post, 4 ins, square, 4 ft. long, with a
nail at the exact point, set I5 ins. in the ground in a

mound of earth and stone, scribed 3427.

661.00 To Cor. No. I, the place of beginning.

Variation at all corners, 14° 30' east.

Lode, Elr. Mc. 1984.

330.50

A redwood post, ; soll LIHATE, 4 ft. long, with a

mi baugra an Beginning at Cor. No. 01. Jesus ent to from

To the westerly and center of the location.

A cross on a porphry boulder, 3 ft. wide, 4 ft. long. 18 ins. above ground, chiseled H-1-3427.

GOLD HILL lode, this survey.

.TSA T-W. H. O. Hed Toe Thence N. 56° 372 W. house a mi

1498.50 To Cor. No. 22 Moof ent dit Lasianabl

A redwood post, previously described, scribed

```
a nail at the exact corner, set IS in 7246-5mH ground
      . The I . Identical with Cor. No. 3, GOLD HILL lode, this
           survey and with the location a Lapinebl
    The corner of .Weltcone S. 89.34 .W. to renton add
          To the westerly end center of the location.
               A Pine post, 5. ins. square, 4 ft. long, with a
  .M el nail at the exact point, set I5 ins lin the ground in a
          mound of earth and stone, scibed 3427. W 09 . A
 asbol a DAR dialdentical with Cor. No. 3 CONE VIEW No. 2 lode,
  respectively. Bur. No. 3199, bear #002..ou. rus w. 279.22
               The discovery shaft bears S. 56° 372' E. 680 ft.
  173.37
               To Cor, No. 3.
  GIAG by a sing A redwood post, 4ins. square, 4 ft. long, with a
   nail at the exact corner, set IS ins. in the ground in
    mound of earth and stone, scibed H-3-3427.
  Identical with the location.
                  Thence 8. 56° 372' E. . ON . TOO OT
 1498.50 . and To Cor. No. 4, and 4 . Just boowber A
sends bas stree A redwood post, 4 ins. square, 4 ft. long, with a
          nail at the exact corner, set in a mound of earth and
  more . Tag. esIdentical with the location as , shot JUIH
 Cor. No. 1. and live 345 89 W. son on . 1 .00 . woo
  50.49 To Cor. No. 3, GOLD WEDGE lode, this survey.
  127.07
               To the easterly end center of the location.
              A redwood post, 4 ins. square. 4 ft. long, witha
        nail at the exact point, set I2 ins. ins. in the 100
 ground in a mound of earth and stone, scribed H-4-3427
 m all harmon and The discovery shaft bears in . 569 1372 W. 818.50 fT
          To Cor. No. I, the place of beginning.
  173.37
       The descoveryout bears 3. 560 45' E. 245 It.
    self lill and Variation at all corners, 140 30' E.
                                          this survey.
 To the east spole and OLD WEDGE lode, this surve
                                                    47.115
              Beginning at Cor. No. I.
                                 Ja Cor. Ma. 3.
```

A redwood post, 4 ins. square, 4 ft. long, with

at the exact corner, cet II tes , mentes Joaxs off te

754.89

SURVEY No. 3427. cont; Yavana

a nail at the exact corner, set IS ins. in the ground in a mound of earth and stone, scribed G.W.-1-3427.

Identical with the location. w bna yavrne

The corner of sections 13-18-24 and 19, T 19 N.

Rgs. 19 and 20 W. G. and S. R. B. and M. bears

11. 63-48: 15* E. 7261.3 ft.

R. 20 W. bears N. 65° 13' 30" E. 1399.3 ft.

respectively, Sur. No. 3199, bears \$..72°-04' W. 279.22

Thence N. 569 45 W. 200

156.97 . Intersect line 2-I and 4-5, GREY EAGLE and BALD

EAGLE lodes, respectively, at N. 38° H. 218.28 ft and S. 38° W. 381.72 ft. from corners 2 and 4 and corners

I and 5 respectively. Cor. No. 3 said Grey Eagle lode brs. N. 36°0iW

610.9 ft. from Gor. No. 2 there of.
To Cor. No. 2.

A redwood post, 4 ins. square 4 ft. long, with a nail at the exact point, set in a mound of earth and stone one described G.W.-2-3427.

Identical with the location and on line I-4 GOLD HILL lode, this survey, at S. 8° 34' W. 389.56 ft. from Cor. No. I, and line 3-4 GREY EAGLE lode, Sur. No. 3199. at N. 48° 21' W. 8.60 ft.&S. 48° 21' E. 377.10 ft. from Cor. No. 3 and 4, respectively.

204.32 . To the westerly end center of the location.

mound of earth and stone, soribed 3427.

The discovery cut bears S. 56° 45' E. 245 ft.

271.44 ... To Cor. No. I and 4 , HILL and GOLD HILL lodes, this survey,

317.74 To the easterly end center, HILL lode, this survey.

394.32 To Cor. No. 3. . I . off . 100 . 208

at the exact corner, set I5 ins. in the ground in a

- 8

I

SURVEY No. 3427, cont. mound of earth and stone, scribed G.W.-3-3427. feet Serok Identical with the location and date Cor. No. No. 4 HILL lode, this survey, bears 88° 34' W. 50.49 ft. Atiw toil 700 his search 840.2 Thence S. 5691459 E. abol Midam Yand To Cor. No. 4. . . . 754.89 A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set I5 ins. in the ground in a mound of earth and stone, scribed G.W.-4-3427. Identical with the location. ThenceN. 8º344 E. no ni serA To Cor. No. 3, BALD EAGLE lode, Sur. No. 3199.

Cor. No. 4 said Bald Eagle lode brs. N. 36°01' W. 356ft from Gor. No. 3 thereof.

To the easterly end center of the location. 16.19 190.00 A redwood post, 4 ins. square, 4 ft .. long, with a nail at the exact point, set I2 ins. in the ground in a mound of earth and stone, scribed 3427. The discovery cut bears N. 56° 45' W. 509.89 ft. 394.32 To Cor. No. I, the place of beginning. No bearings available at corners.

Augusta vivu Variation et all corners, 14° 30' E. 428 in Section 23, T. 19 L. R 20 W. O. and S. R. B. and M. LODE LINES. . De veragassu As near as can be determined from present devlopments, the veins in claims of this group, extend Las follows; the author out tant vitted I

sint to friGOLD HILL lode; a negu sham atmooraged

at .diojnura sin vo insmission . 156°37 to ... 1805 oft. cand 8.56° 3 78'

E. 693. 50 ft. from the discovery shaft.

HILL lode; ; shot Life GIOD

N. 56° 37½' W. 680 ft. and S. 56° 37½' E.

818.50 ft. from the discovery shaft.

and to a right GOLD WEDGE lode; was . +1 8 has .gmoi. . 11

restnes has viretese-nessee and m. N. 56° 45! W. 245 Ift cand

S. 56° 45' E. 509.89 ft. from the discovery cut.

Lup. Mo. 2.

A shaft # ft. wide, 6 it. long, and

SHIBV

\$ 5.00

. YSUZ-E-.W.D bedirbs ,AREAS has direct to babom

GOLD HILL LODE; of sat with Last theb!

acres

FIREL

35-465.

148.02 ---- Cor. No.-No. service, this survey, bear

Net area --- 18.592

A redwood post, 4 ins. squ;sbol dlik long, with

burne and mi . eni di Total Tareas - torra ent in line a 5.414

. The well-wedle wedge lode; a bas direct to brund s at

. moitagofotal area ------ 6.209

Area in conflict with; GREY EAGLE

. FO 15 lode. "Sur. No. 3199." CLAM . E . OK . 11.486

.nortsoowitht BALD EAGLE lode, Teles edt of 00.081

ddiw . 28ur .. No. 3199 asupe .ast 4 . teom boow1.477

bound Ta and Total area in conflictions and 21957 and a

VEST bed Het area to band of a 2550 V

The descentent cut bears M. 56º 45' W. 509.89 ft.

. gataalged Lecationedt . I . ou. roo of

This group of lode claims is located in the SAN FRANCISCO Mining DISTRICT, MOHAVE COUNTY, ARIZONA, in Section 23, T. 19 N. R 20 W. G. and S. R. B. and M. unapproved.

-veh themerg mort benished be dan me reen sA

bastus , quote stexpenditure of Five hundred Dollars

I certify that the value of the labor and improvements made upon and for the benefit of this group of claims, by the claimant or its grantors, is (not less than FIVE HUNDRED DOLLARS and are) as follows;

GOLD HILL lode: (bol IIII

I . 56° 37+ W. 16. ON C. Sc. Sc. T.

ft. long, and 9 ft. deep, the center of which is on the lode line 693.50 ft, from the south easterly end center.

COURSE of long side is 8.74° W.

Value \$45.00

Imp. No. 2.

A shaft 4 ft. wide, 6 ft. long, and

9

6 ft. deep, the center of which bears N. 85° 20' W. 670 ft from Cor. No. I.

Course of long side is S. 74° W.

\$20.00

. shiw . it. W. a. vrevonach and

A shaft 4 ft. wide, I2 ft. long, and 7 ft. deep, the center of which bears N. 89° W. 625 ft.

from Cor. No. I.

Ta.IHS

COURSE of long side is S. 80° W.

Value

\$50.00

Imp. No. 4.

comp RING Lode, A shaft 4 ft. wide, 6 ft. long, and

20 ft. deep, the center of which bears N. 87º 15' W.

740 ft from Cor.No. I.

Course of long side is S. 50° W.

Value

Ucurse of long side is M. .. A shaft 4 ft. wide, 6 ft long and 8 ft. dep deep, the center of which bears N. 56° W.765 ft. from Cor. No. 4.

Course of long side is S. 45° W.

Value naibireW cas Jaemer

\$25.00

This survey was nade with a Herger and Bons

The main working shaft, 4 ft. wide,

8 ft. long, and 65 ft. deep, two compartment

timbered. The N.E. corner bears N. 58° 15' W.340 ft.

from Cor. No. I.

Course of long side is S. 340 W.

TOTAL value -- \$1625 Tere run direct on the

I/3 to this claim

\$541.67

bus t sas paratrow mism car HILL lode tames vorque

in being tunk with the intentiff. on .qui stout the and

The discovery shaft, 4 ft. wide, 6 ft.

long, and 8 ft. deep, the center of which is on the lode

line, at 818.50 ft. from the south-easterly end center.

Course of long side is S. 35° W.

Value

\$25.00

820.00

900 . C.P.

00-00Is

00.034

常马及T. 高宁

SURVEY No. 3427. cont

1/3 interest in improvement No. 6 GOLD HILL .1 .0M . 100 meri #7 070 \$541.67 lode,

GOLD WEDGE lode

Imp. No. I.

The discovery cut, 4 ft. wide, 19 ft.

face and extending N. IO W I5 ft. to its mouth.

The center of the face is on the lode line, at 245 ft. from the northwesterly end center. .W 08 .B at obtu gnof to Ele

COURSE of

\$35.00

I/3 interest in improvement No.6 Harp. No. B. GOLD HILL lode,

\$541.67

OTHER IMPROVEMENTS

20 ft. deep, the ce bears M. 870 15: W. GOLD HILL lode

> An engine room, 24 ft. wide and 30 ft. long, the N.E. corner of which bears N. 58° 15' W. 280 ft. from Cor. No. I.

Course of long side is N. 56° 30' W. A dwelling, I2 ft. wide, I6 ft. long, the N.E. corner of which bears Nº 740 W. 245 ft.from Con No.1.

> Course of long side is N 56° 30° W. Course of long side is B. Hee W.

Instrument and Meridian

This survey was made with a Berger and Sons Mining transit and a 500 and I00 ft. steel tape.

> Meridian was determined by direct observation on timbered. The M.E. corner bears M. 580 15 the sun.

> > from Cor. Me. I.

Course of long aid -REPORT-

culey JATOT The side and end lines were run direct on the I/S to this claim ground.

Improvement No. 6 is the main working shaft and is being sunk with the intention of cross-cutting and drifting to the other claims of this group, therefore I divide the value equally between the three claims.

The corner of Sections 13-18-24 and 19 is a store

Course of long side is S. 350 W.

00.230

Vell's

8 ins. wide, IO ins. long, and IO ins. above ground with 3 notches on the north and south sides.

The I/4 section corner between sections 23-24 is an iron pipe set in the ground with a mound of stone clongside.

All of the corners of Sur. No. 3199, tied to in this survey, are pine posts, 5 ins. square, 2½ ft above ground, properly marked.

Cor. No. 5, RISING STAR lode, Sur. No. 2610, is a cross, chiseled on a boulder, 2 ft. wide, 4 ft. long and 3 ft. above ground.

The easterly end center of the CONE VIEW No. 2 lode, Sur.No. 2904, is an iron pipe, 4 ins. in diameter 3 ft. above ground, stamped 2904.

-ADJOINING and CONFLICTING ClaimsOn the N.W. end; CONE VIEW lode No. 2. Sur.No.2904
On the N.E. side; RISING STAR lode. Sur.No.2610
On the S.E. end; GREY EAGLE and BALD EAGLE
lodes, Sur. No. 3199.

The difference between these notes and the location notices, is due to error in the latter.

U.S. MINERAL SURVEYOR

P.O. Box No. 813, KINGMAN, ARIZONA

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the r	names of the individuals employed byLEON H. FOSTER
United States Min	neral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries describ	ped in the foregoing field notes of the survey of the mining claim of
the OA	TMAN RED LION Mining Company
	GOLD HILL, HILL and GOLD WEDGE lodes claims
and showing the re	espective capacities in which they acted.
	R. E. STARR, Chainman.
	, Chainman.
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
	$oldsymbol{XXXXXXXXXXXXXXXXXXX},$ Flagman.
	FINAL OATHS OF ASSISTANTS.
W	R. E. STARR
and xxxxxxx	xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
LEON H. FOST	TR, United States Mineral Surveyor, in marking the corners and surveying
the boundaries of t	the mining claim of
the OATMAN	RED LION Mining Company
known as the	GOLD HILL, HILL and GOLD WEDGE lodes claims
represented in the f	foregoing field notes as having been surveyed by said mineral surveyor and under his
lirection; and that	said survey has been in all respects, to the best of our knowledge and belief, faithfully
nd correctly execut	ted, and the corner and boundary monuments established according to law and the instruc-
ions furnished by tl	he United States Surveyor-General for ARIZONA
	A Chainman, Chainman.
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
	XXXXXXXXXXXXXXXXXXX., Axman.
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
	Subscribed and sworn to by the above-named persons before me this 5th
	day of Scender, 19/7
	2 M, Teale
	Clerk of the Juhenin Down
	Mohave bounty. Thate

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, LEON H. FOSTER	, U. S. Mineral Surveyor,
lo solemnly swear that, in pursuance of instru	
urveyor General for ARIZONA	, dated
August 28th. 1917 , I have	ve, in strict conformity to the laws of the
United States, the official regulations and instru	uctions thereunder, and the instructions
f said Surveyor General, faithfully and correc	tly executed the survey of the Mining
Claim of the OATMAN RED LION Min	ning Company
***************************************	, known as the
GOLD HILL, HILL and GOLD WEDG	lodes elaims ,
situate in SAN FRANCISCO	Mining District,
NOHAVE Count	ty, ARIZONA, in Section
	No. 20 W. unapproved ,
nd designated as Survey No. 3427	, as represented
n the foregoing field notes, which accurately sho	ow the boundaries of said mining claim
as distinctly marked by monuments on the grou	and, and described in the attached copy
of the location certificate, which was received by	by me from the Surveyor General with
aid instructions, and that all the corners of said	l survey have been established and per-
betuated in strict accordance with the law, off	icial regulations and instructions there-
under; and I do further solemnly swear that t	the foregoing are the true and original
ield notes of said survey and my report ther	ein, and that the labor expended and
mprovements made upon said mining claim by	claimant orits grantors
re as therein fully stated, and that the charac	ter, extent, location, and itemized value
hereof are specified therein with particularity	and full detail, and that no portion of
aid labor or improvements so credited to this	claim has been included in the estimate
f expenditures upon any other claim.	
de	on Vi Hostu
	v. S. Mineral Surveyor.
Subscribed and sworn to by the said	on to Toster
U. S. Mineral Surveyor, before me	lik of the Superin
of mohave bounty a	injurtathis 5th
day of December, 1917	
	72.
	X Millale
	lelish

Amended Location Certificate

OCT. 27. 1916

KNOW ALL MEN BY THESE PRESENTS: That
the undersigned citizen of the United States, over the age of twenty-one years, having complied with all the requirements of
the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regu-
lations of San Francisco Mining District, hereby make and file this Second amended
location of the
and possession 1498.50 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock
in place, bearing
being 680 feet along the ledge in a No. 569 371 W. direction from the dis-
covery stake and
together with
mineral deposits, mineral and surface ground within the lines of said claim.
Situate in San Francisco
Sec. 23. T.19 N., R. 20 W., G.& S.R.B.& M., and more particularly described as follows, to-wit:
Beginning at the N. W. Corner, whence Cor. No. 3.
CONE VIEW NO. 2 lode claim, Sur. No. 2904 bears
S. 8º 34' W., 46.3 feet;
Thence S. 8º 34' W., 46.30 feet to the West End Center
173.37 feet to the S. W. Corner,
S. 56° 37 1 E., 1498. 50 feet to the S. E. Corner.
N. 8º 34' E. 127.07 feet to the East End Center.
173.37 feet to the N. E. Corner,
N. 56° 37 d'W., 1498.50 feet to the paint of beginning.
This claim side lines the "GOLD HILL" lode on the South,
THIS AMENDED LOCATION is made in conformity with the original location, made
recorded
Recorder of said county, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described,
and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, sup-
plying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving
no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then
this location shall be an original location and this certificate an original certificate. Date of Original Discovery
Date of Amended Location
P. Conne
Recorded at the request of F. E. Strong , at .5 minutes past .11 o'clock .4 M., October 18th, 1916, 764-765, Records of Mohave County, Arizona.
J. W. Morgan County Recorder.
By J. T. Morgan, Deputy.

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS: That
R. Sasse & R. A. Bretherton
the undersigned citizen of the United States, over the age of twenty-one years, having complied with all the requirements of
the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regu-
lations of San Francisco Mining District, hereby make and file this first amended
location of the
and possession 1498.5 feet, linear and horizontal measurement, on this vein or lode of quartz, or other rock
in place, bearing gold
being
covery stake and
together with
mineral deposits, mineral and surface ground within the lines of said claim.
Situate in San Francisco Mining District, County of Mohave, State of Arizona, in
Sec. 23, T.19 N. R. 20 W. G.& S.R.B. M. and more particularly described as follows, to-wit:
Beginning at the most northerly corner, being
identical with Cor. No.1 "RISING STAR" lode claim, Sur.
No. 2610, and Cor. No. 4 *CONE VIEW NO. 2* lode claim,
Survey No.2904.
Thence S. 08° 34' W., 330.50 feet to the West End Center,
661.00 feet to the S. W. Corner,
S. 56° 37% E.,1498,50 feet to the S. E. Corner.
N. 08° 34° E., 330.50 feet to the East End Center,
661.00 feet to the N. E. Corner,
N. 56° 37 W., 1498. 50 feet to the point of beginning.
<u></u>
THIS AMENDED LOCATION is made in conformity with the original location, made
recorded, 1, in Book H.H, Page .614, of Quartz Locations, in the office of the
Recorder of said county, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described,
and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, sup-
plying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving
no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then
this location shall be an original location and this certificate an original certificate.
Date of Original Discovery
Date of Amended Location Qct. 17, A. D. 19 16
Attest: R. Sasse
R. A. Bretherton
Recorded at the request of .F. E. Strong
Recorded at the request of F. E. Strong , at .5. minutes past .11. o'clock .A. M., October 18th, 1916, in Book .P. P. of Mining Claims, Page 765-76 Records of Mohave County, Arizona.
J. W. Morgan
By J. T. Morgan, Deputy. County Recorder.

Amended Location Certificate

KNOW ALL MEN BY THESE PRESENTS: That				
the undersigned citizen of the United States, over the age of twenty-one years, having complied with all the requirements of				
the laws of the United States and the State of Arizona, relating to mining claims, and with the local laws, customs, rules and regu-				
lations of San Francisco Mining District, hereby make and file this second amended				
location of the				
and possession				
in place, bearing				
being 245 feet along the ledge in a N. 579 082 W direction from the dis-				
covery stake and 518.72 feet along the ledge in a S. 57.083.E. direction therefrom,				
together with				
mineral deposits, mineral and surface ground within the lines of said claim.				
Situate in				
Sec. 23, T.19 N., R.20 W. G.& S.R.B.& M., and more particularly described as follows, to-wit:				
Beginning at a point in Line 3-4 of the "GREY EAGLE" lode. Sur. No.				
3199, whence Cor. No. 3 bears S. 48º 21° E., 8.60 feet;				
Thence S. 8º 34' W., 204.32 feet to the West End Center.				
394.32 feet to the S. W. Corner,				
S. 57° 08' E. 763.72 feet to the S. R. Corner,				
N. 8º 34' E., 190.00 feet to the East End Center.				
TO A STORY OF A LANGE AND AND AND ADDRESS OF THE COMMON OF				
N. 57° 08 W. 763.72 feet to the point of beginning.				
The off ood was roos in too of out of body of obstantings				
This claim joins the East End Line of the "GOLD HILL" and "HILL"				
lodes.				
······································				

40				
0-4 00 015				
THIS AMENDED LOCATION is made in conformity with the original location, madeOct28, 1.915,				
recorded, 1, in Book, Page .381, of Quartz Locations, in the office of the				
Recorder of said county, and it is made for the purpose of appropriating all ground within the boundaries hereinbefore described,				
and of more definitely describing the situation and boundaries of said lode, correcting any irregularities, informalities or errors, sup-				
plying omissions and correcting any defects which may have existed in the original location, or the record thereof, hereby waiving				
no rights acquired under and by virtue of said original location. And if the original location or the certificate thereof is void, then				
this location shall be an original location and this certificate an original certificate.				
Date of Original Discovery				
Date of Amended Location				
Attest:				
R. A. Bretherton				
Recorded at the request of F. E. Strong at 5 minutes past 11 o'clock A. M.,				
October 18th, 1916, 766-767 in Book .P.P. of Mining Claims, Page, Records of Mohave County, Arizona.				
J. W. Morgan				
County Recorder.				

RECORDER'S CERTIFICATE.

STATE OF ARIZONA,) :- ss. County of Mohave.)

I, J. W. Morgan, Recorder of Mohave County, State of Arizona, do hereby certify that I have compared the foregoing copies of amended location certificates of the HILL, GOLD HILL and GOLD WEDGE lode mining claims, situated and located in the San Francisco mining district, County of Mohave, State of Arizona, and of the endorsements thereon with the original records thereof on file in this office and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and official seal this 23rd day of October, A. D. 1916.

J. W. MORGAN,

Recorder of Mohave County, State of Arizona,

Deputy.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,					
Mey 2 , 1918					
I, U. S. Surveyor-General for District of Arizona					
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey					
of the mining claim of					
OATMAN RED LION MINING COMPANY					
cnown as the GOLD HILL, GOLD WEDGE AND HILL LODES					
situate in SAN FRANCISCO					
Mining District, MOHAVE County, ARIZONA.					
in Section 23, Township No. 19 N., Range No. 20 W., and					
designated as Survey No. 3427, has been correctly copied from the originals on file in					
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if					
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein					
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.					
And I further certify that five hundred dollars' worth of labor has been expended or improve-					
ments made upon said mining claim by claimant or its grantors, and that said improvements					
consist of the Gold Hill lode, and that less than five hundred dollars					
worth of labor has been expended or improvements made upon or for					
each the Hill and Gold Wedge lode, by claimant or its grantors, and					
that at time of survey said improvements consist of 7 shafts and					
l cut, total value \$1925. As improvement No.6 on the Gold Hill					
lode is a common improvement for the benefit and development of					
this groun of claims, an undivided one-third interest therein, value					
\$541.67 is properly credited to each claim in this survey.					
and that no portion of said labor or improvements has been included in the estimate of expenditures					
upon any other claim.					
I further certify that the plat thereof, filed in the U.S. Land Office atPhoenix,					
Arizona, is correct and in conformity with the foregoing Field Notes.					
Frank P. Trott,					
United States Surveyor-General for Arizona.					

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix,	Arizona,	Fall
		М	ey 2 , 191 ⁸ .
I, U. S. Surveyor-G	General for District of	Arizona	
do hereby certify that t	he foregoing and hereto attached	Field Notes and R	eturn of the Survey of the
Mining Claim of			
	OATMAN RED LION N	MINING COMPAN	ĮΥ
			, known as the
	GOLD HILL, GOLD WA	EDGE AND HILI	L LODES.
situate in	SAN FRANCISC	20	mining district,
MOHAVE	County,		ARIZONA.
in Section 23	, Township No.	N., Range	e No. 20 W.
, (lesignated as Survey No	3427	
executed by	Leon H. Foster	? 	, United States Mineral
Surveyor,	September 20-December	: 4. , 1917, un	der my instructions dated
August	28, 191.7, have be	een critically examin	ned and the necessary cor-
rections and explanatio	ns made, and the said Field Not	tes and Return, and	the Survey they describe,
are hereby approved.	A true copy of the copy of the lo	ocation certificate f	iled by the applicant for
survey is included in th	e field notes.		
	An	m/ ().E	Front
	<i>U. S.</i>	Surveyor-General for-	Arizona.

6-3824