

Copied 4-30-18 ET

NOV 17 1917
1

4-683

Platted

MINERAL SURVEY No. 3451

ARIZONA

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

S. E. Yount and J. F. Kent,

KNOWN AS THE

SKY SCRAPER lode

Wallapai

Mining District,

Mohave

County, Arizona

Section 32, Township 23 N., Range 17 W., unapproved

Surveyed under instructions dated November 5 th., 1917

by Peter Mc Cardell

U. S. Mineral Surveyor.

Claim located See location notice, 19

Survey commenced November 9 th., 19 17

Survey completed November 10 th., 19 17

Address of claimants S. E. Yount and J. F. Kent, 431 Security Bldg., Los Angeles, Cal.

DATES OF AMENDED LOCATIONS.

SURVEY No.3451.

SKY SCRAPER LODE.

Beginning at Cor. No.1.

A schist stone, 4 X 10 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-3451, S. S., cross (X) at corner point, whence

The Corner of the location bears S. 52° 10' E. 3.4 ft.

N. E. Cor. Sec. 5, T. 23 N., R. 17 W. bears S. 26° 10'

20" E. 944.17 ft. S. E. Cor. Sec. 32, T. 23 N., R. 17 W.

bears S. 49° 38' 40" E. 1319.28 ft.

Thence S. 50° 37' W.

Feet.

Va. 15° 55' E.

300

To South end center.

Identical with the south end center of the location, which is a monument of stone 3 ft. high.

A granite stone, 7 X 7 X 20 ins. chiseled S. E. C., S. S., cross (X) at line point.

600

To Cor. No.2.

Identical with the Cor. of the location, which is a monument of stone 3 ft. high.

A granite stone, 6 X 7 X 24 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-3451 S. S., cross (X) at corner point.

Thence N. 39° 23' W.

Va. 16° 05' E.

1500

To Cor. No.3.

Identical with the Cor. of the location, which is a pine post, 4 ins. square.

A granite stone, 8"X 24"X 24", set 12 ins. in the ground with mound of stone, chiseled 3-3451 S. S., cross (X) at corner point, whence

Cor. No.4, Survey No. 1900, Silver Monister lode, bears S. 77° 10' W. 140.45 ft.

SURVEY No. 3451 - Continued.

SKY SCRAPER LODE - Continued.

Thence N. $50^{\circ} 37'$ E.

Feet. Va. $15^{\circ} 56'$ E.

300 To North end center.

Identical with the North end center of the location, which is a 4 X 4 inch pine post.

A granite stone, 6 X 8 X 12 ins. chiseled N. E. C., S. S. cross (X) at line point.

600 To Cor. No. 4.

Identical with the Cor. of the location, which is a 4X4 inch pine post.

A granite stone, 10 X 18 X 30 ins., set 12 ins. in the ground, with mound of stone, chiseled 4-3451, S. S., cross (X) at corner point, whence

Cor. No. 1, Survey No. 1900, Silver Monister lode, bears S. $52^{\circ} 15'$ W. 128.45 ft.

Thence S. $39^{\circ} 23'$ E.

Va. $16^{\circ} 02'$ E.

1500 To Cor. No. 1, the place of beginning.

LODE LINES.

As near as can be determined from present developments the vein of this location, ~~embraced in this claim~~, extends as follows from the discovery point: 440 ft. N. $39^{\circ} \frac{23'}{37'}$ W. and 1060 ft. S. $39^{\circ} \frac{23'}{37'}$ E.

AREA.

Area= 20.661 Acres.

LOCATION.

This survey is located in Sec. 32, T. 23 N., R. 17 W., unapproved survey, Wallapai Mining District, Mohave County, Arizona.

SURVEY No:3451 - Continued.

SKYSCRAPER LODE - Continued.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor done and improvements made upon this location, by the claimants, is not less than five hundred dollars, and that said improvements consist of:

No.1. The discovery cut, on the center line 440 ft. from the center of line 3-4, 8 ft. face, 4 ft. wide running N. 39° ^{23'} ~~57'~~ W. 18 ft.

Value, \$ 60

No.2. A shaft, on the center line 550 ft. from the center of line 3-4, 4 X 6 ft., 10 ft. deep.

Value, \$60

No.3. A tunnel, the mouth of which bears from Cor. No. 4, S. 30° 22' W. 284.7 ft., 4 ft. wide, 6 ft. high, running S. 45° E. 90 ft.

Value, \$900

INSTRUMENT.

This survey was made with an Ainsworth and Sons Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 50-ft. and 500-ft. steel tapes.

ADJOINING CLAIMS.

There are no adjoining claims.

REPORT.

The lode line of this location was run directly upon the ground, and the several corners established by means of offsets from the lode line. All tie lines were run directly upon the ground. The Township line from N. W. Cor. Sec. 4, T. 22 N., R. 17 W. and S.E. Cor. Sec. 32, T. 23 N., R. 17 W. was surveyed and measured and found to be S. 89° 19' 40" E. 589 ft.

SURVEY No. 3451 - Continued.

SKY Scraper lode - Continued.

The N. W. Cor. Sec. 4, T. 22 N., R. 17 W. and the S. E. Cor. Sec. 32, T. 23 N., R. 17 W. are 3 inch iron pipes with brass caps, properly marked.

Cor. No. 1 and No. 4, Survey No. 1900, Silver Monster lode, are redwood posts, 4 ins. square, 2 1/2 ft high, properly scribed with Cor. and survey Nos.

I find line 4-1 of said lode to be N. 56° 16' E. 600.1 ft.

INSTRUMENTS

The survey was made with an alidade and compass. The distance was measured with a 100 ft. steel tape.

ADDITIONAL

There are no additional notes.

NOTES

The lode line of this lode was run directly upon the ground and the several corners established by means of stakes from the lode line. The lode line was run from the N. W. corner of Sec. 4, T. 22 N., R. 17 W. to the S. E. corner of Sec. 32, T. 23 N., R. 17 W. and was found to be N. 56° 16' E. 600.1 ft.

NOV 17 1917 6

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Peter Mc Cardell
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of
S. E. Yount and J. F. Kent
 known as the Sky Scraper lode
 and showing the respective capacities in which ~~they~~^{he} acted.

- Charles Standish, Chainman.
-, Chainman.
-, Axman.
-, Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~, I, Charles Standish
 and, do solemnly swear that ~~we~~^I assisted Peter Mc Cardell
, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of S. E. Yount and J. F. Kent
 known as the Sky Scraper lode
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of ~~our~~^{my} knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

- Chas Standish, Chainman.
-, Chainman.
-, Axman.
-, Flagman.

Subscribed and sworn to by the above-named persons before me this 16 th.

day of November, 19 17

Wm H Smith

U. S. Commissioner.

NOV 17 1917

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Peter Mc Cardell, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
November 5 th. 1917, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of S. E. Yount and J. F. Kent
, known as the
Sky Scraper lode
situate in Wallapai Mining District,
Mohave County, Arizona, in Section
32, Township No. 23 N., Range No. 17 W., unapproved
and designated as Survey No. 3451, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimants ~~or their~~ grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Peter Mc Cardell
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Peter Mc Cardell
U. S. Mineral Surveyor, before me this 16 th.
this
day of November, 19 17

Emerson H Smith
U. S. Commissioner.

NOTICE OF MINING LOCATION

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

Mar 2- 1917

This Mining Claim; the name of which is the Sky Scrapper,
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by

M. A. Burke, Citizen U. S.

(Locator must insert either "a citizen of the United States" or "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 20 day of September 1909.

The length of this claim is 1500 feet,
and I claim 600 feet
in a Northwesterly direction and 900

300 feet in a South easterly direction
from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds,
on each side of the center of said claim. The general course of the lode deposit and premises is from the

North West to the South East.

The claim is situated and located in the Walipai Mining District,
in Mohave County, in the Territory of Arizona, about 3/4 of a mile
in an Easterly direction from Lane Springs
and runs parallel with and adjoins the Miners Cope on the North
side line adjoins the Silver Monster south east end line.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
discovery monument, thence to the north west center end line,

at a point in a Northwesterly direction 600 feet from
the discovery shaft (at which this notice is posted), being in the center of the North west end line
of said claim; thence 300 feet to a monument of stone
being the north east corner of said claim: thence 1500 feet
to a monument being at the South East corner of said claim;
thence 300 feet to a monument at the center
of the S. East end of said claim; thence 300 feet
to a monument being at the South West corner of said claim;
thence 1500 feet to a monument at the north west
corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States,
and of an Act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground, this 20 day of September 1909.

Witness W. Wilson,

M. A. Burke,

Filed and recorded at request of M. A. Burke, this 9 day
of Dec. A.D. 1909 at 9 o'clock A. M. in Book E.E.
at page 635.

R. A. Robertson.

County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

May 2, 1918

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

S. E. Yount and J. F. Kent

known as the SKY SCRAPER Lode

situate in Wellapai

Mining District, Mohave County, Arizona

in Section 32, Township No. 23 N, Range No. 17 W., Unapp'd., and

designated as Survey No. 3451, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimants or their grantors, and that said improvements consist of 1 cut, 1 shaft and 1 tunnel, total value \$1020.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott

United States Surveyor-General for Arizona.

STATE OF ARIZONA, }
County of Mohave. } ss.

10

I, H. L. Underwood, Recorder of Mohave County, State
of Arizona, do hereby certify that I have compared the foregoing copy
of Location Notice of Sky Scraper lode mining claim,
and of the endorsement thereupon with the original records of the same on file in this office, and
that the same are correct transcripts therefrom and of the whole of
said original records.

WITNESS my hand and the seal of said office this 1st
day of March, A.D., 1917..

H. L. Underwood
Recorder of Mohave County.



SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

May 2, 1918

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of S. E. Yount and J. F. Kent

known as the

SKY SCRAPER Lode

situate in Wallapai mining district,

MoHAVE County, Arizona

in Section 32, Township No. 23 N, Range No. 17 W., Unapp'd.

designated as Survey No. 3451

executed by Peter McCordell, United States Mineral

Surveyor, November 9-10, 1917, under my instructions dated

November 5, 1917, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.



U. S. Surveyor-General for Arizona.