Platted.

MINERAL SURVEY No. 3454

drizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

S.	D. Denison, Administrator of the Estate of
T	Enge W. Hull Decrand
	KNOWN AS THE
	Orictor lode
	Bif Big District,
	Garapae County, Anyone
Section	S.W.//, 33 Unsur. Township /3 N , Range / E
	veyed under instructions dated / 8 , 19/7
	by Walliam & Mench
	U. S. Mineral Surveyor.
	Claim located Lu Levelin ratice, 19
	Survey commenced November 12 , 1917
	Survey completed November 12 , 1917
	Address of claimant Anderson, Coleman & Nilson Attige
	Prescatt Aryane
	DATES OF AMENDED LOCATIONS.
6-822	

SURVEY No. 3454 - Mas . of Yar

VICTOR LODE - TOTOLV

Beginning at cor. No. 1. 170 991 . 2 someth

Ad. 1 Identical with the local and asta bail about stall of. 000

A schiat stone 4x8x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-1V-3454 on side facing this lode. No bearings available. Loc. cor. mound of stone 3x3 feet. Whence CC secs. 4 and 5, T.12 N. R.1 E. bears N.620 11' W. 1022.08 feet. I dit Look tob;

Feet nicon with a Thence N.199 Ol E. Va. 149 E.

more atoms for a land of the same and the same and

504.48 Intersect Third Standard Parallel North at West 1068.25 feet to CC secs. 4 and 5, T. 12 N., R. 1 E. and East

1110. 1410

1497.75 feet to 4 cor. sec. 33, T.13 N., R. 1 E. West side monument. A mound of stone 2x2 ft. Ident. with loc.

Identical with the loc. and with cors. 2, Swindler lode and 1, Huron No. 2 lode of survey 3234.

A quartz stone 6x8x12 ins. with mound of stone. Marked x-2S-1H-No.2-3234. I chiseled 2V-3454 on side facing this lode. No bearings available. I I O I

adminuted Loc. cor. mound of stone 3x3 feet.

bus welmen officer out more absented attach and to mist out

Thence S.67 9 15 E. Va. 19 E.

300

North center end. Identical with the loc. and with the south center end of Swindler lode of survey 3234. A mound of stone 3x3 feet.

600

To cor. No. 3.

Identical with the loc. and with cord. 1, Swindler lode -1. H. of survey. 3234. E and he adapad at gavage alift

A schist stone 4x7x13 ins. with mound of stone. Marked x-1S-3234. I chiseled 3V-3454 on side facing this lode. No bearings available. Loc. cor. mound of stone 3x3 ft.

Swindler lode. On Videsskamvey 3254, lumen 10. One (1)

and by U.S. land. On the south and on the vest by

SURVEY No. 3454 - Continued T T T T T VICTOR LODE - Continued.

Feet

Thence S. 190 01' W. Va. 149 E. pularita

VICE 11 - 41

660.10 Intersect Third Standard Parallel North at West 1701.54 feet to CC secs. 4 and 5, T, 12 N., R.1 E., and East 864.46 feet to 4 cor. sec. 33, T.13 N., R.1 E.

1154 To cor. 3 of Huron No. One (1) lode of survey 3234.

1410 To cor. No. 4. . Son Do some . . Jeel Gri onoje

Identical with the loc. 30. 3301 . 111 938. 11 accord A quartz stone 6x8x26 ins. set 13 ins. in the ground with mound of stone. Chiseled x-4V-3454 on side facing this lode. No bearings available. Loc. cor. mound of

stone 3x3 feet., Wall . The Beach and by both fort

Thence N.67 9 15 W. Va. 14 9 E.

T-28-14-80.2+3234. I chisaled CV-3454 on side factor

300 To south center end. Identical with the loc. A mound of stone 3x3 feet. gavena to shot S . of morell . b bure

1407.75 foot to tot. goo. 35, T.18 M., R.

600 To cor. No. 1, the place of beginning.

LODE LICE Symplectic of . shall shall

As near as can be determined from present developments the vein of this claim extends from the north center end S.19 01' W. 1410 to the south center end.

Lord rednes divol

. Joel ExE enets lo bason A

corbuint Orc. A Toloto bee toll edt diw fesit

This survey is located in the SW Sec. 33, T.13 N., R.1 E. and the NW 4 Sec. 4, T.12 N., R.1 E. Januari In the Big Bug Mining District, Yavapai County, Arizona.

ADJOINING CLAIMS.

io be wings available. Loc. cor. mound of stone and ft.

This claim is bounded on the north by survey 3234, by Swindler lode. On the east survey 3234, Huron No. One(1) and by U.S. land. On the south and on the west by U.S. land.

SURVEY No. 3454- Continued.

VICTOR LODE -Continued.

EXPENDITURE OF FIVE H UNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of said mining claim by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:

No. 1. A tunnel, the mouth of which bears from the north center end, S. 53.9.35° W. 105 feet., 5x7 ft. running S. 80.9 E. 70 feet, thence N.19.9 E. 67 feet. Dis. point is on lode line 77 ft. from N.C. E., and 60.30ft. from mouth of tunnel.

Value \$950.

No. 2. A shaft which bears from cor. No. 1, N.409 45° E. 528 feet, 4x6x23 feet. Value \$230.

Total value of improvments\$1180.

INSTRUMENT

This survey was made with a Gurley Solar Transit and the courses were determined by direct Solar observations. The distances were measured with 100 ft. and 500 ft. steel tapes.

REPORT

The lode line of this claim was run direct upon the ground and the corners were established by means of off-sets from the lode line. The tie line was run direct upon the ground.

Cor. 3 of Huron No. One (1) lode, survey 3234 is a porphyry stone 4x6x12 ins. with mound of stone and marked x-3H-No.1-3234.

The CC Secs. 4 and 5, T.12 N., R.1 E. is an iron pipe properly marked.

Urlliam AMerith
U.S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals	employed by Milliam AMenut
United States Mineral Surveyor, to assist	in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field	notes of the survey of the mining claim of S. Z. Dennis
administrator of the Estate of	George W. Hull, Decrard
,	ر د
and showing the respective capacities in wh	hich they acted.
	, Chainman.
	, Chainman,
	Geo. N Merntt, Axman.
	V
	, Flagman.
	'HS OF ASSISTANTS.
Wa) Geo	, N Munt
and	do solemnly swear that we assisted William
	tates Mineral Surveyor, in marking the corners and surveying
	Or Denson, Redminstrator of the
	il Deceard
known as the	Ur lode
represented in the foregoing field notes as	having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in a	all respects, to the best of our knowledge and belief, faithfully
	undary monuments established according to law and the instruc-
tions furnished by the United States Surveyo	r-General for Angona Gro M. M. Chainman. , Chainman.
	Gro M Merrit Chainman
	, Chainman.
	Axman.
	, Flagman.
Subscribed and sworn to	by the above-named persons before me this 10
day of DECIL	1917 M.M. Moor 1820 Solary Public 6-1013
	Jm. M. Moon
We commission exam	Jolan Public
	6—1043

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, William Humber, U.S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Aryune , dated
Non 8-17, , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of S-J Demson administrator of the Entate of Gange
W. Hull Devand, known as the
Claim of S-2 Dennson. administrator of the Enter of Gange. W. Hull, Denoud., known as the Victor lode situate in By Bug Mining District,
situate in Rij Rug Mining District,
Associate County, Associate, in Section
S.W. 33 Unsur Township No. 13 M, Range No. 1
S.W/4 33 Unsyl-Township No. 13 M, Range No. 1 E, and designated as Survey No. 3454, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or fine grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Williams HMerutt U. S. Mineral Surveyor.
Subscribed and sworn to by the said Walker of Munite U. S. Mineral Surveyor, before me Mnmoor A Notary Publice this 10 rle day of Describer, 19/7
M.M. Moore Nolary Public
6-1044 Nolary Public
72423 4070

"VICTOR"

NOTICE OF LOCATION.

WOV8-1917

KNOW all MEN by these PRESENTS:

THAT we, the undersigned, have this day located fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the privisions of the United States Mining Laws, under which it is located, in Big Bug District, Yavapai Co. Ariz.

This claim commences at this Monument and notice placed upon the ledge, and runs 300 feet in a northerly direction and 1200 feet in a

southerly direction along the ledge, from discovery shaft.

The exterior boundaries are as follows, viz: Commencing at a monument of stone on west boundary line, distant three hundred (300) feet in a westerly direction from discovery monument; thence in a northerly direction parallel with the ledge 300 feet to monument of stone at N. W. corner of claim; thence in an easterly direction at right angles across the ledge six hundred (600) feet to monument of stone at N. E. corner of claim; thence in a southerly direction parallel with the ledge fifteen hundred (1500) feet to monument of stone at S. E. corner of claim; thence at right angles across the ledge, in a westerly direction six hundred (600) feet to monument of stone at S. W. corner of claim; thence in a northerly direction parallel with the ledge 1200 feet to monument on west boundary and place of beginning.

This ledge may be more generally described as situated in Big Bug District Yavapai Co. Ariz. within half a mile from Huron Station in a south easterly direction. joins the Swindler on the south and shall be known as the Victor Mining Claim, in Big Bug Mining District, Yavapai County, Arizona Territory, and shall be known as the Victor Mining Claim.

Dated on the ground this first day of January 1900.

Adam Krackenberger Job Banes

Recorded at request of Job Banes Mch 28" A.D. 1900, at 9 o'clock, A. M., in Book 54 of Mines, Page 26, Records of Yavapai County, Arizona.

(SEAL)

W. I. Johnson County Recorder

By E. E. Osenburg Deputy.

STATE OF ARIZONA)
COUNTY OF YAVAPAI)

I, EDITH RUFFNER, County Recorder in and for the aforesaid County of Yavapai and State of Arizona, and Custodian of the Records of such Office; DO HEREBY CERTIFY that I have compared the foregoing Copy with, and that the same is a full, true, and correct Copy of the Original Location Notice of the "VICTOR" Lode Mining Claim, situate and being in the Big Bug Mining District, Yavapai County, Arizona, as the same appears of record in Book 54 of Mines, at page 26, of the records of my said office.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 24th day of March, A.D.

1917.

COUNTY RECORDER

OF YAVAPAI COUNTY ARIZONA

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,	
	May 16	, 191 8
I, U. S. Surveyor-General for	District of Arizona,	
do hereby certify that the foregoing	g transcript of the Field Notes, return and approval of t	the survey
	Denison, Administrator of the Estat	_
	sed,	
	VICTOR Lode	
situate in	BIG BUG	
Mining District, YAVAPAT	County, ARIZONA	
in Section 33 Unsur., Townsl	hip No. 13 N., Range No. 1 E.,	, and
designated as Survey No. 3454	4, has been correctly copied from the originals	on file in
this office; that said Field Notes for	urnish such an accurate description of said mining claim	as will, if
incorporated into a patent, serve ful	lly to identify the premises, and that such reference is mad	le therein
to natural objects or permanent mo	onuments as will perpetuate and fix the <i>locus</i> thereof.	
And I further certify that five	e hundred dollars' worth of labor has been expended or	improve-
consist of 1 tunnel and	m by claimant or his grantors, and that said impro	
	r improvements has been included in the estimate of expe	
I further certify that the plat th	hereof, filed in the U.S. Land Office at Phoenix,	
	orrect and in conformity with the foregoing Field Notes.	
	Frenk P. Trott	
	United States Surveyor-General forArizona.	~~~~

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
May 16 , 1918.
I, U. S. Surveyor-General for District of Arizona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of S. F. Denison, Administrator of the Estate of
George W. Hull, Deceased,
, known as the
VICTOR Lode
situate in BIG BUG mining district,
YAVAPAI County, ARIZONA,
in Section $\frac{SW_4^1,33}{NW_4^1,4}$ Unsur., Township No. $\frac{13}{12}$ N., Range No. $\frac{1}{1}$ E.
designated as Survey No. 3454
executed by William H. Merritt , United States Mineral
Surveyor, November 12, , 1917, under my instructions dated
November 8, 191.7, have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.
Hrond Adjord

U. S. Surveyor-General for Arizona.