DEC. 11.197/

4-683

Krn. 3 - 1918

MINERAL SURVEY No. 3459.

Platted

Land District.				
FIELD NOTES				
OF THE SURVEY OF THE MINING CLAIM OF				
Biles, Lovelhast Clothing Company				
KNOWN AS THE				
Statehord Franction lode				
Coppur Carri Mining District,				
Janaponi County, Angorn				
Section 20 Unsur., Township /J N, Range JW thum				
Surveyed under instructions dated North 30-, 1917.				
by William HMemit				
U. S. Mineral Surveyor.				
Claim located Les Senenti Matin , 19				
Survey commenced Dec 3 - , 19/7				
Survey completed Dec -8 - , 19/1				
Address of claimant Lee Roy Anderson, atty.				
DATES OF AMENDED LOCATIONS.				
Nov 17-1917				

6-822

address of Claimand Le Roy Anderson, Alty Prescott Aryona SURVEY NO. 3459.

STATEHOOD FRACTION LODE.

Beginning at cor. No. 1. Identical with the loc. and on line 5-6 of sur. 487, Cross lode, at N.74.30 W. 10 ft. from cor. 6. Also on line 3-4 of sur. 516, Copper Chief lode, at N.11.45 E. 310.70 ft. from cor. 4, & 276.33ft. from its intersection with line 2-3 Sur No.470, Blue Jay lode.
A porphyry stone 3x10x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-1SF-3459 on side facing this lode. Whence cor. to secs. 9,10,15 and 16, T.13 N., R.3 W. brs. N.35°45'E. 9940.73 ft. U.S.M.M.No.1, C.B.M.D. brs. N.33°33'E. 784.35 ft.

No bearings available. Loc. cor. mound of stone 2x2 ft. with post 4"x4"x41

herse com. O of the Ert, Wille dry little

Feet Thence S. 3° W. Va. 14°E.

East center end. Identical with the loc. A mound of stone 30. 3x3 ft. JEFFE . C . LETTLE TO STORY OF

50. Cross road, brs. N.60°E. and S.60°W.

Intersect line 2-3 of sur. 470, Blue Jay lode, at S.52°E. 131.06 219.12 ft. from cor. 3, & 22.23 ft. from its intersection with line 3-4, Sur No. 516, Copper Chief lode. To cor. No. 2. Identical with the loc. 150.

> A porphyry stone 6x8x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-2SF-3459 on side facing this lode. No bearings available. Loc. cor. mound of stone 3x2 ft. with post 4"x4"x4".

Thence S.87°26 W. Va. 14°E.

Intersect line 3-4 of sur. 516, Copper Chief lode, at 23.55 N.11°45'E. 156.63 ft. from cor. 4.

To cor. No. 3. Identical with the loc. and on line 1-2 283.38 of sur. 2990, Copper Glance lode.

> A granite stone 6x8x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-3SF-3459 on side facing this lode. No bearings available. Loc. cor. mound of stone 3x3 ft. with post 4"x4"x4'.

* Buryo

SURVEY NO. 3459. STATEHOOD FRACTION LODE-continued. Feet o Thence N.3°E Va. 14°E. 25.56 Intersect line 3-4 of sur. 470, Blue Jay lode, at S.38° Et 10 1/10 W. 178.86 ft. from cer. 3. 210. West center end. Identical with the loc. A mound of stone Brown 3x3 ft. area SI tod want 10x0 x Bard x 10 12 . The 240. To cor. No. 4. Identical with the loc. and with cor. 1 of sur. 2990, Copper Glance lode, and on line 5-6, sur. No. 487, Cross lode. A granite stone 8x8x12 ins. with mound of stone and chiseled x-1CG-2990. I chiseled 4SF-3459 on side facing this lode. No bearings available. Loc. cor. mound of Tax Tax Da dang 1015 stone 3x3 ft. Whence cor. 3 of sur. 470, Blue Jay lode, brs. S.53°29° note to bounce 1 . not ed; with fastinabl . has reduce en Thence S.74°30'E. Va. 14°E. Cross road, brs. SE. and NW. .. . and . hear second 110. 288.94 To cor. No. 1, the place of beginning. TELIS FL. COM COP. 5. 4 TELETA PARIS. As near as can be determined from present developments the vein of this claim extends from the discovery point S.74°30'E.40 ft. and N.74°30'W. 248.94 ft. boome 3x2 ff. Tith post 4"xe"x4". AREA. Total area, Statehood Fraction lode 1.263 Acres. Je . Boo Area in conflict with we to I - Grant Jone 1 dl. 52 Sur. 470, Blue Jay lode..... 5.594 S-I suit de Sur. 516, Copper Chief lode.... 0.040 Sur. 516, Copper Chief lode, exclusive of its conflict with sur. 470, Blue Jay lode...... 0.027 this lode: No bearings available

INXTANTA JEON SIJE

SURVEY NO. 3459.

STATEHOOD FRACTION LODE continued.

LOCATION.

in mount

s si

This survey is located in the Copper Basin Mining District, Prescott National Forest, Yavapai County, Arizona. Approximately in unsurveyed sec. 20, T.13 N., R.3 W., G. & S. R. M.

SULVEY NO. 2450.

on the eround.

ADJOINING CLAIMS. This claim is bounded on the North by sur. 487, Cross described. lode. On the East by sur. 516, Copper Chief lode. On the South by sur. 470, Blue Jay lode. On the West by sur. No. 2990, Copper Glance lode, which is identical with sur. No. 518, Triangle lode.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvments made upon, or for the benefit of, this location by the claimant is not less than five hundred dollars, and that said improvments consist of:

No.1. The discovery shaft, which is on the lode line 40 ft. from the East center end. 4x6x50 ft., timbered. Value \$500.

No. 2. A shaft which bears from cor. No. 4, S.50°E. 100 ft. 4x6x12 ft., timbered. Value \$120.

No. 3. A cut, the face of which bears from cor. No. 4, S.47°20'E. 119 ft. 4 ft. wide, 6 ft. face, running West 25 ft. to the mouth.

Total value of improvments on this claim.....\$670.

INSTRUMENT.

This survey was made with a Gurley Solar Transit. The courses were determined by direct Solar observations. The distances were measured with 100 ft. and 500 ft. steel tapes.

SURVEY NO. 3459.

STATEHOOD FRACTION LODE-continued.

REPORT.

The lode line of this claim was run directly upon the ground and the corners were established by means of off-sets from the lode line. The tie lines were run directly upon the ground.

All old patent corners mentioned were found to be 3"x3" oak posts 3 ft. high, set in mounds of stone except cor.

1 of sur. 2990, Copper Glance lode, hereinbefore described.

U.S.M.M. No.1, is an oak post 8"x8"x8' high set in mound of stone and scribed U S M M No 1 C B M D.

The cor. to secs. 9,10,15 and 16, T.13 N.,R.3 W. is a properly marked stone with mound of stone.

William Willer of U.S. Mineral Surveyor.

made upon, or for the benefit of, this location by the claiment is not less than five number dollars, and that self improve ents consist of:

10 ft. from the test certer end. Exexac ft., timbered.

Value 1500.

No. 2. A shaft which bears from cor. No. 4, S. Horg.

No. 3. A cut, the face of which bears from cor.

S.47°20'E. 119 ft. 47ft wide, 6 ft. free, running west.

Total value of improvments on this claim..... 670.

THE TRUMBENT

The distances were messured with 100 Pt. and 500 Pt.

.acond Laste

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals	s employed by William Allunu	7
United States Mineral Surveyor, to assis	et in running, measuring, and marking the li	nes, corners, and
boundaries described in the foregoing field	d notes of the survey of the mining claim of	
known as the Stati have	elotting employ not Israelo lode	
and showing the respective capacities in w		
		, Chainman,
	St R Powell	
		, Axman.
		, Flagman.
FINAL OAT	THS OF ASSISTANTS.	
W, AR En	well	
and	do solemnly swear that we assisted Ma	ll-/f
	States Mineral Surveyor, in marking the corner	
the boundaries of the mining claim of	Thus, Lockhast Clothy	Everh
known as the State ha	end Drasler lode	
represented in the foregoing field notes as	having been surveyed by said mineral surveyed	or and under his
direction; and that said survey has been in	all respects, to the best of our knowledge and l	pelief, faithfully
and correctly executed, and the corner and bo	oundary monuments established according to law	and the instruc-
cions furnished by the United States Surveyo	or-General for Annua	
	OVP Powell	, Chainman.
		, Chainman.
		., Axman.
		., Flagman.
Subscribed and sworn to	o by the above-named persons before me this	10 ch
	cerses, 1917	
	Jm n Moon	
	M. Moon Notosy Publ	i
Un numero	mission expires 728 23 1020	6—1043

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, William HMusny	, U. S. Mineral Surveyor
do solemnly swear that, in pursuance of	instructions received from the United States
Surveyor General for Anyona	, dated
Non 30- 17	, I have, in strict conformity to the laws of the
United States, the official regulations and	instructions thereunder, and the instructions
of said Surveyor General, faithfully and	correctly executed the survey of the Mining
Claim of Biles, Lendshead	Clothing Compan
	, known as the
State hond Dr	, known as the
situate in Copper Gran	Mining District,
Garapai	County, Ary, in Section
20 Unsur, Township No. 13 1 , Ra	nge No. 3 W Assured to the second sec
	, as represented
	ely show the boundaries of said mining claim
	e ground, and described in the attached copy
	ved by me from the Surveyor General with
said instructions, and that all the corners of	of said survey have been established and per-
	w, official regulations and instructions there-
	that the foregoing are the true and original
	therein, and that the labor expended and
improvements made upon said mining claim	m by claimant or grantors
	haracter, extent, location, and itemized value
thereof are specified therein with particular	rity and full detail, and that no portion of
	this claim has been included in the estimate
of expenditures upon any other claim.	
or experientures upon any other claim.	
	William & Merritt
	U. S. Mineral Surveyor.
Subscribed and sworn to by the said	Millian H Microsoft
II. S. Mineral Surveyor, before me	L'ON WYMOS OR DOGOM
Reblee /	this 10 re
day of DECLIEBLY 19/7	this 2.2
, 19t	
	M.N.Moore Solary Public
 	h / P 2.
6—1044	VIOLANY VINCE

100 sommission express Feb 23 207,0

AMENDED Notice of Mining Location LODE CLAIM

NOT 30, 1917

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Statehood Fraction Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Biles, Lockhart Clothing Co.

the undersigned, on the 17 day of November, 1917

The length of this claim is 300 feet, and We claim 50 feet, in a Easterly direction and 250 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West

The claim is situated and located in the Copper Basin Mining District, in Yavapai County, in the State of Arizona, about 700 feet in a Southerly direction from U. S. M. M. No l. C. B. M. D.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mound of stone at a point in a easterly direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence Southerly 120 feet to a mound of stone, being the South east corner of said claim; thence Westerly 300 feet to a Mound of stone, being at the Southwest corner of said claim; thence Northerly 210 feet to a mound of stone at the center of the west end of said claim; thence Northerly 30 feet to a Mound of stone, being at the Northwest corner of said claim; thence Easterly 300 feet to a mound of stone at the North East corner of said claim; thence Southerly 30 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Statehood Fraction Mining Claim, located by Jess Wilson on the 1 day of January, 1912, and recorded in Book 91 of Records of Mines, at page 376, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said Original Location Notice.

November, 1917 Dated and posted on the ground this 17 day of

Biles, Lockhart Clothing Co

Filed and Recorded at request of Biles, -Lockhart Clothing Co., November 19, A. D. 1917, at 9:00 O'clock A. M., Book 99 of Mines, Page 397, Records of Yavapai County, Arizona.

(SEAL) E. A. McSWIGGIN, County Recorder

By L. S. Colwell, Deputy Recorder

STATE OF ARIZONA (: SS

I, E. A. McSWIGGIN, County Recorder in and for the aforesaid County of Yavapai and State of Arizona, and Custodian of the Records of such Office; DO HEREBY CERTIFY, that I have compared the foregoing Copy with, and that the same is a full, true and correct Copy of the Original AMENDED Mining Location Notice of the STATEHOOD FRACTION Lode Mining Claim, as the same appears of record in Book 99 of Mines, at Page 397, of the records of my said Office.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 20th day of November, 1917.

COUNTY RECORDER

OF YAVAPAI COUNTY

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

		Phoenix, Arizona	-1
		August	12 , 191 8
I, U. S. Surveyor	General for	District of A	rizona
			n and approval of the survey
of the mining claim of			
B	les, Lockhart	Clothing Company	
known as the	STATEHO	OD FRACTION Lode	
situate in	Cop	per Basin	
Mining District,	Yavapai	County,	Arizona
in Section 20 Unsu	T., Township No.	13 A. Range No.	3 W., and
designated as Survey N	io3459	, has been correctly copied	from the originals on file in
this office; that said F	ield Notes furnish such	an accurate description of	said mining claim as will, if
			uch reference is made therein
		will perpetuate and fix the	
			been expended or improve-
ments made upon said	mining claim by claim:	ant or its granters a	and that said improvements
consist of 2 shefts	and 1 cut, to	tal value \$670.	that said improvements
·			
pon any other claim.	and labor of improvement	ents has been included in the	he estimate of expenditures
	t the plat thereof flad	· 11 TT 0 T	77.7
			Phoenix,
	is correct and in	n conformity with the foreg	oing Field Notes.
		Frank	P. Trott.
	United States	Surveyor-General for	Arizona.
6-2934		J J V	

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoex	ix, Arizo	ne.	
			August 12	2, 191 8
I, U. S. Surveyor-General for	Di	strict of	Arizona	
do hereby certify that the foregoing a	and hereto at	tached Field I	Notes and Return of	the Survey of the
Mining Claim of				
Biles.	Lockhai	ct Clothi	ng Company	
				, known as the
	STATEHO	OOD FRACT	ION Lode	
situate in		Copper Ba	sin	mining district,
Yavapai	Co	unty,	Arizo	na
in Section 20 Unsur., Tow	nship No	13 N.	, Range No	3 W.
, designated as	Survey No		3459	
executed by Willis	am H. Me:	rritt	, Unit	ted States Mineral
Surveyor, Decembe	c 8	~~~~~~~~~~~	., 1917., under my	instructions dated
November 30	, 191 ′ /, 1	nave been criti	cally examined and	the necessary cor-
rections and explanations made, and	the said Fie	ld Notes and	Return, and the Sur	vey they describe,
are hereby approved. A true copy o	f the copy of	f the location	certificate filed by t	the applicant for
survey is included in the field notes.				
	(France	XDO!	rost.
	,	U. S. Surveyor	-General for	Arizona.