4-683

MINERAL SURVEY No. 3460

Drizona Land District.					
FIELD NOTES					
OF THE SURVEY OF THE MINING CLAIM OF					
Biles, Loockhart Clothing Company					
KNOWN AS THE					
Billy lade					
Belly lode  Coffe Bassi Mining District,					
Garapai County, Frigoria					
Section 20 Unsur, Township 13. N., Range 3 W. Junion William the Proceed National 2nd 3 or 19/7					
by William/Mlessit U. S. Mineral Surveyor.					
Claim located Lev Leventur wow., 19					
Survey commenced Den 7-, 19/7					
Survey completed 2 7, 19/7					
Address of claimant Le Roy Anderson, atty.					
DATES OF AMENDED LOCATIONS.					
Nova 17-1917					

address of Clausian, Ally Le Roy Anderson, Ally Prescutt Aryon

かいかかっとう

SURVEY NO. 3460.

BILLY LODE.

Beginning at cor. No. 1. Identical with the loc. and on line 2-3 of sur. 489, Coppersmith lode at N.15.30' E. 1130. ft. from cor. No. 2.

.beunks.

A porphyry stone 6xl0x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-1B-3460 on side facing this lode. Whence cor. to secs. 9,10,15 and 16, T.13 N., R.3 W. brs. N.43°10' E. 8581.10 ft.

No bearings available. Loc. cor. a post 4"x4"x4' in mound of stone.

Feet

Thence S.15°30' W. Va. 14° E.

1130.

inda IU

To cor. No. 2. Identical with the loc. and with cor. No. 2 of sur. 489, Coppersmith lode. On line 2-3 of sur. 487, Cross lode, at N.75°39' W. 600 ft. from cor. No. 2.

The BEST OF THE STORT OF SELECTION

A granite stone 6x8x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-2B-3460 on side facing this lode. Whence U.S.M.M. No.1, C.B.M.D. brs. S.85°17'E. 800.40 ft. No bearings available. Loc. cor. a post 4"x4" x4' in mound of stone.

H. M SI.T. Hu . soa & Town wew Wi

Thence N.75°39' W. Va. 14° E.

130. South center end. Identical with the loc. A post 4"x4"x4' in mound of stone.

To cor. No. 3. Identical with the loc. and with cor. No.

No.

5 of sur. 491, Quartz Hill lode. Cor. No.6 said lode brs. N.

21° 58'E 1139.80ff.

A granite stone 6x10x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-3B-3460 on side facing this lode. No bearings available. Loc. cor. a post 4"x4" x4' in mound of stone.

Thence N.21°10' E. Va.14° E.

1137.79 To cor. No. 4. Identical with the loc.

A granite stone 6x8x24 ins. set 12 ins. in the ground with mound of stone. Chiseled x-4B-3460 on side facing this lode. No bearings available. Loc. cor. a post 4"x4" x4' in mound of stone.

SURVEY NO. 3460.

BILLY LODE-continued.

Feet Thence S. 75°39' E. Va. 14° E.

North center end. Identical with the loc. and with cor. No. 6 of sur. 491, Quartz Hill lode, A post 4"x4"x4' in mound of stone.

DE YEAR

62.50 To cor. No. 1, the place of beginning.

Shis lode. Junee corvite sees. 5, hu, la sha 15, 7-15 M.,

LODE LINE. .19 OF.1838 . F '01'84.M . 816 . . 6.

As near as can be determined from present developments the vein of this claim extends from the discovery point S.19°43' W. 70 ft. and N.19°43' E. 1064.73 ft.

Area in conflict with sur. 491,

with mound of state. The sied x-SB-Dasc on state fraing

this lede. Magros W. .... No.1. J. J. B. M. action . Solvie.

This survey is located in the Copper Basin Mining District, Prescott National Forest, Yavapai County, Arizona. In unsurveyed sec. 20, T.13 N., R.3 W. G. & S. R. M.

TATION TO ADJOINING CLAIMS. I Levidness . Dog Markey Hora

This claim is bounded on the North by an unknown claim, unsurveyed, and claimant unknown, on the East by sur. 489, Coppersmith lode, on the South by sur. 487, Cross lode and on the West by sur. 491, Quartz Hill lode.

. Tone H. 76°93' F. . Va. 14° E.

"DX" A DECEMPENDITURE OF FIVE HUNDRED DOLLARS.

Tith mound of stone, baisaled x-58-5460 on side fucing

I certify that the value of the labor and improvments made upon, or for the benefit of, this location by the claimant is not less than five hundred dollars, and that said improvments consist of: Jack . A . Od . 489 OF 97. YELL

No. 1. The discovery shaft, which is on the lode line 70 ft. from the South center end, 4x6 ft., 50 ft. deep, timbered. and allers asplanted Value \$500.

sucie lo baron et la-

SURVEY NO. 3460.

EXPENDITURE OF FIVE HUNDRED DOLLARS-continued.

No. 2. A shaft which bears from the South center end

North 65 ft., 4x6 ft., 10 ft. deep. Value \$80.

Total value of improvments on this claim .....\$580.

#### INSTRUMENT.

This survey was made with a Gurley Solar Transit. The courses were determined by direct Solar observations. The distances were measured with 100 ft. and 500 ft. steel tapes.

#### REPORT.

The lode line of this claim was run directly upon the ground and the corners were established by means of off-sets from the lode line. The tie lines were run directly upon the ground.

U.S.M.M. No.1, C.B.M.D. is an oak post 8"x8" x7' high set in mound of stone and scribed U S M M No 1 C B M D. Corner to secs. 9,10,15 and 16, T.13 N.,R.3 W. is a properly marked stone in a mound of stone.

All old patent corners were found to be 3"x3" oak posts 3 ft. high set in mound of stone except cor. No. 3 of sur. 489, Coppersmith lode which was not found. The course of the line 2-3 was taken as given in the notes of sur. 489.

The courses of lines 2-3, sur. 487, Cross lode; 5-6 and 2-1-6 of sur. 491, Quartz Hill lode were found to be in error. The length of line 5-6 of sur. 491, Quartz Hill lode was found in error. The tie of sur. 489, Coppersmith lode was found in error.

The difference between this survey and the location notice at the North end was due to an error in writing the location notice.

William H Munit, U. S. Mineral Surveyor.

### FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the names of the indi	ividuals employed by Milliam HM	ent,
United States Mineral Surveyor, to	so assist in running, measuring, and marking the	e lines, corners, and
boundaries described in the foregoi	ing field notes of the survey of the mining claim of	of
- Biles, Low	chlast Clothy Comfor	
	Billy lode	
and showing the respective capacities		•
		, Chainman.
	STR Powell	, Chainman.
		, Axman.
		$\dots$ , $Flagman$ .
	<del></del>	
FINAL	OATHS OF ASSISTANTS.	
w. AR	Russell	
	, do solemnly swear that we assisted L	
/1	nited States Mineral Surveyor, in marking the cor	
	of Biles, Souchland Clothing	
the councilities of the mining claim	or the contract of the contrac	Carenja
known as the	Pilly Tode	
represented in the foregoing field no	otes as having been surveyed by said mineral surv	eyor and under his
direction; and that said survey has h	been in all respects, to the best of our knowledge ar	nd belief, faithfully
and correctly executed, and the corner	r and boundary monuments established according to	law and the instruc-
tions furnished by the United States S	Surveyor-General for Any	
	AP Powel	
		, Chainman.
		, Axman.
•		, Flagman.
Subscribed and s	sworn to by the above-named persons before me th	is 10 Me
day of DE	crubes 1917	
	Jmn Moor	3
	Mn. Moor	Hie
	No commission expires 40823 1820	6—1043

### FINAL OATH OF U.S. MINERAL SURVEYOR.

I, William & Mussili , U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Aryuna, dated
Nov 30-/7, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Biles, Sovelshart Clothy aumling, known as the
, known as the
Billy lode
situate in Copper Comm' Mining District,
Jarafori County, Anguna, in Section
20 9 Low, Township No. 13 N, Range No. 3, W.
and designated as Survey No. 3440, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or the grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
William & Merrik
U. S. Mineral Surveyor.
Subscribed and sworn to by the said Allerm Humit
U. S. Mineral Surveyor, before me M.N.Moorz, a Nolary  Rubles this 10 the
Rubles this 10 he
day of Decruebes, 1917
( and an had
XIII. IVIVO Or
6-1044 Optany Public
6-1044
May drawn of the state of the s

# AMENDED Notice of Mining Location LODE CLAIM

#### TO ALL WHOM IT MAY CONCERN:

The length of this claim is 1140 feet, and we claim 60 feet, in a Southerly direction and 1080 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Copper Basin Mining District, in Yavapai County, in the State of Arizona, about 900 in a Westerly direction from U. S. M. M. No 1 C. B. M. D.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post in Mound of stone at a point in a Southerly direction 60 feet from the discovery shaft (at which this notice is posted,) being in the center of the South end line of said claim; thence Westerly 49 feet to a post in Mound of stone, being the South West corner of said claim; thence Northerly 1140 feet to a Mound of stone, being at the North West corner of said claim; thence Easterly 16 feet to a post and Mound of stone at the center of the North end of said claim; thence 00 feet to a same point, being at the North east corner of said claim; thence Southerly 1140 feet to a post and mound of stone at the South east corner of said claim; thence Westerly 127 feet to the place of the beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Billy Mining Claim, located by Jess Wilson on the 1 day of January 1912, and recorded in Book 91 of Records of Mines, at page 377, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said Original Location Notice.

November, 1917.

Dated and posted on the ground this 17 day of
Biles, Lockhart Clothing Co.

Filed and Recorded at request of Biles Lockhart Clothing Co. November 19, A. D. 1917, at 9:00 O'clock A. M., Book 99 of Mines, Page 396, Records of Yavapai County, Arizona.

(SEAL) E. A. McSWIGGIN, County Recorder

By L. S. Colwell, Deputy Recorder

STATE OF ARIZONA )
: SS
COUNTY OF YAVAPAI )

I, E. A. McSWIGGIN, County Recorder in and for the aforesaid County of Yavapai and State of Arizona, and Custodian of the Records of such Office; DO HEREBY CERTIFY that I have compared the foregoing Copy with, and that the same is a full, true and correct Copy of the Original AMENDED Mining Location Notice of the BILLY Lode Mining Claim, as the same appears of record in Book 99 of Mines, at Page 396, of the records of my said Office.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 20th., day of

November, 1917.

COUNTY RECORDER

YAVAPAI COUNTY ARIZONA



## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Ph	oenix, Arizon	.8 ,	
		August	12	, 191 <u>8</u>
I, U. S. Surveyor-Ger	neral for	District of	-Arizona	
	foregoing transcript of the			
	Biles, Lockhaı			
known as the	ВІЪъу	Lode		
	Copper			
Mining District,	Yavapai	County,	Arizo	na
in Section 20 Unsur.	, Township No. 13 N.	, Range No	3 W.	and
designated as Survey No	3460 , has be	en correctly copied f	rom the origina	als on file in
	Notes furnish such an accu			
	serve fully to identify the p			
	nent monuments as will per			ado morem
	that five hundred dollars'			Or improve
	ning claim by claimant or			
	total value #580			
	labor or immuno			
pon any other claim.	labor or improvements has	been included in the	estimate of ex	penditures
-	o mlad there C Ol 11 42 7	. ~ .	T) la = '	
	e plat thereof, filed in the U			
	is correct and in conform	mity with the foregoi	ng Field Notes	•
		Frank	P. Trott	J
£ 0004	United States Surveyor	-General for	Arizona.	

# SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

. <del></del>	Phoenix, Ariz	ona,	
		August 12	
I, U. S. Surveyor-General for	District	of Arizona.	
do hereby certify that the foregoing and	d hereto attached Field I	Notes and Return of	the Survey of the
Mining Claim of			
Biles	. Lockhart ulot	hing Company	
•	••••		, known as the
	Bl TTA Tog	e	
situate in	Copper Basin		mining district,
Yavapai	County,	Arizona	
in Section 20 Unsur., Towns	hip No. 13 N	, Range No	3 W.
, designated as Su	rvey No	3460	
executed by	H. Merritt	, Unit	ed States Mineral
Surveyor, December 7		., 191.7, under my	instructions dated
November 30	., 1914, have been critic	cally examined and	the necessary cor-
rections and explanations made, and th	e said Field Notes and	Return, and the Sur	vey they describe,
are hereby approved. A true copy of t	he copy of the location	certificate filed by t	he applicant for
survey is included in the field notes.		,	
	Fran	u (Pd)	Total.
	U. S. Surveyor	-General for Ari	zona.

3824