7-9-19**19** Copied ARC 4-683



#### MINERAL SURVEY No. 3473

Thoenix Orizona Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF e United Verde Coffee Company Safety Fraction Zode Mining Yavapai County, Arizona Section 22 (unsur), Township 16 n, Range 26 Surveyed under instructions dated Feb //, , 19/8 by Joseph Marthy U. S. Mineral Surve Claim located See location notice . 1945 Survey commenced Feb 25, 19/8 Survey completed man 9 , 19/8 Address of claimant Anderson + C Luseott. Arizona.

DATES OF AMENDED LOCATIONS. cember 19, 1917.

being the frustum of a cone Ift. diameter at the base

Survey No 3473 Continued. and I in deam. at the top; containing a Den eron fipe 18 in. long surmounted by a cap and reducer containing a brass disk stamped A. S. 970.3, 867 for Sov. Dro. 3 of the agure Southeastern, lode, and S. S. 9201, 1285 for Sov. no. 1 of the Sunny South lade, The Fleopatra Opper Company claimant. I stampel it S.F. no. 2 3473 for E. No. 2 of this survey, + for exact all corners being identical, whence A cross on schist rock in place marked B+R S.F. 2 3473 bears 9,55°26'Dt 21.69 ft. 7119°05'-20"24 706.10 ft Thence 858032' 4. May Var 14.45'6 To S. E. C. a mound of stones. Yo Cov. Dro. 3. Identical with Cov. 5 Sur 1285 Silent lode, and Cor, 3 Sur. Dro 591 Throme No. Ono Southe astur lode Constal Vand Opper Company claimant. For. Dro. 2 of this survey, alongaile placed a 31/2 mi. x 5 mi. post 4 ft. long. in a mound of stones.

The brass disk is stamped of. S. Dro. 3 - 591 and.

S. Dro. 5 - 1285. I stamped it S. H. Dro. 3 - 3473

for or. Dro. 3 of this survey, whence A cross on school rock in place marked B+C S. F. 3 - 3473 bears S/3°27' ( 13.0) ft From Cor. no.4 said Silent lode The Cleopatra
From Cor. no.4 said Silent lode Com no. 3 thereof b

9.70°07'50" E. 49.11 Thence 25044 9. 9.70°07'50" E. 49.10 ft. mag. Var. 15000 6 621.86 Summet of held 1184.80 Intersect line 2-3 Sur. Fro. 767 Cegure Southeastern no. 1 lode at 0, 18-38-25" Ut 1094.61 ft. from For. Dro. 3.

Geet. Date pipe line to mines and town of Jerome course northeast and Southwest. 1265.00 States pipe line to mines and town of Jerome course northeast 1371.84 Jo Cov. No. 4. A concrete monument similar to Go. Oro. 2 of this survey, Alongade is a 31/2 inby 5 in post 4ft. long in a mound of stones. I put a cross on the concrete for exact corner front and stamped the base disk I the Do. 4 3473 for Cor. no. 4 of this survey, whence from point for Cor. A cross on a malapais rock 3 ft. by 4 ft. by 6 ft. marked B+R S. F. 4- 3473 bears n. 74-14'04. 11.26 ft. South eastern lode, bears of Joseph of O. 17ft. no. 1 lode, Sur. no The brass disk is stamped 6. S. No. 2, 591 for Cov. no 2 of the Chrome no One South eastern lode and S. n. No. 6-594 for Gor No. 6 of the Chrome youth western lode Tode Time. As near as can be determined from fresent development the direction of the vein extends as follows from the discovery front.

) 5044. It 503.28 ft. and \$5044. Task 868.56 ft. All corners are identical with the location corners except for. To. 4. which was moved in 0.17 ft to make the end lines parallel

Survey No 3473 Continued Total area Safety Graction lode Area in conflict with Survey no. 867 Azure Southeastern lode 4,382 Survey No. 1285 Selent lode Location This survey is located in unsurveyed ground in what would be Sec. 22 1.16 M. R.26. G. Y. S. R. B. Y. M. within the Prescoft national Forest. I certify that the value of the labor and improvements made upon this claim by the claimant or its grantors, is not less than five hundred dollars and said improvements consist of, no.1. The discovery cut, the face of which being the discovery point, is on the lode line 503.28 ft. from a point on line 1-4 207.93 ft from Cor. no.1. 5ft. wide, 10 ft. face sloping to Ift. at the mouth, at 7,250 It 24 ft from the discovery fromt. A tunnel 4 ft. by 7 ft. runs S.4°30'6. 63 ft from said discovery from. Value of cut and tunnel \$ 7300 This survey was made with a Duff and Derger Drine Transit No. 3/26. The courses were deflected from the true meridian as determined by direct solar observation. The meridian checking with the Q. & Bos. triangulation system. The distances were measured with 200 ft. and

adjoining Claims

This claim is joined on the north and east by the agure Southeastern no. 1 lode, Sur. no. 867, claimant herein, on the south by the Silent lode, Sur. no. 1285, the Clopatra mining Co., claimant, and on the west by the Chrome no. 1 Southeastern lode, Sur. no. 591, claimant herein.

Survey No. 3473 Continued

Pefort.
The lines of this claim were run upon the ground by a closed traverse and the conflicting claims tree in from the several traverse kounts. feoints. The 1/4 Car. between Secs. 22 (unsur) and 23 J.16 D1. R.2. E. GY S. R. B. Y M, is an won fife I in. diam. on which is a brass top about 21/2 in. diam marked \$22/4523 and. was found buried in Diag St. near 1st St of the town of scrome.

For. 920.2 of Sur. 867 Agure Southeastern, lode is

ground having a 31/2 x 5 in food projecting 2 ft. therefrom. An iron pen imbedded in the concrete shows the exact corner point, and the concrete is chiseled A. S. Drs 2-867 and A.N. No 6-866 the come being identical with for Dro 6-866 Aguse Northwestern. Ido not ague with hearing or distance of line 2-9 of this lode. Survey No. 591 Throme No. One South exaction lode: - I do not agree with bearing or distance of line 2-3 of this lode. Survey No. 1285 Selent lode :-Forners Drog and lot are concrete monuments similar to For Dro. 2. of this survey and properly marked. This lode must have been surveyed by stadia as even the bearing rocks are in error, about the amount of the stadia constant. To Sol of the Lunny South Sw. Dr. 1285

...

Survey As 3-473 Continued

has been identified in the field notes
of that survey as being on line 2-3 of
the Selent lode, and bearing and distance
given to En Dro 3 of the Selent lode.

I do not agree with bearing or clistance
so given nor do Lagree with bearings
and distances of lines 3-4,- 4-5 of the Selent
lode.

The discrepancies found existing between
the lode as marked by the location
monuments and described in the location
notice are due to errors in the location notice.

### FINAL OATHS FOR SURVEYS.

LIST OF NAMES. A list of the names of the individuals employed by United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of \_\_\_\_\_ and showing the respective capacities in which they acted. FINAL OATHS OF ASSISTANTS. ....., do solemnly swear that we assisted United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Coleven Vallace Chainman. Subscribed and sworn to by the above-named persons before me this\_\_\_\_\_ ., 1918 day of August ardnes

Yavapai, County, Arizona

6-1043

## FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Joseph no arthy , U. S. Mineral Surveyor,				
do solemnly swear that, in pursuance of instructions received from the United States				
Surveyor General for Augona, dated				
Feb //, 1918 , I have, in strict conformity to the laws of the				
United States, the official regulations and instructions thereunder, and the instructions				
of said Surveyor General, faithfully and correctly executed the survey of the Mining				
Claim of SThe Control of State of the Minning				
Claim of The Centred Verde Topper Tompany				
situate in Section County, Aryona, in Section				
Situate in Mining District				
Garage County Ages to a Special				
22 Unsur, Township No. 16 n., Range No. 2 E.				
and designated as Survey No. 3473 , as represented				
in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy				
of the location certificate, which was received by me from the Surveyor General with				
said instructions, and that all the corners of said survey have been established and per-				
petuated in strict accordance with the law, official regulations and instructions there-				
under; and I do further solemnly swear that the foregoing are the true and original				
field notes of said survey and my report therein, and that the labor expended and				
improvements made upon said mining claim by claimant or grantors				
are as therein fully stated, and that the character, extent, location, and itemized value				
thereof are specified therein with particularity and full detail, and that no portion of				
said labor or improvements so credited to this claim has been included in the estimate				
of expenditures upon any other claim.				
of expenditures upon any other claim.				
and have been a fine				
Joseph Mc arthy U. S. Mineral Surveyor.				
Subscribed and sworn to by the said				
U. S. Mineral Surveyor, before me C. S. P. Gardner, a NOTAT				
in and for Yavapai County, Arizona. this Tenth				
day of, 19 18				
CS & Gardner				
Notice Contra				

6—1044

1 61.0.1418

Additional and AMENDED Notice of Mining Location LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the "Safety Fraction" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by The United Verde Copper Company, a corporation existing under the laws of the State of Delaware, the undersigned, on the 19th day of December, 1917.

The length of this claim is 1500 feet, and we claim 550 feet in a northerly direction and 950 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the north to the south

The claim is situated and located in the Verde Mining District, in Yavapai County in the State of Arizona, about 1500 feet in a southeasterly direction from the United Verde Copper Company's No 3 Shaft

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument at a point in a northerly direction 550 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument being the northeast corner of said claim; thence southerly 1500 feet to a monument, being at the southeast corner of said claim; thence westerly 300 feet to a monument at the center of the south end of said claim; thence westerly 300 feet to a monument being at the southwest corner of said claim; thence northerly 1500 feet to a monument at the northwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Safety Fraction Mining Claim, located by Will L. Clark, on the 15th day of April, 1915, and recorded in Book 97 of Records of Mines, at page 445, in the office of the County Recorder of the aforesaid County of Yavapai, to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 19th day of December, 1917.

United Verde Copper Company

Witness, J. C. Hayes

By C. V. Hopkins


Chief Engineer, As Agent

Filed and recorded at request of ANDERS	SON & ELLIS			
FEBRUARY 8th.,	A.	D. 191.8, at 11:15 o'clock		
A. M., Book 99 of Mines		page <b>s</b> 403		
Records of Yavapai County, Arizona.				
	(SEAL)	E. A. McSWIGGIN, County Recorder.		
	By Lula I	By Lula McIntosh		
	-	Deputy Recorder.		

STATE OF ARIZONA, COUNTY OF YAVAPAI, ss

I, E. A. McSwiggin, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of Additional and Amended Notice of Mining Location of the "SAFETY FRACTION" Lode Claim

filed for record on February 8th., 1918 and as the same appears of record in my office in Book 99 of MINES



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 8th day

of February A. D. 191 8

County Recorder.

Deputy Recorder.

### U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix,	Arizona,	
			July 19 , 1919
I, U. S. Surveyor-Ger	neral for DISTRICT OF	F ARIZONA,	
do hereby certify that the	foregoing transcript of the F	ield Notes, retur	n and approval of the survey
	THE UNITED VERI	DE COPPER C	OMPANY
	SAFFTY F		
situate in	VERDE		
Mining District,	YAVAPAI	County,	ARIZONA,
in Section 22 (Unsur	), Township No. 16 N.	, Range No	2 E. , and
	3473 , has been		
	Notes furnish such an accura		
	serve fully to identify the pre		
	anent monuments as will perp		
	that five hundred dollars' w		
	ning claim by claimant or		
	id tunnel, total va		
	l labor or improvements has k		
upon any other claim.			
I further certify that the	he plat thereof, filed in the U.	S. Land Office a	t Phoenix,
Arizona,	is correct and in conform	nity with the fore	going Field Notes.
	Frank	P. Trott,	
	United States Surveyor	General for Ar	izana.

## SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

# DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

	Phoer	lix, Arizona,
		July 19 , <sub>191</sub> 9
I, U. S. Surveyo	r General forDISTRIC	TOF ARIZONA,
do hereby certify tha	t the foregoing and hereto attach	ed Field Notes and Return of the Survey of the
Mining Claim of		
		PER COMPANY
		, known as the
	SAFETY FRACTION	lode
situate in	VERDE	mining district,
YA VA PA I	County, -	ARIZONA,
in Section 22.4Uns	urveyed), Township No	16 N., Range No. 2 E.,
,	designated as Survey No.	3473
executed by	Joseph McCarthy	, U. S. Mineral
Surveyor, Fe	b. 25-Mar. 9	, 1918, under my instructions dated
Peb. 11,	, 1918, have l	been critically examined and the necessary cor-
rections and explanat	ions made, and the said Field No	otes and Return, and the Survey they describe,
are hereby approved.	The certified copy of the locatio	n certificate filed by the applicant for survey is
on file in this office an	d a true copy of said certified copy	of said location certificate is included and made
a part of the transcrip		
	A)	Frank O. Front

U. S. Surveyor General for Arizona.