1 MAY 10 '919 MUG-2 1919

# MINERAL SURVEY No. 3475

	Grizona Land District.			
FIELD NOTES  OF THE SURVEY OF THE MINING CLAIM OF  The Canted Verde Copper Company				
	Centure East Sode  Verde Mining District,  wafai County, Arzona.  (unumeyed), Township 16 9, Range 25, GY S.R. BYM.  ed under instructions dated lan 22, 1918  by loseph McCarthy  U. S. Mineral Surveyor.			
	Claim located See Cocation notice attacked, 19  Survey commenced March 28, 19/8.  Survey completed March 29, 19/8.  Address of claimant Anduson Clis Attoiners Prescott, Augma.  DATES OF AMENDED LOCATIONS.			

Mineral Survey 20. 3475. (Venture Cast Lode. Beginning at Cov. Dro. 1 I dentical with En. Is. / Ella lode Sun ko. 1285 on line 5-6 Venture Dro Horth lode Sur. Dro. 869 at. S52°18'6 320.59 ft. from For. Dro. 5,

oncrete shonument 24 in long set Ift in the

ground. The part above the surface being the frustion fa cone Ift. deam at base and I in deam at top. The cove is a 2 in. non pipe, topped by a cap containing a brass disk stamped + 6. 201, 1285 and & 6. 201, 3475. A cross on a rock in place marked B+R V. 6-1-3475 bears 8420451 & 7.91 ft. The 14 Sec On between Secs 26 + 27 716 h R26 9. ASR. B. + In. bears \$570046 1005.55 ft. Thence 2 520/8 1. may Vav. 15%. 45.95 South Ent Center. Amount of stones 3ft diamat base 48.26 For No. of Venture Hest lode Sur. Iro. 3476. 132.16 To Con to 2, identical with Good Fun Light lode Sur. Iro 1285 and on line 5-6 Sur. Iro 869 Venture Dros Lorth and line 5-1. Sur no 3476 Venture Stest lode. A concrete monument similar to For. 201. of this survey. The brass disk being stamped + V. C. m. 2. 3475 and G. S. No. 2, 1285, whena A cross on a rock in place marked B+R V6-2, 3475 lears 7,640/0' 4 13.50 ft. Thence \$136059'6" Trag. Var. 1506. 71.50 Cos water pipe line to serome running northwesterly. 71.50 A concrete moment similar to to les! of this survey. The brass disk being stamped + V. C. No. 3, 3475, whence A cross on a rock in place marked B+CK V. 6-3 3475 bears Sy0003' It 13.12 ft. Thence \$520/8'6 may Van 14030'6 North End Center, Amount of stones 3 ft. deam, at base and 4 ft. Kigh. To Gov Sor 4

Survey Jo 3475 Continued Expenditure of Time Hundred Dollars! I certify that the value of the labor and improvements made upon the ground for the benefit of the claim by the claimant is not less than five hundred dollars, and that said improvements consist of:

Ital. The discovery cut, the face of which being the discovery point is on the lode line 12870 4 line 128.70 ft. from a faoint on line 4-3 45.95 ft. from Sov. le.4, 5 ft. wide 8 ft. face running 2 7/028 8 10 ft to mouth. From the face is a tunnel 5x7 ft running Sylo28' & 50 ft to its face. Value of cut and tunnel \$55000 This survey was made with a Ex Berger & Lone mining transet. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 100 ft. and 600 ft steel take. The lines of this claim were run by a closed traverse around the claim and the corners of the conflicting claims tred in from the several traverse points. The 14 Sec. Cox. between Sec's 26+27 716 3. R26. G. S. S. M. is a lin. um felse projecting 10 in above the ground, topped by a hass cap on which is stamped 27 Sur. Dro. 869 Venture Dro/ Drouth lode. For. Dro. 5 is a 2 in. non feepe set in a hole drilled in soled rock and cemented in place corner where the pipe being the point for corner where the cross marked the spot. The rock is marked V. n. no 5 and 9 S. no. 1. 1285

urvey 1 3475 Continued For no 6 is a concrete monument similar to Gov. Iro. !. Venture East lode this survey and replaces the projecting rock on which was marked + V.N. No. 6 and V.S. No. 6. The numbers of the surveys 869 and 870 will be stamped on the brass disk in addition to the markengo on the stone. I find line 5-6 to be \$520/8'S unslead of S5206 as reported. Survey Dro. 1285 Jun Light lode. Sov. 1 is identical with Sor. 5 of Sur Iro 869 Venture Iro. 1 Fronth lode Juriously described. Cor 2 is identical with Ga Dro 2 Venture East lode this survey, and for 3 is identical with for the 4. of the Venture East lode this survey, both previously described. Gov 4 is a concrete monument similar to Gor In I of the Kenture Gast lode this survey and replaces the cross for corner on rock in place that was marked 9-4-1285 and no 99-3-1285. For no 2 (stone corner) was also marked of no 1 in addition to G. S. Dr. 2. 1285; on the concrete monument the E. Tro, I is omitted. I find line 1-2 \$52018'6 188.43 ft. instead of \$520006194.00 ft. Ifled line 2-3 369°41'6235.24 ft. instead of 37106233.00 ft. fund line 3-4 319°19' t 162.88 ft instead of 319° H 163.00 ft. Sur. Mo. 1285 Ella lode Gow / and 5 are concrete monuments previously I find line 5-1 835°31' If 199.69 ft instead of 8 38° \$ 195.00 ft. The fourt for Sov. No. 1 is recorded as being on like 5-06 of Sur. Its 869 Venture Its / South lode \$520 & 320,90 ft. from For Iro 5 of said Sur De 869. I find the concrete monument for Cor. Its 1 to be on line 5-6 of said Sur no 869 at \$520/8/6 320.59 ft. from Gov (205.

#### FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the names of the individuals employed by Joseph Marthy
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of
and showing the respective capacities in which they acted.
divin Italiace, Chainman.  Chainman,  Axman.  Flagman.
•
and, do solemnly swear that we assisted to seph  The Carthy, United States Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of
known as the Venture East lode.
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
$and\ correctly\ executed, and\ the\ corner\ and\ boundary\ monuments\ established\ according\ to\ law\ and\ the\ instructions$
tions furnished by the United States Surveyor-General for
, Flagman.
Subscribed and sworn to by the above-named persons before me this Tenth
day of August , 19 18
(OSP Gardner)
Yavapai County, Ariz.

### FINAL OATH OF U.S. MINERAL SURVEYOR.

Joseph Mathy , U. S. Mineral Surveyor,						
do solemnly swear that, in pursuance of instructions received from the United States						
Surveyor General for Arizona, dated  anuay 22,/9/8, I have, in strict conformity to the laws of the						
United States, the official regulations and instructions thereunder, and the instructions						
of said Surveyor General faithfully and correctly executed the survey of the Mining						
Claim of The Central Verde Copper Company						
, known as the						
situate in Centre County, Aryona, in Section 27 Pensur, Township No. 16 79, Range No. 2 & YXRBAYM.						
situate in Mining District,						
Garafai County, Aryona, in Section						
27 Jensue, Township No. 16 79, Range No. 2 & TYST 13.47m,						
and designated as Survey No. 3475 , as represented						
in the foregoing field notes, which accurately show the boundaries of said mining claim						
as distinctly marked by monuments on the ground, and described in the attached copy						
of the location certificate, which was received by me from the Surveyor General with						
said instructions, and that all the corners of said survey have been established and per-						
petuated in strict accordance with the law, official regulations and instructions there-						
under; and I do further solemnly swear that the foregoing are the true and original						
field notes of said survey and my report therein, and that the labor expended and						
improvements made upon said mining claim by claimant or grantors						
are as therein fully stated, and that the character, extent, location, and itemized value						
thereof are specified therein with particularity and full detail, and that no portion of						
said labor or improvements so credited to this claim has been included in the estimate						
of expenditures upon any other claim.						
osefh marchy.						
Subscribed and sworn to by the said						
U. S. Mineral Surveyor, before me A Notary Public in and for Yavapai						
County, Arizona this 26th						
day ofFebruary, 1919						
Total Andrew						
(XXX Gardner)						
Notary Public						

### Notice of Mining Location LODE CLAIM

SEP.21.1917

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the VENTURE EAST Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by UNITED VERDE COPPER COMPANY, a corporation of Delaware, the undersigned, on the 23rd day of August, 1917

The length of this claim is three hundred (300) feet, and we claim one hundred fifty (150) feet, in a southwesterly direction and one hundred fifty (150) feet in a northeasterly direction from the center of the discovery cut at which this notice is posted, lengthwise of the claim, together with two hundred (200) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northeast to the southwest.

The claim is situated and located in the Verde Mining District, in Yavapai County in the State of Arizona, about 3/4 of a mile in a southeasterly direction from the Town of Jerome and covers that fra fractional piece of ground laying between the Ella, Gunsight, and "Venture North No. 1 mining claims.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument at a point in a southwesterly direction 150 feet from the discovery shaft (at which this notice is posted), being in the center of the southwest end line of said claim; thence northwesterly 200 feet to a monument, being the most westerly corner of said claim; thence northeasterly 300 feet to a monument, being at the most northerly corner of said claim; thence southeasterly 200 feet to a monument at the center of the northeast end of said claim; thence southeasterly 200 feet to a monument being at the most easterly corner of said claim; thence southwesterly 300 feet to a monument at the most southerly corner of said claim; thence northwesterly 200 feet to the place of beginning.

Dated and posted on the grounds this 23rd day of August, 1917

UNITED VERDE COPPER COMPANY.

By C. V. Hopkins

Filed and Recorded at request of Anderson, Coleman & Nilsson, Sept. 11, A. D. 1917, at 10-30 o'clock A. M., Book 108 of Mines Pages 210 Records of Yavapai County, Arizona

(SEAL)

Edith Ruffner County Recorder

By Lula McIntosh
Deputy Recorder

STATE OF ARIZONA ) : SS COUNTY OF YAVAPAI )

I, EDITH RUFFNER, County Recorder in and for the aforesaid County of Yavapai and State of Arizona, and Custodian of the Records of such Office; DO HEREBY CERTIFY that I have compared the foregoing Copy with, and that the same is a full, true and correct Copy of the Original Location Notice of the VENTURE EAST Lode Mining Claim, as the same appears of record in Book 108 of Mines, Page 210, of the records of my said Office.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 18th day of September, 1917.

COUNTY RECORDER

OF YAVAPAI COUNTY ARIZONA

Deputy Recorder

#### U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,		
	October 18	, <i>191</i> 9	
I, U. S. Surveyor-General for-	District of Arizona		
do hereby certify that the foregoing transcri	pt of the Field Notes, return and approval	of the survey	
of the mining claim of			
The United	Verde Copper Company		
known as theY	ENTURE EAST Lode		
situate in	<u>Verde</u>		
Mining District, Yavapai	County, Ariz	zona	
in Section 27 Unsur., Township No.	16 N , Range No. 2 E.	, and	
designated as Survey No. 3475	, has been correctly copied from the orig	inals on file in	
this office; that said Field Notes furnish suc			
incorporated into a patent, serve fully to iden			
		s made therein	
to natural objects or permanent monuments			
	dollars' worth of labor has been expended		
ments made upon said mining claim by clai	mant or 118 grantors, and that said	improvements	
consist of 1 cut and tunnel, t	otal value \$550.		
	*		
		Is T	
and that we resting of said labor on increase		g	
and that no portion of said labor or improve	ements has been included in the estimate of	expenditures	
upon any other claim.			
	ed in the U.S. Land Office atPhoe		
Arizona, is correct an	d in conformity with the foregoing Field N	otes.	
	Frank P. Tro	tt	
FL 41 J Ct.	Arizo	na.	

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona				
		October 18	, 1919		
I, U. S. Surveyor-General for	Distri	ct of Arizona	<u>.</u>		
do hereby certify that the foregoing and heret	to attached Field	Notes and Return of	the Survey of the		
Mining Claim of					
The Unite	ed Verde Co	pper Company			
			, known as the		
VI	ENTURE EAST	Lode			
situate in	Verde		mining district,		
Yavapai	County,	Ari	zona		
in Section 27 Unsur., Township No	o. 16 N	, Range No	2.E.		
, designated as Survey 1	No	3475			
executed by Joseph McCart	hy	, Uni	ted States Mineral		
Surveyor, March 28 -	. 29	, 191_8, under my	instructions dated		
January 22 , 1918	}_, have been crit	ically examined and	the necessary cor-		
rections and explanations made, and the said	Field Notes and	Return, and the Sur	vey they describe,		
are hereby approved. A true copy of the cop	y of the location	certificate filed by t	the applicant for		
survey is included in the field notes.					
	France	S. S. S. S.			

U. S. Surveyor-General for Arizona.