UUN 7- 1919

(4--683.)

Mineral Survey No. 3486 Platter

Lot No.	
Arizona	Land District.
FIELD NOTES	
OF THE SURVEY OF THE MINING CLAIM OF	,
Phelps Dodge Corporation	
KNOWN AS THE	
VIRGINIA NO. 2, PASO, MILKY WAY and DOUGAN'S DR	EAM Lodes
Copper Mountain	Mining District,
Greenlee County, Arizo	na
Section S 22 & 23 Uns, Township 4 South , F	
Surveyed under instructions dated February 21,	
by. E.T.Morton	
	I. S. Doputy Mineral Surveyor.
Claim located see location notices	, 1
Survey commenced March 1	, 1918.
Survey completed March 15 claimant's Address f, Attys.:	, 1 918.

Ellinwood & Ross,
Box 879, Globe, Arizona.

Survey. No. 3486.

Virginia No.2 lode.

Feet. Beginning at Cor. No.1.

A pine post, in place, 4x6 ins., 3.5 ft. high, with a mound

of stone, scribed P 2- V2-1-3486, whence

The S.W.Cor.Sec.13 T.4 S., R.29 E., G.& S.R.B.&M.bears N.51°40'E. 6819.2 ft.

Thence S.44°07'W.

302.4 Southeast end center of the location and lode.

604.8 To Cor. No. 2.

A pine post, in place, 4x6 ins., 3.5 ft. high, with a mound of stone, scribed V2-2-3486.

No bearings available.

Thence N.53°13'W.

33.0 Cor.No.1, Sur.No.3304 Terapin Jack lode.

523.9 Intersect Morenci Southern R.R. course, N.W. to S.E.

1429.28 Intersect line 6-7 Sur.No.2448 Morenci No.1 placer at S.46°30'E. 162.11 ft.from Cor.No.6.

1500 To Cor. No. 3.

On line 4-1 Sur.No.3304 Terapin Jack lode at S.53°13'E. 33.0 ft.from Cor.No.4.

A pine post, in place, 4 ins. square, 3 ft. high, with a mound of stone scribed V2-3-3486.

No bearings available. . . .

Thence N.44°07'E.

8.27 Intersect line 6-7 Sur. No. 2448 Morenci No. 1 placer at S.46°30'E. 91.96 ft. from Cor. No. 6.

43 Intersect Morenci Southern R.R. course, N.W. to S.E. .

204 Intersect Morenci Southern R.R. course, N.W. to S.E.

254 Intersect wagon road, course N.W. to S.E.

302.4 Northwest end center of the location and lode.

604.8 To Cor. No.4.

Identical with Cor. No. 3 Paso lode of this survey.

A pine post, in place, 4x6 ins., 3.5 ft. high with a mound of stone scribed P. 3- V2-4-3486.

No bearings available.

Thence S.53°13'E.

59 Intersect wagon road, course East to West.

Intersect Morenci Southern R.R., course N.E. to S.W.

1500 To Cor. No. 1, the place of beginning.

Paso lode.

Beginning at Cor. No.1.

Identical with Cor.No.2 Milky Way lode of this survey. A pine post, in place, 4x6 ins., 3.5 ft. high, with a mound of stone scribed M W 2-P 1-3486 whence
The S.W.Cor.Sec.13 T.4 S.R.29 E., G.& S.R.B.& M.bears N.52°24'E. 6220.1 ft.

Thence S.44°07'W.

302.4 Southeast end center of the location and lode.

604.8 To Cor. No.2.

Identical with Cor. No.1 Virginia No.2 lode of this survey heretofore described.

Thence N.53°13'W.

1038 Intersect Morenci Southern R.R., course N.E. to S.W.

1441 Intersect wagon road, course East to West.

.

Identical with Cor.No.4 Virginia No.2 lode of this survey heretofore described.

Thence N.44 07 E. -.

302.4 N.W. end center of the location and lode.

604.8 . To Cor No.4.

To Cor. No. 3.

1500

A pine post, in place, 4x6 ins., 3.5 ft. high with a mound of stone, scribed M W 3- P 4- 3486.

No bearings available.

1	Feet.	Thence S.53°13'E.
	294	Intersect wagon road, course East to West.
	447	Intersect Morenci Southern R.R., course East to West.
	1500	To Cor. No.1, the place of beginning.
		· · · · · · · · · · · · · · · · · · ·
	• nin	Milky Way lode,
		Beginning at Cor. No.1.
		A pine post, in place, 4x6 ins., 3.5 ft. high, with a mound
	i i	of stone, scribed M W 1-3486 whence
		The S.W.Cor.Sec.13 T.4 S., R.29 E., G.& S.R.B.& M. bears
		N.53°18'E. 5627.6 ft.
	•	Thence S.44°07'W.
	302.4	S.E. end center of the location and lode.
	488	Intersect Morenci Southern R.R., course N.W. to S.E.
	508	Intersect wagon road, course N.W. to S.E.
	604.8	To Cor.No.2.
	-	Identical with Cor. No. 1 Paso lode of this survey hereto-
		fore described.
		Thence N.53°13'W.
	1053	Intersect Morenci Southern R.R., course East to West.
	1206	Intersect wagon road, course East to West.
	1500	To Cor. No. 3.
	,	Identical with Cor. No. 4 Paso lode of this survey hereto-
		fore described.
	1.452	Thence N.44°07'E.
	288.1	Intersect line 2-3 Dougan's Dream lode of this survey
		at S.84°56'W. 917.03 ft.from Cor.No.2.
	291.6	N.E.Cor.Gladiator No.5 lode uns.
	302.4	N.W. end center of the location and lode.
	604.8	To Cor. No.4.
		A pine post, in place, 4x6 ins., 3.5 ft. high, with a mound of
		stone scribed M W 4-3486.
	<u>,6</u> 3.	No bearings available.
		Thence S.53°13'E.
	310.28	Intersect line 2-3 Dougan's Dream lode of this survey
	- 30027	bel to the a life of the belief the total and the second of the second o
		. T. I. II 1 17 J. Transferdardor of the Table 1891

-		
	Feet.	at S.84°56'W. 446.23 ft.from Cor.No.2.
	1500	To Cor. No.1, the place of beginning.
İ		7
		Dougan's Dream Lode.
		Beginning at Cor. No.1.
		Identical with CorNo.2 Sur. No. 2885 Punto Blanco lode.
		A pine post, in place, 4x6 ins:, 3:5 ft. high, with a mound
	40.	of stone scribed D D 1-3486 whence
1		The S.W.Cor.Sec.13 T.4 S., R.29 E., G.& S.R.B.&M.bears
Ì	167	N.67°04'E.5073.4 ft.
-		Thence S.28°32'W.
	360	East end center of the location and lode.
	394	Intersect Shannon Arizona R.R. course East to West.
	720	To Cor. No. 2.
	,	No.bearingstavailable. Jur. Ho.
		III and a C. OA OE C. THE
	110 07	Thence S.84°56'W.
	440 · 20	Intersect line 4-1 Milky Way lode of this survey, at
	017 07	S.53°13'E.310.28 ft.from Cor.No.4.
	917.00	Intersect line 3-4 Milky Way lode of this survey and
		the S.E. side line of the Gladiator No.5 lode uns.at
		S.44°07'W.316.7 ft. and 3.5 ft.from Cor.No.4 and the
	14 99	N.E.Cor.respectively. To Cor.No.3.
	1499	
		A pine post, in place, 4x6 ins., 3.5 ft. high with a mound of stone scribed D D 3-3486.
		No bearings available.
		Thence N.28°32'E.
	360	West end center of the location and lode.
	377.9	Intersect the N.E. end line of the Gladiator No.5 lode
		at N.55°18'W.488.5 ft.from the N.E.Cor.
	720	To Cor. No.4.
		Identical with Cor. No. 3 Sur. No. 2885 Punto Blanco lode.
		A pine post, in place, 4x6 ins., 3.5 ft. high with a mound
		of stone scribed D D 4-3486 whence
		A cross (x) and BR 4-3486 chisled on limestone bedrock
	-	3x3 ft.facing the North bears S.19°20'W. 16.1 ft.

Feet.

Thence N.84°56'E.

919

Intersect Shannon Arizona R.R., course N.W. to S.E.
To Cor.No.1, the place of beginning.

LODE LINES.

As near as can be determined from the present developments, the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

Virginia No.2 lode,134 ft.N.53°13'W.and 1366 ft.S.53°13E.

Paso lode, 82 ft.N.53°13'W.and 1418 S.53°13'E.

Milky Way lode,79 ft.N.53°13'W.and 1421 ft.S.53°13'E.

Dougan's Dream lode,62 ft.S.84°56'W.and 1437 ft.N.84°56'E.

AREAS.

Acres.

Total area Viriginia No.2 lode - - - - - - - - - - - - - - - - 20.656

Sur.No.2448 Morenci No.1 placer - -.007 ×

Total area Paso lode - - - - - - - - - - - - - - - 20.656 ×

Total area Milky Way lode - - - - - - - - 20.656 ×

Area in conflict with-

Dougan's Dream lode of this survey-1.119 V

Total area Dougan's Dream lode - - - - - - - - - - - - - - - 20.637 ×

Area in conflict with-

Gladiator No. 5 lode uns. - - - - 2.122

LOCATION.

This survey is located in the Copper Mountain Mining District, Greenlee County, Arizona, in sections 22 and 23 uns., T.4 S.R.29 E., G.& S.R.B.& M.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or its grantors is not less than five hundred dollars and that said improvements consist of:

Virginia No.2 lode.

No.1. The discovery shaft is on the lode line 134 ft.

from line 3-4,4x6 ft.,10 ft.deep.

Value - - - \$100.00

No.2.A tunnel with an open cut approach, the mouth of which bears from the N.W. end center S.24°12E.300 ft., running N.23°E.15 ft.of open cut ,5x9 ft. and 43 ft.of tunnel 5x6 ft.

Value - - - \$570.00

Paso lode.

No.1. The discovery shaft is on the lode line 82 ft. from line 3-4,4x6 ft.10 ft. deep.

Value - - - \$100.00

No.2.A tunnel with an open cut approach, the mouth of which bears from Cor.No.3 S.74°E.133 ft., running N.35°E. 22 ft.of 5x8 ft.open cut and47 ft.of 5x6 ft.tunnel.

Value - - - \$600.00

Milky Way lode.

No.1. The discovery showing mineral in place is on the lode line 79 ft. from line 3-4.

No.2.A tunnel with an open cut approach the mouth of which bears from the N.W. end center S.75°E. 143 ft., running S.78°W.8 ft.of 5x10 ft.open cut and 55 ft.of 5x7 ft.tunnel.

Value - - - \$660.00

Dougan's Dream.lode.

97.138

No.1. The discovery showing mineral in place is on the lode line 62 ft. from the West end center.

No.2.A tunnel with an open cut approach, the mouth of which bears from the West end center S.75°30'E. 101 ft., running N.48°30'W.20 ft.of 5x15 ft.open cut and 45 ft. of 5x7 ft.tunnel.

Value - - - \$600.00

ADJOINING LODES.

on the south,
The adjoining lodes are; Sur. No. 3304 Terapin Jack lode
and Sur. No. 2448 Morenci No. 1 Placer; on the west,
claimant herein, Gladiator No. 5 and Gladiator No. 6 lodes
on the north
uns., R. J. Marshall claimant and Sur. No. 2885 Punto Blanco.

lode , the Arizona Copper Company claimant.

INSTRUMENT.

This survey was made with a Buff & Berger light mountain transit. The courses were deflected from the true meridian as determined from polaris observations. The distances were measured with 5,50 and 500 ft.steel tapes. Variation at all corners 13' 40' E.

REPORT.

The S.W.Cor.Sec.13 T.4 S.,R.29 E.,G.& S.R.B.& M.is a stone properly set and chiseled.

Sur. No. 2885 Punto Blanco lode:

All corners are posts

properly set and scribed.

Sur. No. 3304 Terapin Jack lode:

All corners are posts

properly set and scribed.

Sur. No. 2448 Morenci No. 1 placer:

All corners are posts

properly set and scribed.

Gladiator No.5 lode uns.:

All corners are posts

properly set and scribed.

The survey of each lode of this location is identical with the respective location as staked upon the ground.

The differences between these field notes and the returns on previous surveys are due to errors in the latter.

The differences between these field notes and the location certificates are due to errors in the latter.

All end center monuments are mounds of stone.

W.S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals emp	ployed by E.T.Morton
United States Mineral Surveyor, to assist in	running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field note	es of the survey of the mining claim of
Phelps Dodge	Corporation
known as the Virginia No.2, Paso, Mi	ilky Way and Dougan's Dream lodes
and showing the respective capacities in which	
	J.L. Awalt , Chainman.
	, Chainma <mark>n.</mark>
	, Axman.
	, Flagman.
_	
FINAL OATH	S OF ASSISTANTS.
We, I, J.L.Awalt	
and	, do solemnly swear that we assisted
E. T. Morton . United States	s Mineral Surveyor, in marking the corners and surveying
	Phelps Dodge Corporation
the boundaries of the mining claim of	THOTED DOUGO GOT DOTE STOR
3 2	
known as the Virginia No. 2, Paso, N	Milky Way and Dougans Dream lodes
· · · · · · · · · · · · · · · · · · ·	ring been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all	respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and bound	lary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-G	feneral for Arizona
	J. J. J. Welt, Chainman.
	<i>U</i> -
	, Chainman.
	, Axman.
	, Flagman
Subscribed and sworn to by	y the above-named persons before me this 20th
day of June	10/5
	Louis Hann
	notaris Orelles
	6-10/8
	in commenon eluces

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, E.T. Morton	, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instruc	
Surveyor General for Arizona	
February 21st,1918 , I have	
United States, the official regulations and instru	actions thereunder, and the instructions
of said Surveyor General, faithfully and correct	bly executed the survey of the Mining
Claim of Phelps Dodge Corporation	
Virginia No.2, Paso, Milky Way and Do	
situate in Copper Mountain	
Greenlee Count	
22 &23 Uns, Township No.4 S., Range N	
and designated as Survey No. 3486	
in the foregoing field notes, which accurately sho	
as distinctly marked by monuments on the grou	
of the location certificate, which was received b	
said instructions, and that all the corners of said	
petuated in strict accordance with the law, offi	
under; and I do further solemnly swear that t	
field notes of said survey and my report there	
improvements made upon said mining claim by	
are as therein fully stated, and that the charac-	ter, extent, location, and itemized value
thereof are specified therein with particularity	and full detail, and that no portion of
said labor or improvements so credited to this o	claim has been included in the estimate
of expenditures upon any other claim.	
	12 Moston
	U. S. Mineral Surveyor.
\$	
Subscribed and sworn to by the said	3. Monton
U. S. Mineral Surveyor, before me	Freis / Carpre
a notary Ouble	this 2015
day of	
	ouis I. Vaisme
·	21 (D(2)
6—1044	Morany Cribic
my comm	ssion expires get go
	¥

NOTICE OF MINING LOCATION

LODE CLAIM

+ 6.21.1918

To	All	Mhom	It	May	Concern:
----	-----	------	----	-----	----------

This mining claim, the name of which is the Milky	Way
Mining Claim, situate on lands belonging to the United Stat	tes of America, and in which there are valuable
mineral deposits, was entered upon and located for the p	purpose of exploration and purchase by
Phelps Dodge Corporati	on
the undersigned, on the 5th, day of February	1918.
The length of the claim is 1500	feet, and it
claim S 79	feet in a N.53°13Wdirection
and 1421 feet in a S.53°13'E. direc	tion from the center of the discovery cut
(at which this notice is posted), lengthwise of the claim, to	ogether with 300 feet in width of the said
surface grounds, on each side of the center of said claim	The general course of the lode deposit and
premises is from the N.W. to the	e S.E.
The claim is situated and located in Copper Moun	tain Mining District, in
Greenlee County, in the State of Arizona,	
The S.E.and S.W.Cors.of this	
N.E. and N.W. Cors. of the Paso lode resp	ectively.
5141	
The surface boundaries of the claim are marked upon	the ground as follows: Beginning at
a mound of stone	
at a point in a N.53°13'W. direction 79	
from the discovery	d), being in the center of the N.W.
end line of said claim; thence N.44°05'E. 302.4	feet to a post
, being at the N.W.	corner of said claim; thence
S.53°13'E. 1500 feet to a post	
the N.E. corner of said claim; then	
feet to a mound of stone being at the center	r of the S.E. end of said
claim; thence S.44.05 W. 302.4	
being at the S.E. corner of said claim	
feet to a post , being at the	
thence N.44°05°E. 302.4 feet to the place	
Dated and posted on the ground this 5th, day o	
itness:	
	Phalas Dadas Garmana Com
Geo. M. Robison	Phelps Dodge Corporation
	Ulstell heary

NOTICE OF MINING LOCATION

LODE CLAIM

13

To All Mhom It May	Concern	*
--------------------	---------	---

This mining claim, the name of which is the	Oream
Mining Claim, situate on lands belonging to the United States of	America, and in which there are valuable
mineral deposits, was entered upon and located for the purpose	of exploration and purchase by
Phelps Dodge Corporation	
the undersigned, on the 5th, day of February	1918.
The length of the claim is 1499	feet, and it
claim S 61.5	feet in a \$.84°56W direction
and 1437.5 feet in a N.84°56 E. direction from	
(at which this notice is posted), lengthwise of the claim, together	
surface grounds, on each side of the center of said claim. The	e general course of the lode deposit and
premises is from theto theto	West
The claim is situated and located in Copper Moun	tain Mining District, in
Greenlee County, in the State of Arizona,	
The N.E. and N.W. Cors. of this claim a	re identical with Cors. Nos.
2 and 3 Ponto Blanca claim Sur. No. 2885, res	pectively.
The surface boundaries of the claim are marked upon the gramound of stone	ound as follows: Beginning at
at a point in a S.84°56 W. direction 61.5	feet
from the discoverycut (at which this notice is posted), bei	ng in the center of the West
end line of said claim; thence N. 28°30 E. 360.4	feet to a post
, being at the N.W.	corner of said claim; thence
N.84°56'E. 1499 feet to a post	being at
the N.E. corner of said claim; thence S	,28°30'W, 360
feet to a mound of stone being at the center of the	e East end of said
claim; thence S.28°30°W. 360	feet to a post
being at the S.E. corner of said claim; then	nce S.84°56'W. 1499
feet to a post , being at the S	• W • corner of said claim;
thence N.28°30'E. 360 feet to the place of be	ginning.
Dated and posted on the ground this 5th, day of Fe	bruary 1918.
Vitness:	Phelps Dodge Corporation.
Geo. M. Robison	Ul Hell Leagn
	mauagn
	<u> </u>

Amended Location Notice

gets afterward, the k-reby credity that the well its heat mount our lifes for come it.

120.2.1.5

NOTICE IS HEREBY GIVEN THAT THE UNDERSIGNED	
Phelps Dodge Corporation	
a corporation, the assignee ofDick Marshall	
The said A should	
who on the 9th, day of July , 1913, located the Virginia No.2	
mining claim situated in the Copper MountainMining District Greenlee	
County, Arizona, the location notice of which claim is of record in the office of the Recorder of said	
County in Book_2, Record of Mines, page61, has on this _5th,day of	
February 1918, made an amended location of said claim, by virtue of which	
and of said original location, it claims as a mining claim the following described lead, lode or vein of	
mineral bearing earth, rock or quartz and premises situated in the Gopper Mountain	
Mining District, in the County of GreenleeArizona, to-wit:	
The name of said claim is the Virginia No.2 Mining Claim. The name of	
the locatorisPhelps Dodge Corporation	
The length of the claim along said vein or lode is 1500 feet; the width of said claim is 300	
feet on each side of the middle of said lead, lode or vein The general course of said lode and claim	
istoto The distance from the Point of Discovery to	
the_NeWeend center monument of said claim is_134feet. The distance from said	
Point of Discovery to the S.Eend center monument is 1366feet.	
This Location Notice is posted in the monument of stones erected at said Point of Discovery upon	
said claim, which monument is hereinafter referred to as the Location Monument.	
Said claim is bounded and described as follows, to-wit: Beginning at the monument of stones	
placed at the center of the N.W. end of the claim, which monument is 134 feet	
N.53°13'W. from said Location Monument; thence N.44°05'E.302.4	
feet to a post , being the N.W. corner of the claim, thence S.53°13'R	
1500 feet to a post , being the N.E. corner of the claim; thence	
S.44°05'W. 302.4 feet, to a monument of stones, being the center of theS.Eend of the	
claim; thence againS.44°05'W. 302.4 feet to apost, being	
the S.Ecorner of the claim; thenceN.53°13'W. 1500	
feet to a_post, being theS.Wcorner of the claim; thence_N.44°05'E	
302.4feet to the place of beginning.	
To more fully identify the claim its general location is described as followss From the S.W.Cor.of this claim Cor.No.1 Canon claim U.S.	
Min.Sur.No.3304 brs.N.53°13'W. 33.5 ft.	
Amended and posted on the ground Phelps Dodge Corporation	
Tebruary 1918. White Sth, day of . White Cuy Manager	/
Pebruary 1918.	

STATE OF ARIZONA,	(88		/
County of	- in the man	ingma	
I,			ne County and
State aforesaid, do hereby certify t	hat the within instrument was	filed for record at	
o'clock,M., on this	day of	19	, and duly
recorded in Book No	.of	Records of	
County, Arizona, at pages			
WITNESS my hand a	nd official seal the day and yea	ar first above written.	
		County	Recorder
Le de la compa		All Indiana and	A THE PROPERTY AND ADDRESS.
as I on the polyment motivities and	6 70 6 7	of british of chites of tables!	

Amended Lincation

Reha. Bodg. Comp.

Pied and recorded at requestrof

Tell. S. 1918

Book. 3. L. S. 1918

Halle M. May. Comp.

Tell. 12. A. D. 1912

Tell. 12. A. D. 1912

Book. 3. L. M. M. M. Becorder.

By Deputy Recorder.

NOTICE OF MINING LOCATION

LODE CLAIM

FLB.21.1918

To	All	Mhom	It	May	Concern:	

)
Mining Claim, situate on lands belonging to the United States	s of America, and in which there are valuable
mineral deposits, was entered upon and located for the pu	rpose of exploration and purchase by
Phelps Dodge Corpora	tion
the undersigned, on the 5th day of February	
The length of the claim is 1500	feet, andit
claim 8 102	feet in aN.53°13W.direction
and 1398 feet in a S.53°13'E. direction	on from the center of the discovery cut
(at which this notice is posted), lengthwise of the claim, tog	
surface grounds, on each side of the center of said claim.	
premises is from the N.W. to the	
The claim is situated and located in Copper Mount	
Greenlee County, in the State of Arizona, .	
The S.E. and S.W. Cors. of this	
N.E. and N.W. Cors. of the .Virginia No. 2	claim respectively.
a mound of stone	
a mound of stone at a point in a N.53°13'W. direction 102	feet
a mound of stone at a point in a N.53°13'W. direction 102 from the discovery Cut (at which this notice is posted)	feet), being in the center of the N.W.
a mound of stone at a point in a N.53°13'W. direction 102 from the discovery Cut (at which this notice is posted) end line of said claim; thence N.44°05'E. 302.4	feet), being in the center of the N•W• feet to a post
at a point in a N.53°13'W. direction 102 from the discovery Cut (at which this notice is posted) end line of said claim; thence N.44°05'E. 302.4 , being at the N.W.	feet), being in the center of the N.W. feet to a post corner of said claim; thence
at a point in a N.53°13'W. direction 102 from the discovery Cut (at which this notice is posted) end line of said claim; thence N.44°05'E. 302.4 , being at the N.W. S.53°13'E. 1500 feet to a post	feet), being in the center of the N.W. feet to a post corner of said claim; thence being at
at a point in a N.53°13'W. direction 102 from the discovery Cut (at which this notice is posted) end line of said claim; thence N.44°05'E. 302.4 , being at the N.W. S.53°13'E. 1500 feet to a post the N.E. corner of said claim; thence	feet), being in the center of the N.W. feet to a post corner of said claim; thence being at s.44°05'W.302.4
at a point in a N.53°13'W. direction 102 from the discovery Cut (at which this notice is posted) end line of said claim; thence N.44°05'E. 302.4 , being at the N.W. S.53°13'E. 1500 feet to a post the N.E. corner of said claim; thence feet to a mound of stone being at the center	feet), being in the center of the N.W. feet to a post corner of said claim; thence being at s.44°05'W.302.4 of the S.E. end of said
at a point in a N.53°13'W. direction 102 from the discovery Cut (at which this notice is posted) end line of said claim; thence N.44°05'E. 302.4 , being at the N.W. S.53°13'E. 1500 feet to a post the N.E. corner of said claim; thence feet to a mound of stone being at the center claim; thence S.44°05'W. 302.4	feet), being in the center of the N.W. feet to a post corner of said claim; thence being at e S.44°05'W.302.4 of the S.E. end of said feet to a post
at a point in a N.53°13'W. direction 102 from the discovery Cut (at which this notice is posted) end line of said claim; thence N.44°05'E. 302.4 , being at the N.W. S.53°13'E. 1500 feet to a post the N.E. corner of said claim; thence feet to a mound of stone being at the center claim; thence S.44°05'W. 302.4 being at the S.E. corner of said claim;	feet), being in the center of the N.W. feet to a post corner of said claim; thence being at e S.44°05'W.302.4 of the S.E. end of said feet to a post ; thence N.53°13'W. 1500
at a point in a N.53°13'W. direction 102 from the discovery Cut (at which this notice is posted) end line of said claim; thence N.44°05'E. 302.4 , being at the N.W. S.53°13'E. 1500 feet to a post the N.E. corner of said claim; thence feet to a mound of stone being at the center claim; thence S.44°05'W. 302.4 being at the S.E. corner of said claim; feet to a post heing at the	feet), being in the center of the
at a point in a N.53°13'W. direction 102 from the discovery Cut	feet), being in the center of the N.W. feet to a post corner of said claim; thence being at e S.44°05'W.302.4 of the S.E. end of said feet to a post ; thence N.53°13'W. 1500 e S.W. corner of said claim; of beginning.
at a point in a N.53°13'W. direction 102 from the discovery Cut (at which this notice is posted) end line of said claim; thence N.44°05'E. 302.4 , being at the N.W. S.53°13'E. 1500 feet to a post the N.E. corner of said claim; thence feet to a mound of stone being at the center claim; thence S.44°05'W. 302.4 being at the S.E. corner of said claim; feet to a post heing at the thence N.44°05'E. 302.4 Dated and posted on the ground this 5th, day of	feet), being in the center of the N.W. feet to a post corner of said claim; thence being at S.44°05'W.302.4 of the S.E. end of said feet to a post thence N.53°13'W. 1500 S.W. corner of said claim; of beginning. February 19 18.
at a point in a N.53°13'W. direction 102 from the discovery Cut (at which this notice is posted) end line of said claim; thence N.44°05'E. 302.4 , being at the N.W. S.53°13'E. 1500 feet to a post the N.E. corner of said claim; thence feet to a mound of stone being at the center claim; thence S.44°05'W. 302.4 being at the S.E. corner of said claim; feet to a post heing at the thence N.44°05'E. 302.4 feet to the place of	feet to a
at a point in a N.53°13'W. direction 102 from the discovery Cut (at which this notice is posted) end line of said claim; thence N.44°05'E. 302.4 , being at the N.W. S.53°13'E. 1500 feet to a post the N.E. corner of said claim; thence feet to a mound of stone being at the center claim; thence S.44°05'W. 302.4 being at the S.E. corner of said claim; feet to a post heing at the thence N.44°05'E. 302.4 Dated and posted on the ground this 5th, day of	feet), being in the center of the N.W. feet to a post corner of said claim; thence being at S.44°05'W.302.4 of the S.E. end of said feet to a post thence N.53°13'W. 1500 S.W. corner of said claim; of beginning. February 19 18.

1	STATE OF ARIZONA, County of Greenlee.
	I,, County Recorder in and for the County
	and State aforesaid, do hereby certify that the within instrument was filed for record at o'clock
	M., on this day of
	of Records of Greenlee County, Arizona, at pages Witness my hand and official seal the day and year first above written.
	County Recorder

Notice of Location Lode Claim. Part for boards Sorperated Sorperated Sorperated Sook NOTICE OF LOCATION Lode Claim. Paro	2300	20 C	3 7:0 1351-		
--	-------------------------------------	------	------	----------------	--

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,
	December 26 , 1918.
I, U. S. Surveyor-	General for District of Arizona
do hereby certify that	the foregoing transcript of the Field Notes, return and approval of the survey
	PHELPS DODGE CORPORATION
known as the WIRG	INIA NO. 2, PASO, MILKY WAY and DOUGAN'S DREAM Lodes
	COPPER MOUNTAIN
Mining District,	GREENLEE County, ARIZONA.
in Sections 22&23	Ins Township No. 4 South, Range No. 29 E., G&SRB&M, and
designated as Survey N	o, has been correctly copied from the originals on file in
this office; that said F	ield Notes furnish such an accurate description of said mining claim as will, if
incorporated into a pate	ent, serve fully to identify the premises, and that such reference is made therein
to natural objects or pe	rmanent monuments as will perpetuate and fix the locus thereof.
each of	tify that five hundred dollars' worth of labor has been expended or improve- f mining claims by claimant oritsgrantors, and that said improvements
consist of 2 shafts	s. 4 cuts and 4 tunnels, total value \$2630.
	said labor or improvements has been included in the estimate of expenditures
upon any other claim.	
I further certify the	at the plat thereof, filed in the U.S. Land Office at Phoenix,
Arizona,	is correct and in conformity with the foregoing Field Notes.
	Frank P. Trott,
	United States Samueron Comment for And Fores

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

	P	Phoenix, Arizona	<u> </u>
		Dece	ember 26 , 1918.
I, U. S. Surveyor G	eneral for District of	f Arizona	
do hereby certify that the	he foregoing and hereto attack	ned Field Notes and Re	eturn of the Survey of the
	PHELPS DODGE		
VIRGINIA NO.	2. PASO, MILKY WAY	and DOUGAN'S DR	EAM Lodes,
situate in	COPPER MOUNT	AIN	mining district,
GREENLEE	County,		ARIZONA,
in Section S_22_&_23 .	Uns.,, Township No	4South , R	ange No29 E.,
, des	signated as Survey No	3486	
executed by	E. T. Morton		, U. S. Mineral
Surveyor,	March 1-15	, 191 8 , un	der my instructions dated
February 21,	, 1918, have	been critically examine	ed and the necessary cor-
rections and explanation	s made, and the said Field N	otes and Return, and	the Survey they describe,
are hereby approved. T	he certified copy of the location	on certificate filed by the	he applicant for survey is
on file in this office and a	true copy of said certified cop	y of said location certifi	cate is included and made
a part of the transcript of	of the field notes.		
	S.	Frank De	Strond

U. S. Surveyor General for ...Arizona.