

4-683.

Mineral Survey No. 3506 *Platted*

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF
UNION BASIN MINING COMPANY.

KNOWN AS THE

Green Linnet and Nest. Lodes

Wallapai. Mining District,

Mohave County, Arizona.

Section 6, Township 22 N., Range 17 W.

Surveyed under instructions dated April 23rd., 1918

by S. C. Guthrie,
U. S. Deputy Mineral Surveyor

Claim located see location notices

Survey commenced June 11th., 1918

Survey completed June 14th., 1918

o 6-163

Address; Armstrong & Lewis, Attys.,
Phoenix, Arizona.

-1-
Mineral Survey No. 3506
Green Linnet Lode

Feet	Beginning at Corner No. 1, a redwood post 5½' long, 4" square set 18" in the ground and in the center of a mound of earth and stone 5' base 1' high, scribed G.L. 1-3506. The ¼ Sec. Corner on the East line of Sec. 6, T 22 N, R 17 W of G. & S. R. B. & M., bears N 65° 29' E, 724.64'. No other bearings available. Thence N 46° 40' 30" W, Var. 15° 30' E.
232.82	To Corner No. 2 of Little Jimmy Lode, Survey No. 3138.
263.28	Intersect line 1-2 of Tub Lode, Survey No. 1315, at N 33° 45' E, 129.23' from Corner No. 1, and at S 33° 45' W, 458.08' from Corner No. 2.
857.80	To Corner No. 3 of Little Jimmy Lode, Survey No. 3138.
858.35	Intersect line 3-4 of Big Bethel Lode, Survey No. 2987, at S 48° 38' W, 23.95' from Corner No. 3, and at N 48° 38' E, 106.38' from Corner No. 4.
1500.00	To Corner No. 2, a redwood post 5½' long, 4" square set 18" in the ground and in the center of a mound of earth and stone, 5' base 1' high, scribed G.L. 2-3506. A cross on a ledge of rock, 3' x 2' face, chiseled B.R. 2-3506, bears N 35° 40' W, 22.63'. A cross on a ledge of rock, 2x2½' face, chiseled B.R. 2-3506, bears S 24° 42' E, 11.40'. Thence S 42° 46' 40" W, Var. 15° 45' E.
220.92	Intersect line 5-6 Big Bethel Lode, Survey No. 2987, at N 29° 06' W, 565.35' from Corner No. 5. Cor. No. 4 said Big Bethel lode brs. N. 60° 56' 20" E, 292.78 ft. from Cor. No. 5 thereof.
300.00	To N.W. end center, a redwood post 5½' long, 4" square set 18" in the ground and in the center of a mound of earth and stone, 5' base 1' high, scribed N.E.C. G.L. -3506, and intersect lode line at N 46° 40' 30" W, 5.00' from center of discovery shaft.
598.40	To Corner No. 3, a redwood post, 5½' long, 4" square, set 18" in the ground and in the center of a mound of earth and stone, 5' base 1' high, scribed G.L. 3-3506. A cross on a ledge of rock, 4' x 4' face, chiseled B.R. 3-3506, bears N 46° 57' E, 34.20'. A cross on a ledge of rock, 38x58 face, chiseled B.R. 3-3506, bears, S 4° 17' E, 16.95'. Thence S 47° 13' 10" E, Var. 15° 30' E.
300.25	To Corner No. 2 of Nest Lode, This Survey.
1250.00	Center of gulch, 50' wide, drains N.W.
1499.95	To Corner No. 4, a redwood post 5½' long, 4" square, set 18" in the ground and in the center of a mound of earth and stone, 5' base 1' high, scribed G.L. 4-3506. A ledge of rock, 2' x 2½' face, chiseled B.R. 4-3506, bears N 47° 31' E, 5.90'. A cross on a ledge of rock, 2' x 4' face, chiseled B.R. 4-3506, bears S 23° 47' W, 60.58'. Thence N 42° 46' 40" E, var. 15° 30' E.
110.00	Center of gulch 40' wide, drains North.
113.55	Intersect line 1-2 of Nest Lode, this Survey, at N 52° 37' 34" W, 65.12' from Corner No. 1, and at S 52° 37' 34" E, 1205.06' from Corner No. 2.
190.65	To N.W. Corner Fredonia Lode, unsurveyed.
284.03	To S.E. end center, a redwood post, 5½' long, 4" square set 18" in the ground and in the center of a mound of earth and stone, 5' base 1' high, scribed S.E.C. G.L. 3506, and intersect lode line at S 46° 40' 30" E, 1495.00' from center of discovery shaft.
495.65	Intersect line 1-4 of Tub Lode, Survey No. 1315, at N 55° 49' 10" W, 1250.45' from Corner No. 4 and at S 55° 49' 10" E, 245.74' from Corner No. 1. Also to N.E. Corner of Fredonia Lode, unsurveyed.
584.03	To Corner No. 1, the place of beginning. Nest Lode Beginning at Corner No. 1, A redwood post 5½' long, 4" square, set 18" in the ground and in the center of a mound of earth and stone, 5' base 1' high, scribed N 1-3506. The ¼ Corner on the East line of Sec. 6, T 22 N, R 17 W of G. & S. R. B. & M., bears N 53° 31' E, 1153.08'. A cross on a ledge of rock, 6' x 7½' face, chiseled B.R. 1-3506, bears N 47° 07' W, 28.00'. A cross on a ledge of rock, 7' x 5' face, chiseled B.R. 1-3506, bears S 20° 40' E, 28.58'. Thence N 52° 37' 34" W, var. 15° 30' E.
65.12	Intersect line 1-4 of Green Linnet lode of this Survey at N 42° 46' 40" E, 113.55' from Corner No. 4, and at S 42° 46' 40" W, 1199.70 ft. from Cor. No. 4.
84.00	Center of gulch 50' wide drains N.W.
1270.18	To Corner No. 2; on line 3-4 of Green Linnet Lode, this Survey, a redwood post 5½' long, 4" square, set 18" in the ground and in the center of a mound of earth and stone, 5' base 1' high, scribed N. 2-3506.

S
3

- A cross on a ledge of rock, 3'x3' face, chiseled B.R. 2-3506, bears N 41°44'E, 16.40'.
- A cross on a ledge of rock, 2'x4' face, chiseled B.R. 2-3508, bears S 89°55'W, 11.10'.
- Thence S 49°56'W, Var. 15°45'E.
- 287.49 To N.W. end center, a redwood post 5 1/2' long, 4" square set 18" in the ground and in the center of a mound of earth and stone; 5' base 1' high scribed N.E.C. N. 3506, also intersect lode line at N 51°47'30"W, 750.00' from discovery shaft.
- 593.88 To Corner No. 3, a redwood post, 5 1/2' long, 4" square, set 18" in the ground and in the center of a mound of earth and stone, 5' base 1' high, scribed N. 3-3506.
- A cross on a ledge of rock, 2 1/2'x3 1/2' face, chiseled B.R. 3-3506, bears N 62°50'E, 43.16'.
- A cross on a ledge of rock, 3'x3' face, chiseled B.R. 3-3506, bears S 12°04'E, 46.55'.
- Thence S 51°47' 30"E, Var. 15°30'E.
- 1266.19 TO Corner No. 4, a redwood post, 5 1/2' long, 4" square, set 18" in the ground and in the center of a mound of earth and stone, 5' base 1' high, scribed N. 4-3506.
- A cross on a ledge of rock, 4'x4' face, chiseled B.R. 4-3506, bears N 63°45'E, 36.76'.
- A cross on a ledge of rock, 2 1/2'x7' face, chiseled B.R. 4-3506, bears S 69°28'E, 27.64'.
- Thence N 49°56'E, Var. 15°30'E.
- 306.39 To S.E. end center, a redwood post 5 1/2' long, 4" square set 18" in the ground and in the center of a mound of earth and stone, 5' base 1' high, scribed S.E.C. N. 3506, also intersect lode line at S 51°47'30"E, 516.19' from center of discovery shaft.
- 612.78 TO Corner No. 1, the place of beginning.

Area s	Acres
Total area of Green Linnet Lode	20.358
Area in conflict with	
Tub Lode, Survey No. 1315	.631
Big Bethel Lode, Survey No. 2987	4.325
Nest Lode of this Survey	1.564
Total area of Nest Lode	17.172

Location

This Survey is located in the N.E. 1/4 and the S.E. 1/4 of Section 6, T 22 N, R 17 W of Gila and Salt River Base and Meridian.

Adjoining Claims

Green Linnet Lode is adjoined on the West by Big Bethel Lode, Survey No. 2987, with which it conflicts; On the South by Nest Lode of this Survey; On the East by Fredonia Lode, unsurveyed and by Tub Lode, Survey No. 1315, with which it conflicts; and on the North by Little Jimmy Lode, Survey No. 3138. No other adjoining or conflicting claims known.

Nest lode is adjoined on the North By Green Linnet Lode of this Survey, with which it conflicts. No other adjoining or conflicting claims known.

Expenditure of Five Hundred Dollars

I certify that the value of the labor and improvements made upon or for the benefit of each of the locations embraced in said mining claim by the claimant or its grantors, is not less than five hundred dollars and that said improvements consist of:-

- Green Linnet Lode**
- No. 1, the the discovery shaft, 4'x6'x8' deep, the center of which being on the lode line, bears S 46°40'30"E, 5' from N.W. end center.
- Value \$ 45.00
- No. 2-A tunnel 4'x 6'; the portal of which bears S 51°43'20"E, 523.87' from point 300.25 on line 3-4, running thence N 24°45'E, 105.42'; thence N 44°15'E, 54.67'; thence N 68°32'E, 43.77'; thence N 82°24'E, 78.25'; thence S 76°29'E, 30.00'; thence N 87°28'E, 38.69'; thence N 54°49'E, 56.97' to face.
- Value \$4500.00
- No. 3-A tunnel 4' x 6', the portal of which bears N 13°08'W, 610.40' from Corner No. 4, running thence N 68°07'W, 38.48'; thence N 75°16'W, 34.61'; thence N 40°15'W, 16.12'; thence N 8°13'W, 15.07'; thence N. 52°15'W, 43.68' to face
- Value \$1,168.72

Survey No. 3506
Expenditure of \$500 (continued)

No. 4-An open cut, 4'x 12'x 8' face, the mouth of which bears N14°45'W, 606.21' from Corner No. 4, running thence N 60°00'W, 12' to face.

Value \$ 50.00

No. 5-A shaft, 4'x 6'x 53' deep, the center of which bears N 7°26'W, 547.57' from Corner No. 4.

Value \$ 600.00

No. 6-A tunnel, 4'x 6' the portal of which bears N 59°09'W, 597.92' from Corner No. 1, running thence N 76°43'W, 29.26'; to station No. 1, thence N 61°29'W, 20.30', to face of cross-cut; thence from Station No. 1, N 23°18'E, 10.01'; thence N 47°27'W, 47.40' to face of drift.

Value \$ 855.76

No. 7-An open cut, 4' wide, 10' face, the mouth of which bears N 56°42'W, 553.76' from Corner No. 1, running thence N 60°00'E, 24' to face.

Value \$ 75.00

No. 8-A shaft, 4'x 8'x 16' deep, the center of which bears N 54°47'W, 527.10' from Corner No. 1.

Value \$ 150.00

Nest Lode

No. 1-The discovery shaft, 4'x 6'x 8' deep, the center of which being on the center line, bears S 51°47'30"E, 750.00' from N.W. end center.

Value \$ 45.00

No. 2-A tunnel, 4'x 6' the portal of which bears S 12°58'E, 381.39' from Corner No. 2, running thence N 2°51'E, 46.36' to Station No. 1, thence N 3°50'E, 19.54' to face of cross-cut; thence, from Station No. 1, N 53°10'W, 72.82' to face of drift.

Value \$ 1,100.00

No. 3-A tunnel, 4'x 6' the portal of which bears S 22°11'E, 651.82' from Corner No. 2, running thence S 12°54'W, 20.81' to Station No. 1, thence S 12°54'W, 13.29' to face of cross-cut, thence from Station No. 1, S 76°21'W, 37.31' to face of drift.

Value \$ 571.28

Other Improvements

There are no other improvements on this claim.

Lode Lines

As nearly as may be determined from present developments, the veins of each of the locations embraced in this claim, extend from their respective discovery points as follows:-

Green Linnet Lode, N 46°40'30"W, 5' and S 46°40'30"E, 1495'.

Nest Lode, N 51°47'30"W, 750.00' and S 51°47'30"E, 516.19'.

Report

All lines of this Survey were run directly upon the ground.

The $\frac{1}{4}$ Corner on the East line of Section 6, T 22 N, R 17 W of G. & S. R. B. & M., is a granite stone, 2"x4", 6" above ground, chiseled S $\frac{1}{4}$ on West face.

Survey No. 3138, Little Jimmy Lode.

Corners Nos. 2 and 3 are granite stones set and marked as approved.

The course and distance of line 2-3 is N 46°40'30"W, 624.98' instead of N 46°39'20"W, 624.82' as approved.

Survey No. 2987, Big Bethel Lode.

Corners Nos. 3-4 and 5 are granite stones set and marked as approved. Corner No. 6 is not in place, having been obliterated by mining operations, and I retraced line 5-6 by starting at Corner No. 5 and running on the course as given in the approved field notes.

The course and distance of line 3-4 is S 48°38'W, 130.33' instead of S 48°49'W, 130.35' as approved.

The course and distance of line 4-5 is S 60°56'20"W, 299.78' instead of S 60°56'W, 300' as approved.

Survey No. 1315 Tub Lode.

Corners Nos. 1-2 and 4 are Granite stones, set and marked as approved.

The Course and distance of line 1-4 is S 55°49'10"E, 1496.19' instead of S 57°55'E, 1500' as approved.

The course of line 1-2 is N 33°45'E, 587.31' instead of N 32°05'E, 600.00' as approved.

Fredonia Lode, Unsurveyed.

The N.W. Corner is a 4x4" post 3' high set in a mound of earth and stone.

The N.E. Corner is a cross on a ledge of rock with a 4x4 post in a mound of stone along side.

The Survey of each lode of this location is identical with the respective amended locations as staked upon the ground.

Instrument

This Survey was made with an Ainsworth Precision transit.
The courses were deflected from the true Meridian, as determined
by direct Solar observation, and the distances were measured with
100' and 500' standard steel tapes.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by S. E. Guthrey
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____

UNION BASIN MINING COMPANY
 known as the Nest and the Green Linnet LODES
 and showing the respective capacities in which they acted.

_____, *Chainman.*
George Burns, *Chainman.*
 _____, *Acman.*
 _____, *Flagman.*

FINAL OATHS OF ASSISTANTS.

~~W&X~~ I
 and George Burns, do solemnly swear that ~~we~~ ^I assisted _____
S. E. Guthrey, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Union Basin Mining Company

 known as the Nest and Green Linnet LODES
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona.

_____, *Chainman.*
George Burns, *Chainman.*
 _____, *Acman.*
 _____, *Flagman*

Subscribed and sworn to by the above-named persons before me this 22nd
 day of August, 1918

Carl G. Krook
Notary Public

*My commission expires
 July 15/1919*

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Samuel E. Guthrey, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
April 23rd. 1918, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Union Basin Mining Company
, known as the
Green Linnet and West Lodes
, situate in Wallapai Mining District,
Mohave County, Arizona, in Section
6, Township No. 22 N., Range No. 17 W.
, and designated as Survey No. 3506, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Samuel E. Guthrey
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Samuel E. Guthrey
U. S. Mineral Surveyor, before me J. Whatney a Notary Public
this 2nd
day of July, 1918

MY COMMISSION EXPIRES
FEB. 21, 1920

J. Whatney
Notary Public

AMENDED NOTICE OF MINING LOCATION
LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the NEST Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Union Basin Mining Company, a corporation organized and existing under and by virtue of the laws of the State of Arizona, the undersigned, on the 5 day of March, 1918.

The length of this claim is Twelve Hundred Seventy-one (1271) feet, and we claim Five Hundred Sixteen and 19/100 (516.19) feet in a southeasterly direction and Seven Hundred Fifty (750) feet in a northwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the northwest to the southeast.

The claim is situated and located in the Wallapai Mining District, in Mohave County, in the State of Arizona, about 1153.08 feet southwesterly from the $\frac{1}{4}$ corner between Sections 5 and 6, Township 22 North, Range 17 West, of the G. & S. R. B. & M. to corner No. 1.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Corner No. 1, whence $\frac{1}{4}$ corner between Sections 5 and 6, T. 22 N.R.17 W. G. & S. R. B. & M., bears N. 53°31' E. 1153.08 feet; running thence N. 52°37'34" W. 1270.18 feet to Corner No. 2; thence S. 49°56' W. 287.49 feet to N.W. End center; thence S.49°56' W. 306.39 feet to Corner No. 3; thence S. 51°47'30" E. 1266.19 feet to corner No. 4; thence N. 49°56' E. 306.39 feet to S.E. end center; thence N. 49° 56' E. 306.39 feet to Corner No. 1, the place of beginning.

All done under the Provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of Chapter I, of Title 34, of the Revised Statutes of Arizona of 1913.

-2-

This is an Amended Location Notice of the Nest Claim, located by Foster S. Dennis on the 1st day of January, 1898, and recorded in Book N of Records of Mines, at pages 288-290, in the office of the County Recorder of the aforesaid County of Mohave to which reference is hereby made, and this amended location notice is made and posted without waiver of any previous rights, but to correct any errors in the description in the said original location notice, and to secure all abandoned or forfeited overlapping claims.

Dated and posted on the ground this 5 day of March, 1918.

Attest:-

UNION BASIN MINING COMPANY,

S. E. Guthrey.

By John D. Wanvig, Jr.,

Filed and Recorded at Request of Union Basin Mining Co., March 11th A.D. 1918 at nine o'clock A.M. in Book SS of Mines Pages 490-491, Records of Mohave County, Arizona.

H. L. Underwood,
County Recorder.

By H. F. Williams,
Deputy Recorder.

AMENDED NOTICE OF MINING LOCATION

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the GREEN LINNET Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Union Basin Mining Company, a corporation organized and existing under and by virtue of the laws of the State of Arizona, the undersigned, on the 5 day of March, 1918.

The length of this claim is Fifteen Hundred (1500) feet, and we claim Five (5) feet in a northwesterly direction and Fourteen Hundred Ninety-five (1495) feet in a southeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northwest to the southeast.

The claim is situated and located in the Wallapai Mining District, in Mohave County, in the State of Arizona, corner No. 1 thereof being about 724.64 feet southwesterly from the $\frac{1}{4}$ corner between Sections 5 and 6, T. 22 N.R. 17 W., of the G. & S. R. B. & M.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Cor. No. 1, whence $\frac{1}{4}$ corner between Sections 5 and 6, T. 22 N.R. 17 W. G. & S. R. B. & M., bears N. 65°29' E. 724.64 feet; running thence N. 46°40'30" W. 1500 feet to corner No. 2; thence S. 42°46'40" W. 300 feet to N. W. end center; thence N. 42°46'40" W. 298.40 feet to corner No. 3; thence S. 47°13'10" E. 1499.95 feet to corner No. 4; thence N. 42°46'40" E. 284.03 feet to S.E. end center; thence N. 42°46'40" E. 300 feet to corner No. 1, the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of Chapter I, of Title 34, of the Revised Statutes of Arizona of 1913.

This is an Amended Location Notice of the Green Linnet Mining Claim, located by John O'Brien and Thos. Mulligan on the 1st day of

-2-

January, 1883, and recorded in Book G of Records of Mines, at pages 5 and 6, in the office of the county recorder of the aforesaid county of Mohave, to which reference is hereby made, and this amended location notice is made and posted without waiver of any previous rights, but to correct any errors in the description in the said original location notice, and to secure all abandoned or forfeited overlapping claims.

Dated and posted on the ground this 5 day of March, 1918.

Attest:- S. E. Guthrey. UNION BASIN MINING COMPANY
By John D. Wanvig, Jr.,

Filed and Recorded at Request of Union Basin Mining Co., March 11th A.D. 1918 at nine o'clock A.M. in Book SS of Mines Pages 492 - 493, Records of Mohave County, Arizona.

H. L. Underwood,
County Recorder.
By H. F. Williams,
Deputy Recorder.

STATE OF ARIZONA }
County of Mohave } ss.

I, H. L. Underwood, Recorder of Mohave County, State of Arizona, do hereby certify that I have compared the foregoing copies of the Amended Notices.... of the Nest and Green Linnet Mining Claims.. dated March 5, 1918, and of the endorsement thereon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office this ..13th... day of April, 1918.



..... H. L. Underwood,
Recorder of Mohave County, Arizona.
By H. F. Williams
Deputy.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 7, 1919.

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

UNION BASIN MINING COMPANY,

known as the GREEN LINNET and NEST LODES,

situate in WALLAPAI

Mining District, MOHAVE County, ARIZONA,

in Section 6, Township No. 22 N., Range No. 17 W., and

designated as Survey No. 3506, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improved each of said mining claims by claimant or its grantors, and that said improvements consist of 3 shafts, 2 cuts, 5 tunnels, 3 crosscuts and 3 drifts, total value \$9180.76.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

July 7, 1919

I, U. S. Surveyor General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

UNION BASIN MINING COMPANY

, known as the

GREEN LINNET and NEST LODES,

situate in WALLAPAI mining district,

MOHAVE County, ARIZONA,

in Section 6, Township No. 22 N., Range No. 17 W.,

designated as Survey No. 3506

executed by S. P. Guthrey, U. S. Mineral

Surveyor, June 11th - 14th, 1918, under my instructions dated

April 23rd, 1918, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.