

Platted

1

AUG 6-1918

APR 7-1919

6-24-1919 copied ARC

3hr

4-683.

Mineral Survey No. 3507

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Union Basin Mining Company

KNOWN AS THE

Side Issue Lode

Wallapai. Mining District,

Mohave County, Arizona.

Section 36 I, Township 22 N, Range 18 W unapproved

Surveyed under instructions dated April 23rd., 1918,

by S. E. Guthrey, U. S. Deputy Mineral Surveyor

Claim located See location notice, 1

Survey commenced June 15th., 1918

Survey completed June 16th., 1918.

o 6-169

Address
Armstrong & Lewis, Attys,
Phoenix, Arizona.

44

Beginning at Corner No. 1, a redwood post, 5 1/2' long, 4" square, set 18" in the ground and in the center of a mound of earth and stone, 5' base 1' high, scribed I-3507, S.I.

The N.E. Corner of Section I, T 23 N, R 18 W, G. & S. R. B. & M., bears S 58° 05' 20" E, 380.07',

A cross on a ledge of rock, 1 1/2' x 2' face, chiseled B.R. I-3507, bears N 23° 19' E, 19.52'. No other bearings Available.

-Thence N 22° 11' 20" W, Var. 15° 30' E.-

1500.00 To Corner No. 2, a redwood post, 5 1/2' long, 4" square, set 18" in the ground and in the center of a mound of earth and stone 5' base 1' high, scribed S.I. 2-3507.

A cross on a ledge of rock, 2 1/2' x 2 1/2' face, chiseled B.R. 2-3507, bears N 13° 44' E, 9.89'.

A cross on a ledge of rock 1 1/2' x 3 1/2' face, chiseled B.R. 2-3507, bears S 30° 56' E, 14.73'.

-Thence S 67° 48' 40" W, Var. 15° 30' E.-

300.00 To N.W. End Center, a redwood post, 5' long, 4" square, set 18" in the ground and in the center of a mound of earth and stone 5' base 1' high, scribed N.E.C.-S.I. 3507, and intersect lode line at N 22° 11' 20" W, 563.39' from discovery point.

550.00 Center of gulch, 40' wide, drains North.

600.00 To Corner No. 3, a redwood post, 5 1/2' long, 4" square, set 18" in the ground and in the center of a mound of earth and stone 5' base 1' high, scribed S.I. 3-3507.

A cross on a ledge of rock, 1' x 3' face, chiseled B.R. 3-3507, bears S 46° 42' E, 31.05'.

A cross on a ledge of rock, 1' x 1 1/2' face, chiseled B.R. 3-3507 bears S 63° 14' E, 16.43'.

-Thence S 22° 11' 20" E, Var. 15° 30' E.-

100.00 Center of gulch, 40' wide, drains North.

190.00 Center of gulch 40' wide, drains Northwest.

1474.49 Intersect ~~North boundary of Section I, T 23 N, R 18 W, G. & S. R. B. & M., at S 89° 52' W, 887.83' from the N.E. Corner of said Section I, which is also a~~ Corner of Tps. 22 and 23 N, Ranges ~~17 and 18 W, and at 1708.17' from the 1/4~~ ^{N. 89° 52' E} ^{between Secs. 1 & 36} ~~Corner on the South boundary of Section 36, T 23 N, R 18 W.~~

3

Feet

1500.00 To Corner No. 4, a redwood post 5 1/2' long, 4" square, set 18" in the ground and in the center of a mound of earth and stone 5' base 1' high, scribed S. I. 4-3507.

A cross on a ledge of rock, 6' x 6 1/2' face, chiseled B. R. 4-3507 bears S 17° 32' E, 29.62'.

A cross on a ledge of rock, 3' x 4' face, chiseled B. R. 4-3507, bears S 73° 27' W, 19.27'.

-Thence N 67° 48' 40" E, Var. 15° 30' E.-

62.97 Intersect ^{line between Secs. 1 & 36} ~~North boundary of Section I,~~ ^{& 23} T 22 N, R 18 W, G. & S. ^{Ts. 22 & 23 N, Rs. 17 & 18 W,} R. B. & M., at S° 89 52' W, 819.89' from the ~~N.E. Corner of said~~ Section I, and at N 89° 52' E, 1776.11' from the 1/4 Corner ~~on~~ ^{between Secs. 1 & 36} the North boundary of said Section I.

300.00 To S.E. End Center, a redwood post 5 1/2' long, 4" square, set 18" in the ground and in the center of a mound of earth and stone, 5' base 1' high, scribed S.E.C.-S.I. 3507, and intersect lode line at S 22° 11' 20" E, 936.61' from discovery point.

600.00 To Corner No. I, the place of beginning.

-Location-

This claim is located in the S.E. 1/4 of Section 36, T 23 N, R 18 W, and in the N.E. 1/4 of Section I, T 22 N, R 18 W, G. & S. R. B. & M., the latter an unapproved survey.

-Adjoining and Conflicting Claims-

There are no adjoining or conflicting claims known.

-Lode Lines-

As nearly as may be determined from present development, the vein on this claim extends N 22° 11' 20" W, 563.39' and S 22° 11' 20" E, 936.61' from the discovery point.

-Area-

Acres

Total area Side Issue Lode 20.661

-Expenditure of Five Hundred Dollars-

I certify that the value of the labor and improvements made on, or for the benefit of each of the locations embraced in said mining claim, by the claimant or its grantors, is not less than five hundred dollars, and that said improvements consist of:-

No.-

Survey No. 3507
-Side Issue Lode-

- Expenditure of Five Hundred Dollars -

No. 1 - The discovery point, a stone monument, 5' base 4 1/2' high, which, being on the lode line, bears N 22° 11' 20" W, 936.61' from S.E. End Center; and S 22° 11' 20" E, 563.39' from N.W. End Center. Value, Nothing

No. 2 - An open cut and tunnel, the portal of which, bears N 38° 03' W, 684.56' from Corner No. 1, running thence N 30° 42' E, 75' to face. The cut is 4 1/2' x 25' long; and the tunnel is 4 1/2' x 6' 50' long. Value \$ 600.00

No. 3 - A tunnel, 5' x 7', the portal of which bears N 33° 18' W, 638.67' from Corner No. 1, running thence N 56° 36' E, 30'. Value \$ 250.00

- Other Improvements -

A frame house, the S.W. corner of which bears N 10° 50' W, 745' from Corner No. 4. Size of house is 18' x 19 1/2'. Value \$ 150.00

A frame house, 21' x 23', the S.W. corner of which, bears N 11° 10' W, 530' from Corner No. 4, Value \$ 200.00

- Report -

The lode line of this location was run directly upon the ground, and the several corners established by means of offsets from this line. The connection to the N.E. Corner of Section I, T_s 22, N, R_s 18 W, was run directly upon the ground.

The Survey of this claim is identical with the amended location, as staked upon the ground.

The N.E. Corner of Section I, and of Tps. 22 and 23 N, Ranges 17 and 18 W, is an iron pipe 2" in diameter, properly set and marked.

The 1/4 Corner on the South boundary of Section 36, T 23 N, R 18 W, is a 1" iron pipe, properly set and marked.

- Instrument -

This Survey was made with an Ainsworth Precision transit.

The courses were deflected from the true Meridian, as determined by direct Solar observation.

Distances were measured with 100' and 500' standard steel tapes.

Survey No. 3508
Fraction Lode (continued)

stone, 5' base 1' high, scribed N. E. C. F. 3508, and intersect
 lode line at N 29 35' W, 300.00 feet from discovery shaft.
 55.70 Intersect line 3-4 Of Prosperity lode, Survey No. 2427, at
 N 42 12' 10" W, 138.51 feet from Corner No. 4, and at S 42 12'
 10" E, 1312.17 feet from Corner No. 3.
 87.62 To Corner No. 4, a redwood post, 5' long, 4" square, set 18" in
 the ground and in the center of a mound of earth and stone
 5' base 1' high, scribed F. 4-3508.
 A ledge of rock, 4 1/2' x 3 1/2' face, chiseled B. R. 4-3508, and
 marked with cross, bears S 41 48' W, 17.69 feet.
 A cross on a ledge of rock, 2' x 2' face, scribed B. R. 4-3508,
 bears N 3 24' W, 3.81 feet.
 145.59 To Corner No. 3 of Golconda lode, of Survey No. 2617, and
 intersect line I-4 of Prosperity lode, Survey No. 2427, at
 S 49 56' 40" W, 63.27 feet from Corner No. 4, and at N 49 56'
 40" E, 537.55 feet from Corner No. 1.
 526.72 To Corner No. 1, the place of beginning.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by S. E. Guthrey
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of _____

UNION BASIN MINING COMPANY

known as the Side Issue Lode

and showing the respective capacities in which they acted.

John Colin, Chainman.

George Burns, Chainman.

_____, Axman.

_____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, John Colin
and George Burns, do solemnly swear that we assisted
S. E. Guthrey, United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of Union Basin Mining Company

known as the Side Issue lode

represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General for Arizona.

John Colin, Chainman.

George Burns, Chainman.

_____, Axman.

_____, Flagman

Subscribed and sworn to by the above-named persons before me this 22nd

day of August, 1919.

Carl G. Krosch

My commission expires
July 15, 1919.

Notary Public.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Samuel E. Guthrey., U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona., dated
April 23rd. 1918, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Union Basin Mining Company.
, known as the
Side Issue Lode
situate in Wallapai Mining District,
Mohave County, Arizona., in Section
36 23 N 18 W
I, Township No. 22 N, Range No. 18 W unapproved
and designated as Survey No. 3507, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Samuel E. Guthrey
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Samuel E. Guthrey
U. S. Mineral Surveyor, before me Carl G. Krook, a Notary Public of
Mohave County, Arizona, this 22nd
day of August, 19 18.

Carl G. Krook
Notary Public

My commission expires
8-1044 July 15, 1919.

Corrected AMENDED NOTICE OF MINING LOCATION

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the SIDE ISSUE Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Union Basin Mining Company, a corporation organized and existing under and by virtue of the laws of the State of Arizona, the undersigned, on the 5th day of March 1918.

The length of this claim is fifteen hundred (1500) feet, and we claim five hundred twenty three and 39/100 (523.39) feet in a north-westerly direction, and nine hundred thirty six and 61/100 (936.61) feet in a southeasterly direction from the center of the discovery, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northwest to the southeast.

The claim is situated and located in the Wallapai Mining District, in Mohave County, in the State of Arizona, about 306.24 feet south-westerly from the northeast corner of Section, 1, Township 22 North, Range 18 West, of the G. & S. R. B. & M. to corner No. 1.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at Cor. No. 1. whence the N. E. Cor. of Sec. 1, T. 22 N., R. 18 W., G. & S. R. B. & M. bears N. 72°50' E. 306.24 feet; thence N. 22°41'20" W. 1500 feet to Cor. No. 2; thence S. 67°18'40" W. 300 feet to N.W. end center; thence S. 67°18'40" W. 300 feet to Cor. No. 3; thence S. 22°41'20" E. 1500 feet to Cor. No. 4; thence N. 67°18'40" E. 300 feet to S.E. end center; thence N. 67°18'40" E. 300 feet to Cor. No. 1, the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of Chapter I, of Title 34, of the Revised Statutes of Arizona of 1913.

This is an Amended Location Notice of the Side Issue Mining Claim, located by O.D.M. Gaddis on the 1st day of January 1905, and recorded in Book W of Records of Mines, at page 74, in the office of

-2-

of the county recorder of the aforesaid county of Mohave, to which reference is hereby made, and this amended location notice is made and posted without waiver of any previous rights, but to correct any errors in the description in the said original location notice, and to secure all abandoned or forfeited overlapping claims,

Dated and posted on the ground this 5th day of March 1918.

Attest:
S. E. Guthrey.

UNION BASIN MINING COMPANY,
By John D. Wanvig, Jr.,

Filed and Recorded at Request of Union Basin Mining Co., March 25th A.D. 1918 at nine o'clock A.M. in Book SS of Mines Pages 503 Records of Mohave County, Arizona.

H. L. Underwood,
County Recorder.
By H. F. Williams,
Deputy Recorder.

STATE OF ARIZONA }
County of Mohave } ss.

I,H. L. Underwood,....., Recorder of Mohave County, State of Arizona, do hereby certify that I have compared the foregoing copy ..of the SIDE ISSUE.....
corrected Amended Notice of Mining Location, Dated March 5th, 1918,.....
and of the endorsement thereon with the original records of the same on file in this office, and that the same are correct transcripts therefrom and of the whole of said original records.

WITNESS my hand and the seal of said office this ..13th...

day of ..April....., 1918.

H. L. Underwood,
Recorder of Mohave County, Arizona.

By H. F. Williams
Deputy.



U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

July 7, 1919

I, U. S. Surveyor-General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

UNION BASIN MINING COMPANY

known as the SIDE ISSUE LODE,

situate in WALLAPAI,

Mining District, MOHAVE County, ARIZONA,

in Section 36, Township No. 23 N, Range No. 18 W., unapproved, and

designated as Survey No. 3507, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 1 cut and 2 tunnels, total value \$850.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

4-687

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES
AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR
OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

July 7, 1919

I, U. S. Surveyor General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

UNION BASIN MINING COMPANY

known as the

SIDE ISSUE LODE,

situate in WALLAPAI mining district,

MOHAVE County, ARIZONA,

in Section 36, Township No. 23 N, Range No. 18 W.,
1, 22 N, 18 W., unapproved

designated as Survey No. 3507

executed by S. E. GUTREY, U. S. Mineral

Surveyor, June 15-16, 1918, under my instructions dated

April 23, 1918, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. The certified copy of the location certificate filed by the applicant for survey is

on file in this office and a true copy of said certified copy of said location certificate is included and made

a part of the transcript of the field notes.



U. S. Surveyor General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 3507
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The SIDE ISSUE lode, Mineral Survey No. 3507, located in sections 1 and 36, Townships 22 and 23 North, Range 18 West, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"SIDE ISSUE lode, M.S. 3507 was canceled June 27, 2012, by memo 9605 (956) M.S. 3507, which is now a part of the original field notes."

June 27, 2012
Date

Stephen K. Hansen
Chief Cadastral Surveyor of Arizona