

6-9-1919 Copied ARC

(4-683.)

Mineral Survey No. 3509.

Lot No. _____

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Alexander Rossi, William Reid, Julia Baxter, Michael Irish and the Estate of Charles W. Baxter, deceased, Phil. C. Brannen, Administrator.

KNOWN AS THE

ATLANTA and KLONDYKE lodes

Pima Mining District,

Pima County, Arizona

Section 6, Township 18 S., Range 13 E. G. & S. R. B. & M.

Surveyed under instructions dated April 27th., 1918

by Paul E. Fernald,
U. S. Deputy Mineral Surveyor.

Claim located See location notices, 1

Survey commenced July 5th., 1918

Survey completed July 7th., 1918

o 6-100

P.O. Address of Attorney for Claimant:-
Geo. O. Hilzinger, Atty.
Box 67, Tucson, Ariz.

U.S. MINERAL SURVEY NO. 3509.

Feet.

KLONDYKE LODE.

Beginning at Cor.No.I.

A I inch iron pipe with claw base, set $1\frac{1}{2}$ feet in the ground and surrounded by monument of stones. Brass cap on pipe stamped U.S.Mineral Survey No.3509, 1 KLONDYKE.

Whence the N.W.Cor.of section 6, T 18 S. R 13 E, G. & S.R. B. & M. bears N 55 19'W, 1564.95 feet.

Cor.No.2, Copper Queen Lode, Survey No.2643, bears N 69° 48'W, 750.58 feet.

Thence S 7° 6'W.

52.61 Intersects line 2-3, Copper Queen Lode, Survey No.2643, at point N 65° 57'W, 710.42 feet from Cor.No.3.

300.00 West end center - monument of stones 3 feet high.

600.00 Cor.No.2,

A I inch iron pipe, 4 feet long with claw base, set $1\frac{1}{2}$ feet in the ground and surrounded by monument of stones. Brass Cap on pipe stamped U.S.Mineral Survey No.3509, 2 -KLONDYKE.

Thence S 61° 59'E

314.00 Crosses center track Twin Buttes R.R. running S.W.

390.00 Crosses center of wash, 100 ft.wide, running East.

727.50 South side center monument of stones 3 feet high.

1477.50 Cor.No.3.

A I inch iron pipe, 4 feet long with claw base, set $1\frac{1}{2}$ feet in the ground and surrounded by monument of stones. Brass cap on pipe stamped U.S.Mineral Survey No.3509, 3-KLONDYKE.

Thence N 7° 6'E.

280.00 Crosses center wash 50 feet wide, running E.- S.E.

300.00 East end center - monument of stones 3 feet high.

560.23 Intersects line 3-4. Copper Glance Lode, Survey No.2643, at point S 59° 12'E, 765.10 feet from Cor.No.4.

600.00 Cor.No.4.

A I inch iron pipe, 4 feet long with claw base, set $1\frac{1}{2}$ feet in the ground and surrounded by a monument of stones. Brass cap on pipe stamped U.S.Mineral Survey No.3509, 4-KLONDYKE.

Whence Cor.No.3, Copper Glance Lode, Survey No.2643, bears S 56° 0'E, 651.15 feet.

Thence N 61° 59' W

- 545.00 Crosses road running N.- N.E.
- 750.00 North side center monument, identical with the N.W.Cor. Franklin Lode, Unsurveyed, and Cor.No.3, Copper Queen Lode, identical with Cor.No.4 Copper Glance Lode, both Survey No.2643.
- 813.00 Crosses track Twin Buttes R.R., running N.E.
- 863.00 Crosses spur track Twin Buttes R.R., running North.
- 985.00 Crosses road running north.
- 1477.50 Cor.No.1, the point of beginning.

ATLANTA LODE.

Beginning at Cor.No.1, identical with Cor.No.4 Klondyke Lode, this survey, heretofore described. Brass cap on pipe stamped I-ATLANTA additionally for this lode.

Whence the N.W.Cor.of Section 6, T 18 S, R.13 E. G.& S.R. B.& M. bears N 58° 33' W, 3037.42 feet.

Cor.No.2, Copper Glance Lode, Survey No.2643, bears N 69° 28' E, 655.44 feet

Cor.No.3, Copper Glance Lode, Survey No.2643, bears S 56° 0' E, 651.15 feet.

Cor.No.4, Copper Glance Lode, Survey No.2643, bears N 61° 59' W, 750. feet.

Thence S 7° 6' W

- 39.77 Intersects line 3-4, Copper Glance Lode, Survey No.2643, at point N 59° 12' W, 634.17 feet from Cor.No.3.
- 300.00 West end center monument of stones 3 feet high. E.
- 320.00 Crosses center of wash 50 feet wide, running E.- S.E.
- 600.00 Cor.No.2, identical with Cor.No.3 Klondyke Lode, this survey, heretofore described. Brass cap on pipe stamped 2-ATLANTA additionally for this corner.

Thence S 70° 7' E

- 671.83 South side center - monument of stones 3 feet high.
- 1343.67 Cor.No.3.
A I inch iron pipe, 4 feet long with claw base, set 1 1/2 feet in the ground and surrounded by monument of stones. Brass cap on pipe stamped U.S.Mineral Survey No.3509,

U.S. MINERAL SURVEY NO. 3509.

- 3 - ATLANTA.
- Thence N 7° 6' E
- 201.00 Crosses center wash 70 feet wide, running E.- S.E.
- 300.00 East end center - monument of stones 3 feet high.
- 315.50 Cor.No.4, on line 3-4 Copper Bullion Lode, Survey No.2643.
A 1 inch iron pipe, 4 feet long with claw base, set 1½ feet in the ground and surrounded by monument of stones.
Brass cap on pipe stamped U.S.Mineral Survey No.3509, 4 - ATLANTA.
- Whence Cor.No.4, Copper Bullion Lode, Survey No.2643, identical with the N.E.Corner of Franklin Lode, unsurveyed, and the N.W.Corner of Newland Lode, unsurveyed, bears N 61° 25' W, 784.16 feet.
- Cor.No.3, Copper Bullion Lode, Survey No.2643, identical with the N.E.Cor. of Newland Lode, unsurveyed, bears S 61° 25' E,
- Thence N 58° 57½' W
- 716.86 North side center - monument of stones 3 feet high.
- 798.37 Intersects line I-4, Copper Bullion Lode, Survey No.2643, at point N 7° 6' E, 36.80 feet from Cor.No.4.
- Identically, intersects line 2-3 Copper Glance Lode, Sur. No.2643, at point N 7° 6' E, 36.80 feet from Cor.No.3.
- 1433.72 Cor.No.1, the point of beginning.

Magnetic variation at all corners 14 degrees east.

No natural bearing objects available from any corner of this survey.

All corners of this survey are identical with the respective corners of location.

LODE LINES. As near as can be determined from the present state of developement, the veins of locations embraced in this survey extend as follows from their respective discovery points:-

KLONDYKE Lode. N 61° 59' W - 259.50 ft., and S 61° 59' E - 1218. feet.

ATLANTA Lode. N 70° 7' W - 1047.67 feet, and S 70° 7' E - 296. feet.

LOCATION. This survey is located in Section 6, T18 S, R 13 E, G. & S.R.B. & M., in the Pima Mining District, Pima County, Arizona.

AREAS:- Klondyke Lode- total area. 19.010 acres
 - conflict with Copper Queen Lode, Survey No. 2643. 0.410 Acres.
 - conflict with Copper Glance Lode, Survey No. 2643. 0.320 Acres.
 ATLANTA Lode - total area 13.770 acres.
 - conflict with Copper Bullion Lode, Survey No. 2643. 0.308 Acres.
 - conflict with Copper Glance Lode, Survey No. 2643. 0.510 Acres.

IMPROVEMENTS:- I certify that the value of labor and improvements made upon or for the benefit of each of the locations embraced in this survey, by the claimants or their grantors, is not less than Five Hundred Dollars, and such improvements consist of:-

- Klondyke Lode:-
- No. 1 Discovery Shaft, on center line, the center of which bears S 61° 59' E, 259.50 feet from the west end center. Shaft is 4x6 - 30 feet deep, with drift S.E. from bottom 5x6 - 20 feet. Value \$550.00
 - No. 2 Trench, the center of which bears S 74° 45' E, 355.6 feet from the west end center, is 14x4 - 5 feet deep. Value \$58.00
 - No. 3. Shaft 4x6 - 10 feet deep, the center of which bears S 38° 23' E, 225.4 feet from the west end center. Value \$50.00
 - No. 4. Shaft 4x6 - 6 feet deep, the center of which bears S 42° 8' E, 387. feet from the west end center. Value \$30.00
 - No. 5. Shaft 4x6 - 8 feet deep, the center of which bears N 76° 25' E, 182. feet from Cdr. No. 2. Value \$40.00

Atlanta Lode:-

- No. 1. Discovery shaft, on center line 296. feet from the East

U.S. MINERAL SURVEY NO. 3509.

End Center, is 6x6 - 8 feet present depth., -Shows evidence of filling - original depth unknown.

Value - \$60.00
 No.2. Shaft 4x6 - 10 feet deep, the center of which bears

S 83° 45' W, 39. feet from Cor.No.4.

Value - \$50.00

No.3. Shaft 4x6 - 10 feet deep, the center of which bears

S 81° 55' W, 120. feet from Cor.No.4.

Value - \$50.00

No.4. Shaft 4x6 - 10 feet deep, the center of which bears

N 89° 10' W, 136. feet from Cor.No.4.

Value - \$50.00

No.5. Shaft 4x6 - 10 feet deep, the center of which bears

N 88° 12' W, 165. feet from Cor.No.4.

Value - \$50.00

No.6. Shaft 4x6 - 10 feet deep, the center of which bears

N 71° 10' W, 187. feet from Cor.No.4.

Value - \$50.00

No.7. Shaft 4x6 - 10 feet deep, the center of which bears

N 74° 28' W, 212. feet from Cor.No.4.

Value - \$50.00

No.8. Shaft 4x6 - 10 feet deep, the center of which bears

N 75° 8' W, 226. feet from Cor.No.4.

Value - \$50.00

No.9. Shaft 4x6 - 10 feet deep, the center of which bears

N 75° 49' W, 239. feet from Cor.No.4.

Value - \$50.00

No.10. Shaft 4x6 - 8 feet deep, the center of which bears

S 32° 0' W, 105. feet from the North side center.

Value - \$40.00

No.11. Shaft 4x6 - 8 $\frac{1}{2}$ feet deep, the center of which bears

S 27° 3' E, 178. feet from Cor.No.1.

Value - \$42.50

OTHER IMPROVEMENTS:-

Klondyke Lode. Shaft 4x6 - 8 feet deep, the center of

which bears S 3° 35' W, 178.5 feet from point 438.5, line

4 - I. Atlanta Lode.
 Shaft 4x6 - 8 feet deep, the center of which bears
 N 70° 19' W, 290. feet from Cor.No.4.
 Discovery Cut Newland Lode, unsurveyed, running Northerly
 4x18 to 7 foot face, the center of mouth of which bears
 N 66° 18' W, 268. feet from Cor.No.4.

INSTRUMENT:- This survey was made with Buff & Buff special
 transit No.7905. Courses were deflected from the true
 meridian as determined by direct solar observations.
 Distances were measured with 350 and 100' foot steel tapes.

ADJOINING AND CONFLICTING CLAIMS:-

Klondyke Lode, this survey, conflicts with Copper Queen
 Lode and Copper Glance Lode, both survey No.2643, on its
 north side, and approx. its east half is in conflict with
 the Franklin Lode, unsurveyed.

Atlanta Lode, this survey, conflicts with Copper Glance
 Lode and Copper Bullion Lode, both Survey No.2643, on
 its north side, with the Franklin Lode, unsurveyed on
 approx. its westerly half, and the Newland Lode, unsur-
 veyed, on its easterly half.

The above mentioned Franklin and Newland Lodes, unsur-
 veyed, are claimed by Manuel Smith, of Tucson, Ariz.

REPORT:- The N.W.Cor.of T 18 S, R 13 E, G. & S.R.B. & M., is a 1½
 inch iron pipe, 8 inches above ground, surrounded by
 a small monument of stones. I retraced the north
 and west boundary lines of said township respectively
 for two miles east and south from said N.W.Cor., but was
 unable to find any trace of other corners of the public
 survey. Also retraced the east boundary of section 6
 of said township, also its south boundary, but found
 no trace of public survey corners.

Corners of Franklin and Newland Lodes, unsurveyed, are
 monuments of stone with laths set therein marked with

corner description. - Approx. location of these lodes

as shown on plat.

All corners of survey No.2643 noted herein are stones

U.S. MINERAL SURVEY NO. 3509.

well set in the ground, marked with survey number, a cross, the corner number and initials of claim name.

I have to report the following errors in survey No. 2643:-

Copper Glance Lode, line 2-3, is S 7° 6' W, 598.60 feet,

vice S 7° 4' W, 600. feet as reported.

The difference between locations embraced in this survey as marked upon the ground, and as described in the respective location notices, is due to error of description in the location notices.

The lines of this survey were run direct upon the ground.

Paul E. Fernald.

U.S. Mineral Surveyor

~~Tucson, Ariz. August 9th. 1918.~~

U.S. MINERAL SURVEY NO. 3509.

Direct Solar Observation for Meridian, Saturday, July 6th. 1918.
 Time 10.10 A.M. Lat. N 31 54 1/2'. Decl. = 22 45' 20.1" - 14.5" x 4 1/6
 " 22 44' 20"

Station - Cor. No. 3, Queen lode, Sur. No. 2643.

Defl. from line 3-4, " " " " " "

Direct: - R. 81 11', Alt. 44 10', (-Ref. Cor. 1').

Reverse R. 81 36', Alt. 44 54', (" ").

* * * * *

Direct: - Cos. Q = $\frac{\text{Sin. } 22\ 44'\ 20''}{\text{Cos. } 31\ 54\ \frac{1}{2}'}$ - tan. 31 54 1/2'
 $\frac{\text{Cos. } 44\ 9'}{\text{Cos. } 44\ 9'}$ x tan 44 9'

equiv.

$\frac{.38653}{.848895}$ - .62265 x .97076
.71752

equiv.

$\frac{.45533}{.71752}$ - .60444

equiv.

.63459 - .60444 = .03015 = Cos. 88 16' 21"
 81 11'
N 7 5' 21" E

Reverse $\frac{.45533}{\text{Cos. } 44\ 53'}$ - .62265 x tan. 44 53'

equiv.

$\frac{.45533}{.70855}$ - .62265 x .99594

equiv.

.64262 - .62012 = .02250 = Cos. 88 42' 39"
 81 36'
N 7 6' 39" E

Average = N 7 6' E.

do not copy.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Paul E. Fernald
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of Alexander
Rossi, William Reid, Julia Baxter, Michael Irish, and the Estate of
Chas. W. Baxter, Deceased, Phil. C. Brannen, Administrator.
 known as the ATLANTA and KLONDYKE lodes.
 and showing the respective capacities in which they acted.

James Gorman, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

~~WX~~ I, James Gorman
 and _____, do solemnly swear that I assisted Paul E.
Fernald, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of Alexander Rossi, William Reid, Julia
Baxter, Michael Irish and the Estate of Charles W. Baxter, Deceased,
Phil. C. Brannen, Administrator.
 known as the KLONDYKE and ATLANTA lodes
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona

James Gorman, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman

Subscribed and sworn to by the above-named persons before me this ninth
 day of July, 1918

*My commission expires
 June 6-1920.*

J. B. Dowd
 Notary Public
 Pima Co., Ariz.

FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Paul E. Fernald, U. S. Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 27th. 1918., I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Alexander Rossi, William Reid, Julia Baxter, Michael Irish and the Estate of Charles W. Baxter, Deceased. Phil. C. Brannen, Administrator, known as the ATLANTA and KLONDYKE lodes, situate in Pima Mining District, Pima County, Arizona, in Section 6, Township No. 18 S., Range No. 13 E., G. & S. R. B. & M., and designated as Survey No. 3509, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Paul E. Fernald
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Paul E. Fernald
U. S. Mineral Surveyor, before me J. J. O'Dowd, Notary Public
Pima County, Arizona, this ninth
day of July, 1918.

My commission expires June 6, 1920.

J. J. O'Dowd
Notary Public

April 10 1901

Atlanta Mining Claim.

Notice of Mining Location. Lode Claim. To all whom it may concern.

This mining claim, the name of which is the Atlanta Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Hugh Canney and Michael Irish, the undersigned, on the 11th day of Feby- 1901.

The length of this claim is 1500 feet and we claim 1200 feet in a Westerly direction, and 300 feet in a Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Pima Mining District, in Pima County, in the Territory of Arizona, about One Mile in a Southerly direction from Hoffman Camp or Twin Buttes and runs parallel with Bullion Mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a point in a Westerly direction about 1200 feet from the discovery shaft (at which this notice is posted) being in the center of the Westerly end line of said claim; thence southerly 300 feet to a monument being the S. West corner of said claim; thence Easterly 750 feet to a monument at the center of the South side line of said claim; thence Easterly 750 feet to a monument being at the S. East corner of said claim; thence Northerly 300 feet to a monument at the center of the East end of said claim; thence Northerly 300 feet to a monument being at the North East corner of said claim; thence Westerly 750 feet to a monument being at the center of the North side line of said claim; thence Westerly 750 feet to a monument at the N. West corner of said claim; thence Southerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2nd, 1899.

Dated and posted on the ground this 11th day of February 1901.

Witness

J. A. Sheridan

Filed and recorded at request of M. Irish April 8th A.D. 1901- at 9 A.M.

Locators Hugh Canney

Michael Irish

Chas. A. Shibell,

County Recorder

Book H.H. Page 444.

STATE OF ARIZONA, }
COUNTY OF PIMA. } ss.

I, R.B.Vinson County Recorder in and for the
County of Pima, State of Arizona, do hereby certify that the above and foregoing is a full, true and correct copy
of the Atlanta Mining Claim, located on the 11th day of February
A.D.1901 and situated in the Pima Mining District, Pima Co. Arizona,

.....
as appears of record now in my office in Book HH Record of Mines Pages 444.....

IN WITNESS WHEREOF, I have hereunto set my hand
and affixed my official seal, at my office in Tucson,
this 25 day of
March A. D. 1918.....

R.B.Vinson
.....
County Recorder of Pima County, Arizona.

Klondyke Mining Claim.

Notice is hereby given, That the Undersigned in Compliance with the requirements of Chapter VI Title 32, of the Revised Statutes of the United States and the local customs, laws and regulations ha-- this day located and claim 1500 linear feet along the course of this lead, lode or vein of Mineral-bearing quartz, and 300 feet in width on each side of the middle of said lead, load or vein together with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, situate in the Pima Mining District, County of Pima and more particularly described as follows, to-wit:

Commencing at this Monument and running Westerly 300 feet to the East center end of the Mojave Mine, thence southerly 300 feet to the South West corner, thence Easterly 750 feet being the Southerly center side line, thence Easterly 750 feet to the South East corner, thence Northerly 300 feet to the center of the Easterly End of claim, thence Northerly 300 feet to the North East corner, thence Westerly 750 feet being the center of the North side line, thence Westerly 750 feet to North West corner, thence Southerly 300 feet to place of beginning;

This claim runs parallel with the Queen & Copper Glance Mines on the scuth side line known as the Twin-Buttes Copper Group and shall be known as the Klondyke Mine,

Located Sept, 5th, 1897.

Witness
John Ellis

Locator-- Hugh Canney

Filed and Recorded at request of John Ellis Oct. 15th, 1897 at 10-45 A. M.

Chas. A. Shibell,
County Recorder.

STATE OF ARIZONA, }
COUNTY OF PIMA. } ss.

I, H.B. Vinson _____, County Recorder in and for the
County of Pima, State of Arizona, do hereby certify that the above and foregoing is a full, true and correct copy
of the Klondyke Mining Claim, located on the 5th day of Sept. 1897
and situated in the Pima Mining District, Pima Co. Arizona.

as appears of record now in my office in Book FF Record of Mines Pages 604

IN WITNESS WHEREOF, I have hereunto set my hand
and affixed my official seal, at my office in Tucson,
this 25 _____ day of
March _____, A. D. 1918

H.B. Vinson
County Recorder of Pima County, Arizona.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

June 12, 1919.

I, U. S. Surveyor-General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Alexander Rossi, William Reid, Julia Baxter, Michael Irish and the Estate of Charles W. Baxter, deceased, Phil. C. Brannen, Administrator,

known as the ATLANTA and KLONDYKE lodes

situate in PIMA

Mining District, PIMA County, ARIZONA,

in Section 6, Township No. 18 S., Range No. 13 E., and

designated as Survey No. 3509, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if

incorporated into a patent, serve fully to identify the premises, and that such reference is made therein

to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimants or their grantors, and that said improvements consist of 15 shafts, 1 drift and 1 trench, total value \$1270.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix Arizona, is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

Phoenix, Arizona,

June 12, 1919

I, U. S. Surveyor General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Alexander Rossi, William Reid, Julia Baxter, Michael Irish, and the Estate of Charles W. Baxter, deceased, Phil. C. Brannen, Administrator, known as the

ATLANTA and KLONDYKE lodes

situate in PIMA mining district, PIMA County, ARIZONA,

in Section 6, Township No. 18 S., Range No. 13 E., G. & S.R.B. & M., designated as Survey No. 3509

executed by Paul E. Fernald, U. S. Mineral Surveyor, July 5th - July 7th, 1918, under my instructions dated April 27th, 1918, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved.

The certified copy of the location certificate filed by the applicant for survey is on file in this office and a true copy of said certified copy of said location certificate is included and made a part of the transcript of the field notes.

[Handwritten signature]

U. S. Surveyor General for Arizona.