JUL31.1918

4-683

MINERAL SURVEY No. 3511 Platter

LOT	No	
	Arizona	Land District.
FIE	LD NO	TES
OF THE SURVE	Y OF THE MIN	NING CLAIM OF
New Cornelis	a Copper Co	mpany
	NOWN AS TH	IE
IRON	WOOD lode	A decision of the second of th
The state of the s	Ajo	Mining District,
Pima	County,	Arizona.
		s , Range 6 W (Unsurveyed
Surveyed under instructions		
	by RA	U. S. Mineral Surveyor.
Claim located See	location n	otice , 19 16
Survey commenced	May 13	, <i>19</i> 18
		, 19 18
		Risbee, Arizona.
DATES OF	AMENDED L	LOCATIONS.

IRON WOOD LODE

an set I her in the promise Beginning at Cor No l, the S E Cor, identical with location and with Cors No 4 and 4 of Sur No 2374 Alameda lode and Sur No 2800 Valley lode respectively, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3511 I W whence U S M M No 1 Ajo Mining District brs S 29° 05' E 2634.4 ft. No bearings available. '

A fang anity . Suine

thence S 88° 55' W

- along lines 4-3 and 4-3 of Sur No 2374 Alameda lode and 12.0 Sur No 2800 Valley lode respectively to original location for the south end center being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3511 S E Ct I W
- to Cor. No. 2, the S. W. Cor, identical with location and 23.6 with Cor No 1 Sur No 3160A Little Ajo lode and situated on line 2-3 Sur No 2679 Hot Head lode at N 4° 31' W 530.8 ft and S 4° 31' E 312.0 ft from Cors 2 and 3 respectively a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3511 I W. No bearings available: "minorypo ads to sally .f old too at th

thence N 10° 19' E

111.4 along line 1-4 Sur No 3160 A Little Ajo lode to Cor No. 3 the N. W. Cor. and the north endicenter being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3511 I W and 3511 N E Ct I W whence the original location for the north west corner being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones brs N 2° 39' E 88.3 ft and the original location for the north end center being a mound of stones 3 ft high with 3 ft base brs N 4° 22' E 88.5 ft

thence N 88° 55' E

to Cor No 4. the N E Cor. a pine post 4 ft long 4 ins sq 12.0 set 18 ins in the ground in a mound of stones and scribed 4-3511 I W whence the original location for the N E Cor

INT ON YEVENU ANGELL

being a pine post 4 ft long 4 ins sq set 18 ins in the ground ground brs N 25° 59' E 99.1 ft. shot about 1 1788 of The thence S 40 22 W 109.7 to Cor No 1, place of the beginning. It long a time by the line in the second in a notice of stones and serioud 1-35-TEDGE when senets The presumed course, of the vein on this claim is from the south end center N 4° 22' E 109.7 ft. deliave AREAS Total Area Iron Wood Lode - - 0.045 A Area in conflict with about value 3088 of 123 Sur No 2679 Hot Head lode - -Tract A, -- Sur No 2679 Hot Head lode exclusive - 0.030 A - - 0.015 A of Tract A - - - -23.6 to wor no d. the harman libertical with " between to tous shot of .. of TRACTOALE of THE L ON TOU Athe Beginning at Cor No 1 Iron Wood lode thence S 88° 55' W 23.6 ft to Cor No 2, thence N 10°, 19' E 111.4 ft to Cor No 3 whence a 2 X 4 ins pine post set in a mound of stones brs N 1° 55! W 201.4 ft. thence S 1° 55! E 109.2 nearings ft to Cor No 1, place of the beginning : nide finy LOCATION This survey is located in the Ajo Mining District, Pimar 6 04 TI County, Arizona, in Sections 23 and 26. T 12 S, R 6 W 1 3801 (unsurveyed) G & S R B & M. I 20 K I AN BIMPROVEMENTS. MARITUM bas Bonove I certify that the value of the labor and improvements placed upon this claim by the claimants or its grantors was at time of survey as follows: Total to bruom a Seria ha Discovery shaft 5-x 7 x 12 ft deep brs from No. 1 south end center on lode line 20ft. Value - - - - \$100.00 AJOINING CLAIMS Sur No 2679 Hot Head lode of H and , h off rod of O.S. East Sur No 2374 Alameda lode, Sur No 2800 Valley lode. South Sur No 3160 A Little Ajo lode, appear W I IIII-h West

INSTRUMENT

This survey was made with a Gurley Light Mountain Transit
The courses were deflected from the true meridian as established for Sur No 3160 A. The distances were measured
with 100 and 300 ft steel taped. Magnetic Variation 15°E.
at all corners.

REPORT.

U S M M No 1 Ajo Mining District is a 2 in iron pipe about 20 ft long set in the ground in a monument with copper tag on side marked "U S Mineral Monument No 1, Ajo Mining District, Pima County, Arizona. Established Dec. 14, 1882 by L. D. Chillson, U S Dep. Min. Sur. Reestablished Dec. 28 1917 by P E Fernald, U. S. Min. Sur.

Sur No 2374 Alameda lode Cors 3 and 4 are pine posts properly set and scribed.

Sur No 2679 Hot Head lode. Cor No 2 is a mound of rocks post gone. Cor No 3 is a pine post properly set and scribed.

Sur No 3160 A Little Ajo lode Cors 1 and 4 are pine posts properly set and scribed.

Sur No 2800 Valley lode Cors 3 and 4 are pine posts properly set and scribed.

U. S. Mineral Surveyor.

Dated at Bisbee, Arizona.

July 30, 1918.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

II libb of the hames	of the individuals employ	Cot by	i
United States Mineral S	Surveyor, to assist in run	ning, measuring, and marking t	he lines, corners, and
boundaries described in t	the foregoing field notes of	of the survey of the mining clair	n of
Ме	w Cornelia Copper	Company	
known as the	IRON WOOD	lode	
and showing the respecti	ive capacities in which the	ey acted.	
		Albert Witte	, Chainman.
			, Chainman.
			, Axman.
			, Flagman.
,			
F	INAL OATHS	OF ASSISTANTS	
and	, d	o solemnly swear that w e assisted	
Ralph L. Motz	United States M	ineral Surveyor, in marking the	corners and surveying
the boundaries of the m	ining claim ofNev	Cornelia Copper Compa	any
	IRON WOOD la		
known as the	IRON WOOD 18		
known as therepresented in the forego	IRON WOOD le	de been surveyed by said mineral s	urveyor and under his
known as therepresented in the foregodirection; and that said	IRON WOOD la	been surveyed by said mineral spects, to the best of our knowledg	urveyor and under his
known as therepresented in the foregodirection; and that said and correctly executed, as	IRON WOOD 1st oing field notes as having survey has been in all respond the corner and boundary	been surveyed by said mineral spects, to the best of our knowledger monuments established according	urveyor and under his
known as therepresented in the foregodirection; and that said and correctly executed, as	IRON WOOD 1 and the corner and boundary inted States Surveyor-General	been surveyed by said mineral spects, to the best of our knowledge monuments established according that forArizona	urveyor and under his and belief, faithfully
known as therepresented in the foregodirection; and that said and correctly executed, as	IRON WOOD 1 and the corner and boundary nited States Surveyor-General	been surveyed by said mineral spects, to the best of our knowledge monuments established according that for Arizona	urveyor and under his and belief, faithfully to law and the instruc
known as therepresented in the foregodirection; and that said and correctly executed, as	IRON WOOD 1st oing field notes as having survey has been in all respond the corner and boundary nited States Surveyor-General	been surveyed by said mineral spects, to the best of our knowledge monuments established according that for Arizona	urveyor and under his and belief, faithfully to law and the instruction. Chainman.
known as therepresented in the foregodirection; and that said and correctly executed, as	ing field notes as having survey has been in all respond the corner and boundary nited States Surveyor-Gene	been surveyed by said mineral spects, to the best of our knowledge monuments established according that for Arizona	urveyor and under his and belief, faithfully to law and the instruction of the contraction of the contractio
known as the	iron wood la	been surveyed by said mineral spects, to the best of our knowledge monuments established according that for Arizona	urveyor and under his and belief, faithfully to law and the instruction of the control of the co
known as the represented in the foregodirection; and that said and correctly executed, and tions furnished by the University	iron wood la	been surveyed by said mineral spects, to the best of our knowledge monuments established according that for Arizona	urveyor and under his and belief, faithfully to law and the instruction of the control of the co
known as the represented in the foregodirection; and that said and correctly executed, and tions furnished by the University	iron wood la	been surveyed by said mineral spects, to the best of our knowledge monuments established according a large of the large of	urveyor and under his and belief, faithfully to law and the instruction of the control of the control of this and the control of the control

Notary Public in and for the County of Pima, State of Arizofa¹⁰¹³ My Commission expires

My Commission Expires March 14, 1920.

FINAL OATH OF U.S. MINERAL SURVEYOR.

I,	Ralph L. Motz	, U. S. Mi	neral Surveyor,
do solemnly swea	r that, in pursuance of in	structions received from the	United States
Surveyor General	for Arizon	18.	dated.
Мау б	, 1918 , I	have, in strict conformity to	the laws of the
United States, the	e official regulations and in	structions thereunder, and	the instru <mark>ctions</mark>
of said Surveyor	General, faithfully and co	rrectly executed the survey	of the Mining
Claim of	New Cornelia Copper	Company	
			, known as the
	Iron Wood lode		,
situate in	Ajo]	Mining District,
Pima	Co	ounty, Arizona	, in Section
23and 26 , To	ownship No. 12 S , Rang	ge No. 6 W (Unsurveyed) G & S R B & M
and designated as	Survey No	511 ,	as represented
in the foregoing f	ield notes, which accurately	y show the boundaries of sai	d mining claim
as distinctly mark	ted by monuments on the	ground, and described in the	e attached copy
of the location ce	ertificate, which was receive	ed by me from the Surveyo	r General with
said instructions,	and that all the corners of	said survey have been estak	olished and per-
petuated in strict	accordance with the law,	official regulations and ins	tructions there-
under; and I do	further solemnly swear th	at the foregoing are the tru	ie and original
field notes of sai	d survey and my report	therein, and that the labor	expended and
improvements ma	<mark>de upon said mining clai</mark> m	by claimant or its	grantors
are as therein ful	ly stated, and that the ch	aracter, extent, location, and	itemized value
thereof are specif	l <mark>ed therein wit</mark> h particular	ity and full detail, and tha	t no portion of
said labor or imp	rovements so credited to the	his claim has been included	in the estimate
of expenditures up	on any other claim.		
	(Augustus 1940)		
			*
	-	Ralph h. Mo	imeral Surveyor
		0.2.0	and sur segur.
	1 - 1 - 1 - 1	Palnh T. Mote	
		Ralph L. Motz	
		J. W. Ross, this	
	July , 19 18	υms	-/
day or			
	J.	J.W. Poss.	
		,	

6-1044

Notary Public, in and for the County of Cochise, State of Arizona. My commission expires Feb'y 21, 1920.

Motice of Mining Location

MAI-6.1918

TO ALL WHOM IT MAY CONCERN: This Mining Claim, the name of which is the Iron Wood Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by	
New Cornelia Copper Company, a corporation of Delaware.	
(Locator must insert either "a citizen of the United States" or "who has declared his intention to become a citizen of the United States.") the undersigned, on the	
The length of this claim is	
claims 20 feet in a southerly direction	
and	
with50	
to the north.	
The claim is situated and located in the	
the County of Pima, State of Arizona, about2645 ftin a	
north-westerly direction from U.S. M.M. No.1 and bounded on	
the south by the Alameda mining claim, Sur. No. 2374; on west by the	
Little Ajo mining claim, Sur. No.3160-A; on the north by the LittleAjo	
and Hot Head, Sur. No. 2679; on the east by the Hot Head, Sur. No. 2679. The surface boundaries of the claim are marked upon the ground as follows: Beginning at	
4.x.4.post	
at a point in a southerly direction 20	
feet from the discovery shaft (at which this notice is posted) being in the center of the south	
thence. westerly50	
feet to a 4 x 4 post being the south-west	
feet	
to a 4 x.4 post being at thenorth-west	
corner of said claim; thence easterly 50 feet to a 4 .x. 4 .post	
at the center of the north end	
of said claim; thenceessterly50 feet to a4 x 4 post	
being at thenorth-eastcorner of said claim;	
thence southerly200 feet to a4.x.4.post	
at the south-east corner of	
said claim; thence westerly50 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona, entitled, "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.	
Dated and posted on the ground this 5th day of March	
New Cornelia Copper Co	
111	
Matrix I. M. Jacobs & Son Stationer Tucson Arizone	
J. M. Jacobs & Son, Stationer, Tucson, Arizona	

AN ACT TO CODIFY AND REVISE THE LAWS OF THE TERRITORY OF ARIZONA

SECTIONS I-II—INC. LOCATION OF CLAIMS

Be it enacted by the Legislative Assembly of the Territory of Arizona:


Section 1. On the discovery of mineral in places on the public domain of the United States, the same may be located as a mineral claim by the discovery for himself, for himself and others, or for others.

Section 2. Such location shall be made by erecting at or contiguous to the point of discovery, a conspicuous mounment of stones not less than three (3) feet in height, or an upright post securely fixed, projecting at least four (4) feet above the gorund, in which mounment of stones or on which post there shall be posted a location notice, which shall be signed by the name or names of the location; fourth, the length and width of the claim in feet from the pouint of discovery to each end of the cloater or locators. The location notice must contain: Birst, the name of the claim located; second, the name or names of the locators; third, the date of the location; fourth, the length and width of the claim with reference to some natural object or permanent monument whereby the claim can be identified.

Section 3. Until each and all of the above specified things shall have been done no right thereto shall be acquired.

Section 4. From the time of the location of a mining claim as above specified, the locator shall be allowed ninety (90) days within which to do or cause to be done the following things: First, to cause to be recorded in the office of the County Recorder of the county in which the claim is situated, a cepy of the location notice: second, to sink a discovery shalf in the claim to the depth of at least ten (10) feet from the lowest part of the rim of the shalt at the surface, and deeper if necessary, until there is discovered in said shalt mineral in place, third, to mountment the claim on the ground so that its boundaries can be readily traced.

Section 6. Such surface boundaries shall be marked by six (8) substantial posts projecting at least four (4) feet above the surface of the ground, or by substantial stone monuments at least three (3) feet high, to-wit: One at each cornor of said claim, and one at



The above diagram is to give the locator a general idea of the plan of location under new law. Your discovery shaft may, be in the center of claim.

or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description, be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

STATE OF ARIZONA, County of, County Recorder in and for the County and State aforesaid, do hereby certify that the within instrument was filed for record ato'clock, duly recorded in Book No..... County, Arizona, at pages..... WITNESS my hand and official seal the day and year first above written.

County Recorder.

Recorder. 191 Request of Deputy CLAIM at Recorded LODE Filed

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,
	December 5 , 1918
I, U. S. Surveyor-G	General for District of Arizona,
do hereby certify that t	he foregoing transcript of the Field Notes, return and approval of the survey
*	NEW CORNELIA COPPER COMPANY
known as the	I RON WOOD LODE
	<i>I</i> ,JO
Mining District,	PIMA County, ARIZONA,
in Section 23 & 26	Township No. 12 S., Range No. 6 W (Unapp!d.), and
designated as Survey N	o
this office; that said Fi	eld Notes furnish such an accurate description of said mining claim as will, if
incorporated into a pate	nt, serve fully to identify the premises, and that such reference is made therein
	manent monuments as will perpetuate and fix the locus thereof. less than ify that five hundred dollars' worth of labor has been expended or improve-
consist of , at time	mining claim by claimant or its grantors, and that said improvements of survey, 1 shaft, value \$100.
and that no portion of supon any other claim.	aid labor or improvements has been included in the estimate of expenditures
I further certify tha	t the plat thereof, filed in the U.S. Land Office at
Arizona,	is correct and in conformity with the foregoing Field Notes.
	Frank P. Trott
	United States Surveyor-General for Arizona

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

	Phoenix	, Arizona,
		December 5
I, U. S. Surveyor (General forDistrict of A	rizona,
do hereby certify that t	he foregoing and hereto attached Fiel	d Notes and Return of the Survey of the
Mining Claim of		
	NEW CORMELIA COPPER	COMPANY,
		, known as the
	IRON WOOD LOD	E
situate in	AJO	mining district,
PIMA	County,	frizona,
in Sections 23 and 2	76 Township No. 12 S.	, Range No. 6 W (Unapp'd.)
, de	esignated as Survey No	5]]
executed by	Ralph L. Motz	, U. S. Mineral
Surveyor,	May 13,	, 191 8, under my instructions dated
May 6,	, 1918, have been c	ritically examined and the necessary cor-
rections and explanatio	ns made, and the said Field Notes an	d Return, and the Survey they describe,
are hereby approved.	The certified copy of the location cert	ificate filed by the applicant for survey is
on file in this office and	a true copy of said certified copy of sai	d location certificate is included and made
a part of the transcript	of the field notes.	
	J. J.	1001 M

U.S. Surveyor General for ____Arizona.

