

1
FEB 15 1919
APR 23 1919

7-25-1919 Copied ARC

4-683

MINERAL SURVEY No. 3525

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

United Verde Copper Company

KNOWN AS THE

Mary, Bess, Maggie Lodes.

Verde

Mining District,

Yavapai

County,

Arizona

Section 14

(unsurveyed)

Township 16 N.

Range 2 E.

Surveyed under instructions dated June 21, 1918

by Joseph M. Carthy
U. S. Mineral Surveyor.

Claims located See location notices, 19

Survey commenced July 5-10, 1918

Survey completed Jan 15, 1919

Address of claimant Anderson & Ellis Atty's.
Prescott, Arizona.

DATES OF AMENDED LOCATIONS.

Mary - June 4, 18.

Bess - June 4, 18.

Maggie - June 4, 18.

6-822

468 5-26 m 3d
Bureau plat recd. 4-24-19

Mary Lode.

Beginning at Cor. No. 1.

A concrete monument, 2 1/2 ft. long, 1 ft. diam. set 18 in. in the ground, the part above the surface being the frustum of a cone 1 ft. diam. at base and 8 in. diam. at the top; containing a 2 in. iron pipe 18 in. long surmounted by a cap and reducer containing a brass disk stamped + Mary No. 1. 3525 whence

The 1/4 Sec. Cor. between Secs. 14 & 23 T. 16 N. R. 2 E. G. & S. R. B. & M. bears S 10° 53' 10" W 3823.66 ft.

A cross on a 3' x 2' x 2' malpais rock marked B + R Mary No. 1. 3525 bears S 7° 10' E 77.23 ft.

The N. E. Cor of Vulcan lode (unsurveyed) Crane et al. claimants; bears N 31° 12' 55" W 848.89 ft.

Whence N 51° 41' W

Fleet.

207.00

Cross creek running northeasterly.

515.12

Cor. No. 2. Sur. No. 2811, Fairview lode.

739.00

Cross railroad tracks

759.00

Cross railroad tracks

779.00

Cross railroad tracks

845.00

Cross railroad tracks

1059.61

Intersect northwest end line Vulcan lode (unsurveyed) S 80° 00' W 397.44 ft. from N. E. Cor.

1491.09

To Cor. No. 2.

A concrete monument similar to Cor. No. 1. the brass disk being stamped + Mary No. 2. 3525 whence.

A cross on a 3' x 1 1/2' x 1 1/2' Red Sandstone marked B + R Mary - No. 2 3525 bears S 51° 41' E 8.42 ft.

Cor. No. 3. Sur. No. 2811, Fairview lode bears N 51° 41' W 86.32 ft.

Whence N 38° 19' 10" E

300.00

N. E. C. a mound of stones.

599.65 To Cor. No. 3.

A concrete monument similar to Cor. No. 1, the brass disk being stamped + May No. 3 3525 whence the + for location corner bore N 51° 41' 50" E 0.26 ft. The location corner was a concrete monument similar to Cor. No. 1.

Thence S 51° 41' 50" E

1153.87 Intersect line 1-2 Bess lode of this survey.
at N 0° 12' 30" E 821.85 ft. from Cor. No. 1.
1491.30 To Cor. No. 4.

A concrete monument similar to Cor. No. 1, the brass disk being stamped + May No. 4 3525 whence

A cross on a rock marked B+R May No. 4 3525 bears S 63° 48' E 19.74 ft. Cross for location corner bears N 38° 19' 10" E 0.12 ft. The location corner was a concrete monument similar to Cor. No. 1. Thence S 38° 19' 10" E

91.00 Cross railroad tracks

300.00 C. E. S. a mound of stones

338.56 Intersect north side line of ^(unmarked) Vulcan lode at S 49° 08' 10" E 796.10 ft. from N. E. Cor.

430.27 Intersect line 1-2 Bess lode of this survey.
at N 0° 12' 30" E 275.12 ft. from Cor. No. 1.

480.00 Cross creek running southeasterly.

600.00 To Cor. No. 1, the place of beginning

Bess Lode.

Beginning at Cor. No. 1.

A concrete monument similar to Cor. No. 1, ^{this} May lode survey the brass disk being stamped B-1 3525, whence

The 1/4 sec Cor. between Secs. 14 + 23 T. 16 N. R. 2 E. G. + S. R. B. + M. bears S 12° 53' E 3706.19 ft.

Cor. No. 1. May lode, of this survey bears N 36° 17' 20" E 176.12 ft.

A cross on a Red Sandstone 1' x 1' x 1.8" marked B+R B-1-3525 bears S 79° 48' E 14.91 ft.

Thence N 0° 12' 30" E

215.00 Cross creek running southeasterly.

275.12 Intersect line 4-1 May lode of this survey.
at S 38° 19' 10" E 430.27 ft from Cor. No. 4.

Survey No. 3525 Continued

Feet.

395.89 Intersect northeast side line of ^(unnamed) Lulean lode at $S49^{\circ}08'10''E$
721.49 ft from N.E. Cor.

593.00 Cross railroad tracks.

603.00 Cross railroad tracks.

821.85 Intersect line 3-4 Maggie lode of this survey,
at $N75^{\circ}11'41''E$ 337.43 ft. from Cor. No. 4.

960.17 To Cor. No. 2.

A concrete monument; the brass disk being stamped + B-2 3525.

The cross for location corner bears $N89^{\circ}46'20''E$ 10.08 ft.

A cross on a $2' \times 1\frac{1}{2}' \times 1'$ Red Sandstone marked B+R B-2 3525 bears $N66^{\circ}23'E$ 27.00 ft.

The S.W. Cor. Lone Star ^{unnamed} Jerome Superior Mining Company, claimant, bears $N74^{\circ}42'40''E$ 59.56 ft.

Hence $S89^{\circ}46'20''E$.

300.00 N.E. C. a mound of stones.

318.73 Intersect south side line of Lone Star ^{unnamed} lode at
 $S86^{\circ}17'E$ 261.81 ft. from S.W. Cor.

600.00 To Cor. No. 3.

A concrete monument; the brass disk is stamped + B-3 3525.

A cross on a $2'7'' \times 2'7'' \times 1'$ Red Sandstone marked B+R B-3 3525 bears $S76^{\circ}15'E$ 15.45 ft.

Hence $S0^{\circ}13'40''N$.

17.15 Intersect south side line Lone Star ^{unnamed} lode at $S86^{\circ}17'E$
543.62 ft. from the S.W. Cor.

64.00 Cross dry gulch running E. & W.

117.30 Cor. No. 2 Maggie lode of this survey.

726.50 Cor. No. 1 Maggie lode of this survey.

751.62 Intersect N.W. side line Lucky Find ^{unnamed} No. 1 lode at $S50^{\circ}25'E$
560.40 ft. from N.W. Cor.

937.00 Cross creek running easterly

959.83 To Cor. No. 4.

A concrete monument; the brass disk is stamped + B-4 3525.

A cross on a $3' \times 2\frac{1}{2}' \times 1\frac{1}{2}'$ Malpais rock marked B+R B-4 3525 bears $N64^{\circ}32'E$ 22.93 ft.

Survey No 3525 Continued

Feet.

- 138.73 "Hence $N 89^{\circ} 46' 20'' W$
Intersect N. E. side line Vulcan ^{unsurveyed} lot at $49^{\circ} 08' 10'' E$
1329.12 ft. from N. E. Cor.
- 249.80 Intersect N. W. side line Lucky Find No. 1 lode, ^{unsurveyed}, at
 $S 50^{\circ} 25' W$ 885.60 ft. from N. W. Cor.
- 300.00 S.E.C. a mound of stones.
- 599.70 To Cor. No. 1, the place of beginning

Maggie Lode.

Beginning at Cor. No. 1.

On line 3-4 Bess lode, of this survey, 726.50 ft. from Cor. No. 3.

A concrete monument, the brass disk is stamped

+M-1 3525.

The $\frac{1}{4}$ Sec. Cor. between Secs. 14 & 23 T. 16 N. R. 2 E.
G. & S. R. B. & M. bears $S 20^{\circ} 22' W$ 4100.16 ft.

The N. W. Cor. of Lucky Find No. 1 lode (unsurveyed)
Cogan et al claimants; bears $N 52^{\circ} 26' 50'' E$ 544.66 ft.

A cross on a $1' \times 1.5' \times 0.2'$ Red Sandstone marked

B + R M-1 3525 bears $N 24^{\circ} 37' W$ 13.28 ft.

"Hence $N 0^{\circ} 13' 40'' E$

along line 4-3 Bess lode of this survey.

304.60 S.E.C. a mound of stones

609.20 To Cor. No. 2,

A concrete monument - The brass disk is stamped +M-2 3525

A cross on a $3' \times 1' \times 1\frac{1}{2}'$ Red Sandstone marked

B + R M-2 3525 bears $N 40^{\circ} 44' W$ 18.61 ft.

"Hence $N 80^{\circ} 08' 10'' E$

425.72 Intersect south side line Lone Star lode, ^{unsurveyed} at 886-176
963.53 ft from S. W. Cor.

768.17 Intersect west side line of Santa Fe lode (unsurveyed),
Jerome Superior Mining Company, claimant, at $S 3^{\circ} 06' E$ 362.64 ft
from the S. W. Cor.

899.18 To Cor. No. 3.

A concrete monument; the brass disk being stamped

+M-3 3525

Survey No 3525 Continued

Feet

- A cross on a 2' X 1.5' X 2.2' Red Sandstone marked B+R M-3 3525 bears S16°20' W 21.04 ft. Hence S0°13'40" W.
- 111.38 Intersect south side line of Lone Star lode, ^{unsurveyed} at S86°17' E. 1430.53 ft from S. & Cor.
- 304.60 E. E. of a mound of stones.
- 393.13 Intersect south end line of Santa Fe lode, ^{unsurveyed} at S86°40' E. 147.37 ft from S. & Cor.
- 443.22 Intersect N. & side line of Lucky Lind No 2. lode (unsurveyed) Organ et al. claimants, at S49°21' W 178.69 ft. from the S. & Cor.
- 606.21 To Cor. No. 4.
A concrete monument; the brass disk being stamped + M-4 3525
Location Cor. bore N79°56'20" E 1.16 ft.
The location corner was a concrete monument similar to Cor No 11 of many lodes they survey.
A cross on a 2' X 1.5' X 0.5' Red Sandstone marked B+R M-4 3525 bears S80°12' W 3.83 ft.
The N. & Cor. of Lucky Lind No 2 lode, ^{unsurveyed} bears N25°59'30" E 310.83 ft.
The S. & Cor. of Santa Fe lode, ^{unsurveyed} bears N33°25'40" W 265.55 ft.
Hence S79°56'20" W.
- 242.18 Intersect N. & side line of Lucky Lind No 2 lode, ^{unsurveyed}, at S49°21' W 493.83 ft. from the N. & Cor.
- 274.32 Intersect N. E. end line of Lucky Lind No 1 lode, ^{unsurveyed} at S39°34' E 288.89 ft. from the N. & Cor.
- 560.59 Intersect N. & side line of Lucky Lind No 1. lode, ^{unsurveyed}, at S50°25' W 510.24 ft. from the N. & Cor.
- 599.75 To Cor. No. 1. the place of beginning.
Variation at all corners 14°30' E.

Lode Lines

As near as can be determined from present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points:

- Mary lode 264.5 ft. S51°41' E and 1226.59 ft. N51°41' W
Bess lode 154.00 ft. S0°13'40" W and 505.83 ft. N0°13'40" E
Magge lode 416.00 ft. S50°08'10" W and 483.18 ft. N50°08'10" E.

	Area	Acres.
Total area, Many lode		20.534
Area in conflict with—		
Tract "A" hereinafter described	0.228	"
Tract "B" hereinafter described	0.103	"
Vulcan lode unsurveyed	5.997	"

Total area Bess lode. 13.220

	Area	Acres.
Area in conflict with—		
Tract "C" hereinafter described	0.075	"
Lone Star lode, unsurveyed	0.055	"
Many lode of this survey	1.667	"
Vulcan lode, unsurveyed	2.094	"
Vulcan lode unsurveyed (exclusive of the conflict with Many lode of this survey)	2.015	"
Lucky Find No 1 lode, unsurveyed	0.597	"
Lucky Find No 1 lode, unsurveyed (exclusive of its conflict with Vulcan lode unsurveyed)	0.537	"

Total area Maggie lode 12.350

	Area	Acres.
Area in conflict with—		
Santa Fe lode, unsurveyed	1.196	"
Lone Star lode, unsurveyed	0.596	"
Lone Star lode, unsurveyed (exclusive of its conflict with Santa Fe lode, unsurveyed)	0.308	"
Lucky Find No 2 lode, unsurveyed	0.446	"
Lucky Find No 1 lode, unsurveyed	1.692	"

Tract "A."

Beginning at Cor. No. 2 Many lode of this survey
 Thence N 38° 19' 10" E 3.00 ft. to a point. Thence
 S 56° 31' E 471.17 ft to a point. Thence S 80° 00' E 57.16 ft.
 to a point on line 1-2 Many lode. Thence N 51° 41' 30"
 431.48 ft. to the place of beginning, containing
 0.228 acres.

Tract "B"

Beginning at Cor. No 3 Many lode of this survey.
 Thence S 51° 41' 50" E 15.00 ft. to a point. Thence
 S 39° 45' 30" E 596.84 ft. to a point on line 2-3 Many
 lode of this survey; Thence N 38° 19' 10" E 596.65 ft to
 the place of beginning, containing 0.103 acres.

Tract "C"

Beginning at Cor. 2. Bess lode this survey.
 Thence $S 89^{\circ} 46' 20'' E$ 64.52 ft to a point. Thence
 $S 30^{\circ} 45' W$ 19.68 ft to a point. Thence $S 89^{\circ} 57' 40'' E$
 45.98 ft to a point. Thence $S 1^{\circ} 16' W$ 130.14 ft to
 a point on line 3-4 Mary lode this survey.
 Thence $N 51^{\circ} 41' 50'' W$ 18.94 ft to a point on line
 1-2 Bess lode this survey. Thence $N 10^{\circ} 12' 30'' E$
 138.32 ft. to the place of beginning, containing
 0.075 Acres

The survey of each lode of this location
 is identical with respective amended locations
 as staked upon the ground except as noted.

Location.

This survey is located in Sec. 14,
 unsurveyed, T. 16 N. R. 2 E. G. & P. B. & M., and
 within the Prescott National Forest.
 Expenditure of Five Hundred Dollars.

I certify that the value of the labor
 and improvements made upon the ground,
 or for the benefit of, each of the locations
 embraced in said mining claim by the
 claimant or its grantors is not less than
 five hundred dollars, and that said improvements
 consist of:

No. 1. ^{Mary.} The discovery cut of the ~~Mary~~ lode, the
 face of which being the discovery point is
 on the lode line 264.50 ft from a point on
 line 4-1. 300 ft. from Cor. No. 1. 4 ft wide,
 8 ft face running $S 3^{\circ} E$ 15 ft to mouth.

From the face is a tunnel 3x6 ft running
 $N 47^{\circ} 21' W$ 51 ft.

No. 2. A 5x8x10 ft shaft which bears $N 24^{\circ} 30' E$
 803.27 ft from Cor No 1 ~~Mary~~ lode this survey

Value \$100⁰⁰

Survey No 3525 Continued

Bess

No-1 The discovery cut of the Bess lode, the face of which being the discovery point is on the lode line 154 ft. from a point on line 4-1 300 ft. from Cor No. 4. 5 ft wide 10 ft face running South 9 ft to mouth.

From the face is a tunnel 3 x 6 ft running N 16° 14' E 51 ft

Value of cut and tunnel \$560⁰⁰.

Maggie

No-1 The discovery cut of the Maggie lode is on the lode line 416.00 ft from a point on line 2-1 304.60 ft from Cor. No. 1

The discovery point of the Maggie lode is in the cut N 25° 06' E 5 ft from the face. The cut being 22 ft long 4 ft wide and 8 ft. face.

From the face is a tunnel 3 x 6 ft. running S 55° 11' E 50 ft.

Value of cut and tunnel \$550⁰⁰

Instrument.

This survey was made with a C. L. Berger & Son Juniors Transit. The courses were deflected from the true meridian as determined by direct solar observation.

The distances were measured with 100 ft and 600 ft. steel tapes.

Report.

All lines were run on the ground either directly or by traverses and a closed survey made on each claim.

The 1/4 Sec Cor between Secs 14 & 23 T. 16 N. R. 26. G. & S. R. B. & M. is a 1 in. iron pipe 8 in. above the ground surmounted by a brass top stamped

514
1/4
523

The corners for Survey No 2811. Fairview lode are concrete monuments similar to Cor No. 1, May lode, this survey, and are properly marked.

I do not agree with line 2-3 in course or distance. I find same to be N 51° 41' E 1062.29 ft. as against N 51° 47' E 1075.78 ft.

Survey No 3525 Continued.

All corners of the unsurveyed claims conflicting with this survey are rock monuments conforming roughly to 3 ft diam. and 3 1/2 ft high. The name of the claim being written on a paper or stick and placed in the monument.

The S & W Cor of Lucky Find No 2 lode, unsurveyed, comes in an arroya and the position is approximate only, as the monuments cannot be absolutely verified.

The concrete monuments are all similar to Cor. No 1 of the May lode this survey and alongside each is a 4 x 5 in witness post 4 1/2 ft long in a mound of stones.

Adjoining Claims.

This claim is adjoined on the north by the

- Croix de Or lode, unsurveyed, Jerome Superior Mining Co., claimant.
- George Mitchell lode, unsurveyed, Jerome Superior Copper Co., claimant.
- Triangle lode, unsurveyed, Jerome Superior Mining Co., claimant.
- Lone Star lode, unsurveyed, Jerome Superior Mining Co., claimant.
- Sleeper lode, unsurveyed, Limited Verde Copper Co., claimant.

On the east by the

- Santa Fe. lode, unsurveyed, Jerome Superior Mining Co., claimant.

On the south by the

- Lucky Find No 1 lode, unsurveyed, Cogan et al, claimant.
- Lucky Find No 2 lode, unsurveyed, Cogan et al, claimant.
- Vulcan lode, unsurveyed, Craine et al, claimant.
- Fairview lode, Sur. No. 2811, Limited Verde Copper Co., claimant.

On the west by the

- Requital lode, unsurveyed, Jerome Superior Mining Co., claimant.
- Residue lode, unsurveyed, Jerome Superior Mining Co., claimant.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Joseph McCarthy
 United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
 boundaries described in the foregoing field notes of the survey of the mining claim of _____
 known as the United Verde Copper Company
Bess, Mary, Maggie lodes
 and showing the respective capacities in which they acted.

Philip S. Sawgill, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Philip S. Sawgill
 and _____, do solemnly swear that we assisted Joseph
McCarthy, United States Mineral Surveyor, in marking the corners and surveying
 the boundaries of the mining claim of United Verde Copper Company
 known as the Bess, Mary, Maggie lodes
 represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
 and correctly executed, and the corner and boundary monuments established according to law and the instruc-
 tions furnished by the United States Surveyor-General for Arizona.

Philip S. Sawgill, Chainman.
 _____, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me this tenth

day of August, 1918

C. P. Gardner

NOTARY PUBLIC

Yavapai County Arizona.

6-1043



FINAL OATH OF U. S. MINERAL SURVEYOR.

I, Joseph McCarthy, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Arizona, dated
June 21, 1915, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of United Verde Copper Company
, known as the
Bess, Mary, Maggie lodes,
situate in Verde Mining District,
Yavapai County, Arizona, in Section
14 U.S., Township No. 16 N., Range No. 2 E.
and designated as Survey No. 3525, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.

Joseph McCarthy
U. S. Mineral Surveyor.

Subscribed and sworn to by the said Joseph McCarthy

U. S. Mineral Surveyor, before me C. S. P. Gardner, Notary Public,

in and for Yavapai County, Arizona. this 12th

day of February, 1919

C. S. P. Gardner
NOTARY PUBLIC

AMENDED
NOTICE OF MINING LOCATION
LODE CLAIM

JUN 21 1918

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Mary Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by United Verde Copper Co. A corporation existing under the laws of the State of Delaware, the undersigned, on the 4th day of June, 1918.

The length of this claim is (1500) Fifteen Hundred feet and we claim (267) Two Hundred Sixty Seven feet, in a Southeasterly direction and Twelve hundred Thirty Three (1233) feet in a Northwesterly direction from the center of the discovery cut, at which this notice is posted, lengthwise of the claim, together with Three Hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northwest to the Southeast

The claim is situated and located in the Verde Mining District, in Yavapai County, in the State of Arizona, about $\frac{1}{2}$ mile in a northeasterly direction from the portal of the Hopewell Tunnel"

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument at a point in a southeasterly direction Two Hundred Sixty Seven feet from the discovery cut (at which this notice is posted,) being in the center of the southeast end line of said claim; thence southwesterly 300 feet to a monument, being the South West corner of said claim; thence northwesterly 1500 feet to a monument, being at the North West corner of said claim; thence northeasterly 300 feet to a monument at the center of the northwest end of said claim; thence northeasterly 300 feet to a monument, being at the North East corner of said claim; thence southeasterly 1500 feet to a monument at the South East corner of said claim; thence southwesterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Mary Mining Claim, located by J. R. Thompson on the 2nd day of November, 1916, and recorded in Book 101 of Records of Mines, at page 575, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 4th day of June, 1918.

United Verde Copper Co.
by C. V. Hopkins Chief Engineer
as agent.

Filed and recorded at request of Anderson & Ellis,

June 19th A. D. 1918, at 11:40 o'clock

A. M., Book 99 of Mines, pages 426.

Records of Yavapai County, Arizona.

(SEAL)


E. A. McSWIGGIN,
County Recorder.

By J. C. Woods.
Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI, } ss

I, E. A. McSwiggin, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of AMENDED LOCATION NOTICE OF THE
MARY Lode Mining Claim

filed for record on June 19th., 1918. and as the same appears of record in my office in Book 99 of Mines at page# 426 and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 19th day of June, A. D. 1918

E. A. McSwiggin
County Recorder.

By _____
Deputy Recorder.

AMENDED
NOTICE OF MINING LOCATION
LODE CLAIM

JUN 21 1918

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Bess Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by United Verde Copper Company, A corporation existing under the laws of the State of Delaware, the undersigned, on the 4th day of June, 1918.

The length of this claim is Nine Hundred & Sixty (960) feet, and we claim One Hundred Fifty Four (154) feet, in a southerly direction and Eight Hundred & Six (806) feet in a Northerly direction from the center of the discovery cut, at which this notice is posted, lengthwise of the claim, together with Three Hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Verde Mining District, in Yavapai County in the State of Arizona, about $\frac{1}{2}$ mile ~~in~~ in a Northeasterly direction from the portal of the Hopewell Tunnel

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument at a point in a southerly direction One Hundred Fifty Four (154) feet from the discovery cut (at which this notice is posted), being in the center of the south end line of said claim; thence westerly 300 feet to a monument being the South West corner of said claim; thence northerly 960 feet to a monument, being at the North West corner of said claim; thence easterly 300 feet to a monument at the center of the north end of said claim; thence easterly 300 feet to a monument, being at the North East corner of said claim; thence southerly 960 feet to a monument at the South East corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Bess Mining Claim, located by J. R. Thompson on the 2nd day of Nov. 1916, and recorded in Book 101 of Records of Mines, at page 574, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

" " "

Dated and posted on the ground this 4th day of
June, 1918.

United Verde Copper Co.
by C. V. Hopkins
Chief Engineer as agent.

Filed and recorded at request of Anderson & Ellis

June 19th

A. D. 1918, at 11:40 o'clock

A. M., Book

99 of Mines,

pages 427

Records of Yavapai County, Arizona.

(SEAL)

E. A. McSWIGGIN,
County Recorder.

By J. C. Woods

Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI, } ss

I, E. A. McSwiggin, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of AMENDED LOCATION NOTICE OF THE
BESS Lode Mining Claim

filed for record on June 19th., 1918. and as the same appears of record in my office in Book 99 of Mines at pages 427 and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 19th day of June, A. D. 191 8

E. A. McSwiggin
County Recorder.

By _____
Deputy Recorder.

AMENDED
NOTICE OF MINING LOCATION
LODE CLAIM

JUN 21 1918

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the "MAGGIE" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by the United Verde Copper Company, a corporation organized under the laws of the State of Delaware, the undersigned, on the 4th day of June, 1918.

The length of this claim is fifteen hundred (1500) feet, and we claim four hundred twenty (420) feet, in a westerly direction and ten hundred eighty (1080) feet in a easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the east to the west

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about one-half mile in a northeasterly direction from the portal of the Hopewell tunnel.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument at a point in a westerly direction 420 feet from the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence northerly 305 feet to a monument, being the northwest corner of said claim; thence 1500 easterly feet to a monument, being at the northeast corner of said claim; thence southerly 305 feet to a monument at the center of the east end of said claim; thence southerly 305 feet to a monument, being at the southeast corner of said claim; thence westerly 1500 feet to a monument at the southwest corner of said claim; thence northerly 305 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the "Maggie" Mining Claim, located by J. R. Thompson on the 24th day of October, 1916. on the day of 190, and recorded in Book 101 of Records of Mines, at page 576 in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice or other notices.

Dated and posted on the ground this 4th day of June, 1918.

UNITED VERDE COPPER COMPANY,
by, C. V. Hopkins
Chief Engineer.

Filed and recorded at request of Anderson & Ellis

June 19th

A. D. 1918, at 11:40 o'clock

A.M., Book 99 of Mines,

pages 428

Records of Yavapai County, Arizona.

(SEAL)

E. A. McSWIGGIN,
County Recorder.

By J. C. Woods

Deputy Recorder.

STATE OF ARIZONA, }
COUNTY OF YAVAPAI, } ss

I, E. A. McSwiggin, County Recorder in and for the County of Yavapai, State of Arizona, and custodian of the records of such office, do hereby certify that I have compared the foregoing copy with, and that the same is a full, true and correct copy of AMENDED LOCATION NOTICE OF THE
MAGGIE Lode Mining Claim

filed for record on June 19th, 1918 and as the same appears of record in my office in Book 99 of Mines at pages 428 and of the whole thereof.



IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 19th day of June, A. D. 1918

E. A. McSwiggin
County Recorder.

By _____
Deputy Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,

July 31, 1919.

I, U. S. Surveyor-General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

UNITED VERDE COPPER COMPANY,

known as the MARY, BESS, MAGGIE, Lodes,

situate in VERDE

Mining District, YAVAPAI County, ARIZONA,

in Section 14 (Uns.), Township No. 16 N., Range No. 2 E., and

designated as Survey No. 3525, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claims by claimant or its grantors, and that said improvements consist of 1 shaft, 3 cuts and 3 tunnels, total value \$1770.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

Frank P. Trott,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

July 31, 1919

I, U. S. Surveyor-General for DISTRICT OF ARIZONA,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of

UNITED VERDE COPPER COMPANY,

, known as the

MARY, BESS, MAGGIE Lodes,

situate in VERDE mining district,

YAVAPAI County, ARIZONA,

in Section 14 (Unsurveyed) Township No. 16 N, Range No. 2 E.

, designated as Survey No. 3525

executed by Joseph McCarthy, United States Mineral

Surveyor, July 5 - 10, 1918 - Jan. 15, 1919, under my instructions dated

June 21, 1918, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank D. Frost

U. S. Surveyor-General for Arizona.