ALH

4-683 Platted

MINERAL SURVEY No. 3539

LOT No.
Arizona Land District.
FIELD NOTES
OF THE SURVEY OF THE MINING CLAIM OF
Louis Musso
KNOWN AS THE
Daisy lode
Turquoise Mining District, County, Arzona
Section 3/, Township 195, Range 25E
Surveyed under instructions dated Aug 12, 19/8
by Johna Rockfelow
U. S. Mineral Surveyor.
Claim located See Motice 19
Survey commenced Sept 2, 19/8
Survey completed Left 7, 19/8
Address of claimant Theeson His
DATES OF AMENDED LOCATIONS.
Some Material

TE V. SS YMM W'OS

Beginning at Corner No. 1, the S.E. cornerof location, identical with Cor. No.3 Amelia lode Survey No.1969, a monument of stone containing decayed end of old post. In its place set a post 4ins. sq.,4 ft long, 18 ins. in the ground, in a mound of stone, scribed S E C-D 1-3539, and S W C-A 3-1969.

Whence: X B R 1-3539 chiseled on a granite rock 12x 9x 3 ins. bears N66°38'W 8.98 ft.

The \(\frac{1}{4}\) cor. bet. secs. 31-32 Tp. 19S R25E. bears

S73° 42'E 989.3 ft.

Cor. No.5 Belvista lode Sur. No. 3540 bears S49° 13'E

Feet Thence S76°55'W Va. 16°40'E.

300.0 S.Center End, a post 4 ins. sq. 3 ft. above ground in a mound of stone scribed, S C E-D, add 3539.

585.0 Center of road bears N.W and S.E.

500.0 To Cor. No.2, a mound of stone, post gone,

Set a post 4 ins. sq. 4 ft. long, 18 ins. in the ground,
in a mound of stone, make scribed S W C-D 2-3539.

Whence: X B R 2-3539 chiseled on a porphyry rock
16x14x5 ins. bears N46°03E 37.25 ft.

X B R 2-3539 chiseled on a granite rock, in form of a
pyramid, base 24x24 ins, 12 ins high bears 575°21'W
83.3 feet.

Thence N13°05'W Va. 12°40'E.

10.0 Center of road bears N.W and S.E.

723.0 Center of westerly end of a shallow shaft.

1228.6 Point whence a post in a mound of stone bears S60°18'E 302.2ft.

1446.0 A stone monument on line.

1500.0 To Cor. No.3, a stone monument.

Set a post 4 ins. sq.,4 ft long, 18 ins. in the ground, in a mound of stone, scribed N W C-D 3-3539.

Whence: X B R- 3-3539 chiseled on a granite rock

8x8x4 ins. bears S81°30'E' 6.45 feet.

Cor. No.4 Turf lode Survey No.2657, a mound of stone,

post gone, bears S78°20'W = 26.7 ft.

The S.E. corner of a timbered shaft bears N10°24'W C shol sileme T.on . Too mult lectionst 55:5 ft.

No other rock or tree bearings available.

Thence N76°55'E. Va. 13°30'E.

etat" se venaus

N. Center End, a stone monument. 300.0

> Set a post 4 ins. sq.,4 ft. long, 18 ins in the ground, in a mound of stone, scribed N C E-D 3539.

Whence: Cor. No. 3 Turf lode Sur. No. 2657. a mound of stone, post gone, bears S78°04'W 45.2 ft.

600.0 To COR. No.4, identical with Cor. No.4 Amelia lode, Sur. No. 1969, a post 4 ins. sq., 3 ft above ground, in a mound of stone, scribed N W C-A 2-1969: add to scribing N E C - D 4-3539:

> Whence: U.S.Mineral Monument No 1 of Turquoise Dist. bears N36°44'E 3138.0 ft.

> X B R 4-3539 chiseled on a granite rock 18x14x4 ins. bears S25°16'W 24:3 ft.

A post in a mound of stone, scribed 3-2661 and S W C-C C bears N 73° 00' W. 51.45 ft.

Thence Sl3°05'E Va.13°30'F.

Center of base of old monument. 1025.0

To Cor. No. 1, the place of beginning. 1500.0 This survey is identical with location.

Area.

Daisy lode

20.661 acres.

Location. bris 1.1 arms buy to resume

This claim is located in Sec. 31 Tp. 19 S. R25 E G and S.R.Mam, Cochise County, Arizona.

Vein.

The presumed course of the lode is S13°05'E 1500 ft. from N.Center End to S.Center End.

in a mound of stone, sorthed M V

Adjoining Claims.

On the North:

Copper Chief lode Sur. No.2661.

Turf lode Sur. No 2657.

On the East:

Amelia lode Sur. No. 1969

Costello Estate and John Gleeson Claimants.

On the South:

Lode claim, name unknown:

M. Marchello claimant.

On the West:

No known lode claim.

Expenditure of \$500.0

I certify that the value of labor and improvements made upon this claim by the claimant or his grantors is not less than \$500.0 and that said improvements consist of:

Instrument

shaft sxi ft. 8 ft deep.

From N.Center End

Discovery shaft, the center of which bears S13°05'E No.1 136 ft., Shaft 6x4 feet 10 ft. deep

Value

\$75.00

A shaft the center of which bears S45°28'E 156.5 ft. No.2 Shaft axax. 6x42 ft. 29 ft. deep.

Value at \$10.00 per foot \$290.00

- A shaft the center of which bears S49°20'E 129.5 ft. No.3 Shaft badly caved. Value indeterminable.
- A shaft the center of which bears S65°35'E 250.0 ft. No.4 Shaft 5x8 ft., 8 ft. deep (once deeper). Value \$50.00
- A shaft the center of which bears S59°57'E 300.0 ft. No.5 Shaft 6x4 ft., 9 ft. deep (pinched at bottom). Value \$60.00 From point on line 2-3 at N13°05'W 723 ft. from Ccr. No.2.
- A shaft the center of which the west end of which No.6 coincides with above point. Shaft 5tt. x # ft., 7t ft. deep(once deeper).

Value

\$50.00

From a point on line 2-3 at N13°05'W 1228.6 ft. from Cor. NO,2.

A shaft the center of which bears S55°28'F 200 127 ft. No.7 Shaft 6x4 ft. 9 ft. deep.

> \$60.00 Value . mane unknown.

From point on line 4-1 at S13°05'E 554.6 ft from Cor. No.4.

A shaft the center of which bears S66°17'W 104 ft. No.8 Shaft 6x4 ft.,9 ft. deep.

Value \$80.00

Other Improvements.

From a point on line 4-1 at S13°05'E 1029.2 ft from Cor. No. 4.

A house the S.W. corner of which bears N81º19'W 194 ft. House of adobe and lumber 12x24 ft. A, Moreno claimant.

Instrument.

This survey was made with a Young and SONS Mountain transit (No. 6855) provided with Smith Solar Attachment. The courses were deflected from true meridian as determined by direct solar observations. The distances were measured with 500 ft. and 50 ft. steel tapes. .oldsalmetyant enlev

to o.o. . Report. Report.

The one-quarter corner between sections 31-32 Tp.19 \$ R 25 E is a regulation iron standard with brass cap. The U.S. Mineral Monument No 1 is a post six inches square in a conical mound of stone, scribed U.S. M.M.No.1

Corner No.5 of Belvista lode is a post in a mound of stone, scribed N E C - B 1-3540.

Sept. 17 1918.

Sept. 17 1918. John Wockfellow

U.S.Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

. A list of the names of the individuals employed by Juliu a Noclogues			
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and			
boundaries described in the foregoing field notes of the survey of the mining claim of			
Louis Musso			
known as the Daisy lode			
and showing the respective capacities in which they acted.			
O. B. Rushin, Chainman.			
, Chainman.			
, Awman.			
, Flagman.			
FINAL OATHS OF ASSISTANTS.			
We, I O.B. Rushin			
, do solemnly swear that we assisted John 9			
ToeRfellow, United States Mineral Surveyor, in marking the corners and surveying			
the boundaries of the mining claim of Laury Musso			
known as the Laisy lode			
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his			
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully			
and correctly executed, and the corner and boundary monuments established according to law and the instruc-			
tions furnished by the United States Surveyor-General for			
O B Rushin			
, Chainman.			
, Avman.			
, Flagman			
Subscribed and sworn to by the above-named persons before me this			
day of September, 1918			
me of their			
By commission expires 2 0 10			
Ly commission expires Astary Public,			

FINAL OATH OF U.S. MINERAL SURVEYOR.

The Alexander
I, forther White Ofice on , U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for, dated,
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of A O MINING
, known as the
Daisy lode, known as the
situate in Charles de
Oochuse County, Crizma in Section
Township No. / J. Range No. 25
and designated as Survey No. 3559, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant orgrantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
(1 - 2 1 - 1
U. S. Mineral Surveyor.
Subscribed and sworn to by the said John A Rock to llog
Subscribed and sworn to by the said John A Rockfellong U. S. Mineral Surveyor, before me Gestrude C. Le ake
a botang Public this 11th
day of October , 1918
E-1044 Spiel 24, 1922. Gertrude Ce Le ake Notare Public
Notare Public
6-1044 Tupuc

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,
	February 28 , 191 9
I, U. S. Surveyor-Ge	neral for District of Arizona
do hereby certify that the	foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of	
	LOUIS MUSSO
known as the	DAISY LODE.
situate in	TURQUOISE
Mining District,	COCHISE County, ARIZONA.
in Section 31	, Township No. 19 S., Range No. 25 E., and
designated as Survey No	3539 , has been correctly copied from the originals on file in
this office; that said Field	Notes furnish such an accurate description of said mining claim as will, if
	serve fully to identify the premises, and that such reference is made therein
to natural objects or perma	nent monuments as will perpetuate and fix the locus thereof.
	that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mi	ning claim by claimant or his grantors, and that said improvements
consist of 8 shaft	s, value \$668.
	labor or improvements has been included in the estimate of expenditures
pon any other claim.	the state of expenditures
I further certify that th	e plat thereof, filed in the U.S. Land Office at
Arizona,	is correct and in conformity with the foregoing Field Notes.
	Frank P. Trott,
	United States Surveyor-General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

OFFICE OF U. S. SURVEYOR GENERAL

	2 //	Phoenix, Arizona,	
		February 28 , 191 9	
I, U. S. Surveyor General for	District of	Arizona	
		Field Notes and Return of the Survey of the	
	LOUIS MUSSO		
		known as the	
situate in	TURQUOISE	mining district,	
		ARIZONA,	
		19 S. , Range No. 25 E	
designated as	Survey No. 3539		
executed by	John A. Rockfe	llow, U. S. Mineral	
Surveyor,Sept	. 2-7,	, 1918, under my instructions dated	
Aug. 12,	, 1918, have been	critically examined and the necessary cor-	
ections and explanations made, and the said Field Notes and Return, and the Survey they describe,			
re hereby approved. The certified copy of the location certificate filed by the applicant for survey is			
		id location certificate is included and made	
part of the transcript of the field n			
	161	the state of	
	(0)	mil (1) (3) not	

U. S. Surveyor General for Arizona.